



US 20190240317A1

(19) **United States**

(12) **Patent Application Publication**  
**Ciaramella et al.**

(10) **Pub. No.: US 2019/0240317 A1**

(43) **Pub. Date: Aug. 8, 2019**

(54) **HPIV3 RNA VACCINES**

(71) Applicant: **ModernaTX, Inc.**, Cambridge, MA (US)

(72) Inventors: **Giuseppe Ciaramella**, Sudbury, MA (US); **Sunny Himansu**, Winchester, MA (US)

(73) Assignee: **ModernaTX, Inc.**, Cambridge, MA (US)

(21) Appl. No.: **16/368,270**

(22) Filed: **Mar. 28, 2019**

**Related U.S. Application Data**

(63) Continuation of application No. 16/040,981, filed on Jul. 20, 2018, now Pat. No. 10,272,150, which is a continuation of application No. 15/674,599, filed on Aug. 11, 2017, now Pat. No. 10,064,934, which is a continuation of application No. PCT/US2016/058327, filed on Oct. 21, 2016.

(60) Provisional application No. 62/247,362, filed on Oct. 28, 2015, provisional application No. 62/247,394, filed on Oct. 28, 2015, provisional application No. 62/247,483, filed on Oct. 28, 2015, provisional application No. 62/247,297, filed on Oct. 28, 2015,

provisional application No. 62/244,802, filed on Oct. 22, 2015, provisional application No. 62/244,946, filed on Oct. 22, 2015, provisional application No. 62/244,813, filed on Oct. 22, 2015, provisional application No. 62/244,837, filed on Oct. 22, 2015, provisional application No. 62/245,031, filed on Oct. 22, 2015.

**Publication Classification**

(51) **Int. Cl.**  
*A61K 39/155* (2006.01)  
*C07K 16/10* (2006.01)  
*A61K 39/12* (2006.01)

(52) **U.S. Cl.**  
CPC ..... *A61K 39/155* (2013.01); *C07K 16/10* (2013.01); *C07K 16/1027* (2013.01); *A61K 39/12* (2013.01); *A61K 2039/70* (2013.01); *C12N 2760/18334* (2013.01); *C12N 2760/18034* (2013.01); *C07K 2317/76* (2013.01); *C12N 2760/18434* (2013.01)

(57) **ABSTRACT**

The disclosure relates to respiratory virus ribonucleic acid (RNA) vaccines and combination vaccines, as well as methods of using the vaccines and compositions comprising the vaccines.

**Specification includes a Sequence Listing.**

Fig. 1




Fig. 2A

Day 0 serum titration




Fig. 2B

Day 14 serum titration




Fig. 2C

Day 35 serum titration




Fig. 3A

Mouse IgG2a - hMPV F specific



Fig. 3B

Mouse IgG1 - hMPV F specific




Fig. 3C















Fig. 4













Fig. 9A




Fig. 9B




Fig. 10






Fig. 11

HMPV neutralization antibody titers in cotton rats










Fig. 14




Fig. 15




Fig. 16  
Cotton rat lung histopathology






Fig. 18




Fig. 19A






Fig. 19B






Fig. 20A




Fig. 20B





Fig. 21



**HPIV3 RNA VACCINES**

## RELATED APPLICATIONS

**[0001]** This application is a continuation of U.S. application Ser. No. 16/040,981, filed Jul. 20, 2018, which is a continuation of U.S. application Ser. No. 15/674,599, now U.S. Pat. No. 10,064,934, filed Aug. 11, 2017, which is a continuation of international application number PCT/US2016/058327, which claims the benefit under 35 U.S.C. § 119(e) of U.S. provisional application No. 62/244,802, filed Oct. 22, 2015, U.S. provisional application No. 62/247,297, filed Oct. 28, 2015, U.S. provisional application No. 62/244,946, filed Oct. 22, 2015, U.S. provisional application No. 62/247,362, filed Oct. 28, 2015, U.S. provisional application No. 62/244,813, filed Oct. 22, 2015, U.S. provisional application No. 62/247,394, filed Oct. 28, 2015, U.S. provisional application No. 62/244,837, filed Oct. 22, 2015, U.S. provisional application No. 62/247,483, filed Oct. 28, 2015, and U.S. provisional application No. 62/245,031, filed Oct. 22, 2015, each of which is incorporated by reference herein in its entirety.

## BACKGROUND

**[0002]** Respiratory disease is a medical term that encompasses pathological conditions affecting the organs and tissues that make gas exchange possible in higher organisms, and includes conditions of the upper respiratory tract, trachea, bronchi, bronchioles, alveoli, pleura and pleural cavity, and the nerves and muscles of breathing. Respiratory diseases range from mild and self-limiting, such as the common cold, to life-threatening entities like bacterial pneumonia, pulmonary embolism, acute asthma and lung cancer. Respiratory disease is a common and significant cause of illness and death around the world. In the US, approximately 1 billion “common colds” occur each year. Respiratory conditions are among the most frequent reasons for hospital stays among children.

**[0003]** The human metapneumovirus (hMPV) is a negative-sense, single-stranded RNA virus of the genus *Pneumovirinae* and of the family Paramyxoviridae and is closely related to the avian metapneumovirus (AMPV) subgroup C. It was isolated for the first time in 2001 in the Netherlands by using the RAP-PCR (RNA arbitrarily primed PCR) technique for identification of unknown viruses growing in cultured cells. hMPV is second only to RSV as an important cause of viral lower respiratory tract illness (LRI) in young children. The seasonal epidemiology of hMPV appears to be similar to that of RSV, but the incidence of infection and illness appears to be substantially lower.

**[0004]** Parainfluenza virus type 3 (PIV3), like hMPV, is also a negative-sense, single-stranded sense RNA virus of the genus *Pneumovirinae* and of the family Paramyxoviridae and is a major cause of ubiquitous acute respiratory infections of infancy and early childhood. Its incidence peaks around 4-12 months of age, and the virus is responsible for 3-10% of hospitalizations, mainly for bronchiolitis and pneumonia. PIV3 can be fatal, and in some instances is associated with neurologic diseases, such as febrile seizures. It can also result in airway remodeling, a significant cause of morbidity. In developing regions of the world, infants and young children are at the highest risk of mortality, either from primary PIV3 viral infection or a secondary consequences, such as bacterial infections. Human parainfluenza

viruses (hPIV) types 1, 2 and 3 (hPIV1, hPIV2 and hPIV3, respectively), also like hMPV, are second only to RSV as important causes of viral LRI in young children.

**[0005]** RSV, too, is a negative-sense, single-stranded RNA virus of the genus *Pneumovirinae* and of the family Paramyxoviridae. Symptoms in adults typically resemble a sinus infection or the common cold, although the infection may be asymptomatic. In older adults (e.g., >60 years), RSV infection may progress to bronchiolitis or pneumonia. Symptoms in children are often more severe, including bronchiolitis and pneumonia. It is estimated that in the United States, most children are infected with RSV by the age of three. The RSV virion consists of an internal nucleocapsid comprised of the viral RNA bound to nucleoprotein (N), phosphoprotein (P), and large polymerase protein (L). The nucleocapsid is surrounded by matrix protein (M) and is encapsulated by a lipid bilayer into which the viral fusion (F) and attachment (G) proteins as well as the small hydrophobic protein (SH) are incorporated. The viral genome also encodes two nonstructural proteins (NS1 and NS2), which inhibit type I interferon activity as well as the M-2 protein.

**[0006]** The continuing health problems associated with hMPV, PIV3 and RSV are of concern internationally, reinforcing the importance of developing effective and safe vaccine candidates against these virus.

**[0007]** Despite decades of research, no vaccines currently exist (Sato and Wright, *Pediatr. Infect. Dis. J.* 2008; 27(10 Suppl):S123-5). Recombinant technology, however, has been used to target the formation of vaccines for hPIV-1, 2 and 3 serotypes, for example, and has taken the form of several live-attenuated intranasal vaccines. Two vaccines in particular were found to be immunogenic and well tolerated against hPIV-3 in phase I trials. hPIV1 and hPIV2 vaccine candidates remain less advanced (Durbin and Karron, *Clinical infectious diseases: an official publication of the Infectious Diseases Society of America* 2003; 37(12):1668-77).

**[0008]** Measles virus (MeV), like hMPV, PIV3 and RSV, is a negative-sense, single-stranded RNA virus that is the cause of measles, an infection of the respiratory system. MeV is of the genus *Morbillivirus* within the family Paramyxoviridae. Humans are the natural hosts of the virus; no animal reservoirs are known to exist. Symptoms of measles include fever, cough, runny nose, red eyes and a generalized, maculopapular, erythematous rash. The virus is highly contagious and is spread by coughing

**[0009]** In addition to hMPV, PIV, RSV and MeV, beta-coronaviruses are known to cause respiratory illnesses. Betacoronaviruses (BetaCoVs) are one of four genera of coronaviruses of the subfamily Coronavirinae in the family Coronaviridae, of the order Nidovirales. They are enveloped, positive-sense, single-stranded RNA viruses of zoonotic origin. The coronavirus genera are each composed of varying viral lineages, with the *betacoronavirus* genus containing four such lineages. The BetaCoVs of the greatest clinical importance concerning humans are OC43 and HKU1 of the A lineage, SARS-CoV of the B lineage, and MERS-CoV of the C lineage. MERS-CoV is the first betacoronavirus belonging to lineage C that is known to infect humans.

**[0010]** The Middle East respiratory syndrome coronavirus (MERS-CoV), or EMC/2012 (HCoV-EMC/2012), initially referred to as novel coronavirus 2012 or simply novel coronavirus, was first reported in 2012 after genome sequencing of a virus isolated from sputum samples from a

person who fell ill during a 2012 outbreak of a new flu. As of July 2015, MERS-CoV cases have been reported in over 21 countries. The outbreaks of MERS-CoV have raised serious concerns world-wide, reinforcing the importance of developing effective and safe vaccine candidates against MERS-CoV.

**[0011]** Severe acute respiratory syndrome (SARS) emerged in China in 2002 and spread to other countries before brought under control. Because of a concern for reemergence or a deliberate release of the SARS coronavirus, vaccine development was initiated.

**[0012]** Deoxyribonucleic acid (DNA) vaccination is one technique used to stimulate humoral and cellular immune responses to foreign antigens, such as hMPV antigens and/or PIV antigens and/or RSV antigens. The direct injection of genetically engineered DNA (e.g., naked plasmid DNA) into a living host results in a small number of its cells directly producing an antigen, resulting in a protective immunological response. With this technique, however, comes potential problems, including the possibility of insertional mutagenesis, which could lead to the activation of oncogenes or the inhibition of tumor suppressor genes.

#### SUMMARY

**[0013]** Provided herein are ribonucleic acid (RNA) vaccines that build on the knowledge that RNA (e.g., messenger RNA (mRNA)) can safely direct the body's cellular machinery to produce nearly any protein of interest, from native proteins to antibodies and other entirely novel protein constructs that can have therapeutic activity inside and outside of cells. The RNA (e.g., mRNA) vaccines of the present disclosure may be used to induce a balanced immune response against hMPV, PIV, RSV, MeV, and/or BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1), or any combination of two or more of the foregoing viruses, comprising both cellular and humoral immunity, without risking the possibility of insertional mutagenesis, for example. hMPV, PIV, RSV, MeV, BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1) and combinations thereof are referred to herein as "respiratory viruses." Thus, the term "respiratory virus RNA vaccines" encompasses hMPV RNA vaccines, PIV RNA vaccines, RSV RNA vaccines, MeV RNA vaccines, BetaCoV RNA vaccines, and any combination of two or more of hMPV RNA vaccines, PIV RNA vaccines, RSV RNA vaccines, MeV RNA vaccines, and BetaCoV RNA vaccines.

**[0014]** The RNA (e.g., mRNA) vaccines may be utilized in various settings depending on the prevalence of the infection or the degree or level of unmet medical need. The RNA (e.g. mRNA) vaccines may be utilized to treat and/or prevent a hMPV, PIV, RSV, MeV, a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1), or any combination of two or more of the foregoing viruses, of various genotypes, strains, and isolates. The RNA (e.g., mRNA) vaccines have superior properties in that they produce much larger antibody titers and produce responses earlier than commercially available anti-viral therapeutic treatments. While not wishing to be bound by theory, it is believed that the RNA (e.g., mRNA) vaccines, as mRNA polynucleotides, are better designed to produce the appropriate protein conformation upon translation as the RNA (e.g., mRNA) vaccines

co-opt natural cellular machinery. Unlike traditional vaccines, which are manufactured *ex vivo* and may trigger unwanted cellular responses, RNA (e.g., mRNA) vaccines are presented to the cellular system in a more native fashion.

**[0015]** In some aspects the invention is a respiratory virus vaccine, comprising at least one RNA polynucleotide having an open reading frame encoding at least one respiratory virus antigenic polypeptide, formulated in a cationic lipid nanoparticle.

**[0016]** Surprisingly, in some aspects—it has also been shown that efficacy of mRNA vaccines can be significantly enhanced when combined with a flagellin adjuvant, in particular, when one or more antigen-encoding mRNAs is combined with an mRNA encoding flagellin.

**[0017]** RNA (e.g., mRNA) vaccines combined with the flagellin adjuvant (e.g., mRNA-encoded flagellin adjuvant) have superior properties in that they may produce much larger antibody titers and produce responses earlier than commercially available vaccine formulations. While not wishing to be bound by theory, it is believed that the RNA (e.g., mRNA) vaccines, for example, as mRNA polynucleotides, are better designed to produce the appropriate protein conformation upon translation, for both the antigen and the adjuvant, as the RNA (e.g., mRNA) vaccines co-opt natural cellular machinery. Unlike traditional vaccines, which are manufactured *ex vivo* and may trigger unwanted cellular responses, RNA (e.g., mRNA) vaccines are presented to the cellular system in a more native fashion.

**[0018]** Some embodiments of the present disclosure provide RNA (e.g., mRNA) vaccines that include at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one antigenic polypeptide or an immunogenic fragment thereof (e.g., an immunogenic fragment capable of inducing an immune response to the antigenic polypeptide) and at least one RNA (e.g., mRNA polynucleotide) having an open reading frame encoding a flagellin adjuvant.

**[0019]** In some embodiments, at least one flagellin polypeptide (e.g., encoded flagellin polypeptide) is a flagellin protein. In some embodiments, at least one flagellin polypeptide (e.g., encoded flagellin polypeptide) is an immunogenic flagellin fragment. In some embodiments, at least one flagellin polypeptide and at least one antigenic polypeptide are encoded by a single RNA (e.g., mRNA) polynucleotide. In other embodiments, at least one flagellin polypeptide and at least one antigenic polypeptide are each encoded by a different RNA polynucleotide.

**[0020]** In some embodiments at least one flagellin polypeptide has at least 80%, at least 85%, at least 90%, or at least 95% identity to a flagellin polypeptide having a sequence identified by any one of SEQ ID NO: 54-56.

**[0021]** Provided herein, in some embodiments, is a ribonucleic acid (RNA) (e.g., mRNA) vaccine, comprising at least one (e.g., at least 2, 3, 4 or 5) RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one (e.g., at least 2, 3, 4 or 5) hMPV, PIV, RSV, MeV, or a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) antigenic polypeptide, or any combination of two or more of the foregoing antigenic polypeptides. Herein, use of the term "antigenic polypeptide" encompasses immunogenic fragments of the antigenic polypeptide (an immuno-

genic fragment that induces (or is capable of inducing) an immune response to hMPV, PIV, RSV, MeV, or a BetaCoV), unless otherwise stated.

**[0022]** Also provided herein, in some embodiments, is a RNA (e.g., mRNA) vaccine comprising at least one (e.g., at least 2, 3, 4 or 5) RNA polynucleotide having an open reading frame encoding at least one (e.g., at least 2, 3, 4 or 5) hMPV, PIV, RSV, MeV, and/or a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) antigenic polypeptide or an immunogenic fragment thereof, linked to a signal peptide.

**[0023]** Further provided herein, in some embodiments, is a nucleic acid (e.g., DNA) encoding at least one (e.g., at least 2, 3, 4 or 5) hMPV, PIV, RSV, MeV, and/or a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) RNA (e.g., mRNA) polynucleotide.

**[0024]** Further still, provided herein, in some embodiments, is a method of inducing an immune response in a subject, the method comprising administering to the subject a vaccine comprising at least one (e.g., at least 2, 3, 4 or 5) RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one (e.g., at least 2, 3, 4 or 5) hMPV, PIV, RSV, MeV, and/or a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) antigenic polypeptide, or any combination of two or more of the foregoing antigenic polypeptides.

**[0025]** hMPV/PIV3/RSV

**[0026]** In some embodiments, a RNA (e.g., mRNA) vaccine comprises at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one hMPV, PIV3 or RSV antigenic polypeptide. In some embodiments, at least one antigenic polypeptide is a hMPV, PIV3 or RSV polypeptide. In some embodiments, at least one antigenic polypeptide is major surface glycoprotein G or an immunogenic fragment thereof. In some embodiments, at least one antigenic polypeptide is Fusion (F) glycoprotein (e.g., Fusion glycoprotein F0, F1 or F2) or an immunogenic fragment thereof. In some embodiments, at least one antigenic polypeptide is major surface glycoprotein G or an immunogenic fragment thereof and F glycoprotein or an immunogenic fragment thereof. In some embodiments, the antigenic polypeptide is nucleoprotein (N) or an immunogenic fragment thereof, phosphoprotein (P) or an immunogenic fragment thereof, large polymerase protein (L) or an immunogenic fragment thereof, matrix protein (M) or an immunogenic fragment thereof, small hydrophobic protein (SH) or an immunogenic fragment thereof nonstructural protein1(NS1) or an immunogenic fragment thereof, or nonstructural protein 2 (NS2) and an immunogenic fragment thereof. In some embodiments, at least one hMPV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 5-8 (Table 3; see also amino acid sequences of Table 4). In some embodiments, the amino acid sequence of the hMPV antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 5-8 (Table 3; see also amino acid sequences of Table 4).

**[0027]** In some embodiments, at least one hMPV antigenic polypeptide is encoded by a nucleic acid sequence identified by any one of SEQ ID NO: 1-4 (Table 2).

**[0028]** In some embodiments, at least one hMPV RNA (e.g., mRNA) polynucleotide is encoded by a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 1-4 (Table 2). In some embodiments, at least one hMPV RNA (e.g., mRNA) polynucleotide comprises a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 57-60 (Table 2).

**[0029]** In some embodiments, at least one antigenic polypeptide is obtained from hMPV strain CAN98-75 (CAN75) or the hMPV strain CAN97-83 (CAN83).

**[0030]** In some embodiments, at least one PIV3 antigenic polypeptide comprises hemagglutinin-neuraminidase, Fusion (F) glycoprotein, matrix protein (M), nucleocapsid protein (N), viral replicase (L), non-structural V protein, or an immunogenic fragment thereof.

**[0031]** In some embodiments, at least one PIV3 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 12-13 (Table 6; see also amino acid sequences of Table 7). In some embodiments, the amino acid sequence of the PIV3 antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 12-13 (Table 6; see also amino acid sequences of Table 7).

**[0032]** In some embodiments, at least one PIV3 antigenic polypeptide is encoded by a nucleic acid sequence identified by any one of SEQ ID NO: 9-12 (Table 5; see also nucleic acid sequences of Table 7).

**[0033]** In some embodiments, at least one PIV3 RNA (e.g., mRNA) polynucleotide is encoded by a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 9-12 (Table 5; see also nucleic acid sequences of Table 7). In some embodiments, at least one PIV3 RNA (e.g., mRNA) polynucleotide comprises a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 61-64 (Table 5).

**[0034]** In some embodiments, at least one antigenic polypeptide is obtained from PIV3 strain HPIV3/Homo sapiens/PER/FLA4815/2008.

**[0035]** In some embodiments, at least one RSV antigenic polypeptide comprises at least one antigenic polypeptide that comprises glycoprotein G, glycoprotein F, or an immunogenic fragment thereof. In some embodiments, at least one RSV antigenic polypeptide comprises at least one antigenic polypeptide that comprises glycoprotein F and at least one or at least two antigenic polypeptide selected from G, M, N, P, L, SH, M2, NS1 and NS2.

**[0036]** MeV

**[0037]** In some embodiments, a RNA (e.g., mRNA) vaccine comprises at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one MeV antigenic polypeptide. In some embodiments, at least one antigenic polypeptide is a hemagglutinin (HA) protein or an immunogenic fragment thereof. The HA protein may be from MeV strain D3 or B8, for example. In some embodiments, at least one antigenic polypeptide is a Fusion (F) protein or an immunogenic fragment thereof. The F protein may be from MeV strain D3 or B8, for example. In some embodiments, a MeV RNA (e.g., mRNA) vaccine comprises at least one RNA polynucleotide encoding a HA protein and a F protein. The HA and F proteins may be from MeV strain D3 or B8, for example.



**[0038]** In some embodiments, at least one MeV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 47-50 (Table 14). In some embodiments, the amino acid sequence of the MeV antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 47-50 (Table 14).

**[0039]** In some embodiments, at least one MeV antigenic polypeptide is encoded by a nucleic acid sequence of SEQ ID NO: 35-46 (Table 13).

**[0040]** In some embodiments, at least one MeV RNA (e.g., mRNA) polynucleotide is encoded by a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 35-46 (Table 13). In some embodiments, at least one MeV RNA (e.g., mRNA) polynucleotide comprises a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 69-80 (Table 13).

**[0041]** In some embodiments, at least one antigenic polypeptide is obtained from MeV strain B3/B3.1, C2, D4, D6, D7, D8, G3, H1, Moraten, Rubeovax, MVi/New Jersey.USA/45.05, MVi/Texas.USA/4.07, AIK-C, MVi/New York.USA/26.09/3, MVi/California.USA/16.03, MVi/Virginia.USA/15.09, MVi/California.USA/8.04, or MVi/Pennsylvania.USA/20.09.

**[0042]** BetaCoV

**[0043]** In some embodiments, a RNA (e.g., mRNA) vaccine comprises at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one BetaCoV antigenic polypeptide. In some embodiments, the BetaCoV is MERS-CoV. In some embodiments, the BetaCoV is SARS-CoV. In some embodiments, the BetaCoV is HCoV-OC43. In some embodiments, the BetaCoV is HCoV-229E. In some embodiments, the BetaCoV is HCoV-NL63. In some embodiments, the BetaCoV is HCoV-HKU1. In some embodiments, at least one antigenic polypeptide is a betacoronavirus structural protein. For example, a betacoronavirus structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, a betacoronavirus structural protein is a spike protein (S). In some embodiments, a betacoronavirus structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof.

**[0044]** BetaCoV RNA (e.g., mRNA) polynucleotides of the vaccines provided herein may encode viral protein components of betacoronaviruses, for example, accessory proteins, replicase proteins and the like are encompassed by the present disclosure. RNA (e.g., mRNA) vaccines may include RNA polynucleotides encoding at least one accessory protein (e.g., protein 3, protein 4a, protein 4b, protein 5), at least one replicase protein (e.g., protein 1a, protein 1b), or a combination of at least one accessory protein and at least one replicase protein. The present disclosure also encompasses RNA (e.g., mRNA) vaccines comprising RNA (e.g., mRNA) polynucleotides encoding an accessory protein and/or a replicase protein in combination with at least one structural protein. Due to their surface expression properties, vaccines featuring RNA polynucleotides encoding structural proteins are believed to have preferred immunogenic activity and, hence, may be most suitable for use in the vaccines of the present disclosure.

**[0045]** Some embodiments of the present disclosure provide betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1 or a combination thereof) vaccines that include at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) antigenic polypeptide. Also provided herein are pan-betacoronavirus vaccines. Thus, a betacoronavirus vaccine comprising a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding any one, two, three or four of MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, and HCoV-HKU1, for example, may be effective against any one of, any combination of, or all of, MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1. Other betacoronaviruses are encompassed by the present disclosure.

**[0046]** In some embodiments, at least one antigenic polypeptide is a MERS-CoV structural protein. For example, a MERS-CoV structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, the MERS-CoV structural protein is a spike protein (S) (see, e.g., Coleman C M et al. *Vaccine* 2014; 32:3169-74, incorporated herein by reference). In some embodiments, the MERS-CoV structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof (Li J et al. *Viral Immunol* 2013; 26(2):126-32; He Y et al. *Biochem Biophys Res Commun* 2004; 324(2):773-81, each of which is incorporated herein by reference).

**[0047]** In some embodiments, at least one MERS-CoV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 24-28 or 33 (Table 11). In some embodiments, the amino acid sequence of the MERS-CoV antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 24-28 or 33 (Table 11).

**[0048]** In some embodiments, at least one MERS-CoV antigenic polypeptide is encoded by a nucleic acid sequence identified by any one of SEQ ID NO: 20-23 (Table 10).

**[0049]** In some embodiments, at least one MERS-CoV RNA (e.g., mRNA) polynucleotide is encoded by a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 20-23 (Table 10). In some embodiments, at least one MERS-CoV RNA (e.g., mRNA) polynucleotide comprises a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 65-68 (Table 10).

**[0050]** In some embodiments, at least one antigenic polypeptide is obtained from MERS-CoV strain Riyadh\_14\_2013, 2cEMC/2012, or Hasa\_1\_2013.

**[0051]** In some embodiments, at least one antigenic polypeptide is a SARS-CoV structural protein. For example, a SARS-CoV structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, the SARS-CoV structural protein is a spike protein (S). In some embodiments, the SARS-CoV structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof.

**[0052]** In some embodiments, at least one SARS-CoV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 29, 32 or 34 (Table 11). In some embodiments, the amino acid sequence of the SARS-CoV antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 29, 32 or 34 (Table 11).

**[0053]** In some embodiments, at least one antigenic polypeptide is a HCoV-OC43 structural protein. For example, a HCoV-OC43 structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, the HCoV-OC43 structural protein is a spike protein (S). In some embodiments, the HCoV-OC43 structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof.

**[0054]** In some embodiments, at least one HCoV-OC43 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 30 (Table 11). In some embodiments, the amino acid sequence of the HCoV-OC43 antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 30 (Table 11).

**[0055]** In some embodiments, an antigenic polypeptide is a HCoV-HKU1 structural protein. For example, a HCoV-HKU1 structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, the HCoV-HKU1 structural protein is a spike protein (S). In some embodiments, the HCoV-HKU1 structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof.

**[0056]** In some embodiments, at least one HCoV-HKU1 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 31 (Table 11). In some embodiments, the amino acid sequence of the HCoV-HKU1 antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 31 (Table 11).

**[0057]** In some embodiments, an open reading frame of a RNA (e.g., mRNA) vaccine is codon-optimized. In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and is codon optimized mRNA.

**[0058]** In some embodiments, a RNA (e.g., mRNA) vaccine further comprising an adjuvant.

**[0059]** Tables 4, 7, 12 and 15 provide National Center for Biotechnology Information (NCBI) accession numbers of interest. It should be understood that the phrase "an amino acid sequence of Tables 4, 7, 12 and 15" refers to an amino acid sequence identified by one or more NCBI accession numbers listed in Tables 4, 7, 12 and 15. Each of the amino acid sequences, and variants having greater than 95% identity or greater than 98% identity to each of the amino acid sequences encompassed by the accession numbers of Tables 4, 7, 12 and 15 are included within the constructs (polynucleotides/polypeptides) of the present disclosure.

**[0060]** In some embodiments, at least one mRNA polynucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 80% identity to wild-type mRNA sequence. In some embodiments, at least one mRNA polynucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 75%, 85% or 95% identity to a wild-type mRNA sequence. In some embodiments, at least one mRNA polynucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 50-80%, 60-80%, 40-80%, 30-80%, 70-80%, 75-80% or 78-80% identity to wild-type mRNA sequence. In some embodiments, at least one mRNA polynucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 40-85%, 50-85%, 60-85%, 30-85%, 70-85%, 75-85% or 80-85% identity to wild-type mRNA sequence. In some embodiments, at least one mRNA polynucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 40-90%, 50-90%, 60-90%, 30-90%, 70-90%, 75-90%, 80-90%, or 85-90% identity to wild-type mRNA sequence.

**[0061]** In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to wild-type mRNA sequence, but does not include wild-type mRNA sequence.

**[0062]** In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and has less than 95%, 90%, 85%, 80% or 75% identity to wild-type mRNA sequence. In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and has 30-80%, 40-80%, 50-80%, 60-80%, 70-80%, 75-80% or 78-80%, 30-85%, 40-85%, 50-805%, 60-85%, 70-85%, 75-85% or 78-85%, 30-90%, 40-90%, 50-90%, 60-90%, 70-90%, 75-90%, 80-90% or 85-90% identity to wild-type mRNA sequence.

**[0063]** In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15). In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having 95%-99% identity to an amino acid sequence

identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15).

**[0064]** In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and having membrane fusion activity. In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having 95%-99% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and having membrane fusion activity.

**[0065]** In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) that attaches to cell receptors.

**[0066]** In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) that causes fusion of viral and cellular membranes.

**[0067]** In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide,

at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides), at least one 5' terminal cap and at least one chemical modification, formulated within a lipid nanoparticle.


**[0069]** In some embodiments, a 5' terminal cap is 7mG(5')ppp(5')NlmpNp.

**[0070]** In some embodiments, at least one chemical modification is selected from pseudouridine, N1-methylpseudouridine, N1-ethylpseudouridine, 2-thiouridine, 4'-thiouridine, 5-methylcytosine, 5-methyluridine, 2-thio-1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-pseudouridine, 2-thio-5-aza-uridine, 2-thio-dihydropseudouridine, 2-thio-dihydrouridine, 2-thio-pseudouridine, 4-methoxy-2-thio-pseudouridine, 4-methoxy-pseudouridine, 4-thio-1-methylpseudouridine, 4-thio-pseudouridine, 5-aza-uridine, dihydropseudouridine, 5-methoxyuridine and 2'-O-methyluridine. In some embodiments, the chemical modification is in the 5-position of the uracil. In some embodiments, the chemical modification is a N1-methylpseudouridine. In some embodiments, the chemical modification is a N1-ethylpseudouridine.

**[0071]** In some embodiments, a lipid nanoparticle comprises a cationic lipid, a PEG-modified lipid, a sterol and a non-cationic lipid. In some embodiments, a cationic lipid is an ionizable cationic lipid and the non-cationic lipid is a neutral lipid, and the sterol is a cholesterol. In some embodiments, a cationic lipid is selected from the group consisting of 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), (12Z,15Z)-N,N-dimethyl-2-nonylhenicosa-12,15-dien-1-amine (L608), and N,N-dimethyl-1-[(1S,2R)-2-octylcyclopropyl]heptadecan-8-amine (L530).

**[0072]** In some embodiments, the lipid is

(L608)




at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) that is responsible for binding of the virus to a cell being infected.

**[0068]** Some embodiments of the present disclosure provide a vaccine that includes at least one ribonucleic acid (RNA) (e.g., mRNA) polynucleotide having an open reading frame encoding at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3

**[0073]** In some embodiments, the lipid is

(L530)



**[0074]** In some embodiments, a lipid nanoparticle comprises compounds of Formula (I) and/or Formula (II), discussed below.

**[0075]** In some embodiments, a respiratory virus RNA (e.g., mRNA) vaccine is formulated in a lipid nanoparticle that comprises a compound selected from Compounds 3, 18, 20, 25, 26, 29, 30, 60, 108-112 and 122, described below.

**[0076]** Some embodiments of the present disclosure provide a vaccine that includes at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides), wherein at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) of the uracil in the open reading frame have a chemical modification, optionally wherein the vaccine is formulated in a lipid nanoparticle (e.g., a lipid nanoparticle comprises a cationic lipid, a PEG-modified lipid, a sterol and a non-cationic lipid).

**[0077]** In some embodiments, 100% of the uracil in the open reading frame have a chemical modification. In some embodiments, a chemical modification is in the 5-position of the uracil. In some embodiments, a chemical modification is a N1-methyl pseudouridine. In some embodiments, 100% of the uracil in the open reading frame have a N1-methyl pseudouridine in the 5-position of the uracil.

**[0078]** In some embodiments, an open reading frame of a RNA (e.g., mRNA) polynucleotide encodes at least two antigenic polypeptides (e.g., at least two hMPV antigenic polypeptides, at least two PIV3 antigenic polypeptides, at least two RSV antigenic polypeptides, at least two MeV antigenic polypeptides, or at least two BetaCoV antigenic polypeptides, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides). In some embodiments, the open reading frame encodes at least five or at least ten antigenic polypeptides. In some embodiments, the open reading frame encodes at least 100 antigenic polypeptides. In some embodiments, the open reading frame encodes 2-100 antigenic polypeptides.

**[0079]** In some embodiments, a vaccine comprises at least two RNA (e.g., mRNA) polynucleotides, each having an open reading frame encoding at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides). In some embodiments, the vaccine comprises at least five or at least ten RNA (e.g., mRNA) polynucleotides, each having an open reading frame encoding at least one antigenic polypeptide or an immunogenic fragment thereof. In some embodiments, the vaccine comprises at least 100 RNA (e.g., mRNA) polynucleotides, each having an open reading frame encoding at least one antigenic polypeptide. In some embodiments, the vaccine

comprises 2-100 RNA (e.g., mRNA) polynucleotides, each having an open reading frame encoding at least one antigenic polypeptide.

**[0080]** In some embodiments, at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) is fused to a signal peptide. In some embodiments, the signal peptide is selected from: a HulgGk signal peptide (METPAQLLFLLLWLP-DTTG; SEQ ID NO: 15); IgE heavy chain epsilon-1 signal peptide (MDWTWILFLVAAATRVHS; SEQ ID NO: 16); Japanese encephalitis PRM signal sequence (MLGSNS-GQRVVFITILLVAPAYS; SEQ ID NO: 17), VSVg protein signal sequence (MKCLLYLAFLFIGVNCA; SEQ ID NO: 18) and Japanese encephalitis JEV signal sequence (MWLVSLAIVTACAGA; SEQ ID NO: 19).

**[0081]** In some embodiments, the signal peptide is fused to the N-terminus of at least one antigenic polypeptide. In some embodiments, a signal peptide is fused to the C-terminus of at least one antigenic polypeptide.

**[0082]** In some embodiments, at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) comprises a mutated N-linked glycosylation site.

**[0083]** Also provided herein is a RNA (e.g., mRNA) vaccine of any one of the foregoing paragraphs (e.g., a hMPV vaccine, a PIV3 vaccine, a RSV vaccine, a MeV vaccine, or a BetaCoV vaccine, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing vaccines), formulated in a nanoparticle (e.g., a lipid nanoparticle).

**[0084]** In some embodiments, the nanoparticle has a mean diameter of 50-200 nm. In some embodiments, the nanoparticle is a lipid nanoparticle. In some embodiments, the lipid nanoparticle comprises a cationic lipid, a PEG-modified lipid, a sterol and a non-cationic lipid. In some embodiments, the lipid nanoparticle comprises a molar ratio of about 20-60% cationic lipid, 0.5-15% PEG-modified lipid, 25-55% sterol, and 25% non-cationic lipid. In some embodiments, the cationic lipid is an ionizable cationic lipid and the non-cationic lipid is a neutral lipid, and the sterol is a cholesterol. In some embodiments, the cationic lipid is selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319).

**[0085]** In some embodiments, a lipid nanoparticle comprises compounds of Formula (I) and/or Formula (II), as discussed below.

**[0086]** In some embodiments, a lipid nanoparticle comprises Compounds 3, 18, 20, 25, 26, 29, 30, 60, 108-112, or 122, as discussed below.

**[0087]** In some embodiments, the nanoparticle has a polydispersity value of less than 0.4 (e.g., less than 0.3, 0.2 or 0.1).

**[0088]** In some embodiments, the nanoparticle has a net neutral charge at a neutral pH value.

**[0089]** In some embodiments, the respiratory virus vaccine is multivalent.

**[0090]** Some embodiments of the present disclosure provide methods of inducing an antigen specific immune response in a subject, comprising administering to the subject any of the RNA (e.g., mRNA) vaccine as provided herein in an amount effective to produce an antigen-specific immune response. In some embodiments, the RNA (e.g., mRNA) vaccine is a hMPV vaccine, a PIV3 vaccine, a RSV vaccine, a MeV vaccine, or a BetaCoV vaccine, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1 vaccines. In some embodiments, the RNA (e.g., mRNA) vaccine is a combination vaccine comprising a combination of any two or more of the foregoing vaccines.

**[0091]** In some embodiments, an antigen-specific immune response comprises a T cell response or a B cell response.

**[0092]** In some embodiments, a method of producing an antigen-specific immune response comprises administering to a subject a single dose (no booster dose) of a RNA (e.g., mRNA) vaccine of the present disclosure. In some embodiments, the RNA (e.g., mRNA) vaccine is a hMPV vaccine, a PIV3 vaccine, a RSV vaccine, a MeV vaccine, or a BetaCoV vaccine, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1 vaccines. In some embodiments, the RNA (e.g., mRNA) vaccine is a combination vaccine comprising a combination of any two or more of the foregoing vaccines.

**[0093]** In some embodiments, a method further comprises administering to the subject a second (booster) dose of a RNA (e.g., mRNA) vaccine. Additional doses of a RNA (e.g., mRNA) vaccine may be administered.

**[0094]** In some embodiments, the subjects exhibit a seroconversion rate of at least 80% (e.g., at least 85%, at least 90%, or at least 95%) following the first dose or the second (booster) dose of the vaccine. Seroconversion is the time period during which a specific antibody develops and becomes detectable in the blood. After seroconversion has occurred, a virus can be detected in blood tests for the antibody. During an infection or immunization, antigens enter the blood, and the immune system begins to produce antibodies in response. Before seroconversion, the antigen itself may or may not be detectable, but antibodies are considered absent. During seroconversion, antibodies are present but not yet detectable. Any time after seroconversion, the antibodies can be detected in the blood, indicating a prior or current infection.

**[0095]** In some embodiments, a RNA (e.g., mRNA) vaccine is administered to a subject by intradermal or intramuscular injection.

**[0096]** Some embodiments, of the present disclosure provide methods of inducing an antigen specific immune response in a subject, including administering to a subject a RNA (e.g., mRNA) vaccine in an effective amount to produce an antigen specific immune response in a subject.

Antigen-specific immune responses in a subject may be determined, in some embodiments, by assaying for antibody titer (for titer of an antibody that binds to a hMPV, PIV3, RSV, MeV and/or BetaCoV antigenic polypeptide) following administration to the subject of any of the RNA (e.g., mRNA) vaccines of the present disclosure. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased by at least 1 log relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased by 1-3 log relative to a control.

**[0097]** In some embodiments, the anti-antigenic polypeptide antibody titer produced in a subject is increased at least 2 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased at least 5 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased at least 10 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased 2-10 times relative to a control.

**[0098]** In some embodiments, the control is an anti-antigenic polypeptide antibody titer produced in a subject who has not been administered a RNA (e.g., mRNA) vaccine of the present disclosure. In some embodiments, the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine (see, e.g., Ren J. et al. *J of Gen. Virol.* 2015; 96: 1515-1520), or wherein the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a hMPV, PIV3, RSV, MeV and/or BetaCoV virus-like particle (VLP) vaccine (see, e.g., Cox R G et al., *J Virol.* 2014 June; 88(11): 6368-6379).

**[0099]** A RNA (e.g., mRNA) vaccine of the present disclosure is administered to a subject in an effective amount (an amount effective to induce an immune response). In some embodiments, the effective amount is a dose equivalent to an at least 2-fold, at least 4-fold, at least 10-fold, at least 100-fold, at least 1000-fold reduction in the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, wherein the anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, a purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, a live attenuated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine, an inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine, or a hMPV, PIV3, RSV, MeV and/or BetaCoV VLP vaccine. In some embodiments, the effective amount is a dose equivalent to 2-1000-fold reduction in the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, wherein the anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, a purified hMPV, PIV3, RSV, MeV and/or

BetaCoV protein vaccine, a live attenuated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine, an inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine, or a hMPV, PIV3, RSV, MeV and/or BetaCoV VLP vaccine.

**[0100]** In some embodiments, the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a virus-like particle (VLP) vaccine comprising structural proteins of hMPV, PIV3, RSV, MeV and/or BetaCoV.

**[0101]** In some embodiments, the RNA (e.g., mRNA) vaccine is formulated in an effective amount to produce an antigen specific immune response in a subject.

**[0102]** In some embodiments, the effective amount is a total dose of 25 µg to 1000 µg, or 50 µg to 1000 µg. In some embodiments, the effective amount is a total dose of 100 µg. In some embodiments, the effective amount is a dose of 25 µg administered to the subject a total of two times. In some embodiments, the effective amount is a dose of 100 µg administered to the subject a total of two times. In some embodiments, the effective amount is a dose of 400 µg administered to the subject a total of two times. In some embodiments, the effective amount is a dose of 500 µg administered to the subject a total of two times.

**[0103]** In some embodiments, the efficacy (or effectiveness) of a RNA (e.g., mRNA) vaccine is greater than 60%. In some embodiments, the RNA (e.g., mRNA) polynucleotide of the vaccine at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides.

**[0104]** Vaccine efficacy may be assessed using standard analyses (see, e.g., Weinberg et al., *J Infect Dis.* 2010 Jun. 1; 201(11):1607-10). For example, vaccine efficacy may be measured by double-blind, randomized, clinical controlled trials. Vaccine efficacy may be expressed as a proportionate reduction in disease attack rate (AR) between the unvaccinated (ARU) and vaccinated (ARV) study cohorts and can be calculated from the relative risk (RR) of disease among the vaccinated group with use of the following formulas:

$$\text{Efficacy}=(\text{ARU}-\text{ARV})/\text{ARU}\times 100; \text{ and}$$

$$\text{Efficacy}=(1-\text{RR})\times 100.$$

**[0105]** Likewise, vaccine effectiveness may be assessed using standard analyses (see, e.g., Weinberg et al., *J Infect Dis.* 2010 Jun. 1; 201(11):1607-10). Vaccine effectiveness is an assessment of how a vaccine (which may have already proven to have high vaccine efficacy) reduces disease in a population. This measure can assess the net balance of benefits and adverse effects of a vaccination program, not just the vaccine itself, under natural field conditions rather than in a controlled clinical trial. Vaccine effectiveness is proportional to vaccine efficacy (potency) but is also affected by how well target groups in the population are immunized, as well as by other non-vaccine-related factors that influence the 'real-world' outcomes of hospitalizations, ambulatory visits, or costs. For example, a retrospective case control analysis may be used, in which the rates of vaccination among a set of infected cases and appropriate controls are compared. Vaccine effectiveness may be expressed as a

rate difference, with use of the odds ratio (OR) for developing infection despite vaccination:

$$\text{Effectiveness}=(1-\text{OR})\times 100.$$

**[0106]** In some embodiments, the efficacy (or effectiveness) of a RNA (e.g., mRNA) vaccine is at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, or at least 90%.

**[0107]** In some embodiments, the vaccine immunizes the subject against hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses for up to 2 years. In some embodiments, the vaccine immunizes the subject against hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses for more than 2 years, more than 3 years, more than 4 years, or for 5-10 years.

**[0108]** In some embodiments, the subject is about 5 years old or younger. For example, the subject may be between the ages of about 1 year and about 5 years (e.g., about 1, 2, 3, 5 or 5 years), or between the ages of about 6 months and about 1 year (e.g., about 6, 7, 8, 9, 10, 11 or 12 months). In some embodiments, the subject is about 12 months or younger (e.g., 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2 months or 1 month). In some embodiments, the subject is about 6 months or younger. In some embodiments, the subject was born full term (e.g., about 37-42 weeks). In some embodiments, the subject was born prematurely, for example, at about 36 weeks of gestation or earlier (e.g., about 36, 35, 34, 33, 32, 31, 30, 29, 28, 27, 26 or 25 weeks). For example, the subject may have been born at about 32 weeks of gestation or earlier. In some embodiments, the subject was born prematurely between about 32 weeks and about 36 weeks of gestation. In such subjects, a RNA (e.g., mRNA) vaccine may be administered later in life, for example, at the age of about 6 months to about 5 years, or older.

**[0109]** In some embodiments, the subject is pregnant (e.g., in the first, second or third trimester) when administered an RNA (e.g., mRNA) vaccine. Viruses such as hMPV, PIV3 and RSV causes infections of the lower respiratory tract, mainly in infants and young children. One-third of RSV related deaths, for example, occur in the first year of life, with 99 percent of these deaths occurring in low-resource countries. It's so widespread in the United States that nearly all children become infected with the virus before their second birthdays. Thus, the present disclosure provides RNA (e.g., mRNA) vaccines for maternal immunization to improve mother-to-child transmission of protection against the virus.

**[0110]** In some embodiments, the subject is a young adult between the ages of about 20 years and about 50 years (e.g., about 20, 25, 30, 35, 40, 45 or 50 years old).

**[0111]** In some embodiments, the subject is an elderly subject about 60 years old, about 70 years old, or older (e.g., about 60, 65, 70, 75, 80, 85 or 90 years old).

**[0112]** In some embodiments, the subject is has a chronic pulmonary disease (e.g., chronic obstructive pulmonary disease (COPD) or asthma). Two forms of COPD include chronic bronchitis, which involves a long-term cough with mucus, and emphysema, which involves damage to the

lungs over time. Thus, a subject administered a RNA (e.g., mRNA) vaccine may have chronic bronchitis or emphysema.

**[0113]** In some embodiments, the subject has been exposed to hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses; the subject is infected with hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses; or subject is at risk of infection by hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses.

**[0114]** In some embodiments, the subject is immunocompromised (has an impaired immune system, e.g., has an immune disorder or autoimmune disorder).

**[0115]** In some embodiments the nucleic acid vaccines described herein are chemically modified. In other embodiments the nucleic acid vaccines are unmodified.

**[0116]** Yet other aspects provide compositions for and methods of vaccinating a subject comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a first respiratory virus antigenic polypeptide, wherein the RNA polynucleotide does not include a stabilization element, and wherein an adjuvant is not coformulated or co-administered with the vaccine.

**[0117]** In other aspects the invention is a composition for or method of vaccinating a subject comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide wherein a dosage of between 10 µg/kg and 400 µg/kg of the nucleic acid vaccine is administered to the subject. In some embodiments the dosage of the RNA polynucleotide is 1-5 µg, 5-10 µg, 10-15 µg, 15-20 µg, 20-25 µg, 20-50 µg, 30-50 µg, 40-50 µg, 40-60 µg, 60-80 µg, 60-100 µg, 50-100 µg, 80-120 µg, 40-120 µg, 40-150 µg, 50-150 µg, 50-200 µg, 80-200 µg, 100-200 µg, 120-250 µg, 150-250 µg, 180-280 µg, 200-300 µg, 50-300 µg, 80-300 µg, 100-300 µg, 40-300 µg, 50-350 µg, 100-350 µg, 200-350 µg, 300-350 µg, 320-400 µg, 40-380 µg, 40-100 µg, 100-400 µg, 200-400 µg, or 300-400 µg per dose. In some embodiments, the nucleic acid vaccine is administered to the subject by intradermal or intramuscular injection. In some embodiments, the nucleic acid vaccine is administered to the subject on day zero. In some embodiments, a second dose of the nucleic acid vaccine is administered to the subject on day twenty one.

**[0118]** In some embodiments, a dosage of 25 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 100 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 50 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 75 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 150 micrograms of the RNA polynucleotide is included in the nucleic acid

vaccine administered to the subject. In some embodiments, a dosage of 400 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 200 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, the RNA polynucleotide accumulates at a 100 fold higher level in the local lymph node in comparison with the distal lymph node. In other embodiments the nucleic acid vaccine is chemically modified and in other embodiments the nucleic acid vaccine is not chemically modified.

**[0119]** Aspects of the invention provide a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide does not include a stabilization element, and a pharmaceutically acceptable carrier or excipient, wherein an adjuvant is not included in the vaccine. In some embodiments, the stabilization element is a histone stem-loop. In some embodiments, the stabilization element is a nucleic acid sequence having increased GC content relative to wild type sequence.

**[0120]** Aspects of the invention provide nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide is present in the formulation for in vivo administration to a host, which confers an antibody titer superior to the criterion for seroprotection for the first antigen for an acceptable percentage of human subjects. In some embodiments, the antibody titer produced by the mRNA vaccines of the invention is a neutralizing antibody titer. In some embodiments the neutralizing antibody titer is greater than a protein vaccine. In other embodiments the neutralizing antibody titer produced by the mRNA vaccines of the invention is greater than an adjuvanted protein vaccine. In yet other embodiments the neutralizing antibody titer produced by the mRNA vaccines of the invention is 1,000-10,000, 1,200-10,000, 1,400-10,000, 1,500-10,000, 1,000-5,000, 1,000-4,000, 1,800-10,000, 2000-10,000, 2,000-5,000, 2,000-3,000, 2,000-4,000, 3,000-5,000, 3,000-4,000, or 2,000-2,500. A neutralization titer is typically expressed as the highest serum dilution required to achieve a 50% reduction in the number of plaques.

**[0121]** Also provided are nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide is present in a formulation for in vivo administration to a host for eliciting a longer lasting high antibody titer than an antibody titer elicited by an mRNA vaccine having a stabilizing element or formulated with an adjuvant and encoding the first antigenic polypeptide. In some embodiments, the RNA polynucleotide is formulated to produce a neutralizing antibodies within one week of a single administration. In some embodiments, the adjuvant is selected from a cationic peptide and an immunostimulatory nucleic acid. In some embodiments, the cationic peptide is protamine.

**[0122]** Aspects provide nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame comprising at least one chemical modification or optionally no nucleotide modification, the open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide is present in the formulation for in vivo administration to a host such that the level of antigen expression in the host significantly exceeds a level of

antigen expression produced by an mRNA vaccine having a stabilizing element or formulated with an adjuvant and encoding the first antigenic polypeptide.

**[0123]** Other aspects provide nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame comprising at least one chemical modification or optionally no nucleotide modification, the open reading frame encoding a first antigenic polypeptide, wherein the vaccine has at least 10 fold less RNA polynucleotide than is required for an unmodified mRNA vaccine to produce an equivalent antibody titer. In some embodiments, the RNA polynucleotide is present in a dosage of 25-100 micrograms.

**[0124]** Aspects of the invention also provide a unit of use vaccine, comprising between 10 ug and 400 ug of one or more RNA polynucleotides having an open reading frame comprising at least one chemical modification or optionally no nucleotide modification, the open reading frame encoding a first antigenic polypeptide, and a pharmaceutically acceptable carrier or excipient, formulated for delivery to a human subject. In some embodiments, the vaccine further comprises a cationic lipid nanoparticle.

**[0125]** Aspects of the invention provide methods of creating, maintaining or restoring antigenic memory to a respiratory virus strain in an individual or population of individuals comprising administering to said individual or population an antigenic memory booster nucleic acid vaccine comprising (a) at least one RNA polynucleotide, said polynucleotide comprising at least one chemical modification or optionally no nucleotide modification and two or more codon-optimized open reading frames, said open reading frames encoding a set of reference antigenic polypeptides, and (b) optionally a pharmaceutically acceptable carrier or excipient. In some embodiments, the vaccine is administered to the individual via a route selected from the group consisting of intramuscular administration, intradermal administration and subcutaneous administration. In some embodiments, the administering step comprises contacting a muscle tissue of the subject with a device suitable for injection of the composition. In some embodiments, the administering step comprises contacting a muscle tissue of the subject with a device suitable for injection of the composition in combination with electroporation.

**[0126]** Aspects of the invention provide methods of vaccinating a subject comprising administering to the subject a single dosage of between 25 ug/kg and 400 ug/kg of a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide in an effective amount to vaccinate the subject.

**[0127]** Other aspects provide nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame comprising at least one chemical modification, the open reading frame encoding a first antigenic polypeptide, wherein the vaccine has at least 10 fold less RNA polynucleotide than is required for an unmodified mRNA vaccine to produce an equivalent antibody titer. In some embodiments, the RNA polynucleotide is present in a dosage of 25-100 micrograms.

**[0128]** Other aspects provide nucleic acid vaccines comprising an LNP formulated RNA polynucleotide having an open reading frame comprising no nucleotide modifications (unmodified), the open reading frame encoding a first antigenic polypeptide, wherein the vaccine has at least 10 fold less RNA polynucleotide than is required for an unmodified

mRNA vaccine not formulated in a LNP to produce an equivalent antibody titer. In some embodiments, the RNA polynucleotide is present in a dosage of 25-100 micrograms.

**[0129]** The data presented in the Examples demonstrate significant enhanced immune responses using the formulations of the invention. Both chemically modified and unmodified RNA vaccines are useful according to the invention. Surprisingly, in contrast to prior art reports that it was preferable to use chemically unmodified mRNA formulated in a carrier for the production of vaccines, it is described herein that chemically modified mRNA-LNP vaccines required a much lower effective mRNA dose than unmodified mRNA, i.e., tenfold less than unmodified mRNA when formulated in carriers other than LNP. Both the chemically modified and unmodified RNA vaccines of the invention produce better immune responses than mRNA vaccines formulated in a different lipid carrier.

**[0130]** In other aspects the invention encompasses a method of treating an elderly subject age 60 years or older comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a respiratory virus antigenic polypeptide in an effective amount to vaccinate the subject.

**[0131]** In other aspects the invention encompasses a method of treating a young subject age 17 years or younger comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a respiratory virus antigenic polypeptide in an effective amount to vaccinate the subject.

**[0132]** In other aspects the invention encompasses a method of treating an adult subject comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a respiratory virus antigenic polypeptide in an effective amount to vaccinate the subject.

**[0133]** In some aspects the invention is a method of vaccinating a subject with a combination vaccine including at least two nucleic acid sequences encoding respiratory antigens wherein the dosage for the vaccine is a combined therapeutic dosage wherein the dosage of each individual nucleic acid encoding an antigen is a sub therapeutic dosage. In some embodiments, the combined dosage is 25 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the combined dosage is 100 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments the combined dosage is 50 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the combined dosage is 75 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the combined dosage is 150 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the combined dosage is 400 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the sub therapeutic dosage of each individual nucleic acid encoding an antigen is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20 micrograms. In other embodiments the nucleic acid vaccine is chemically modified and in other embodiments the nucleic acid vaccine is not chemically modified.



[0134] The RNA polynucleotide is one of SEQ ID NO: 1-4, 9-12, 20-23, 35-46, 57-61, and 64-80 and includes at least one chemical modification. In other embodiments the RNA polynucleotide is one of SEQ ID NO: 1-4, 9-12, 20-23, 35-46, 57-61, and 64-80 and does not include any nucleotide modifications, or is unmodified. In yet other embodiments the at least one RNA polynucleotide encodes an antigenic protein of any of SEQ ID NO: 5-8, 12-13, 24-34, and 47-50 and includes at least one chemical modification. In other embodiments the RNA polynucleotide encodes an antigenic protein of any of SEQ ID NO: 5-8, 12-13, 24-34, and 47-50 and does not include any nucleotide modifications, or is unmodified.

[0135] In preferred aspects, vaccines of the invention (e.g., LNP-encapsulated mRNA vaccines) produce prophylactically- and/or therapeutically-efficacious levels, concentrations and/or titers of antigen-specific antibodies in the blood or serum of a vaccinated subject. As defined herein, the term antibody titer refers to the amount of antigen-specific antibody produced in a subject, e.g., a human subject. In exemplary embodiments, antibody titer is expressed as the inverse of the greatest dilution (in a serial dilution) that still gives a positive result. In exemplary embodiments, antibody titer is determined or measured by enzyme-linked immunosorbent assay (ELISA). In exemplary embodiments, antibody titer is determined or measured by neutralization assay, e.g., by microneutralization assay. In certain aspects, antibody titer measurement is expressed as a ratio, such as 1:40, 1:100, etc.

[0136] In exemplary embodiments of the invention, an efficacious vaccine produces an antibody titer of greater than 1:40, greater than 1:100, greater than 1:400, greater than 1:1000, greater than 1:2000, greater than 1:3000, greater than 1:4000, greater than 1:500, greater than 1:6000, greater than 1:7500, greater than 1:10000. In exemplary embodiments, the antibody titer is produced or reached by 10 days following vaccination, by 20 days following vaccination, by 30 days following vaccination, by 40 days following vaccination, or by 50 or more days following vaccination. In exemplary embodiments, the titer is produced or reached following a single dose of vaccine administered to the subject. In other embodiments, the titer is produced or reached following multiple doses, e.g., following a first and a second dose (e.g., a booster dose.)

[0137] In exemplary aspects of the invention, antigen-specific antibodies are measured in units of  $\mu\text{g/ml}$  or are measured in units of IU/L (International Units per liter) or mIU/ml (milli International Units per ml). In exemplary embodiments of the invention, an efficacious vaccine produces  $>0.5 \mu\text{g/ml}$ ,  $>0.1 \mu\text{g/ml}$ ,  $>0.2 \mu\text{g/ml}$ ,  $>0.35 \mu\text{g/ml}$ ,  $>0.5 \mu\text{g/ml}$ ,  $>1 \mu\text{g/ml}$ ,  $>2 \mu\text{g/ml}$ ,  $>5 \mu\text{g/ml}$  or  $>10 \mu\text{g/ml}$ . In exemplary embodiments of the invention, an efficacious vaccine produces  $>10 \text{ mIU/ml}$ ,  $>20 \text{ mIU/ml}$ ,  $>50 \text{ mIU/ml}$ ,  $>100 \text{ mIU/ml}$ ,  $>200 \text{ mIU/ml}$ ,  $>500 \text{ mIU/ml}$  or  $>1000 \text{ mIU/ml}$ . In exemplary embodiments, the antibody level or concentration is produced or reached by 10 days following vaccination, by 20 days following vaccination, by 30 days following vaccination, by 40 days following vaccination, or by 50 or more days following vaccination. In exemplary embodiments, the level or concentration is produced or reached following a single dose of vaccine administered to the subject. In other embodiments, the level or concentration is produced or reached following multiple doses, e.g., following a first and a second dose (e.g., a booster dose.) In

exemplary embodiments, antibody level or concentration is determined or measured by enzyme-linked immunosorbent assay (ELISA). In exemplary embodiments, antibody level or concentration is determined or measured by neutralization assay, e.g., by microneutralization assay.

[0138] The details of various embodiments of the disclosure are set forth in the description below. Other features, objects, and advantages of the disclosure will be apparent from the description and from the claims.

#### BRIEF DESCRIPTION OF THE DRAWINGS

[0139] The foregoing and other objects, features and advantages will be apparent from the following description of particular embodiments of the disclosure, as illustrated in the accompanying drawings in which like reference characters refer to the same parts throughout the different views. The drawings are not necessarily to scale, emphasis instead being placed upon illustrating the principles of various embodiments of the disclosure.

[0140] FIG. 1 shows a schematic of one example of a RNA (e.g. mRNA) vaccine construct of the present disclosure. The construct depicts a human metapneumovirus and human respiratory syncytial virus full length fusion protein obtained from wild-type strains (*The Journal of General Virology*. 2008; 89(Pt 12):3113-3118, incorporated herein by reference).

[0141] FIGS. 2A-2C are graphs showing the levels of anti-hMPV fusion protein-specific antibodies in the serum of mice immunized with hMPV mRNA vaccines on day 0 (FIG. 2A), day 14 (FIG. 2B) and day 35 (FIG. 2C) post immunization. The mice were immunized with a single dose ( $2 \mu\text{g}$  or  $10 \mu\text{g}$ ) on day 0 and were given a boost dose ( $2 \mu\text{g}$  or  $10 \mu\text{g}$ ) on day 21, hMPV fusion protein-specific antibodies were detected at up to 1:10000 dilution of serum on day 35 for both doses.

[0142] FIGS. 3A-3C are graphs showing the result of IgG isotyping in the serum of mice immunized with hMPV mRNA vaccines. The levels of hMPV fusion protein-specific IgG2a (FIG. 3A) and IgG1 (FIG. 3B) antibodies in the serum are measured by ELISA. FIG. 3C shows that hMPV fusion protein mRNA vaccine induced a mixed Th1/Th2 cytokine response with a Th1 bias.

[0143] FIG. 4 is a graph showing in vitro neutralization of a hMPV B2 strain (TN/91-316) using the sera of mice immunized with a mRNA vaccine encoding hMPV fusion protein. Mouse serum obtained from mice receiving a  $10 \mu\text{g}$  or a  $2 \mu\text{g}$  dose contained hMPV-neutralizing antibodies.

[0144] FIGS. 5A-5C are graphs showing a Th1 cytokine response induced by a hMPV fusion peptide pool (15-mers-50 (overlap)) in splenocytes isolated from mice immunized with the hMPV mRNA vaccines. Virus-free media was used as a negative control and Concanavalin A (ConA, a positive control for splenocyte stimulation) was included. The cytokines tested included IFN- $\gamma$  (FIG. 5A), IL-2 (FIG. 5B) and IL12 (FIG. 5C).

[0145] FIGS. 6A-6E are graphs showing the Th2 cytokine response induced by a hMPV fusion peptide pool (15-mers-50) in splenocytes isolated from mice immunized with the hMPV mRNA vaccines. Virus-free media was used as a negative control and Concanavalin A was also included. The cytokines tested included IL-10 (FIG. 6A), TNF- $\alpha$  (FIG. 6B), IL4 (FIG. 6C), IL-5 (FIG. 6D) and IL-6 (FIG. 6E).

[0146] FIGS. 7A-7C are graphs showing the Th1 response induced by inactivated hMPV virus in splenocytes isolated

from mice immunized with hMPV mRNA vaccines. Virus-free media was used as a negative control and Concanavalin A was included. The cytokines tested included IFN- $\gamma$  (FIG. 7A), IL-2 (FIG. 7B) and IL12 (FIG. 7C).

[0147] FIGS. 8A-8E are graphs showing the Th2 response induced by inactivated hMPV virus in splenocytes isolated from mice immunized with the hMPV mRNA vaccines. Virus-free media was used as a negative control and Concanavalin A was included. The cytokines tested include IL-10 (FIG. 8A), TNF- $\alpha$  (FIG. 8B), IL4 (FIG. 8C), IL-5 (FIG. 8D) and IL-6 (FIG. 8E).

[0148] FIGS. 9A-9B are graphs showing the results of cotton rat challenge experiments. Two different doses of the hMPV mRNA vaccines were used (2  $\mu$ g or 10  $\mu$ g doses) to immunize the cotton rats before challenge. The hMPV mRNA vaccines reduced the viral titer in the lung and nose of the cotton rat, with the 10  $\mu$ g dose being more effective in reducing viral titer. Use of a 10  $\mu$ g dose resulted in 100% protection in the lung and a  $\sim$ 2 log reduction in nose viral titer. Use of a 2  $\mu$ g dose resulted in a 1 log reduction in lung viral titer and no reduction in nose viral titer. The vaccine was administered on Day 0, and a boost was administered on Day 21.

[0149] FIG. 10 is a graph showing the lung histopathology of cotton rats that received hMPV mRNA vaccines. Pathology associated with vaccine-enhanced disease was not observed in immunized groups.

[0150] FIG. 11 is a graph showing hMPV neutralization antibody titers in cotton rats that received hMPV mRNA vaccines (2  $\mu$ g or 10  $\mu$ g doses) on days 35 and 42 post immunization.

[0151] FIG. 12 is a graph showing the lung and nose viral load in cotton rats challenged with a hMPV/A2 strain after immunization with the indicated mRNA vaccines (hMPV mRNA vaccine or hMPV/PIV mRNA combination vaccine). Vaccinated cotton rats showed reduced lung and nose viral loads after challenge, compared to control.

[0152] FIG. 13 is a graph showing the lung and nose viral load in cotton rats challenged with PIV3 strain after immunization with indicated mRNA vaccines (PIV mRNA vaccine or hMPV/PIV combination vaccine). Vaccinated cotton rats showed reduced lung and nose viral loads after challenge, compared to control.

[0153] FIG. 14 is a graph showing hMPV neutralizing antibody titers in cotton rats that received different dosages of hMPV mRNA vaccines or hMPV/PIV combination mRNA vaccines on day 42 post immunization. The dosages of the vaccine are indicated in Table 9.

[0154] FIG. 15 is a graph showing PIV3 neutralizing antibody titers in cotton rats that received different dosages of PIV mRNA vaccines or hMPV/PIV combination mRNA vaccines on day 42 post immunization. The dosages of the vaccine are indicated in Table 9.

[0155] FIG. 16 is a graph showing the lung histopathology score of cotton rats immunized with hMPV mRNA vaccines, PIV mRNA vaccines or hMPV/PIV combination mRNA vaccines as indicated in Table 9. Low occurrence of alveolitis and interstitial pneumonia was observed, indicating no antibody-dependent enhancement (ADE) of hMPV associated diseases.

[0156] FIG. 17 is a graph showing the reciprocal MERS-CoV neutralizing antibody titers in mice immunized with

betacoronavirus mRNA vaccine encoding the MERS-CoV full-length Spike protein, on days 0, 21, 42, and 56 post immunization.

[0157] FIG. 18 is a graph showing the reciprocal MERS-CoV neutralizing antibody titers in mice immunized with betacoronavirus mRNA vaccine encoding either the MERS-CoV full-length Spike protein, or the S2 subunit of the Spike protein. The full length spike protein induced a stronger immune response compared to the S2 subunit alone.

[0158] FIGS. 19A-19C are graphs showing the viral load in the nose and throat, the bronchoalveolar lavage (BAL), or the lungs of New Zealand white rabbits 4 days post challenge with MERS-CoV. The New Zealand white rabbits were immunized with one 20  $\mu$ g-dose (on day 0) or two 20  $\mu$ g-doses (on day 0 and 21) of MERS-CoV mRNA vaccine encoding the full-length Spike protein before challenge. FIG. 19A shows that two doses of MERS-CoV mRNA vaccine resulted in a 3 log reduction of viral load in the nose and led to complete protection in the throat of the New Zealand white rabbits. FIG. 19B shows that two doses of MERS-CoV mRNA vaccine resulted in a 4 log reduction of viral load in the BAL of the New Zealand white rabbits. FIG. 19C show one dose of MERS-CoV mRNA vaccine resulted in a 2 log reduction of viral load, while two doses of MERS-CoV mRNA vaccine resulted in an over 4 log reduction of viral load in the lungs of the New Zealand white rabbits.

[0159] FIGS. 20A-20B are images and graphs showing viral load or replicating virus detected by PCR in the lungs of New Zealand white rabbits 4 days post challenge with MERS-CoV. The New Zealand white rabbits were immunized with a single 20  $\mu$ g dose (on day 0, Group 1a) of MERS-CoV mRNA vaccine encoding the full-length Spike protein, two 20  $\mu$ g doses (on day 0 and 21, Group 1b) of MERS-CoV mRNA vaccine encoding the full-length Spike protein, or placebo (Group 2) before challenge. FIG. 20A shows that two doses of 20  $\mu$ g a MERS-CoV mRNA vaccine reduced over 99% (2 log) of viruses in the lungs of New Zealand white rabbits. FIG. 20B shows that the group of New Zealand white rabbits that received 2 doses of 20  $\mu$ g MERS-CoV mRNA vaccine did not have any detectable replicating MERS-CoV virus in their lungs.

[0160] FIG. 21 is a graph showing the MERS-CoV neutralizing antibody titers in New Zealand white rabbits immunized with MERS-CoV mRNA vaccine encoding the full-length Spike protein. The results show that two doses of 20  $\mu$ g MERS-CoV mRNA vaccine induced a significant amount of neutralizing antibodies against MERS-CoV ( $EC_{50}$  between 500-1000). The MERS-CoV mRNA vaccine induced antibody titer is 3-5 fold better than any other vaccines tested in the same model.

#### DETAILED DESCRIPTION

[0161] The present disclosure provides, in some embodiments, vaccines that comprise RNA (e.g., mRNA) polynucleotides encoding a human metapneumovirus (hMPV) antigenic polypeptide, a parainfluenza virus type 3 (PIV3) antigenic polypeptide, a respiratory syncytial virus (RSV) antigenic polypeptide, a measles virus (MeV) antigenic polypeptide, or a betacoronavirus antigenic polypeptide (e.g., Middle East respiratory syndrome coronavirus (MERS-CoV), SARS-CoV, human coronavirus (HCoV)-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH (New Haven) and HCoV-HKU1) (see, e.g., Esper F. et al.

*Emerging Infectious Diseases*, 12(5), 2006; and Pyrc K. et al. *Journal of Virology*, 81(7):3051-57, 2007, the contents of each of which is here incorporated by reference in their entirety). The present disclosure also provides, in some embodiments, combination vaccines that comprise at least one RNA (e.g., mRNA) polynucleotide encoding at least two antigenic polypeptides selected from hMPV antigenic polypeptides, PIV3 antigenic polypeptides, RSV antigenic polypeptides, MeV antigenic polypeptides and BetaCoV antigenic polypeptides. Also provided herein are methods of administering the RNA (e.g., mRNA) vaccines, methods of producing the RNA (e.g., mRNA) vaccines, compositions (e.g., pharmaceutical compositions) comprising the RNA (e.g., mRNA) vaccines, and nucleic acids (e.g., DNA) encoding the RNA (e.g., mRNA) vaccines. In some embodiments, a RNA (e.g., mRNA) vaccine comprises an adjuvant, such as a flagellin adjuvant, as provided herein.

**[0162]** The RNA (e.g., mRNA) vaccines (e.g., hMPV, PIV3, RSV, MeV, BetaCoV RNA vaccines and combinations thereof), in some embodiments, may be used to induce a balanced immune response, comprising both cellular and humoral immunity, without many of the risks associated with DNA vaccination.

**[0163]** The entire contents of International Application No. PCT/US2015/02740 is incorporated herein by reference.

Human Metapneumovirus (hMPV)

**[0164]** hMPV shares substantial homology with respiratory syncytial virus (RSV) in its surface glycoproteins. hMPV fusion protein (F) is related to other paramyxovirus fusion proteins and appears to have homologous regions that may have similar functions. The hMPV fusion protein amino acid sequence contains features characteristic of other paramyxovirus F proteins, including a putative cleavage site and potential N-linked glycosylation sites. Paramyxovirus fusion proteins are synthesized as inactive precursors (F0) that are cleaved by host cell proteases into the biologically fusion-active F1 and F2 domains (see, e.g., Cseke G. et al. *Journal of Virology* 2007; 81(2):698-707, incorporated herein by reference). hMPV has one putative cleavage site, in contrast to the two sites established for RSV F, and only shares 34% amino acid sequence identity with RSV F. F2 is extracellular and disulfide linked to F1. Fusion proteins are type I glycoproteins existing as trimers, with two 4-3 heptad repeat domains at the N- and C-terminal regions of the protein (HR1 and HR2), which form coiled-coil alpha-helices. These coiled coils become apposed in an antiparallel fashion when the protein undergoes a conformational change into the fusogenic state. There is a hydrophobic fusion peptide N proximal to the N-terminal heptad repeat, which is thought to insert into the target cell membrane, while the association of the heptad repeats brings the trans-membrane domain into close proximity, inducing membrane fusion (see, e.g., Baker, K A et al. *Mol. Cell* 1999; 3:309-319). This mechanism has been proposed for a number of different viruses, including RSV, influenza virus, and human immunodeficiency virus. Fusion proteins are major antigenic determinants for all known paramyxoviruses and for other viruses that possess similar fusion proteins such as human immunodeficiency virus, influenza virus, and Ebola virus.

**[0165]** In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV fusion protein (F). In some

embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding a F1 or F2 subunit of a hMPV F protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV glycoprotein (G). In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV matrix protein (M). In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV phosphoprotein (P). In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV nucleoprotein (N). In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV SH protein (SH).

**[0166]** In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein, M protein, P protein, N protein and SH protein.

**[0167]** In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and G protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and M protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and P protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and N protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and SH protein.

**[0168]** In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and M protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and P protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and N protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and SH protein.

**[0169]** In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and M protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and P protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and N protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and SH protein.

**[0170]** A hMPV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one hMPV antigenic polypeptide identified by any one of SEQ ID NO: 5-8 (Table 3; see also amino acid sequences of Table 4).

**[0171]** A hMPV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide encoded by a nucleic acid (e.g., DNA) identified by any one of SEQ ID NO: 1-4 (Table 2).

**[0172]** The present disclosure is not limited by a particular strain of hMPV. The strain of hMPV used in a vaccine may be any strain of hMPV. Non-limiting examples of strains of hMPV for use as provide herein include the CAN98-75 (CAN75) and the CAN97-83 (CAN83) hMPV strains (Skidopoulos M H et al. *J Virol.* 20014; 78(13):6927-37, incorporated herein by reference), a hMPV A1, A2, B1 or B2 strain (see, e.g., de Graaf M et al. *The Journal of General Virology* 2008; 89:975-83; Peret T C T et al. *The Journal of Infectious Disease* 2002; 185:1660-63, incorporated herein by reference), a hMPV isolate TN/92-4 (e.g., SEQ ID NO: 1 and 5), a hMPV isolate NL/1/99 (e.g., SEQ ID NO: 2 and 6), or a hMPV isolate PER/CFI0497/2010/B (e.g., SEQ ID NO: 3 and 7).

**[0173]** In some embodiments, at least one hMPV antigenic polypeptide is obtained from a hMPV A1, A2, B1 or B2 strain (see, e.g., de Graaf M et al. *The Journal of General Virology* 2008; 89:975-83; Peret T C T et al. *The Journal of Infectious Disease* 2002; 185:1660-63, incorporated herein by reference). In some embodiments, at least one antigenic polypeptide is obtained from the CAN98-75 (CAN75) hMPV strain. In some embodiments, at least one antigenic polypeptide is obtained from the CAN97-83 (CAN83) hMPV strain. In some embodiments, at least one antigenic polypeptide is obtained from hMPV isolate TN/92-4 (e.g., SEQ ID NO: 1 and 5). In some embodiments, at least one antigenic polypeptide is obtained from hMPV isolate NL/1/99 (e.g., SEQ ID NO: 2 and 6). In some embodiments, at least one antigenic polypeptide is obtained from hMPV isolate PER/CFI0497/2010/B (e.g., SEQ ID NO: 3 and 7).

**[0174]** In some embodiments, hMPV vaccines comprise RNA (e.g., mRNA) polynucleotides encoding a hMPV antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with hMPV F protein and having F protein activity.

**[0175]** A protein is considered to have F protein activity if, for example, the protein acts to fuse the viral envelope and host cell plasma membrane, mediates viral entry into a host cell via an interaction with arginine-glycine-aspartate RGD-binding integrins, or a combination thereof (see, e.g., Cox R G et al. *J Virol.* 2012; 88(22):12148-60, incorporated herein by reference).

**[0176]** In some embodiments, hMPV vaccines comprise RNA (e.g., mRNA) polynucleotides encoding hMPV antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with hMPV G protein and having G protein activity.

**[0177]** A protein is considered to have G protein activity if, for example, the protein acts to modulate (e.g., inhibit) hMPV-induced cellular (immune) responses (see, e.g., Bao X et al. *PLoS Pathog.* 2008; 4(5):e1000077, incorporated herein by reference).

#### Human Parainfluenza Virus Type 3 (PIV3)

**[0178]** Parainfluenza viruses belong to the family Paramyxoviridae. These are enveloped viruses with a negative-sense single-stranded RNA genome. Parainfluenza viruses belong to the subfamily Paramyxoviridae, which is subdivided into three genera: Respirovirus (PIV-1, PIV-3, and Sendai virus (SeV)), Rubulavirus (PIV-2, PIV-4 and

mumps virus) and Morbillivirus (measles virus, rinderpest virus and canine distemper virus (CDV)). Their genome, a ~15 500 nucleotide-long negative-sense RNA molecule, encodes two envelope glycoproteins, the hemagglutinin-neuraminidase (HN), the fusion protein (F or F0), which is cleaved into F1 and F2 subunits, a matrix protein (M), a nucleocapsid protein (N) and several nonstructural proteins including the viral replicase (L). All parainfluenza viruses, except for PIV-1, express a non-structural V protein that blocks IFN signaling in the infected cell and acts therefore as a virulence factor (see, e.g., Nishio M et al. *J Virol.* 2008; 82(13):6130-38).

**[0179]** PIV3 hemagglutinin-neuraminidase (HN), a structural protein, is found on the viral envelope, where it is necessary for attachment and cell entry. It recognizes and binds to sialic acid-containing receptors on the host cell's surface. As a neuroaminidase, HN removes sialic acid from virus particles, preventing self-aggregation of the virus, and promoting the efficient spread of the virus. Furthermore, HN promotes the activity of the fusion (F or F0) protein, contributing to the penetration of the host cell's surface.

**[0180]** PIV3 fusion protein (PIV3 F) is located on the viral envelope, where it facilitates the viral fusion and cell entry. The F protein is initially inactive, but proteolytic cleavage leads to its active forms, F1 and F2, which are linked by disulfide bonds. This occurs when the HN protein binds its receptor on the host cell's surface. During early phases of infection, the F glycoprotein mediates penetration of the host cell by fusion of the viral envelope to the plasma membrane. In later stages of the infection, the F protein facilitates the fusion of the infected cells with neighboring uninfected cells, which leads to the formation of a syncytium and spread of the infection.

**[0181]** PIV3 matrix protein (M) is found within the viral envelope and assists with viral assembly. It interacts with the nucleocapsid and envelope glycoproteins, where it facilitates the budding of progeny viruses through its interactions with specific sites on the cytoplasmic tail of the viral glycoproteins and nucleocapsid. It also plays a role in transporting viral components to the budding site.

**[0182]** PIV3 phosphoprotein (P) and PIV3 large polymerase protein (L) are found in the nucleocapsid where they form part of the RNA polymerase complex. The L protein, a viral RNA-dependent RNA polymerase, facilitates genomic transcription, while the host cell's ribosomes translate the viral mRNA into viral proteins.

**[0183]** PIV3 V is a non-structural protein that blocks IFN signaling in the infected cell, therefore acting as a virulence factor.

**[0184]** PIV3 nucleoprotein (N) encapsidates the genome in a ratio of 1 N per 6 ribonucleotides, protecting it from nucleases. The nucleocapsid (NC) has a helical structure. The encapsidated genomic RNA is termed the NC and serves as template for transcription and replication. During replication, encapsidation by PIV3 N is coupled to RNA synthesis and all replicative products are resistant to nucleases. PIV3 N homo-multimerizes to form the nucleocapsid and binds to viral genomic RNA. PIV3 N binds the P protein and thereby positions the polymerase on the template.

**[0185]** In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 fusion protein (F). In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding a

F1 or F2 subunit of a PIV3 F protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 hemagglutinin-neuraminidase (HN) (see, e.g., van Wyke Coelingh K L et al. *J Virol.* 1987; 61(5):1473-77, incorporated herein by reference). In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 matrix protein (M). In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 phosphoprotein (P). In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 nucleoprotein (N).

**[0186]** In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, HN protein, M protein, P protein, and N protein.

**[0187]** In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and HN protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and M protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and P protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and N protein.

**[0188]** In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HN protein and M protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HN protein and P protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HN protein and N protein.

**[0189]** In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, HN protein and M protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, HN protein and P protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, HN protein and N protein.

**[0190]** A PIV3 vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one PIV3 antigenic polypeptide identified by any one of SEQ ID NO: 12-13 (Table 6; see also amino acid sequences of Table 7).

**[0191]** A PIV3 vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide encoded by a nucleic acid (e.g., DNA) identified by any one of SEQ ID NO: 9-12 (Table 5; see also nucleic acid sequences of Table 7).

**[0192]** The present disclosure is not limited by a particular strain of PIV3. The strain of PIV3 used in a vaccine may be any strain of PIV3. A non-limiting example of a strain of PIV3 for use as provide herein includes HPIV3/Homo sapiens/PER/FLA4815/2008.

**[0193]** In some embodiments, PIV3 vaccines comprise RNA (e.g., mRNA) polynucleotides encoding a PIV3 antigenic polypeptides having at least 95%, at least 96%, at least

97%, at least 98% or at least 99% identity with PIV3 F protein and having F protein activity.

**[0194]** In some embodiments, PIV3 vaccines comprise RNA (e.g., mRNA) polynucleotides encoding PIV3 antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with PIV3 hemagglutinin-neuraminidase (HN) and having hemagglutinin-neuraminidase activity.

**[0195]** A protein is considered to have hemagglutinin-neuraminidase activity if, for example, it is capable of both receptor binding and receptor cleaving. Such proteins are major surface glycoproteins that have functional sites for cell attachment and for neuraminidase activity. They are able to cause red blood cells to agglutinate and to cleave the glycosidic linkages of neuraminic acids, so they have the potential to both bind a potential host cell and then release the cell if necessary, for example, to prevent self-aggregation of the virus.

**[0196]** In some embodiments, PIV3 vaccines comprise RNA (e.g., mRNA) polynucleotides encoding PIV3 antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with PIV3 HN, F (e.g., F, F1 or F2), M, N, L or V and having HN, F (e.g., F, F1 or F2), M, N, L or V activity, respectively.

#### Respiratory Syncytial Virus (RSV)

**[0197]** RSV is a negative-sense, single-stranded RNA virus of the genus *Pneumovirinae*. The virus is present in at least two antigenic subgroups, known as Group A and Group B, primarily resulting from differences in the surface G glycoproteins. Two RSV surface glycoproteins—G and F—mediate attachment with and attachment to cells of the respiratory epithelium. F surface glycoproteins mediate coalescence of neighboring cells. This results in the formation of syncytial cells. RSV is the most common cause of bronchiolitis. Most infected adults develop mild cold-like symptoms such as congestion, low-grade fever, and wheezing. Infants and small children may suffer more severe symptoms such as bronchiolitis and pneumonia. The disease may be transmitted among humans via contact with respiratory secretions.

**[0198]** The genome of RSV encodes at least three surface glycoproteins, including F, G, and SH, four nucleocapsid proteins, including L, P, N, and M2, and one matrix protein, M. Glycoprotein F directs viral penetration by fusion between the virion and the host membrane. Glycoprotein G is a type II transmembrane glycoprotein and is the major attachment protein. SH is a short integral membrane protein. Matrix protein M is found in the inner layer of the lipid bilayer and assists virion formation. Nucleocapsid proteins L, P, N, and M2 modulate replication and transcription of the RSV genome. It is thought that glycoprotein G tethers and stabilizes the virus particle at the surface of bronchial epithelial cells, while glycoprotein F interacts with cellular glycosaminoglycans to mediate fusion and delivery of the RSV virion contents into the host cell (Kryzaniak M A et al. *PLoS Pathog* 2013; 9(4)).

**[0199]** In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding L

protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding P protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding N protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding M2 protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding M protein.

**[0200]** In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein, L protein, P protein, N protein, M2 protein and M protein.

**[0201]** In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and G protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and L protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and P protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and N protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and M2 protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and M protein.

**[0202]** In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and L protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and P protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and N protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and M2 protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and M protein.

**[0203]** In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and L protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and P protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and N protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and M2 protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and M protein.

**[0204]** The present disclosure is not limited by a particular strain of RSV. The strain of RSV used in a vaccine may be any strain of RSV.

**[0205]** In some embodiments, RSV vaccines comprise RNA (e.g., mRNA) polynucleotides encoding a RSV antigenic polypeptides having at least 95%, at least 96%, at least

97%, at least 98% or at least 99% identity with RSV F protein and having F protein activity.

**[0206]** In some embodiments, RSV vaccines comprise RNA (e.g., mRNA) polynucleotides encoding RSV antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with RSV G protein and having G protein activity.

**[0207]** A protein is considered to have G protein activity if, for example, the protein acts to modulate (e.g., inhibit) hMPV-induced cellular (immune) responses (see, e.g., Bao X et al. *PLoS Pathog.* 2008; 4(5):e1000077, incorporated herein by reference).

#### Measles Virus (MeV)

**[0208]** Molecular epidemiologic investigations and virologic surveillance contribute notably to the control and prevention of measles. Nearly half of measles-related deaths worldwide occur in India, yet virologic surveillance data are incomplete for many regions of the country. Previous studies have documented the presence of measles virus genotypes D4, D7, and D8 in India, and genotypes D5, D9, D11, H1, and G3 have been detected in neighboring countries. Recently, MeV genotype B3 was detected in India (Kuttiatt V S et al. *Emerg Infect Dis.* 2014; 20(10): 1764-66).

**[0209]** The glycoprotein complex of paramyxoviruses mediates receptor binding and membrane fusion. In particular, the MeV fusion (F) protein executes membrane fusion, after receptor binding by the hemagglutinin (HA) protein (Muhlebach M D et al. *Journal of Virology* 2008; 82(22): 11437-45). The MeV P gene codes for three proteins: P, an essential polymerase cofactor, and V and C, which have multiple functions but are not strictly required for viral propagation in cultured cells. V shares the amino-terminal domain with P but has a zinc-binding carboxyl-terminal domain, whereas C is translated from an overlapping reading frame. The MeV C protein is an infectivity factor. During replication, the P protein binds incoming monomeric nucleocapsid (N) proteins with its amino-terminal domain and positions them for assembly into the nascent ribonucleocapsid. The P protein amino-terminal domain is natively unfolded (Deveaux P et al. *Journal of Virology* 2004; 78(21): 11632-40).

**[0210]** In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding P protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding V protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding C protein.

**[0211]** In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein, F protein, P protein, V protein and C protein.

**[0212]** In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein and F protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein and P protein. In some embodiments, a MeV

vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein and V protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein and C protein.

**[0213]** some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and P protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and V protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and C protein.

**[0214]** In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein, F protein and P protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein, F protein and V protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein, F protein and C protein.

**[0215]** In some embodiments, MeV vaccines comprise RNA (e.g., mRNA) encoding a MeV antigenic polypeptide having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with MeV HA protein and having MeV HA protein activity.

**[0216]** In some embodiments, MeV vaccines comprise RNA (e.g., mRNA) encoding a MeV antigenic polypeptide having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with MeV F protein and having MeV F protein activity.

**[0217]** A protein is considered to have HA protein activity if the protein mediates receptor binding and/or membrane fusion. MeV F protein executes membrane fusion, after receptor binding by the MeV HA protein.

**[0218]** A MeV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one MeV antigenic polypeptide identified by any one of SEQ ID NO: 47-50 (Table 14; see also amino acid sequences of Table 15).

**[0219]** A MeV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide identified by any one of SEQ ID NO: 37, 40, 43, 46 (Table 13).

**[0220]** A MeV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide encoded by a nucleic acid (e.g., DNA) identified by any one of SEQ ID NO: 35, 36, 38, 39, 41, 42, 44 and 45 (Table 13).

**[0221]** The present disclosure is not limited by a particular strain of MeV. The strain of MeV used in a vaccine may be any strain of MeV. Non-limiting examples of strains of MeV for use as provide herein include B3/B3.1, C2, D4, D6, D7, D8, G3, H1, Moraten, Rubeovax, MVi/New Jersey.USA/45.05, MVi/Texas.USA/4.07, AIK-C, MVi/New York.USA/26.09/3, MVi/California.USA/16.03, MVi/Virginia.USA/15.09, MVi/California.USA/8.04, and MVi/Pennsylvania.USA/20.09.

**[0222]** MeV proteins may be from MeV genotype D4, D5, D7, D8, D9, D11, H1, G3 or B3. In some embodiments, a MeV HA protein or a MeV F protein is from MeV genotype D8. In some embodiments, a MeV HA protein or a MeV F protein is from MeV genotype B3.

Betacoronaviruses (BetaCoV)

**[0223]** MERS-Co V. MERS-CoV is a positive-sense, single-stranded RNA virus of the genus *Betacoronavirus*. The genomes are phylogenetically classified into two clades, clade A and clade B. It has a strong tropism for non-ciliated bronchial epithelial cells, evades the innate immune response and antagonizes interferon (IFN) production in infected cells. Dipeptyl peptidase 4 (DDP4, also known as CD26) has been identified as a functional cellular receptor for MERS-CoV. Its enzymatic activity is not required for infection, although its amino acid sequence is highly conserved across species and is expressed in the human bronchial epithelium and kidneys. Most infected individuals develop severe acute respiratory illnesses, including fever, cough, and shortness of breath, and the virus can be fatal. The disease may be transmitted among humans, generally among those in close contact.

**[0224]** The genome of MERS-CoV encodes at least four unique accessory proteins, such as 3, 4a, 4b and 5, two replicase proteins (open reading frame 1a and 1b), and four major structural proteins, including spike (S), envelope (E), nucleocapsid (N), and membrane (M) proteins (Almazan F et al. *MBio* 2013; 4(5):e00650-13). The accessory proteins play nonessential roles in MERS-CoV replication, but they are likely structural proteins or interferon antagonists, modulating in vivo replication efficiency and/or pathogenesis, as in the case of SARS-CoV (Almazan F et al. *MBio* 2013; 4(5):e00650-13; Totura A L et al. *Curr Opin Virol* 2012; 2(3):264-75; Scobey T et al. *Proc Natl Acad Sci USA* 2013; 110(40):16157-62). The other proteins of MERS-CoV maintain different functions in virus replication. The E protein, for example, involves in virulence, and deleting the E-coding gene results in replication-competent and propagation-defective viruses or attenuated viruses (Almazan F et al. *MBio* 2013; 4(5):e00650-13). The S protein is particularly essential in mediating virus binding to cells expressing receptor dipeptidyl peptidase-4 (DPP4) through receptor-binding domain (RBD) in the S1 subunit, whereas the S2 subunit subsequently mediates virus entry via fusion of the virus and target cell membranes (Li F. *J Virol* 2015; 89(4): 1954-64; Raj V S et al. *Nature* 2013; 495(7440):251-4).

**[0225]** In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding the S1 subunit of the S protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding the S2 subunit of the S protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding E protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding N protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding M protein.

**[0226]** In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein, N protein and M protein.

**[0227]** In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and E

protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and N protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and M protein.

**[0228]** In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein and M protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein and N protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), M protein and N protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding E protein, M protein and N protein.

**[0229]** A MERS-CoV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one MERS-CoV antigenic polypeptide identified by any one of SEQ ID NO: 24-38 or 33 (Table 11; see also amino acid sequences of Table 12).

**[0230]** A MERS-CoV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide encoded by a nucleic acid (e.g., DNA) identified by any one of SEQ ID NO: 20-23 (Table 10).

**[0231]** The present disclosure is not limited by a particular strain of MERS-CoV. The strain of MERS-CoV used in a vaccine may be any strain of MERS-CoV. Non-limiting examples of strains of MERS-CoV for use as provide herein include Riyadh\_14\_2013, and 2cEMC/2012, Hasa\_1\_2013.

**[0232]** SARS-CoV. The genome of SARS-CoV includes of a single, positive-strand RNA that is approximately 29,700 nucleotides long. The overall genome organization of SARS-CoV is similar to that of other coronaviruses. The reference genome includes 13 genes, which encode at least 14 proteins. Two large overlapping reading frames (ORFs) encompass 71% of the genome. The remainder has 12 potential ORFs, including genes for structural proteins S (spike), E (small envelope), M (membrane), and N (nucleo-capsid). Other potential ORFs code for unique putative SARS-CoV-specific polypeptides that lack obvious sequence similarity to known proteins. A detailed analysis of the SARS-CoV genome has been published in *J Mol Biol* 2003; 331: 991-1004.

**[0233]** In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein, N protein and M protein.

**[0234]** In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and E protein. In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and N protein. In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and M protein.

**[0235]** In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein and M protein. In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein and N protein. In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), M protein and N protein. In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding E protein, M protein and N protein.

**[0236]** A SARS-CoV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one SARS-CoV antigenic polypeptide identified by any one of SEQ ID NO: 29, 32 or 34 (Table 11; see also amino acid sequences of Table 12).

**[0237]** The present disclosure is not limited by a particular strain of SARS-CoV. The strain of SARS-CoV used in a vaccine may be any strain of SARS-CoV.

**[0238]** HCoV-OC43. Human coronavirus OC43 is an enveloped, positive-sense, single-stranded RNA virus in the species *Betacoronavirus-1* (genus *Betacoronavirus*, subfamily Coronavirinae, family Coronaviridae, order Nidovirales). Four HCoV-OC43 genotypes (A to D), have been identified with genotype D most likely arising from recombination. The complete genome sequencing of two genotype C and D strains and bootscan analysis shows recombination events between genotypes B and C in the generation of genotype D. Of 29 strains identified, none belong to the more ancient genotype A. Along with HCoV-229E, a species in the *Alphacoronavirus* genus, HCoV-OC43 are among the known viruses that cause the common cold. Both viruses can cause severe lower respiratory tract infections, including pneumonia in infants, the elderly, and immunocompromised individuals such as those undergoing chemotherapy and those with HIV-AIDS.

**[0239]** HCoV-HKU1. Human coronavirus HKU1 (HCoV-HKU1) is a positive-sense, single-stranded RNA virus with the HE gene, which distinguishes it as a group 2, or betacoronavirus. It was discovered in January 2005 in two patients in Hong Kong. The genome of HCoV-HKU1 is a 29,926-nucleotide, polyadenylated RNA. The GC content is 32%, the lowest among all known coronaviruses. The genome organization is the same as that of other group II coronaviruses, with the characteristic gene order 1a, 1b, HE, S, E, M, and N. Furthermore, accessory protein genes are present between the S and E genes (ORF4) and at the position of the N gene (ORF5). The TRS is presumably located within the AAUCUAAAC sequence, which precedes each ORF except E. As in sialodacryoadenitis virus and mouse hepatitis virus (MHV), translation of the E protein possibly occurs via an internal ribosomal entry site. The 3' untranslated region contains a predicted stem-loop structure immediately downstream of the N ORF (nucleotide position 29647 to 29711). Further downstream, a pseudoknot structure is present at nucleotide position 29708 to 29760. Both RNA structures are conserved in group II coronaviruses and are critical for virus replication.

**[0240]** HCoV-NL63. The RNA genome of human coronavirus NL63 (HCoV-NL63) is 27,553 nucleotides, with a poly(A) tail (FIG. 1). With a GC content of 34%, HCoV-



NL63 has one of the lowest GC contents of the coronaviruses, for which GC content ranges from 32 to 42%. Untranslated regions of 286 and 287 nucleotides are present at the 5' and 3' termini, respectively. Genes predicted to encode the S, E, M, and N proteins are found in the 3' part of the HCoV-NL63 genome. The HE gene, which is present in some group II coronaviruses, is absent, and there is only a single, monocistronic accessory protein ORF (ORF3) located between the S and E genes. Subgenomic mRNAs are generated for all ORFs (S, ORF3, E, M, and N), and the core sequence of the TRS of HCoV-NL63 is defined as AAC-UAAA. This sequence is situated upstream of every ORF except for the E ORF, which contains the suboptimal core sequence AACUAAU. Interestingly, a 13-nucleotide sequence with perfect homology to the leader sequence is situated upstream of the suboptimal E TRS. Annealing of this 13-nucleotide sequence to the leader sequence may act as a compensatory mechanism for the disturbed leader-TRS/body-TRS interaction.

**[0241]** HCoV-229E. Human coronavirus 229E (HCoV-229E) is a single-stranded, positive-sense, RNA virus species in the *Alphacoronavirus* genus of the subfamily Coronavirinae, in the family Coronaviridae, of the order Nidovirales. Along with Human coronavirus OC43, it is responsible for the common cold. HCoV-NL63 and HCoV-229E are two of the four human coronaviruses that circulate worldwide. These two viruses are unique in their relationship towards each other. Phylogenetically, the viruses are more closely related to each other than to any other human coronavirus, yet they only share 65% sequence identity. Moreover, the viruses use different receptors to enter their target cell. HCoV-NL63 is associated with croup in children, whereas all signs suggest that the virus probably causes the common cold in healthy adults. HCoV-229E is a proven common cold virus in healthy adults, so it is probable that both viruses induce comparable symptoms in adults, even though their mode of infection differs (HCoV-NL63 and HCoV-229E are two of the four human coronaviruses that circulate worldwide. These two viruses are unique in their relationship towards each other. Phylogenetically, the viruses are more closely related to each other than to any other human coronavirus, yet they only share 65% sequence identity. Moreover, the viruses use different receptors to enter their target cell. HCoV-NL63 is associated with croup in children, whereas all signs suggest that the virus probably causes the common cold in healthy adults. HCoV-229E is a proven common cold virus in healthy adults, so it is probable that both viruses induce comparable symptoms in adults, even though their mode of infection differs (Dijkman R. et al. *J Formos Med Assoc.* 2009 April; 108(4):270-9, the contents of which is incorporated herein by reference in their entirety).

#### Combination Vaccines

**[0242]** Embodiments of the present disclosure also provide combination RNA (e.g., mRNA) vaccines. A “combination RNA (e.g., mRNA) vaccine” of the present disclosure refers to a vaccine comprising at least one (e.g., at least 2, 3, 4, or 5) RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a combination of any two or more (or all of) antigenic polypeptides selected from hMPV antigenic polypeptides, PIV3 antigenic polypeptides, RSV antigenic polypeptides, MeV antigenic polypeptides, and BetaCoV antigenic polypeptides (e.g., selected from MERS-

CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

**[0243]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide, a RSV antigenic polypeptide, a MeV antigenic polypeptide, and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

**[0244]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide and a PIV3 antigenic polypeptide.

**[0245]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide and a RSV antigenic polypeptide.

**[0246]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide and a MeV antigenic polypeptide.

**[0247]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide and a BetaCoV antigenic polypeptide.

**[0248]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide and a RSV antigenic polypeptide.

**[0249]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide and a MeV antigenic polypeptide.

**[0250]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

**[0251]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a RSV antigenic polypeptide and a MeV antigenic polypeptide.

**[0252]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a RSV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

**[0253]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

**[0254]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide, a RSV antigenic polypeptide and a MeV antigenic polypeptide.

**[0255]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3

antigenic polypeptide, a RSV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

**[0256]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

**[0257]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a RSV antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

**[0258]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide, a RSV antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

**[0259]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide and a RSV antigenic polypeptide.

**[0260]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide and a MeV antigenic polypeptide.

**[0261]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

**[0262]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a RSV antigenic polypeptide and a MeV antigenic polypeptide.

**[0263]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a RSV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

**[0264]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1). In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide, a RSV antigenic polypeptide and a MeV antigenic polypeptide.

**[0265]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucle-

otide encoding a PIV3 antigenic polypeptide, a RSV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

**[0266]** In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a RSV antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

**[0267]** Other combination respiratory virus RNA (e.g., mRNA) vaccines are encompassed by the present disclosure.

**[0268]** It has been discovered that the mRNA vaccines described herein are superior to current vaccines in several ways. First, the lipid nanoparticle (LNP) delivery is superior to other formulations including a protamine base approach described in the literature and no additional adjuvants are to be necessary. The use of LNPs enables the effective delivery of chemically modified or unmodified mRNA vaccines. Additionally it has been demonstrated herein that both modified and unmodified LNP formulated mRNA vaccines were superior to conventional vaccines by a significant degree. In some embodiments the mRNA vaccines of the invention are superior to conventional vaccines by a factor of at least 10 fold, 20 fold, 40 fold, 50 fold, 100 fold, 500 fold or 1,000 fold.

**[0269]** Although attempts have been made to produce functional RNA vaccines, including mRNA vaccines and self-replicating RNA vaccines, the therapeutic efficacy of these RNA vaccines have not yet been fully established. Quite surprisingly, the inventors have discovered, according to aspects of the invention a class of formulations for delivering mRNA vaccines in vivo that results in significantly enhanced, and in many respects synergistic, immune responses including enhanced antigen generation and functional antibody production with neutralization capability. These results can be achieved even when significantly lower doses of the mRNA are administered in comparison with mRNA doses used in other classes of lipid based formulations. The formulations of the invention have demonstrated significant unexpected in vivo immune responses sufficient to establish the efficacy of functional mRNA vaccines as prophylactic and therapeutic agents. Additionally, self-replicating RNA vaccines rely on viral replication pathways to deliver enough RNA to a cell to produce an immunogenic response. The formulations of the invention do not require viral replication to produce enough protein to result in a strong immune response. Thus, the mRNA of the invention are not self-replicating RNA and do not include components necessary for viral replication.

**[0270]** The invention involves, in some aspects, the surprising finding that lipid nanoparticle (LNP) formulations significantly enhance the effectiveness of mRNA vaccines, including chemically modified and unmodified mRNA vaccines. The efficacy of mRNA vaccines formulated in LNP was examined in vivo using several distinct antigens. The results presented herein demonstrate the unexpected superior efficacy of the mRNA vaccines formulated in LNP over other commercially available vaccines.

**[0271]** In addition to providing an enhanced immune response, the formulations of the invention generate a more

rapid immune response with fewer doses of antigen than other vaccines tested. The mRNA-LNP formulations of the invention also produce quantitatively and qualitatively better immune responses than vaccines formulated in a different carriers.

**[0272]** The data described herein demonstrate that the formulations of the invention produced significant unexpected improvements over existing antigen vaccines. Additionally, the mRNA-LNP formulations of the invention are superior to other vaccines even when the dose of mRNA is lower than other vaccines. Mice immunized with either 10 µg or 2 µg doses of an hMPV fusion protein mRNA LNP vaccine or a PIV3 mRNA LNP vaccine produced neutralizing antibodies which for instance, successfully neutralized the hMPV B2 virus. A 10 µg dose of mRNA vaccine protected 100% of mice from lethal challenge and drastically reduced the viral titer after challenge (~2 log reduction).

**[0273]** Two 20 µg doses of MERS-CoV mRNA LNP vaccine significantly reduced viral load and induced significant amount of neutralizing antibodies against MERS-CoV (EC<sub>50</sub> between 500-1000). The MERS-CoV mRNA vaccine induced antibody titer was 3-5 fold better than any other vaccines tested in the same model.

**[0274]** The LNP used in the studies described herein has been used previously to deliver siRNA in various animal models as well as in humans. In view of the observations made in association with the siRNA delivery of LNP formulations, the fact that LNP is useful in vaccines is quite surprising. It has been observed that therapeutic delivery of siRNA formulated in LNP causes an undesirable inflammatory response associated with a transient IgM response, typically leading to a reduction in antigen production and a compromised immune response. In contrast to the findings observed with siRNA, the LNP-mRNA formulations of the invention are demonstrated herein to generate enhanced IgG levels, sufficient for prophylactic and therapeutic methods rather than transient IgM responses.

#### Nucleic Acids/Polynucleotides

**[0275]** Respiratory virus vaccines, as provided herein, comprise at least one (one or more) ribonucleic acid (RNA) (e.g., mRNA) polynucleotide having an open reading frame encoding at least one antigenic polypeptide selected from hMPV, PIV3, RSV, MeV and BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1) antigenic polypeptides. The term “nucleic acid” includes any compound and/or substance that comprises a polymer of nucleotides (nucleotide monomer). These polymers are referred to as polynucleotides. Thus, the terms “nucleic acid” and “polynucleotide” are used interchangeably.

**[0276]** Nucleic acids may be or may include, for example, ribonucleic acids (RNAs), deoxyribonucleic acids (DNAs), threose nucleic acids (TNAs), glycol nucleic acids (GNAs), peptide nucleic acids (PNAs), locked nucleic acids (LNAs), including LNA having a β-D-ribo configuration, α-LNA having an α-L-ribo configuration (a diastereomer of LNA), 2'-amino-LNA having a 2'-amino functionalization, and 2'-amino-α-LNA having a 2'-amino functionalization), ethylene nucleic acids (ENA), cyclohexenyl nucleic acids (CeNA) or chimeras or combinations thereof.

**[0277]** In some embodiments, polynucleotides of the present disclosure function as messenger RNA (mRNA). “Mes-

senger RNA” (mRNA) refers to any polynucleotide that encodes a (at least one) polypeptide (a naturally-occurring, non-naturally-occurring, or modified polymer of amino acids) and can be translated to produce the encoded polypeptide in vitro, in vivo, in situ or ex vivo. The skilled artisan will appreciate that, except where otherwise noted, polynucleotide sequences set forth in the instant application will recite “T”s in a representative DNA sequence but where the sequence represents RNA (e.g., mRNA), the “T”s would be substituted for “U”s. Thus, any of the RNA polynucleotides encoded by a DNA identified by a particular sequence identification number may also comprise the corresponding RNA (e.g., mRNA) sequence encoded by the DNA, where each “T” of the DNA sequence is substituted with “U.”

**[0278]** The basic components of an mRNA molecule typically include at least one coding region, a 5' untranslated region (UTR), a 3' UTR, a 5' cap and a poly-A tail. Polynucleotides of the present disclosure may function as mRNA but can be distinguished from wild-type mRNA in their functional and/or structural design features, which serve to overcome existing problems of effective polypeptide expression using nucleic-acid based therapeutics.

**[0279]** In some embodiments, a RNA polynucleotide of an RNA (e.g., mRNA) vaccine encodes 2-10, 2-9, 2-8, 2-7, 2-6, 2-5, 2-4, 2-3, 3-10, 3-9, 3-8, 3-7, 3-6, 3-5, 3-4, 4-10, 4-9, 4-8, 4-7, 4-6, 4-5, 5-10, 5-9, 5-8, 5-7, 5-6, 6-10, 6-9, 6-8, 6-7, 7-10, 7-9, 7-8, 8-10, 8-9 or 9-10 antigenic polypeptides. In some embodiments, a RNA (e.g., mRNA) polynucleotide of a respiratory virus vaccine encodes at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 antigenic polypeptides. In some embodiments, a RNA (e.g., mRNA) polynucleotide of a respiratory virus vaccine encodes at least 100 or at least 200 antigenic polypeptides. In some embodiments, a RNA polynucleotide of an respiratory virus vaccine encodes 1-10, 5-15, 10-20, 15-25, 20-30, 25-35, 30-40, 35-45, 40-50, 1-50, 1-100, 2-50 or 2-100 antigenic polypeptides.

**[0280]** Polynucleotides of the present disclosure, in some embodiments, are codon optimized. Codon optimization methods are known in the art and may be used as provided herein. Codon optimization, in some embodiments, may be used to match codon frequencies in target and host organisms to ensure proper folding; bias GC content to increase mRNA stability or reduce secondary structures; minimize tandem repeat codons or base runs that may impair gene construction or expression; customize transcriptional and translational control regions; insert or remove protein trafficking sequences; remove/add post translation modification sites in encoded protein (e.g. glycosylation sites); add, remove or shuffle protein domains; insert or delete restriction sites; modify ribosome binding sites and mRNA degradation sites; adjust translational rates to allow the various domains of the protein to fold properly; or to reduce or eliminate problem secondary structures within the polynucleotide. Codon optimization tools, algorithms and services are known in the art—non-limiting examples include services from GeneArt (Life Technologies), DNA2.0 (Menlo Park Calif.) and/or proprietary methods. In some embodiments, the open reading frame (ORF) sequence is optimized using optimization algorithms.

**[0281]** In some embodiments, a codon optimized sequence shares less than 95% sequence identity, less than 90% sequence identity, less than 85% sequence identity, less than 80% sequence identity, or less than 75% sequence identity to a naturally-occurring or wild-type sequence (e.g., a natu-

rally-occurring or wild-type mRNA sequence encoding a polypeptide or protein of interest (e.g., an antigenic protein or antigenic polypeptide)).

**[0282]** In some embodiments, a codon-optimized sequence shares between 65% and 85% (e.g., between about 67% and about 85%, or between about 67% and about 80%) sequence identity to a naturally-occurring sequence or a wild-type sequence (e.g., a naturally-occurring or wild-type mRNA sequence encoding a polypeptide or protein of interest (e.g., an antigenic protein or polypeptide)). In some embodiments, a codon-optimized sequence shares between 65% and 75%, or about 80% sequence identity to a naturally-occurring sequence or wild-type sequence (e.g., a naturally-occurring or wild-type mRNA sequence encoding a polypeptide or protein of interest (e.g., an antigenic protein or polypeptide)).

**[0283]** In some embodiments a codon-optimized RNA (e.g., mRNA) may, for instance, be one in which the levels of G/C are enhanced. The G/C-content of nucleic acid molecules may influence the stability of the RNA. RNA having an increased amount of guanine (G) and/or cytosine (C) residues may be functionally more stable than nucleic acids containing a large amount of adenine (A) and thymine (T) or uracil (U) nucleotides. WO02/098443 discloses a pharmaceutical composition containing an mRNA stabilized by sequence modifications in the translated region. Due to the degeneracy of the genetic code, the modifications work by substituting existing codons for those that promote greater RNA stability without changing the resulting amino acid. The approach is limited to coding regions of the RNA.

#### Antigens/Antigenic Polypeptides

**[0284]** In some embodiments, an antigenic polypeptide (e.g., a hMPV, PIV3, RSV, MeV or BetaCoV antigenic polypeptide) is longer than 25 amino acids and shorter than 50 amino acids. Polypeptides include gene products, naturally occurring polypeptides, synthetic polypeptides, homologs, orthologs, paralogs, fragments and other equivalents, variants, and analogs of the foregoing. A polypeptide may be a single molecule or may be a multi-molecular complex such as a dimer, trimer or tetramer. Polypeptides may also comprise single chain polypeptides or multichain polypeptides, such as antibodies or insulin, and may be associated or linked to each other. Most commonly, disulfide linkages are found in multichain polypeptides. The term “polypeptide” may also apply to amino acid polymers in which at least one amino acid residue is an artificial chemical analogue of a corresponding naturally-occurring amino acid.

**[0285]** A “polypeptide variant” is a molecule that differs in its amino acid sequence relative to a native sequence or a reference sequence. Amino acid sequence variants may possess substitutions, deletions, insertions, or a combination of any two or three of the foregoing, at certain positions within the amino acid sequence, as compared to a native sequence or a reference sequence. Ordinarily, variants possess at least 50% identity to a native sequence or a reference sequence. In some embodiments, variants share at least 80% identity or at least 90% identity with a native sequence or a reference sequence.

**[0286]** In some embodiments “variant mimics” are provided. A “variant mimic” contains at least one amino acid that would mimic an activated sequence. For example, glutamate may serve as a mimic for phospho-threonine

and/or phospho-serine. Alternatively, variant mimics may result in deactivation or in an inactivated product containing the mimic. For example, phenylalanine may act as an inactivating substitution for tyrosine, or alanine may act as an inactivating substitution for serine.

**[0287]** “Orthologs” refers to genes in different species that evolved from a common ancestral gene by speciation. Normally, orthologs retain the same function in the course of evolution. Identification of orthologs is important for reliable prediction of gene function in newly sequenced genomes.

**[0288]** “Analog” is meant to include polypeptide variants that differ by one or more amino acid alterations, for example, substitutions, additions or deletions of amino acid residues that still maintain one or more of the properties of the parent or starting polypeptide.

**[0289]** The present disclosure provides several types of compositions that are polynucleotide or polypeptide based, including variants and derivatives. These include, for example, substitutional, insertional, deletion and covalent variants and derivatives. The term “derivative” is synonymous with the term “variant” and generally refers to a molecule that has been modified and/or changed in any way relative to a reference molecule or a starting molecule.

**[0290]** As such, polynucleotides encoding peptides or polypeptides containing substitutions, insertions and/or additions, deletions and covalent modifications with respect to reference sequences, in particular the polypeptide sequences disclosed herein, are included within the scope of this disclosure. For example, sequence tags or amino acids, such as one or more lysines, can be added to peptide sequences (e.g., at the N-terminal or C-terminal ends). Sequence tags can be used for peptide detection, purification or localization. Lysines can be used to increase peptide solubility or to allow for biotinylation. Alternatively, amino acid residues located at the carboxy and amino terminal regions of the amino acid sequence of a peptide or protein may optionally be deleted providing for truncated sequences. Certain amino acids (e.g., C-terminal residues or N-terminal residues) alternatively may be deleted depending on the use of the sequence, as for example, expression of the sequence as part of a larger sequence that is soluble, or linked to a solid support.

**[0291]** “Substitutional variants” when referring to polypeptides are those that have at least one amino acid residue in a native or starting sequence removed and a different amino acid inserted in its place at the same position. Substitutions may be single, where only one amino acid in the molecule has been substituted, or they may be multiple, where two or more (e.g., 3, 4 or 5) amino acids have been substituted in the same molecule.

**[0292]** As used herein the term “conservative amino acid substitution” refers to the substitution of an amino acid that is normally present in the sequence with a different amino acid of similar size, charge, or polarity. Examples of conservative substitutions include the substitution of a non-polar (hydrophobic) residue such as isoleucine, valine and leucine for another non-polar residue. Likewise, examples of conservative substitutions include the substitution of one polar (hydrophilic) residue for another such as between arginine and lysine, between glutamine and asparagine, and between glycine and serine. Additionally, the substitution of a basic residue such as lysine, arginine or histidine for another, or the substitution of one acidic residue such as

aspartic acid or glutamic acid for another acidic residue are additional examples of conservative substitutions. Examples of non-conservative substitutions include the substitution of a non-polar (hydrophobic) amino acid residue such as isoleucine, valine, leucine, alanine, methionine for a polar (hydrophilic) residue such as cysteine, glutamine, glutamic acid or lysine and/or a polar residue for a non-polar residue.

**[0293]** “Features” when referring to polypeptide or polynucleotide are defined as distinct amino acid sequence-based or nucleotide-based components of a molecule respectively. Features of the polypeptides encoded by the polynucleotides include surface manifestations, local conformational shape, folds, loops, half-loops, domains, half-domains, sites, termini and any combination(s) thereof.

**[0294]** As used herein when referring to polypeptides the term “domain” refers to a motif of a polypeptide having one or more identifiable structural or functional characteristics or properties (e.g., binding capacity, serving as a site for protein-protein interactions).

**[0295]** As used herein when referring to polypeptides the terms “site” as it pertains to amino acid based embodiments is used synonymously with “amino acid residue” and “amino acid side chain.” As used herein when referring to polynucleotides the terms “site” as it pertains to nucleotide based embodiments is used synonymously with “nucleotide.” A site represents a position within a peptide or polypeptide or polynucleotide that may be modified, manipulated, altered, derivatized or varied within the polypeptide-based or polynucleotide-based molecules.

**[0296]** As used herein the terms “termini” or “terminus” when referring to polypeptides or polynucleotides refers to an extremity of a polypeptide or polynucleotide respectively. Such extremity is not limited only to the first or final site of the polypeptide or polynucleotide but may include additional amino acids or nucleotides in the terminal regions. Polypeptide-based molecules may be characterized as having both an N-terminus (terminated by an amino acid with a free amino group (NH<sub>2</sub>)) and a C-terminus (terminated by an amino acid with a free carboxyl group (COOH)). Proteins are in some cases made up of multiple polypeptide chains brought together by disulfide bonds or by non-covalent forces (multimers, oligomers). These proteins have multiple N- and C-termini. Alternatively, the termini of the polypeptides may be modified such that they begin or end, as the case may be, with a non-polypeptide based moiety such as an organic conjugate.

**[0297]** As recognized by those skilled in the art, protein fragments, functional protein domains, and homologous proteins are also considered to be within the scope of polypeptides of interest. For example, provided herein is any protein fragment (meaning a polypeptide sequence at least one amino acid residue shorter than a reference polypeptide sequence but otherwise identical) of a reference protein having a length of 10, 20, 30, 40, 50, 60, 70, 80, 90, 100 or longer than 100 amino acids. In another example, any protein that includes a stretch of 20, 30, 40, 50, or 100 (contiguous) amino acids that are 40%, 50%, 60%, 70%, 80%, 90%, 95%, or 100% identical to any of the sequences described herein can be utilized in accordance with the disclosure. In some embodiments, a polypeptide includes 2, 3, 4, 5, 6, 7, 8, 9, 10, or more mutations as shown in any of the sequences provided herein or referenced herein. In another example, any protein that includes a stretch of 20, 30, 40, 50, or 100 amino acids that are greater than 80%,

90%, 95%, or 100% identical to any of the sequences described herein, wherein the protein has a stretch of 5, 10, 15, 20, 25, or 30 amino acids that are less than 80%, 75%, 70%, 65% to 60% identical to any of the sequences described herein can be utilized in accordance with the disclosure.

**[0298]** Polypeptide or polynucleotide molecules of the present disclosure may share a certain degree of sequence similarity or identity with the reference molecules (e.g., reference polypeptides or reference polynucleotides), for example, with art-described molecules (e.g., engineered or designed molecules or wild-type molecules). The term “identity,” as known in the art, refers to a relationship between the sequences of two or more polypeptides or polynucleotides, as determined by comparing the sequences. In the art, identity also means the degree of sequence relatedness between two sequences as determined by the number of matches between strings of two or more amino acid residues or nucleic acid residues. Identity measures the percent of identical matches between the smaller of two or more sequences with gap alignments (if any) addressed by a particular mathematical model or computer program (e.g., “algorithms”). Identity of related peptides can be readily calculated by known methods. “% identity” as it applies to polypeptide or polynucleotide sequences is defined as the percentage of residues (amino acid residues or nucleic acid residues) in the candidate amino acid or nucleic acid sequence that are identical with the residues in the amino acid sequence or nucleic acid sequence of a second sequence after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent identity. Methods and computer programs for the alignment are well known in the art. Identity depends on a calculation of percent identity but may differ in value due to gaps and penalties introduced in the calculation. Generally, variants of a particular polynucleotide or polypeptide have at least 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% but less than 100% sequence identity to that particular reference polynucleotide or polypeptide as determined by sequence alignment programs and parameters described herein and known to those skilled in the art. Such tools for alignment include those of the BLAST suite (Stephen F. Altschul, et al. (1997).” Gapped BLAST and PSI-BLAST: a new generation of protein database search programs,” *Nucleic Acids Res.* 25:3389-3402). Another popular local alignment technique is based on the Smith-Waterman algorithm (Smith, T. F. & Waterman, M. S. (1981) “Identification of common molecular subsequences.” *J. Mol. Biol.* 147:195-197). A general global alignment technique based on dynamic programming is the Needleman-Wunsch algorithm (Needleman, S. B. & Wunsch, C. D. (1970) “A general method applicable to the search for similarities in the amino acid sequences of two proteins.” *J. Mol. Biol.* 48:443-453). More recently, a Fast Optimal Global Sequence Alignment Algorithm (FOGSAA) was developed that purportedly produces global alignment of nucleotide and protein sequences faster than other optimal global alignment methods, including the Needleman-Wunsch algorithm. Other tools are described herein, specifically in the definition of “identity” below.

**[0299]** As used herein, the term “homology” refers to the overall relatedness between polymeric molecules, e.g. between nucleic acid molecules (e.g. DNA molecules and/or RNA molecules) and/or between polypeptide molecules.

Polymeric molecules (e.g. nucleic acid molecules (e.g. DNA molecules and/or RNA molecules) and/or polypeptide molecules) that share a threshold level of similarity or identity determined by alignment of matching residues are termed homologous. Homology is a qualitative term that describes a relationship between molecules and can be based upon the quantitative similarity or identity. Similarity or identity is a quantitative term that defines the degree of sequence match between two compared sequences. In some embodiments, polymeric molecules are considered to be "homologous" to one another if their sequences are at least 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, or 99% identical or similar. The term "homologous" necessarily refers to a comparison between at least two sequences (polynucleotide or polypeptide sequences). Two polynucleotide sequences are considered homologous if the polypeptides they encode are at least 50%, 60%, 70%, 80%, 90%, 95%, or even 99% for at least one stretch of at least 20 amino acids. In some embodiments, homologous polynucleotide sequences are characterized by the ability to encode a stretch of at least 4-5 uniquely specified amino acids. For polynucleotide sequences less than 60 nucleotides in length, homology is determined by the ability to encode a stretch of at least 4-5 uniquely specified amino acids. Two protein sequences are considered homologous if the proteins are at least 50%, 60%, 70%, 80%, or 90% identical for at least one stretch of at least 20 amino acids.

**[0300]** Homology implies that the compared sequences diverged in evolution from a common origin. The term "homolog" refers to a first amino acid sequence or nucleic acid sequence (e.g., gene (DNA or RNA) or protein sequence) that is related to a second amino acid sequence or nucleic acid sequence by descent from a common ancestral sequence. The term "homolog" may apply to the relationship between genes and/or proteins separated by the event of speciation or to the relationship between genes and/or proteins separated by the event of genetic duplication. "Orthologs" are genes (or proteins) in different species that evolved from a common ancestral gene (or protein) by speciation. Typically, orthologs retain the same function in the course of evolution. "Paralogs" are genes (or proteins) related by duplication within a genome. Orthologs retain the same function in the course of evolution, whereas paralogs evolve new functions, even if these are related to the original one.

**[0301]** The term "identity" refers to the overall relatedness between polymeric molecules, for example, between polynucleotide molecules (e.g. DNA molecules and/or RNA molecules) and/or between polypeptide molecules. Calculation of the percent identity of two polynucleic acid sequences, for example, can be performed by aligning the two sequences for optimal comparison purposes (e.g., gaps can be introduced in one or both of a first and a second nucleic acid sequences for optimal alignment and non-identical sequences can be disregarded for comparison purposes). In certain embodiments, the length of a sequence aligned for comparison purposes is at least 30%, at least 40%, at least 50%, at least 60%, at least 70%, at least 80%, at least 90%, at least 95%, or 100% of the length of the reference sequence. The nucleotides at corresponding nucleotide positions are then compared. When a position in the first sequence is occupied by the same nucleotide as the corresponding position in the second sequence, then the molecules are identical at that position. The percent identity

between the two sequences is a function of the number of identical positions shared by the sequences, taking into account the number of gaps, and the length of each gap, which needs to be introduced for optimal alignment of the two sequences. The comparison of sequences and determination of percent identity between two sequences can be accomplished using a mathematical algorithm. For example, the percent identity between two nucleic acid sequences can be determined using methods such as those described in Computational Molecular Biology, Lesk, A. M., ed., Oxford University Press, New York, 1988; Biocomputing: Informatics and Genome Projects, Smith, D. W., ed., Academic Press, New York, 1993; Sequence Analysis in Molecular Biology, von Heinje, G., Academic Press, 1987; Computer Analysis of Sequence Data, Part I, Griffin, A. M., and Griffin, H. G., eds., Humana Press, New Jersey, 1994; and Sequence Analysis Primer, Gribskov, M. and Devereux, J., eds., M Stockton Press, New York, 1991; each of which is incorporated herein by reference. For example, the percent identity between two nucleic acid sequences can be determined using the algorithm of Meyers and Miller (CABIOS, 1989, 4:11-17), which has been incorporated into the ALIGN program (version 2.0) using a PAM120 weight residue table, a gap length penalty of 12 and a gap penalty of 4. The percent identity between two nucleic acid sequences can, alternatively, be determined using the GAP program in the GCG software package using an NWSgapdna.CMP matrix. Methods commonly employed to determine percent identity between sequences include, but are not limited to those disclosed in Carillo, H., and Lipman, D., *SIAM J Applied Math.*, 48:1073 (1988); incorporated herein by reference. Techniques for determining identity are codified in publicly available computer programs. Exemplary computer software to determine homology between two sequences include, but are not limited to, GCG program package, Devereux, J., et al., *Nucleic Acids Research*, 12(1), 387 (1984), BLASTP, BLASTN, and FASTA Altschul, S. F. et al., *J. Molec. Biol.*, 215, 403 (1990).

#### Multiprotein and Multicomponent Vaccines

**[0302]** The present disclosure encompasses respiratory virus vaccines comprising multiple RNA (e.g., mRNA) polynucleotides, each encoding a single antigenic polypeptide, as well as respiratory virus vaccines comprising a single RNA polynucleotide encoding more than one antigenic polypeptide (e.g., as a fusion polypeptide). Thus, a vaccine composition comprising a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a first antigenic polypeptide and a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a second antigenic polypeptide encompasses (a) vaccines that comprise a first RNA polynucleotide encoding a first antigenic polypeptide and a second RNA polynucleotide encoding a second antigenic polypeptide, and (b) vaccines that comprise a single RNA polynucleotide encoding a first and second antigenic polypeptide (e.g., as a fusion polypeptide). RNA (e.g., mRNA) vaccines of the present disclosure, in some embodiments, comprise 2-10 (e.g., 2, 3, 4, 5, 6, 7, 8, 9 or 10), or more, RNA polynucleotides having an open reading frame, each of which encodes a different antigenic polypeptide (or a single RNA polynucleotide encoding 2-10, or more, different antigenic polypeptides). The antigenic polypeptides may be selected from hMPV, PIV3, RSV, MEV and BetaCoV (e.g., selected from MERS-CoV, SARS-CoV,

HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1) antigenic polypeptides.

**[0303]** In some embodiments, a respiratory virus vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral capsid protein, a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral premembrane/membrane protein, and a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral envelope protein. In some embodiments, a respiratory virus vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral fusion (F) protein and a RNA polynucleotide having an open reading frame encoding a viral major surface glycoprotein (G protein). In some embodiments, a vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral F protein. In some embodiments, a vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral G protein. In some embodiments, a vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a HN protein.

**[0304]** In some embodiments, a multicomponent vaccine comprises at least one RNA (e.g., mRNA) polynucleotide encoding at least one antigenic polypeptide fused to a signal peptide (e.g., any one of SEQ ID NO: 15-19). The signal peptide may be fused at the N-terminus or the C-terminus of an antigenic polypeptide. An antigenic polypeptide fused to a signal peptide may be selected from hMPV, PIV3, RSV, MEV and BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1) antigenic polypeptides.

#### Signal Peptides

**[0305]** In some embodiments, antigenic polypeptides encoded by respiratory virus RNA (e.g., mRNA) polynucleotides comprise a signal peptide. Signal peptides, comprising the N-terminal 15-60 amino acids of proteins, are typically needed for the translocation across the membrane on the secretory pathway and, thus, universally control the entry of most proteins both in eukaryotes and prokaryotes to the secretory pathway. Signal peptides generally include three regions: an N-terminal region of differing length, which usually comprises positively charged amino acids; a hydrophobic region; and a short carboxy-terminal peptide region. In eukaryotes, the signal peptide of a nascent precursor protein (pre-protein) directs the ribosome to the rough endoplasmic reticulum (ER) membrane and initiates the transport of the growing peptide chain across it for processing. ER processing produces mature proteins, wherein the signal peptide is cleaved from precursor proteins, typically by a ER-resident signal peptidase of the host cell, or they remain uncleaved and function as a membrane anchor. A signal peptide may also facilitate the targeting of the protein to the cell membrane. The signal peptide, however, is not responsible for the final destination of the mature protein. Secretory proteins devoid of additional address tags in their sequence are by default secreted to the external environment. During recent years, a more advanced view of signal peptides has evolved, showing that the functions and immunodominance of certain signal peptides are much more versatile than previously anticipated.

**[0306]** Respiratory virus vaccines of the present disclosure may comprise, for example, RNA (e.g., mRNA) polynucleotides encoding an artificial signal peptide, wherein the

signal peptide coding sequence is operably linked to and is in frame with the coding sequence of the antigenic polypeptide. Thus, respiratory virus vaccines of the present disclosure, in some embodiments, produce an antigenic polypeptide comprising an antigenic polypeptide (e.g., hMPV, PIV3, RSV, MeV or BetaCoV) fused to a signal peptide. In some embodiments, a signal peptide is fused to the N-terminus of the antigenic polypeptide. In some embodiments, a signal peptide is fused to the C-terminus of the antigenic polypeptide.

**[0307]** In some embodiments, the signal peptide fused to the antigenic polypeptide is an artificial signal peptide. In some embodiments, an artificial signal peptide fused to the antigenic polypeptide encoded by the RNA (e.g., mRNA) vaccine is obtained from an immunoglobulin protein, e.g., an IgE signal peptide or an IgG signal peptide. In some embodiments, a signal peptide fused to the antigenic polypeptide encoded by a RNA (e.g., mRNA) vaccine is an Ig heavy chain epsilon-1 signal peptide (IgE HC SP) having the sequence of: MDWTWILFLVAAATRVHS (SEQ ID NO: 16). In some embodiments, a signal peptide fused to the antigenic polypeptide encoded by the (e.g., mRNA) RNA (e.g., mRNA) vaccine is an IgGk chain V-III region HAH signal peptide (IgGk SP) having the sequence of MET-PAQLLFLLLLWLPDITG (SEQ ID NO: 15). In some embodiments, the signal peptide is selected from: Japanese encephalitis PRM signal sequence (MLGSNSGQRV-VFTILLLLVAPAYS; SEQ ID NO: 17), VSVg protein signal sequence (MKCLLYLAFLFIGVNCA; SEQ ID NO: 18) and Japanese encephalitis JEV signal sequence (MWLVSLAIVTACAGA; SEQ ID NO: 19).

**[0308]** In some embodiments, the antigenic polypeptide encoded by a RNA (e.g., mRNA) vaccine comprises an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, 47-50 or 54-56 (Tables 3, 6, 11, 14 or 17; see also amino acid sequences of Tables 4, 7, 12 or 15) fused to a signal peptide identified by any one of SEQ ID NO: 15-19 (Table 8). The examples disclosed herein are not meant to be limiting and any signal peptide that is known in the art to facilitate targeting of a protein to ER for processing and/or targeting of a protein to the cell membrane may be used in accordance with the present disclosure.

**[0309]** A signal peptide may have a length of 15-60 amino acids. For example, a signal peptide may have a length of 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, or 60 amino acids. In some embodiments, a signal peptide has a length of 20-60, 25-60, 30-60, 35-60, 40-60, 45-60, 50-60, 55-60, 15-55, 20-55, 25-55, 30-55, 35-55, 40-55, 45-55, 50-55, 15-50, 20-50, 25-50, 30-50, 35-50, 40-50, 45-50, 15-45, 20-45, 25-45, 30-45, 35-45, 40-45, 15-40, 20-40, 25-40, 30-40, 35-40, 15-35, 20-35, 25-35, 30-35, 15-30, 20-30, 25-30, 15-25, 20-25, or 15-20 amino acids.

**[0310]** A signal peptide is typically cleaved from the nascent polypeptide at the cleavage junction during ER processing. The mature antigenic polypeptide produced by a respiratory virus RNA (e.g., mRNA) vaccine of the present disclosure typically does not comprise a signal peptide.

#### Chemical Modifications

**[0311]** Respiratory virus vaccines of the present disclosure, in some embodiments, comprise at least RNA (e.g., mRNA) polynucleotide having an open reading frame

encoding at least one antigenic polypeptide that comprises at least one chemical modification.

**[0312]** The terms “chemical modification” and “chemically modified” refer to modification with respect to adenosine (A), guanosine (G), uridine (U), thymidine (T) or cytidine (C) ribonucleosides or deoxyribonucleosides in at least one of their position, pattern, percent or population. Generally, these terms do not refer to the ribonucleotide modifications in naturally occurring 5'-terminal mRNA cap moieties. With respect to a polypeptide, the term “modification” refers to a modification relative to the canonical set 20 amino acids. Polypeptides, as provided herein, are also considered “modified” if they contain amino acid substitutions, insertions or a combination of substitutions and insertions.

**[0313]** Polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides), in some embodiments, comprise various (more than one) different modifications. In some embodiments, a particular region of a polynucleotide contains one, two or more (optionally different) nucleoside or nucleotide modifications. In some embodiments, a modified RNA polynucleotide (e.g., a modified mRNA polynucleotide), introduced to a cell or organism, exhibits reduced degradation in the cell or organism, respectively, relative to an unmodified polynucleotide. In some embodiments, a modified RNA polynucleotide (e.g., a modified mRNA polynucleotide), introduced into a cell or organism, may exhibit reduced immunogenicity in the cell or organism, respectively (e.g., a reduced innate response).

**[0314]** Modifications of polynucleotides include, without limitation, those described herein. Polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) may comprise modifications that are naturally-occurring, non-naturally-occurring or the polynucleotide may comprise a combination of naturally-occurring and non-naturally-occurring modifications. Polynucleotides may include any useful modification, for example, of a sugar, a nucleobase, or an internucleoside linkage (e.g., to a linking phosphate, to a phosphodiester linkage or to the phosphodiester backbone).

**[0315]** Polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides), in some embodiments, comprise non-natural modified nucleotides that are introduced during synthesis or post-synthesis of the polynucleotides to achieve desired functions or properties. The modifications may be present on an internucleotide linkages, purine or pyrimidine bases, or sugars. The modification may be introduced with chemical synthesis or with a polymerase enzyme at the terminal of a chain or anywhere else in the chain. Any of the regions of a polynucleotide may be chemically modified.

**[0316]** The present disclosure provides for modified nucleosides and nucleotides of a polynucleotide (e.g., RNA polynucleotides, such as mRNA polynucleotides). A “nucleoside” refers to a compound containing a sugar molecule (e.g., a pentose or ribose) or a derivative thereof in combination with an organic base (e.g., a purine or pyrimidine) or a derivative thereof (also referred to herein as “nucleobase”). A nucleotide” refers to a nucleoside, including a phosphate group. Modified nucleotides may be synthesized by any useful method, such as, for example, chemically, enzymatically, or recombinantly, to include one or more modified or non-natural nucleosides. Polynucleotides may comprise a region or regions of linked nucleosides. Such regions may have variable backbone linkages. The

linkages may be standard phosphodiester linkages, in which case the polynucleotides would comprise regions of nucleotides.

**[0317]** Modified nucleotide base pairing encompasses not only the standard adenosine-thymine, adenosine-uracil, or guanosine-cytosine base pairs, but also base pairs formed between nucleotides and/or modified nucleotides comprising non-standard or modified bases, wherein the arrangement of hydrogen bond donors and hydrogen bond acceptors permits hydrogen bonding between a non-standard base and a standard base or between two complementary non-standard base structures. One example of such non-standard base pairing is the base pairing between the modified nucleotide inosine and adenine, cytosine or uracil. Any combination of base/sugar or linker may be incorporated into polynucleotides of the present disclosure.

**[0318]** Modifications of polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) that are useful in the vaccines of the present disclosure include, but are not limited to the following: 2-methylthio-N6-(cis-hydroxyisopentenyl)adenosine; 2-methylthio-N6-methyladenosine; 2-methylthio-N6-threonyl carbamoyl-adenosine; N6-glycylcarbamoyl-adenosine; N6-isopentenyladenosine; N6-methyladenosine; N6-threonylcarbamoyl-adenosine; 1,2'-O-dimethyladenosine; 1-methyladenosine; 2'-O-methyladenosine; 2'-O-ribosyladenosine (phosphate); 2-methyladenosine; 2-methylthio-N6 isopentenyladenosine; 2-methylthio-N6-hydroxynorvalyl carbamoyl-adenosine; 2'-O-methyladenosine; 2'-O-ribosyladenosine (phosphate); Isopentenyladenosine; N6-(cis-hydroxyisopentenyl)adenosine; N6,2'-O-dimethyladenosine; N6,2'-O-dimethyladenosine; N6,N6,2'-O-trimethyladenosine; N6,N6-dimethyladenosine; N6-acetyladenosine; N6-hydroxynorvalylcarbamoyl-adenosine; N6-methyl-N6-threonylcarbamoyl-adenosine; 2-methyladenosine; 2-methylthio-N6-isopentenyladenosine; 7-deaza-adenosine; N1-methyl-adenosine; N6, N6 (dimethyl)adenine; N6-cis-hydroxy-isopentenyl-adenosine;  $\alpha$ -thio-adenosine; 2 (amino)adenine; 2 (aminopropyl)adenine; 2 (methylthio) N6 (isopentenyl)adenine; 2-(alkyl)adenine; 2-(aminoalkyl)adenine; 2-(aminopropyl)adenine; 2-(halo)adenine; 2-(halo)adenine; 2-(propyl)adenine; 2'-Amino-2'-deoxy-ATP; 2'-Azido-2'-deoxy-ATP; 2'-Deoxy-2'-a-aminoadenosine TP; 2'-Deoxy-2'-a-azidoadenosine TP; 6 (alkyl)adenine; 6 (methyl)adenine; 6-(alkyl)adenine; 6-(methyl)adenine; 7 (deaza)adenine; 8 (alkenyl)adenine; 8 (alkynyl)adenine; 8 (amino)adenine; 8 (thioalkyl)adenine; 8-(alkenyl)adenine; 8-(alkyl)adenine; 8-(alkynyl)adenine; 8-(amino)adenine; 8-(halo)adenine; 8-(hydroxyl)adenine; 8-(thioalkyl)adenine; 8-(thiol)adenine; 8-azido-adenosine; aza adenine; deaza adenine; N6 (methyl)adenine; N6-(isopentyl)adenine; 7-deaza-8-aza-adenosine; 7-methyladenine; 1-Deazaadenosine TP; 2'Fluoro-N6-Bz-deoxyadenosine TP; 2'-O Me-2-Amino-ATP; 2'O-methyl-N6-Bz-deoxyadenosine TP; 2'-a-Ethynyladenosine TP; 2-aminoadenine; 2-Aminoadenosine TP; 2-Amino-ATP; 2'-a-Trifluoromethyladenosine TP; 2-Azidoadenosine TP; 2'-b-Ethynyladenosine TP; 2-Bromoadenosine TP; 2'-b-Trifluoromethyladenosine TP; 2-Chloroadenosine TP; 2'-Deoxy-2',2'-difluoroadenosine TP; 2'-Deoxy-2'-a-mercaptoadenosine TP; 2'-Deoxy-2'-a-thiomethoxyadenosine TP; 2'-Deoxy-2'-b-aminoadenosine TP; 2'-Deoxy-2'-b-azidoadenosine TP; 2'-Deoxy-2'-b-bromoadenosine TP; 2'-Deoxy-2'-b-chloroadenosine TP; 2'-Deoxy-2'-b-fluoroadenosine TP; 2'-Deoxy-2'-b-iodoadenosine



TP; 2'-Deoxy-2'-b-mercaptadenosine TP; 2'-Deoxy-2'-b-thiomethoxyadenosine TP; 2-Fluoroadenosine TP; 2-Iodoadenosine TP; 2-Mercaptadenosine TP; 2-methoxyadenosine; 2-methylthioadenosine; 2-Trifluoromethyladenosine TP; 3-Deaza-3-bromoadenosine TP; 3-Deaza-3-chloroadenosine TP; 3-Deaza-3-fluoroadenosine TP; 3-Deaza-3-iodoadenosine TP; 3-Deazaadenosine TP; 4'-Azidoadenosine TP; 4'-Carbocyclic adenosine TP; 4'-Ethylnyladenosine TP; 5'-Homo-adenosine TP; 8-Aza-ATP; 8-bromo-adenosine TP; 8-Trifluoromethyladenosine TP; 9-Deazaadenosine TP; 2-aminopurine; 7-deaza-2,6-diaminopurine; 7-deaza-8-aza-2,6-diaminopurine; 7-deaza-8-aza-2-aminopurine; 2,6-diaminopurine; 7-deaza-8-aza-adenine, 7-deaza-2-aminopurine; 2-thiocytidine; 3-methylcytidine; 5-formylcytidine; 5-hydroxymethylcytidine; 5-methylcytidine; N4-acetylcytidine; 2'-O-methylcytidine; 2'-O-methylcytidine; 5,2'-O-dimethylcytidine; 5-formyl-2'-O-methylcytidine; Lysidine; N4,2'-O-dimethylcytidine; N4-acetyl-2'-O-methylcytidine; N4-methylcytidine; N4,N4-Dimethyl-2'-OMe-Cytidine TP; 4-methylcytidine; 5-aza-cytidine; Pseudo-iso-cytidine; pyrrolo-cytidine;  $\alpha$ -thio-cytidine; 2-(thio)cytosine; 2'-Amino-2'-deoxy-CTP; 2'-Azido-2'-deoxy-CTP; 2'-Deoxy-2'-aminocytidine TP; 2'-Deoxy-2'-azidocytidine TP; 3 (deaza) 5 (aza)cytosine; 3 (methyl)cytosine; 3-(alkyl)cytosine; 3-(deaza) 5 (aza)cytosine; 3-(methyl)cytidine; 4,2'-O-dimethylcytidine; 5 (halo)cytosine; 5 (methyl)cytosine; 5 (propynyl)cytosine; 5 (trifluoromethyl)cytosine; 5-(alkyl)cytosine; 5-(alkynyl)cytosine; 5-(halo)cytosine; 5-(propynyl)cytosine; 5-(trifluoromethyl)cytosine; 5-bromo-cytidine; 5-iodo-cytidine; 5-propynyl cytosine; 6-(azo)cytosine; 6-aza-cytidine; aza cytosine; deaza cytosine; N4 (acetyl) cytosine; 1-methyl-1-deaza-pseudoisocytidine; 1-methyl-pseudoisocytidine; 2-methoxy-5-methyl-cytidine; 2-methoxy-cytidine; 2-thio-5-methyl-cytidine; 4-methoxy-1-methyl-pseudoisocytidine; 4-methoxy-pseudoisocytidine; 4-thio-1-methyl-1-deaza-pseudoisocytidine; 4-thio-1-methyl-pseudoisocytidine; 4-thio-pseudoisocytidine; 5-azazebularine; 5-methyl-zebularine; pyrrolo-pseudoisocytidine; Zebularine; (E)-5-(2-Bromo-vinyl)cytidine TP; 2,2'-anhydro-cytidine TP hydrochloride; 2'Fluor-N4-Bz-cytidine TP; 2'Fluor-N4-Acetyl-cytidine TP; 2'-O-Methyl-N4-Acetyl-cytidine TP; 2'-O-methyl-N4-Bz-cytidine TP; 2'-a-Ethylnylcytidine TP; 2'-a-Trifluoromethylcytidine TP; 2'-b-Ethylnylcytidine TP; 2'-b-Trifluoromethylcytidine TP; 2'-Deoxy-2',2'-difluorocytidine TP; 2'-Deoxy-2'-a-mercaptocytidine TP; 2'-Deoxy-2'-a-thiomethoxycytidine TP; 2'-Deoxy-2'-b-aminocytidine TP; 2'-Deoxy-2'-b-azidocytidine TP; 2'-Deoxy-2'-b-bromocytidine TP; 2'-Deoxy-2'-b-chlorocytidine TP; 2'-Deoxy-2'-b-fluorocytidine TP; 2'-Deoxy-2'-b-iodocytidine TP; 2'-Deoxy-2'-b-mercaptocytidine TP; 2'-Deoxy-2'-b-thiomethoxycytidine TP; 2'-O-Methyl-5-(1-propynyl)cytidine TP; 3'-Ethylnylcytidine TP; 4'-Azidocytidine TP; 4'-Carbocyclic cytidine TP; 4'-Ethylnylcytidine TP; 5-(1-Propynyl)ara-cytidine TP; 5-(2-Chloro-phenyl)-2-thiocytidine TP; 5-(4-Amino-phenyl)-2-thiocytidine TP; 5-Aminoallyl-CTP; 5-Cyanocytidine TP; 5-Ethylnylara-cytidine TP; 5-Ethylnylcytidine TP; 5'-Homo-cytidine TP; 5-Methoxycytidine TP; 5-Trifluoromethyl-Cytidine TP; N4-Amino-cytidine TP; N4-Benzoyl-cytidine TP; Pseudoisocytidine TP; 7-methylguanosine; N2,2'-O-dimethylguanosine; N2-methylguanosine; Wyosine; 1,2'-O-dimethylguanosine; 1-methylguanosine; 2'-O-methylguanosine; 2'-O-ribosylguanosine (phosphate); 2'-O-methylguanosine; 2'-O-ribosylguanosine (phosphate); 7-aminomethyl-7-

deazaguanosine; 7-cyano-7-deazaguanosine; Archaeosine; Methylwyo sine; N2,7-dimethylguanosine; N2,N2,2'-O-trimethylguanosine; N2,N2,7-trimethylguanosine; N2,N2-dimethylguanosine; N2,7,2'-O-trimethylguanosine; 6-thioguanosine; 7-deaza-guanosine; 8-oxo-guanosine; N1-methyl-guanosine;  $\alpha$ -thio-guanosine; 2 (propyl)guanine; 2-(alkyl)guanine; 2'-Amino-2'-deoxy-GTP; 2'-Azido-2'-deoxy-GTP; 2'-Deoxy-2'-a-aminoguanosine TP; 2'-Deoxy-2'-a-azidoguanosine TP; 6 (methyl)guanine; 6-(alkyl)guanine; 6-(methyl)guanine; 6-methyl-guanosine; 7 (alkyl)guanine; 7 (deaza)guanine; 7 (methyl)guanine; 7-(alkyl)guanine; 7-(deaza)guanine; 7-(methyl)guanine; 8 (alkyl)guanine; 8 (alkynyl)guanine; 8 (halo)guanine; 8 (thioalkyl)guanine; 8-(alkenyl)guanine; 8-(alkyl)guanine; 8-(alkynyl)guanine; 8-(amino)guanine; 8-(halo)guanine; 8-(hydroxyl)guanine; 8-(thioalkyl)guanine; 8-(thiol)guanine; aza guanine; deaza guanine; N (methyl)guanine; N-(methyl)guanine; 1-methyl-6-thio-guanosine; 6-methoxy-guanosine; 6-thio-7-deaza-8-aza-guanosine; 6-thio-7-deaza-guanosine; 6-thio-7-methyl-guanosine; 7-deaza-8-aza-guanosine; 7-methyl-8-oxo-guanosine; N2,N2-dimethyl-6-thio-guanosine; N2-methyl-6-thio-guanosine; 1-Me-GTP; 2'Fluoro-N2-isobutylguanosine TP; 2'O-methyl-N2-isobutyl-guanosine TP; 2'-a-Ethylnylguanosine TP; 2'-a-Trifluoromethylguanosine TP; 2'-b-Ethylnylguanosine TP; 2'-b-Trifluoromethylguanosine TP; 2'-Deoxy-2',2'-difluoroguanosine TP; 2'-Deoxy-2'-a-mercaptoguanosine TP; 2'-Deoxy-2'-a-thiomethoxyguanosine TP; 2'-Deoxy-2'-b-aminoguanosine TP; 2'-Deoxy-2'-b-azidoguanosine TP; 2'-Deoxy-2'-b-bromoguanosine TP; 2'-Deoxy-2'-b-chloroguanosine TP; 2'-Deoxy-2'-b-fluoroguanosine TP; 2'-Deoxy-2'-b-iodoguanosine TP; 2'-Deoxy-2'-b-mercaptoguanosine TP; 2'-Deoxy-2'-b-thiomethoxyguanosine TP; 4'-Azidoguanosine TP; 4'-Carbocyclic guanosine TP; 4'-Ethylnylguanosine TP; 5'-Homo-guanosine TP; 8-bromo-guanosine TP; 9-Deazaguanosine TP; N2-isobutyl-guanosine TP; 1-methylinosine; Inosine; 1,2'-O-dimethylinosine; 2'-O-methylinosine; 7-methylinosine; 2'-O-methylinosine; Epoxyqueuosine; galactosyl-queuosine; Mannosylqueuosine; Queuosine; allyl-amino-thymidine; aza thymidine; deaza thymidine; deoxy-thymidine; 2'-O-methyluridine; 2-thiouridine; 3-methyluridine; 5-carboxymethyluridine; 5-hydroxyuridine; 5-methyluridine; 5-taurinomethyl-2-thiouridine; 5-taurinomethyluridine; Dihydrouridine; Pseudouridine; (3-(3-amino-3-carboxypropyl)uridine; 1-methyl-3-(3-amino-5-carboxypropyl)pseudouridine; 1-methylpseudouridine; 1-methyl-pseudouridine; 2'-O-methyluridine; 2'-O-methylpseudouridine; 2'-O-methyluridine; 2-thio-2'-O-methyluridine; 3-(3-amino-3-carboxypropyl)uridine; 3,2'-O-dimethyluridine; 3-Methyl-pseudo-Uridine TP; 4-thiouridine; 5-(carboxyhydroxymethyl)uridine; 5-(carboxyhydroxymethyl)uridine methyl ester; 5,2'-O-dimethyluridine; 5,6-dihydro-uridine; 5-aminomethyl-2-thiouridine; 5-carbamoylmethyl-2'-O-methyluridine; 5-carbamoylmethyluridine; 5-carboxyhydroxymethyluridine; 5-carboxyhydroxymethyluridine methyl ester; 5-carboxymethylaminomethyl-2'-O-methyluridine; 5-carboxymethylaminomethyl-2-thiouridine; 5-carboxymethylaminomethyl-2-thiouridine; 5-carboxymethylaminomethyluridine; 5-Carbamoylmethyluridine TP; 5-methoxycarbonylmethyl-2'-O-methyluridine; 5-methoxycarbonylmethyl-2-thiouridine; 5-methoxycarbonylmethyluridine; 5-methoxyuridine; 5-methyl-2-thiouridine; 5-methylaminomethyl-2-selenouridine; 5-methylaminomethyl-2-

thiouridine; 5-methylaminomethyluridine; 5-Methyldihydrouridine; 5-Oxyacetic acid-Uridine TP; 5-Oxyacetic acid-methyl ester-Uridine TP; N1-methylpseudo-uridine; uridine 5-oxyacetic acid; uridine 5-oxyacetic acid methyl ester; 3-(3-Amino-3-carboxypropyl)-Uridine TP; 5-(iso-Pentenylaminomethyl)-2-thiouridine TP; 5-(iso-Pentenylaminomethyl)-2'-O-methyluridine TP; 5-(iso-Pentenylaminomethyl)uridine TP; 5-propynyl uracil;  $\alpha$ -thio-uridine; 1 (aminoalkylamino-carbonylethylethyl)-2 (thio)-pseudouracil; 1 (aminoalkylaminocarbonylethylethyl)-2,4-(dithio)pseudouracil; 1 (aminoalkylaminocarbonylethylethyl)-4 (thio)pseudouracil; 1 (aminoalkylaminocarbonylethylethyl)-pseudouracil; 1 (aminocarbonylethylethyl)-2(thio)-pseudouracil; 1 (aminocarbonylethylethyl)-2,4-(dithio)pseudouracil; 1 (aminocarbonylethylethyl)-4 (thio)pseudouracil; 1 (aminocarbonylethylethyl)-pseudouracil; 1 substituted 2(thio)-pseudouracil; 1 substituted 2,4-(dithio)pseudouracil; 1 substituted 4 (thio) pseudouracil; 1 substituted pseudouracil; 1-(aminoalkylamino-carbonylethylethyl)-2-(thio)-pseudouracil; 1-Methyl-3-(3-amino-3-carboxypropyl) pseudouridine TP; 1-Methyl-3-(3-amino-3-carboxypropyl)pseudo-UTP; 1-Methyl-pseudo-UTP; 2 (thio)pseudouracil; 2' deoxy uridine; 2' fluorouridine; 2-(thio)uracil; 2,4-(dithio)pseudouracil; 2' methyl, 2' amino, 2' azido, 2' fluoro-guanosine; 2'-Amino-2'-deoxy-UTP; 2'-Azido-2'-deoxy-UTP; 2'-Azido-deoxyuridine TP; 2'-O-methylpseudouridine; 2' deoxy uridine; 2' fluorouridine; 2'-Deoxy-2'-a-aminouridine TP; 2'-Deoxy-2'-a-azidouridine TP; 2-methylpseudouridine; 3 (3 amino-3 carboxypropyl)uracil; 4 (thio)pseudouracil; 4-(thio)pseudouracil; 4-(thio)uracil; 4-thiouracil; 5 (1,3-diazole-1-alkyl)uracil; 5 (2-aminopropyl)uracil; 5 (aminoalkyl)uracil; 5 (dimethylaminoalkyl)uracil; 5 (guanidini-umalkyl)uracil; 5 (methoxycarbonylmethyl)-2-(thio)uracil; 5 (methoxycarbonyl-methyl)uracil; 5 (methyl) 2 (thio)uracil; 5 (methyl) 2,4 (dithio)uracil; 5 (methyl) 4 (thio)uracil; 5 (methylaminomethyl)-2 (thio)uracil; 5 (methylaminomethyl)-2,4 (dithio)uracil; 5 (methylaminomethyl)-4 (thio) uracil; 5 (propynyl)uracil; 5 (trifluoromethyl)uracil; 5-(2-aminopropyl)uracil; 5-(alkyl)-2-(thio)pseudouracil; 5-(alkyl)-2,4 (dithio)pseudouracil; 5-(alkyl)-4 (thio) pseudouracil; 5-(alkyl)pseudouracil; 5-(alkyl)uracil; 5-(alkynyl)uracil; 5-(allylamino)uracil; 5-(cyanoalkyl)uracil; 5-(dialkylaminoalkyl)uracil; 5-(dimethylaminoalkyl) uracil; 5-(guanidiniumalkyl)uracil; 5-(halo)uracil; 5-(1,3-diazole-1-alkyl)uracil; 5-(methoxy)uracil; 5-(methoxycarbonylmethyl)-2-(thio)uracil; 5-(methoxycarbonyl-methyl)uracil; 5-(methyl) 2(thio)uracil; 5-(methyl) 2,4 (dithio)uracil; 5-(methyl) 4 (thio)uracil; 5-(methyl)-2-(thio)pseudouracil; 5-(methyl)-2,4 (dithio)pseudouracil; 5-(methyl)-4 (thio)pseudouracil; 5-(methyl)pseudouracil; 5-(methylaminomethyl)-2 (thio)uracil; 5-(methylaminomethyl)-2,4(dithio)uracil; 5-(methylaminomethyl)-4-(thio) uracil; 5-(propynyl)uracil; 5-(trifluoromethyl)uracil; 5-aminoallyl-uridine; 5-bromo-uridine; 5-iodo-uridine; 5-uracil; 6 (azo)uracil; 6-(azo)uracil; 6-aza-uridine; ally- amino-uracil; aza uracil; deaza uracil; N3 (methyl)uracil; P pseudo-UTP-1-2-ethanoic acid; Pseudouracil; 4-Thio- pseudo-UTP; 1-carboxymethyl-pseudouridine; 1-methyl-1-deaza-pseudouridine; 1-propynyl-uridine; 1-taurinomethyl-1-methyl-uridine; 1-taurinomethyl-4-thio-uridine; 1-taurinomethyl-pseudouridine; 2-methoxy-4-thio-pseudou- ridine; 2-thio-1-methyl-1-deaza-pseudouridine; 2-thio-1- methyl-pseudouridine; 2-thio-5-aza-uridine; 2-thio-dihy-

dropseudouridine; 2-thio-dihydrouridine; 2-thio- pseudouridine; 4-methoxy-2-thio-pseudouridine; 4-methoxy-pseudouridine; 4-thio-1-methyl-pseudouridine; 4-thio-pseudouridine; 5-aza-uridine; Dihydropseudouridine; ( $\pm$ )-1-(2-Hydroxypropyl)pseudouridine TP; (2R)-1-(2-Hy- droxypropyl)pseudouridine TP; (2S)-1-(2-Hydroxypropyl) pseudouridine TP; (E)-5-(2-Bromo-vinyl)ara-uridine TP; (E)-5-(2-Bromo-vinyl)uridine TP; (Z)-5-(2-Bromo-vinyl) ara-uridine TP; (Z)-5-(2-Bromo-vinyl)uridine TP; 1-(2,2,2- Trifluoroethyl)-pseudo-UTP; 1-(2,2,3,3,3-Pentafluoropro- pyl)pseudouridine TP; 1-(2,2-Diethoxyethyl)pseudouridine TP; 1-(2,4,6-Trimethylbenzyl)pseudouridine TP; 1-(2,4,6- Trimethyl-benzyl)pseudo-UTP; 1-(2,4,6-Trimethyl-phenyl) pseudo-UTP; 1-(2-Amino-2-carboxyethyl)pseudo-UTP; 1-(2-Amino-ethyl)pseudo-UTP; 1-(2-Hydroxyethyl) pseudouridine TP; 1-(2-Methoxyethyl)pseudouridine TP; 1-(3,4-Bis-trifluoromethoxybenzyl)pseudouridine TP; 1-(3, 4-Dimethoxybenzyl)pseudouridine TP; 1-(3-Amino-3-car- boxypropyl)pseudo-UTP; 1-(3-Amino-propyl)pseudo-UTP; 1-(3-Cyclopropyl-prop-2-ynyl)pseudouridine TP; 1-(4- Amino-4-carboxybutyl)pseudo-UTP; 1-(4-Amino-benzyl) pseudo-UTP; 1-(4-Amino-butyl)pseudo-UTP; 1-(4-Amino- phenyl)pseudo-UTP; 1-(4-Azidobenzyl)pseudouridine TP; 1-(4-Bromobenzyl)pseudouridine TP; 1-(4-Chlorobenzyl) pseudouridine TP; 1-(4-Fluorobenzyl)pseudouridine TP; 1-(4-Iodobenzyl)pseudouridine TP; 1-(4-Methanesulfonyl- benzyl)pseudouridine TP; 1-(4-Methoxybenzyl)pseudouri- dine TP; 1-(4-Methoxy-benzyl)pseudo-UTP; 1-(4-Methoxy- phenyl)pseudo-UTP; 1-(4-Methylbenzyl)pseudouridine TP; 1-(4-Methyl-benzyl)pseudo-UTP; 1-(4-Nitrobenzyl) pseudouridine TP; 1-(4-Nitro-benzyl)pseudo-UTP; 1-(4-Ni- tro-phenyl)pseudo-UTP; 1-(4-Thiomethoxybenzyl) pseudouridine TP; 1-(4-Trifluoromethoxybenzyl) pseudouridine TP; 1-(4-Trifluoromethylbenzyl) pseudouridine TP; 1-(5-Amino-pentyl)pseudo-UTP; 1-(6- Amino-hexyl)pseudo-UTP; 1,6-Dimethyl-pseudo-UTP; 1-[3-(2-{2-[2-(2-Aminoethoxy)-ethoxy]-ethoxy}-ethoxy)- propionyl]pseudouridine TP; 1-{3-[2-(2-Aminoethoxy)- ethoxy]-propionyl} pseudouridine TP; 1-Acetylpseduori- dine TP; 1-Alkyl-6-(1-propynyl)-pseudo-UTP; 1-Alkyl-6- (2-propynyl)-pseudo-UTP; 1-Alkyl-6-allyl-pseudo-UTP; 1-Alkyl-6-ethynyl-pseudo-UTP; 1-Alkyl-6-homoallyl- pseudo-UTP; 1-Alkyl-6-vinyl-pseudo-UTP; 1-Allylp- pseudouridine TP; 1-Aminomethyl-pseudo-UTP; 1-Benzo- ylpseduoridine TP; 1-Benzoyloxymethylpseudouridine TP; 1-Benzyl-pseudo-UTP; 1-Biotinyl-PEG2-pseudouridine TP; 1-Biotinylpseudouridine TP; 1-Butyl-pseudo-UTP; 1-Cyanomethylpseudouridine TP; 1-Cyclobutylmethyl- pseudo-UTP; 1-Cyclobutyl-pseudo-UTP; 1-Cycloheptylm- ethyl-pseudo-UTP; 1-Cycloheptyl-pseudo-UTP; 1-Cyclo- hexylmethyl-pseudo-UTP; 1-Cyclohexyl-pseudo-UTP; 1-Cyclooctylmethyl-pseudo-UTP; 1-Cyclooctyl-pseudo- UTP; 1-Cyclopentylmethyl-pseudo-UTP; 1-Cyclopentyl- pseudo-UTP; 1-Cyclopropylmethyl-pseudo-UTP; 1-Cyclo- propyl-pseudo-UTP; 1-Ethyl-pseudo-UTP; 1-Hexyl- pseudo-UTP; 1-Homoallylpseudouridine TP; 1-Hydroxymethylpseudouridine TP; 1-iso-propyl-pseudo- UTP; 1-Me-2-thio-pseudo-UTP; 1-Me-4-thio-pseudo-UTP; 1-Me-alpha-thio-pseudo-UTP; 1-Methanesulfonylmethylp- sedouridine TP; 1-Methoxymethylpseudouridine TP; 1-Methyl-6-(2,2,2-Trifluoroethyl)pseudo-UTP; 1-Methyl-6- (4-morpholino)-pseudo-UTP; 1-Methyl-6-(4-thiomor- pholino)-pseudo-UTP; 1-Methyl-6-(substituted phenyl) pseudo-UTP; 1-Methyl-6-amino-pseudo-UTP; 1-Methyl-6-

azido-pseudo-UTP; 1-Methyl-6-bromo-pseudo-UTP; 1-Methyl-6-butyl-pseudo-UTP; 1-Methyl-6-chloro-pseudo-UTP; 1-Methyl-6-cyano-pseudo-UTP; 1-Methyl-6-dimethylamino-pseudo-UTP; 1-Methyl-6-ethoxy-pseudo-UTP; 1-Methyl-6-ethylcarboxylate-pseudo-UTP; 1-Methyl-6-ethyl-pseudo-UTP; 1-Methyl-6-fluoro-pseudo-UTP; 1-Methyl-6-formyl-pseudo-UTP; 1-Methyl-6-hydroxyamino-pseudo-UTP; 1-Methyl-6-hydroxy-pseudo-UTP; 1-Methyl-6-iodo-pseudo-UTP; 1-Methyl-6-iso-propyl-pseudo-UTP; 1-Methyl-6-methoxy-pseudo-UTP; 1-Methyl-6-methylamino-pseudo-UTP; 1-Methyl-6-phenyl-pseudo-UTP; 1-Methyl-6-propyl-pseudo-UTP; 1-Methyl-6-tert-butyl-pseudo-UTP; 1-Methyl-6-trifluoromethoxy-pseudo-UTP; 1-Methyl-6-trifluoromethyl-pseudo-UTP; 1-Morpholinomethylpseudouridine TP; 1-Pentyl-pseudo-UTP; 1-Phenyl-pseudo-UTP; 1-Pivaloylpseudouridine TP; 1-Propargylpseudouridine TP; 1-Propyl-pseudo-UTP; 1-propynyl-pseudouridine; 1-p-tolyl-pseudo-UTP; 1-tert-Butyl-pseudo-UTP; 1-Thiomethoxymethylpseudouridine TP; 1-Thiomorpholinomethylpseudouridine TP; 1-Trifluoroacetyl-pseudouridine TP; 1-Trifluoromethyl-pseudo-UTP; 1-Vinylpseudouridine TP; 2,2'-anhydro-uridine TP; 2'-bromo-deoxyuridine TP; 2'-F-5-Methyl-2'-deoxy-UTP; 2'-OMe-5-Me-UTP; 2'-OMe-pseudo-UTP; 2'-a-Ethynyluridine TP; 2'-a-Trifluoromethyluridine TP; 2'-b-Ethynyluridine TP; 2'-b-Trifluoromethyluridine TP; 2'-Deoxy-2',2'-difluorouridine TP; 2'-Deoxy-2'-a-mercaptopuridine TP; 2'-Deoxy-2'-a-thiomethoxyuridine TP; 2'-Deoxy-2'-b-aminouridine TP; 2'-Deoxy-2'-b-azidouridine TP; 2'-Deoxy-2'-b-bromouridine TP; 2'-Deoxy-2'-b-chlorouridine TP; 2'-Deoxy-2'-b-fluorouridine TP; 2'-Deoxy-2'-b-iodouridine TP; 2'-Deoxy-2'-b-mercaptopuridine TP; 2'-Deoxy-2'-b-thiomethoxyuridine TP; 2-methoxy-4-thio-uridine; 2-methoxyuridine; 2'-O-Methyl-5-(1-propynyl)uridine TP; 3-Alkyl-pseudo-UTP; 4'-Azidouridine TP; 4'-Carbocyclic uridine TP; 4'-Ethynyluridine TP; 5-(1-Propynyl)ara-uridine TP; 5-(2-Furanyl)uridine TP; 5-Cyanouridine TP; 5-Dimethylaminouridine TP; 5'-Homo-uridine TP; 5-iodo-2'-fluoro-deoxyuridine TP; 5-Phenylethynyluridine TP; 5-Tri-deuteromethyl-6-deuterouridine TP; 5-Trifluoromethyl-Uridine TP; 5-Vinylarauridine TP; 6-(2,2,2-Trifluoroethyl)-pseudo-UTP; 6-(4-Morpholino)-pseudo-UTP; 6-(4-Thiomorpholino)-pseudo-UTP; 6-(Substituted-Phenyl)-pseudo-UTP; 6-Amino-pseudo-UTP; 6-Azido-pseudo-UTP; 6-Bromo-pseudo-UTP; 6-Butyl-pseudo-UTP; 6-Chloro-pseudo-UTP; 6-Cyano-pseudo-UTP; 6-Dimethylamino-pseudo-UTP; 6-Ethoxy-pseudo-UTP; 6-Ethylcarboxylate-pseudo-UTP; 6-Ethyl-pseudo-UTP; 6-Fluoro-pseudo-UTP; 6-Formyl-pseudo-UTP; 6-Hydroxyamino-pseudo-UTP; 6-Hydroxy-pseudo-UTP; 6-Iodo-pseudo-UTP; 6-iso-Propyl-pseudo-UTP; 6-Methoxy-pseudo-UTP; 6-Methyl-amino-pseudo-UTP; 6-Methyl-pseudo-UTP; 6-Phenyl-pseudo-UTP; 6-Phenyl-pseudo-UTP; 6-Propyl-pseudo-UTP; 6-tert-Butyl-pseudo-UTP; 6-Trifluoromethoxy-pseudo-UTP; 6-Trifluoromethyl-pseudo-UTP; Alpha-thio-pseudo-UTP; Pseudouridine 1-(4-methylbenzenesulfonic acid) TP; Pseudouridine 1-(4-methylbenzoic acid) TP; Pseudouridine TP 1-[3-(2-ethoxy)]propionic acid; Pseudouridine TP 1-[3-{2-(2-[2-(2-ethoxy)-ethoxy]-ethoxy)-ethoxy}]propionic acid; Pseudouridine TP 1-[3-{2-(2-[2-(2-ethoxy)-ethoxy]-ethoxy)-ethoxy}]propionic acid; Pseudouridine TP 1-[3-(2-ethoxy)-ethoxy]propionic acid; Pseudouridine TP 1-[3-{2-(2-[2-(2-ethoxy)-ethoxy]-ethoxy)-ethoxy}]propionic acid; Pseudouridine TP 1-methylphos-

phonic acid; Pseudouridine TP 1-methylphosphonic acid diethyl ester; Pseudo-UTP-N1-3-propionic acid; Pseudo-UTP-N1-4-butanoic acid; Pseudo-UTP-N1-5-pentanoic acid; Pseudo-UTP-N1-6-hexanoic acid; Pseudo-UTP-N1-7-heptanoic acid; Pseudo-UTP-N1-methyl-p-benzoic acid; Pseudo-UTP-N1-p-benzoic acid; Wybutosine; Hydroxywybutosine; Isowyosine; Peroxywybutosine; undermodified hydroxywybutosine; 4-demethylwyosine; 2,6-(diamino)purine; 1-(aza)-2-(thio)-3-(aza)-phenoxazin-1-yl; 1,3-(diaz)-2-(oxo)-phenthiazin-1-yl; 1,3-(diaz)-2-(oxo)-phenoxazin-1-yl; 1,3,5-(triaz)-2,6-(diox)-naphthalene; 2 (amino) purine; 2,4,5-(trimethyl)phenyl; 2' methyl, 2'amino, 2'azido, 2'fluro-cytidine; 2' methyl, 2'amino, 2'azido, 2'fluro-adenine; 2'methyl, 2'amino, 2'azido, 2'fluro-uridine; 2'-amino-2'-deoxyribose; 2-amino-6-Chloro-purine; 2-aza-inosinyl; 2'-azido-2'-deoxyribose; 2'fluoro-2'-deoxyribose; 2'-fluoro-modified bases; 2'-O-methyl-ribose; 2-oxo-7-aminopyridopyrimidin-3-yl; 2-oxo-pyridopyrimidine-3-yl; 2-pyridinone; 3 nitropropole; 3-(methyl)-7-(propynyl) isocarbostyryl; 3-(methyl)isocarbostyryl; 4-(fluoro)-6-(methyl)benzimidazole; 4-(methyl)benzimidazole; 4-(methyl)indolyl; 4,6-(dimethyl)indolyl; 5 nitroindole; 5 substituted pyrimidines; 5-(methyl)isocarbostyryl; 5-nitroindole; 6-(aza)pyrimidine; 6-(azo)thymine; 6-(methyl)-7-(aza)indolyl; 6-chloro-purine; 6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; 7-(aminoalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenthiazin-1-yl; 7-(aminoalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenoxazin-1-yl; 7-(aminoalkylhydroxy)-1,3-(diaz)-2-(oxo)-phenoxazin-1-yl; 7-(aminoalkylhydroxy)-1,3-(diaz)-2-(oxo)-phenthiazin-1-yl; 7-(aminoalkylhydroxy)-1,3-(diaz)-2-(oxo)-phenoxazin-1-yl; 7-(aza)indolyl; 7-(guanidiniumalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenoxazin-yl; 7-(guanidiniumalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenthiazin-1-yl; 7-(guanidiniumalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenoxazin-1-yl; 7-(guanidiniumalkylhydroxy)-1,3-(diaz)-2-(oxo)-phenoxazin-1-yl; 7-(guanidiniumalkylhydroxy)-1,3-(diaz)-2-(oxo)-phenthiazin-1-yl; 7-(propynyl)isocarbostyryl; 7-(propynyl)isocarbostyryl, propynyl-7-(aza)indolyl; 7-deaza-inosinyl; 7-substituted 1-(aza)-2-(thio)-3-(aza)-phenoxazin-1-yl; 7-substituted 1,3-(diaz)-2-(oxo)-phenoxazin-1-yl; 9-(methyl)-imidizopyridinyl; Aminoindolyl; Anthracenyl; bis-ortho-(aminoalkylhydroxy)-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; bis-ortho-substituted-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; Difluorotolyl; Hypoxanthine; Imidizopyridinyl; Inosinyl; Isocarbostyryl; Isoguanisine; N2-substituted purines; N6-methyl-2-amino-purine; N6-substituted purines; N-alkylated derivative; Naphthalenyl; Nitrobenzimidazolyl; Nitroimidazolyl; Nitroindazolyl; Nitroprazolyl; Nubularine; O6-substituted purines; O-alkylated derivative; ortho-(aminoalkylhydroxy)-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; ortho-substituted-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; Oxoformycin TP; para-(aminoalkylhydroxy)-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; para-substituted-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; Pentacenyl; Phenanthracenyl; Phenyl; propynyl-7-(aza)indolyl; Pyrenyl; pyridopyrimidin-3-yl; pyridopyrimidin-3-yl; 2-oxo-7-amino-pyridopyrimidin-3-yl; pyrrolo-pyrimidin-2-on-3-yl; Pyrrolopyrimidinyl; Pyrrolopyrizinyl; Stilbenzyl; substituted 1,2,4-triazoles; Tetracenyl; Tubercidine; Xanthine; Xanthosine-5'-TP; 2-thio-zebularine; 5-aza-2-thio-zebularine; 7-deaza-2-amino-purine; pyridin-4-one ribo-

nucleoside; 2-Amino-riboside-TP; Formycin A TP; Formycin B TP; Pyrrolosine TP; 2'-OH-ara-adenosine TP; 2'-OH-ara-cytidine TP; 2'-OH-ara-uridine TP; 2'-OH-ara-guanosine TP; 5-(2-carbomethoxyvinyl)uridine TP; and N6-(19-Amino-pentaoxanonadecyl)adenosine TP.

**[0319]** In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) include a combination of at least two (e.g., 2, 3, 4 or more) of the aforementioned modified nucleobases.

**[0320]** In some embodiments, modified nucleobases in polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) are selected from the group consisting of pseudouridine ( $\psi$ ), N1-methylpseudouridine ( $m^1\psi$ ), N1-ethylpseudouridine, 2-thiouridine, 4'-thiouridine, 5-methylcytosine, 2-thio-1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-pseudouridine, 2-thio-5-aza-uridine, 2-thio-dihydropseudouridine, 2-thio-dihydrouridine, 2-thio-pseudouridine, 4-methoxy-2-thio-pseudouridine, 4-methoxy-pseudouridine, 4-thio-1-methyl-pseudouridine, 4-thio-pseudouridine, 5-aza-uridine, dihydropseudouridine, 5-methoxyuridine and 2'-O-methyl uridine. In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) include a combination of at least two (e.g., 2, 3, 4 or more) of the aforementioned modified nucleobases.

**[0321]** In some embodiments, modified nucleobases in polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) are selected from the group consisting of 1-methyl-pseudouridine ( $m^1\psi$ ), 5-methoxy-uridine ( $mo^5U$ ), 5-methyl-cytidine ( $m^5C$ ), pseudouridine ( $\psi$ ),  $\alpha$ -thio-guanosine and  $\alpha$ -thio-adenosine. In some embodiments, polynucleotides includes a combination of at least two (e.g., 2, 3, 4 or more) of the aforementioned modified nucleobases.

**[0322]** In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise pseudouridine ( $\psi$ ) and 5-methyl-cytidine ( $m^5C$ ). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 1-methyl-pseudouridine ( $m^1\psi$ ). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 1-methyl-pseudouridine ( $m^1\psi$ ) and 5-methyl-cytidine ( $m^5C$ ). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 2-thiouridine ( $s^2U$ ). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 2-thiouridine and 5-methyl-cytidine ( $m^5C$ ). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise methoxy-uridine ( $mo^5U$ ). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 5-methoxy-uridine ( $mo^5U$ ) and 5-methyl-cytidine ( $m^5C$ ). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 2'-O-methyl uridine and 5-methyl-cytidine ( $m^5C$ ). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise N6-methyl-adenosine ( $m^6A$ ). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise N6-methyl-adenosine ( $m^6A$ ) and 5-methyl-cytidine ( $m^5C$ ).

**[0323]** In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) are uniformly modified (e.g., fully modified, modified throughout the entire sequence) for a particular modification. For example, a polynucleotide can be uniformly modified with 5-methyl-cytidine ( $m^5C$ ), meaning that all cytosine residues in the mRNA sequence are replaced with 5-methyl-cytidine ( $m^5C$ ). Similarly, a polynucleotide can be uniformly modified for any type of nucleoside residue present in the sequence by replacement with a modified residue such as those set forth above.

**[0324]** Exemplary nucleobases and nucleosides having a modified cytosine include N4-acetyl-cytidine ( $ac4C$ ), 5-methyl-cytidine ( $m^5C$ ), 5-halo-cytidine (e.g., 5-iodo-cytidine), 5-hydroxymethyl-cytidine ( $hm^5C$ ), 1-methyl-pseudoisocytidine, 2-thio-cytidine ( $s2C$ ), and 2-thio-5-methyl-cytidine.

**[0325]** In some embodiments, a modified nucleobase is a modified uridine. Exemplary nucleobases and In some embodiments, a modified nucleobase is a modified cytosine. nucleosides having a modified uridine include 5-cyano uridine, and 4'-thio uridine.

**[0326]** In some embodiments, a modified nucleobase is a modified adenine. Exemplary nucleobases and nucleosides having a modified adenine include 7-deaza-adenine, 1-methyl-adenosine ( $m1A$ ), 2-methyl-adenine ( $m2A$ ), and N6-methyl-adenosine ( $m6A$ ).

**[0327]** In some embodiments, a modified nucleobase is a modified guanine. Exemplary nucleobases and nucleosides having a modified guanine include inosine ( $I$ ), 1-methyl-inosine ( $m1I$ ), wyosine ( $imG$ ), methylwyosine ( $mimG$ ), 7-deaza-guanosine, 7-cyano-7-deaza-guanosine ( $preQ0$ ), 7-aminomethyl-7-deaza-guanosine ( $preQ1$ ), 7-methyl-guanosine ( $m7G$ ), 1-methyl-guanosine ( $m1G$ ), 8-oxo-guanosine, 7-methyl-8-oxo-guanosine.

**[0328]** The polynucleotides of the present disclosure may be partially or fully modified along the entire length of the molecule. For example, one or more or all or a given type of nucleotide (e.g., purine or pyrimidine, or any one or more or all of A, G, U, C) may be uniformly modified in a polynucleotide of the disclosure, or in a given predetermined sequence region thereof (e.g., in the mRNA including or excluding the polyA tail). In some embodiments, all nucleotides X in a polynucleotide of the present disclosure (or in a given sequence region thereof) are modified nucleotides, wherein X may any one of nucleotides A, G, U, C, or any one of the combinations A+G, A+U, A+C, G+U, G+C, U+C, A+G+U, A+G+C, G+U+C or A+G+C.

**[0329]** The polynucleotide may contain from about 1% to about 100% modified nucleotides (either in relation to overall nucleotide content, or in relation to one or more types of nucleotide, i.e., any one or more of A, G, U or C) or any intervening percentage (e.g., from 1% to 20%, from 1% to 25%, from 1% to 50%, from 1% to 60%, from 1% to 70%, from 1% to 80%, from 1% to 90%, from 1% to 95%, from 10% to 20%, from 10% to 25%, from 10% to 50%, from 10% to 60%, from 10% to 70%, from 10% to 80%, from 10% to 90%, from 10% to 95%, from 10% to 100%, from 20% to 25%, from 20% to 50%, from 20% to 60%, from 20% to 70%, from 20% to 80%, from 20% to 90%, from 20% to 95%, from 20% to 100%, from 50% to 60%, from 50% to 70%, from 50% to 80%, from 50% to 90%, from 50% to 95%, from 50% to 100%, from 70% to 80%, from 70% to 90%, from 70% to 95%, from 70% to 100%,

from 80% to 90%, from 80% to 95%, from 80% to 100%, from 90% to 95%, from 90% to 100%, and from 95% to 100%). Any remaining percentage is accounted for by the presence of unmodified A, G, U, or C.

**[0330]** The polynucleotides may contain at a minimum 1% and at maximum 100% modified nucleotides, or any intervening percentage, such as at least 5% modified nucleotides, at least 10% modified nucleotides, at least 25% modified nucleotides, at least 50% modified nucleotides, at least 80% modified nucleotides, or at least 90% modified nucleotides. For example, the polynucleotides may contain a modified pyrimidine such as a modified uracil or cytosine. In some embodiments, at least 5%, at least 10%, at least 25%, at least 50%, at least 80%, at least 90% or 100% of the uracil in the polynucleotide is replaced with a modified uracil (e.g., a 5-substituted uracil). The modified uracil can be replaced by a compound having a single unique structure, or can be replaced by a plurality of compounds having different structures (e.g., 2, 3, 4 or more unique structures). In some embodiments, at least 5%, at least 10%, at least 25%, at least 50%, at least 80%, at least 90% or 100% of the cytosine in the polynucleotide is replaced with a modified cytosine (e.g., a 5-substituted cytosine). The modified cytosine can be replaced by a compound having a single unique structure, or can be replaced by a plurality of compounds having different structures (e.g., 2, 3, 4 or more unique structures).

**[0331]** Thus, in some embodiments, the RNA (e.g., mRNA) vaccines comprise a 5'UTR element, an optionally codon optimized open reading frame, and a 3'UTR element, a poly(A) sequence and/or a polyadenylation signal wherein the RNA is not chemically modified.

**[0332]** In some embodiments, the modified nucleobase is a modified uracil. Exemplary nucleobases and nucleosides having a modified uracil include pseudouridine ( $\psi$ ), pyridin-4-one ribonucleoside, 5-aza-uridine, 6-aza-uridine, 2-thio-5-aza-uridine, 2-thio-uridine ( $s^2U$ ), 4-thio-uridine ( $s^4U$ ), 4-thio-pseudouridine, 2-thio-pseudouridine, 5-hydroxy-uridine ( $ho^5U$ ), 5-aminoallyl-uridine, 5-halo-uridine (e.g., 5-iodo-uridine or 5-bromo-uridine), 3-methyl-uridine ( $m^3U$ ), 5-methoxy-uridine ( $mo^5U$ ), uridine 5-oxycetic acid ( $cmo^5U$ ), uridine 5-oxycetic acid methyl ester ( $mcmo^5U$ ), 5-carboxymethyl-uridine ( $cm^5U$ ), 1-carboxymethyl-pseudouridine, 5-carboxyhydroxymethyl-uridine ( $chm^5U$ ), 5-carboxyhydroxymethyl-uridine methyl ester ( $mchm^5U$ ), 5-methoxycarbonylmethyl-uridine ( $mcm^5U$ ), 5-methoxycarbonylmethyl-2-thio-uridine ( $mcm^5s^2U$ ), 5-aminomethyl-2-thio-uridine ( $nm^5s^2U$ ), 5-methylaminomethyl-uridine ( $mnm^5U$ ), 5-methylaminomethyl-2-thio-uridine ( $mnm^5s^2U$ ), 5-methylaminomethyl-2-seleno-uridine ( $mnm^5se^2U$ ), 5-carbamoylmethyl-uridine ( $ncm^5U$ ), 5-carboxymethylaminomethyl-uridine ( $cmnm^5U$ ), 5-carboxymethylaminomethyl-2-thio-uridine ( $cmnm^5s^2U$ ), 5-propynyl-uridine, 1-propynyl-pseudouridine, 5-taurinomethyl-uridine ( $\tau m^5U$ ), 1-taurinomethyl-pseudouridine, 5-taurinomethyl-2-thio-uridine ( $\tau m^5s^2U$ ), 1-taurinomethyl-4-thio-pseudouridine, 5-methyl-uridine ( $m^5U$ , i.e., having the nucleobase deoxythymine), 1-methyl-pseudouridine ( $m^1\psi$ ), 5-methyl-2-thio-uridine ( $m^5s^2U$ ), 1-methyl-4-thio-pseudouridine ( $m^1s^4\psi$ ), 4-thio-1-methyl-pseudouridine, 3-methyl-pseudouridine ( $m^3\psi$ ), 2-thio-1-methyl-pseudouridine, 1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-1-deaza-pseudouridine, dihydrouridine (D), dihydropseudouridine, 5,6-dihydrouridine, 5-methyl-dihydrouridine ( $m^5D$ ), 2-thio-dihydrouridine, 2-thio-dihydropseudouridine, 2-methoxy-

uridine, 2-methoxy-4-thio-uridine, 4-methoxy-pseudouridine, 4-methoxy-2-thio-pseudouridine, N1-methyl-pseudouridine, 3-(3-amino-3-carboxypropyl)uridine ( $acp^3U$ ), 1-methyl-3-(3-amino-3-carboxypropyl)pseudouridine ( $acp^3\psi$ ), 5-(isopentenylaminomethyl)uridine ( $inm^5U$ ), 5-(isopentenylaminomethyl)-2-thio-uridine ( $inm^5s^2U$ ),  $\alpha$ -thio-uridine, 2'-O-methyl-uridine (Um), 5,2'-O-dimethyl-uridine ( $m^5Um$ ), 2'-O-methyl-pseudouridine ( $\psi m$ ), 2-thio-2'-O-methyl-uridine ( $s^2Um$ ), 5-methoxycarbonylmethyl-2'-O-methyl-uridine ( $mcm^5Um$ ), 5-carbamoylmethyl-2'-O-methyl-uridine ( $ncm^5Um$ ), 5-carboxymethylaminomethyl-2'-O-methyl-uridine ( $cmnm^5Um$ ), 3,2'-O-dimethyl-uridine ( $m^3Um$ ), and 5-(isopentenylaminomethyl)-2'-O-methyl-uridine ( $inm^5Um$ ), 1-thio-uridine, deoxythymidine, 2'-F-ara-uridine, 2'-F-uridine, 2'-OH-ara-uridine, 5-(2-carbomethoxyvinyl) uridine, and 5-[3-(1-E-propenylamino)] uridine.

**[0333]** In some embodiments, the modified nucleobase is a modified cytosine. Exemplary nucleobases and nucleosides having a modified cytosine include 5-aza-cytidine, 6-aza-cytidine, pseudoisocytidine, 3-methyl-cytidine ( $m^3C$ ), N4-acetyl-cytidine ( $ac^4C$ ), 5-formyl-cytidine ( $f^5C$ ), N4-methyl-cytidine ( $m^4C$ ), 5-methyl-cytidine ( $m^5C$ ), 5-halo-cytidine (e.g., 5-iodo-cytidine), 5-hydroxymethyl-cytidine ( $hm^5C$ ), 1-methyl-pseudoisocytidine, pyrrolo-cytidine, pyrrolo-pseudoisocytidine, 2-thio-cytidine ( $s^2C$ ), 2-thio-5-methyl-cytidine, 4-thio-pseudoisocytidine, 4-thio-1-methyl-pseudoisocytidine, 4-thio-1-methyl-1-deaza-pseudoisocytidine, 1-methyl-1-deaza-pseudoisocytidine, zebularine, 5-aza-zebularine, 5-methyl-zebularine, 5-aza-2-thio-zebularine, 2-thio-zebularine, 2-methoxy-cytidine, 2-methoxy-5-methyl-cytidine, 4-methoxy-pseudoisocytidine, 4-methoxy-1-methyl-pseudoisocytidine, lysidine ( $k_2C$ ),  $\alpha$ -thio-cytidine, 2'-O-methyl-cytidine (Cm), 5,2'-O-dimethyl-cytidine ( $m^5Cm$ ), N4-acetyl-2'-O-methyl-cytidine ( $ac^4Cm$ ), N4,2'-O-dimethyl-cytidine ( $m^4Cm$ ), 5-formyl-2'-O-methyl-cytidine ( $f^5Cm$ ), N4,N4,2'-O-trimethyl-cytidine ( $m^42Cm$ ), 1-thio-cytidine, 2'-F-ara-cytidine, 2'-F-cytidine, and 2'-OH-ara-cytidine.

**[0334]** In some embodiments, the modified nucleobase is a modified adenine. Exemplary nucleobases and nucleosides having a modified adenine include 2-amino-purine, 2, 6-diaminopurine, 2-amino-6-halo-purine (e.g., 2-amino-6-chloro-purine), 6-halo-purine (e.g., 6-chloro-purine), 2-amino-6-methyl-purine, 8-azido-adenosine, 7-deaza-adenine, 7-deaza-8-aza-adenine, 7-deaza-2-amino-purine, 7-deaza-8-aza-2-amino-purine, 7-deaza-2,6-diaminopurine, 7-deaza-8-aza-2,6-diaminopurine, 1-methyl-adenosine ( $m^1A$ ), 2-methyl-adenine ( $m^2A$ ), N6-methyl-adenosine ( $m^6A$ ), 2-methylthio-N6-methyl-adenosine ( $ms^2m^6A$ ), N6-isopentenyl-adenosine ( $i^6A$ ), 2-methylthio-N6-isopentenyl-adenosine ( $ms^2i^6A$ ), N6-(cis-hydroxyisopentenyl)adenosine ( $io^6A$ ), 2-methylthio-N6-(cis-hydroxyisopentenyl)adenosine ( $ms^2io^6A$ ), N6-glycylcarbamoyl-adenosine ( $g^6A$ ), N6-threonylcarbamoyl-adenosine ( $t^6A$ ), N6-methyl-N6-threonylcarbamoyl-adenosine ( $m^6t^6A$ ), 2-methylthio-N6-threonylcarbamoyl-adenosine ( $ms^2g^6A$ ), N6,N6-dimethyl-adenosine ( $m^62A$ ), N6-hydroxynorvalylcarbamoyl-adenosine ( $hn^6A$ ), 2-methylthio-N6-hydroxynorvalylcarbamoyl-adenosine ( $ms^2hn^6A$ ), N6-acetyl-adenosine ( $ac^6A$ ), 7-methyl-adenine, 2-methylthio-adenine, 2-methoxy-adenine,  $\alpha$ -thio-adenosine, 2'-O-methyl-adenosine (Am), N6,2'-O-dimethyl-adenosine ( $m^6Am$ ), N6,N6,2'-O-trimethyl-adenosine ( $m^62Am$ ), 1,2'-

O-dimethyl-adenosine ( $m^1Am$ ), 2'-O-ribosyladenosine (phosphate) (Ar(p)), 2-amino-N6-methyl-purine, 1-thio-adenosine, 8-azido-adenosine, 2'-F-ara-adenosine, 2'-F-adenosine, 2'-OH-ara-adenosine, and N6-(19-amino-pentaoxanonadecyl)-adenosine.

[0335] In some embodiments, the modified nucleobase is a modified guanine. Exemplary nucleobases and nucleosides having a modified guanine include inosine (I), 1-methyl-inosine ( $m^1I$ ), wyosine (imG), methylwyosine (mimG), 4-demethyl-wyosine (imG-14), isowyosine (imG2), wybutosine (yW), peroxywybutosine (o2yW), hydroxywybutosine (OhyW), undermodified hydroxywybutosine (OhyW\*), 7-deaza-guanosine, queuosine (Q), epoxyqueuosine (oQ), galactosyl-queuosine (galQ), mannosyl-queuosine (manQ), 7-cyano-7-deaza-guanosine ( $preQ_6$ ), 7-aminomethyl-7-deaza-guanosine ( $preQ_1$ ), archaeosine ( $G^+$ ), 7-deaza-8-aza-guanosine, 6-thio-guanosine, 6-thio-7-deaza-guanosine, 6-thio-7-deaza-8-aza-guanosine, 7-methyl-guanosine ( $m^7G$ ), 6-thio-7-methyl-guanosine, 7-methyl-inosine, 6-methoxy-guanosine, 1-methyl-guanosine ( $m^1G$ ), N2-methyl-guanosine ( $m^2G$ ), N2,N2-dimethyl-guanosine ( $m^2_2G$ ), N2,7-dimethyl-guanosine ( $m^{2,7}G$ ), N2, N2,7-dimethyl-guanosine ( $m^{2,2,7}G$ ), 8-oxo-guanosine, 7-methyl-8-oxo-guanosine, 1-methyl-6-thio-guanosine, N2-methyl-6-thio-guanosine, N2,N2-dimethyl-6-thio-guanosine,  $\alpha$ -thio-guanosine, 2'-O-methyl-guanosine (Gm), N2-methyl-2'-O-methyl-guanosine ( $m^2Gm$ ), N2,N2-dimethyl-2'-O-methyl-guanosine ( $m^2_2Gm$ ), 1-methyl-2'-O-methyl-guanosine ( $m^1Gm$ ), N2,7-dimethyl-2'-O-methyl-guanosine ( $m^{2,7}Gm$ ), 2'-O-methyl-inosine (Im), 1,2'-O-dimethyl-inosine ( $m^1Im$ ), 2'-O-ribosylguanosine (phosphate) (Gr(p)), 1-thio-guanosine, O6-methyl-guanosine, 2'-F-ara-guanosine, and 2'-F-guanosine.

#### N-Linked Glycosylation Site Mutants

[0336] N-linked glycans of viral proteins play important roles in modulating the immune response. Glycans can be important for maintaining the appropriate antigenic conformations, shielding potential neutralization epitopes, and may alter the proteolytic susceptibility of proteins. Some viruses have putative N-linked glycosylation sites. Deletion or modification of an N-linked glycosylation site may enhance the immune response. Thus, the present disclosure provides, in some embodiments, RNA (e.g., mRNA) vaccines comprising nucleic acids (e.g., mRNA) encoding antigenic polypeptides that comprise a deletion or modification at one or more N-linked glycosylation sites.

In Vitro Transcription of RNA (e.g., mRNA)

[0337] Respiratory virus vaccines of the present disclosure comprise at least one RNA polynucleotide, such as a mRNA (e.g., modified mRNA). mRNA, for example, is transcribed in vitro from template DNA, referred to as an "in vitro transcription template." In some embodiments, an in vitro transcription template encodes a 5' untranslated (UTR) region, contains an open reading frame, and encodes a 3' UTR and a polyA tail. The particular nucleic acid sequence composition and length of an in vitro transcription template will depend on the mRNA encoded by the template.

[0338] A "5' untranslated region" (5'UTR) refers to a region of an mRNA that is directly upstream (i.e., 5') from the start codon (i.e., the first codon of an mRNA transcript translated by a ribosome) that does not encode a polypeptide.

[0339] A "3' untranslated region" (3'UTR) refers to a region of an mRNA that is directly downstream (i.e., 3') from the stop codon (i.e., the codon of an mRNA transcript that signals a termination of translation) that does not encode a polypeptide.

[0340] An "open reading frame" is a continuous stretch of DNA beginning with a start codon (e.g., methionine (ATG)), and ending with a stop codon (e.g., TAA, TAG or TGA) and encodes a polypeptide. A "polyA tail" is a region of mRNA that is downstream, e.g., directly downstream (i.e., 3'), from the 3' UTR that contains multiple, consecutive adenosine monophosphates. A polyA tail may contain 10 to 300 adenosine monophosphates. For example, a polyA tail may contain 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290 or 300 adenosine monophosphates. In some embodiments, a polyA tail contains 50 to 250 adenosine monophosphates. In a relevant biological setting (e.g., in cells, in vivo) the poly(A) tail functions to protect mRNA from enzymatic degradation, e.g., in the cytoplasm, and aids in transcription termination, export of the mRNA from the nucleus and translation.

[0341] In some embodiments, a polynucleotide includes 200 to 3,000 nucleotides. For example, a polynucleotide may include 200 to 500, 200 to 1000, 200 to 1500, 200 to 3000, 500 to 1000, 500 to 1500, 500 to 2000, 500 to 3000, 1000 to 1500, 1000 to 2000, 1000 to 3000, 1500 to 3000, or 2000 to 3000 nucleotides.

Flagellin Adjuvants Flagellin is an approximately 500 amino acid monomeric protein that polymerizes to form the flagella associated with bacterial motion. Flagellin is expressed by a variety of flagellated bacteria (*Salmonella typhimurium* for example) as well as non-flagellated bacteria (such as *Escherichia coli*). Sensing of flagellin by cells of the innate immune system (dendritic cells, macrophages, etc.) is mediated by the Toll-like receptor 5 (TLRS) as well as by Nod-like receptors (NLRs) Ipaf and Naip5. TLRs and NLRs have been identified as playing a role in the activation of innate immune response and adaptive immune response. As such, flagellin provides an adjuvant effect in a vaccine.

[0342] The nucleotide and amino acid sequences encoding known flagellin polypeptides are publicly available in the NCBI GenBank database. The flagellin sequences from *S. Typhimurium*, *H. Pylori*, *V. Cholera*, *S. marcescens*, *S. flexneri*, *T. Pallidum*, *L. pneumophila*, *B. burgdorferi*, *C. difficile*, *R. meliloti*, *A. tumefaciens*, *R. lupini*, *B. claridgeiae*, *P. Mirabilis*, *B. subtilis*, *L. monocytogenes*, *P. aeruginosa*, and *E. coli*, among others are known.

[0343] A flagellin polypeptide, as used herein, refers to a full length flagellin protein, immunogenic fragments thereof, and peptides having at least 50% sequence identity to a flagellin protein or immunogenic fragments thereof. Exemplary flagellin proteins include flagellin from *Salmonella typhi* (UniPro Entry number: Q56086), *Salmonella typhimurium* (A0A0C9DG09), *Salmonella enteritidis* (A0A0C9BAB7), and *Salmonella choleraesuis* (Q6V2X8), and SEQ ID NO: 54-56 (Table 17). In some embodiments, the flagellin polypeptide has at least 60%, 70%, 75%, 80%, 90%, 95%, 97%, 98%, or 99% sequence identity to a flagellin protein or immunogenic fragments thereof.

[0344] In some embodiments, the flagellin polypeptide is an immunogenic fragment. An immunogenic fragment is a portion of a flagellin protein that provokes an immune response. In some embodiments, the immune response is a

TLRS immune response. An example of an immunogenic fragment is a flagellin protein in which all or a portion of a hinge region has been deleted or replaced with other amino acids. For example, an antigenic polypeptide may be inserted in the hinge region. Hinge regions are the hyper-variable regions of a flagellin. Hinge regions of a flagellin are also referred to as “D3 domain or region,” “propeller domain or region,” “hypervariable domain or region” and “variable domain or region.” “At least a portion of a hinge region,” as used herein, refers to any part of the hinge region of the flagellin, or the entirety of the hinge region. In other embodiments an immunogenic fragment of flagellin is a 20, 25, 30, 35, or 40 amino acid C-terminal fragment of flagellin.

**[0345]** The flagellin monomer is formed by domains D0 through D3. D0 and D1, which form the stem, are composed of tandem long alpha helices and are highly conserved among different bacteria. The D1 domain includes several stretches of amino acids that are useful for TLRS activation. The entire D1 domain or one or more of the active regions within the domain are immunogenic fragments of flagellin. Examples of immunogenic regions within the D1 domain include residues 88-114 and residues 411-431 (in *Salmonella typhimurium* FliC flagellin. Within the 13 amino acids in the 88-100 region, at least 6 substitutions are permitted between *Salmonella* flagellin and other flagellins that still preserve TLRS activation. Thus, immunogenic fragments of flagellin include flagellin like sequences that activate TLRS and contain a 13 amino acid motif that is 53% or more identical to the *Salmonella* sequence in 88-100 of FliC (LQRVRELAVQSAN; SEQ ID NO: 84).

**[0346]** In some embodiments, the RNA (e.g., mRNA) vaccine includes an RNA that encodes a fusion protein of flagellin and one or more antigenic polypeptides. A “fusion protein” as used herein, refers to a linking of two components of the construct. In some embodiments, a carboxy-terminus of the antigenic polypeptide is fused or linked to an amino terminus of the flagellin polypeptide. In other embodiments, an amino-terminus of the antigenic polypeptide is fused or linked to a carboxy-terminus of the flagellin polypeptide. The fusion protein may include, for example, one, two, three, four, five, six or more flagellin polypeptides linked to one, two, three, four, five, six or more antigenic polypeptides. When two or more flagellin polypeptides and/or two or more antigenic polypeptides are linked such a construct may be referred to as a “multimer.”

**[0347]** Each of the components of a fusion protein may be directly linked to one another or they may be connected through a linker. For instance, the linker may be an amino acid linker. The amino acid linker encoded for by the RNA (e.g., mRNA) vaccine to link the components of the fusion protein may include, for instance, at least one member selected from the group consisting of a lysine residue, a glutamic acid residue, a serine residue and an arginine residue. In some embodiments the linker is 1-30, 1-25, 1-25, 5-10, 5, 15, or 5-20 amino acids in length.

**[0348]** In other embodiments the RNA (e.g., mRNA) vaccine includes at least two separate RNA polynucleotides, one encoding one or more antigenic polypeptides and the other encoding the flagellin polypeptide. The at least two RNA polynucleotides may be co-formulated in a carrier such as a lipid nanoparticle.

Broad Spectrum RNA (e.g., mRNA) Vaccines

**[0349]** There may be situations where persons are at risk for infection with more than one strain of hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1). RNA (e.g., mRNA) therapeutic vaccines are particularly amenable to combination vaccination approaches due to a number of factors including, but not limited to, speed of manufacture, ability to rapidly tailor vaccines to accommodate perceived geographical threat, and the like. Moreover, because the vaccines utilize the human body to produce the antigenic protein, the vaccines are amenable to the production of larger, more complex antigenic proteins, allowing for proper folding, surface expression, antigen presentation, etc. in the human subject. To protect against more than one strain of hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1), a combination vaccine can be administered that includes RNA (e.g., mRNA) encoding at least one antigenic polypeptide protein (or antigenic portion thereof) of a first respiratory virus and further includes RNA encoding at least one antigenic polypeptide protein (or antigenic portion thereof) of a second respiratory virus. RNA (e.g., mRNA) can be co-formulated, for example, in a single lipid nanoparticle (LNP) or can be formulated in separate LNPs for co-administration.

Methods of Treatment

**[0350]** Provided herein are compositions (e.g., pharmaceutical compositions), methods, kits and reagents for prevention and/or treatment of respiratory diseases/infections in humans and other mammals. Respiratory virus RNA (e.g., mRNA) vaccines can be used as therapeutic or prophylactic agents, alone or in combination with other vaccine(s). They may be used in medicine to prevent and/or treat respiratory disease/infection. In exemplary aspects, the RNA (e.g., mRNA) vaccines of the present disclosure are used to provide prophylactic protection from hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1). Prophylactic protection from hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) can be achieved following administration of a RNA (e.g., mRNA) vaccine of the present disclosure. Respiratory virus RNA (e.g., mRNA) vaccines of the present disclosure may be used to treat or prevent viral “co-infections” containing two or more respiratory infections. Vaccines can be administered once, twice, three times, four times or more, but it is likely sufficient to administer the vaccine once (optionally followed by a single booster). It is possible, although less desirable, to administer the vaccine to an infected individual to achieve a therapeutic response. Dosing may need to be adjusted accordingly.

**[0351]** A method of eliciting an immune response in a subject against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) is provided in aspects of the present disclosure. The method involves administering to the subject a respiratory virus RNA (e.g., mRNA) vaccine comprising at least one RNA (e.g., mRNA) polynucleotide having an open reading



frame encoding at least one hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide thereof, thereby inducing in the subject an immune response specific to hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide or an immunogenic fragment thereof, wherein anti-antigenic polypeptide antibody titer in the subject is increased following vaccination relative to anti-antigenic polypeptide antibody titer in a subject vaccinated with a prophylactically effective dose of a traditional vaccine against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1). An “anti-antigenic polypeptide antibody” is a serum antibody that binds specifically to the antigenic polypeptide.

**[0352]** In some embodiments, a RNA (e.g., mRNA) vaccine (e.g., a hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) RNA vaccine) capable of eliciting an immune response is administered intramuscularly via a composition including a compound according to Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (IIE) (e.g., Compound 3, 18, 20, 25, 26, 29, 30, 60, 108-112, or 122).

**[0353]** A prophylactically effective dose is a therapeutically effective dose that prevents infection with the virus at a clinically acceptable level. In some embodiments the therapeutically effective dose is a dose listed in a package insert for the vaccine. A traditional vaccine, as used herein, refers to a vaccine other than the RNA (e.g., mRNA) vaccines of the present disclosure. For instance, a traditional vaccine includes but is not limited to live/attenuated microorganism vaccines, killed/inactivated microorganism vaccines, subunit vaccines, protein antigen vaccines, DNA vaccines, VLP vaccines, etc. In exemplary embodiments, a traditional vaccine is a vaccine that has achieved regulatory approval and/or is registered by a national drug regulatory body, for example the Food and Drug Administration (FDA) in the United States or the European Medicines Agency (EMA).

**[0354]** In some embodiments the anti-antigenic polypeptide antibody titer in the subject is increased 1 log to 10 log following vaccination relative to anti-antigenic polypeptide antibody titer in a subject vaccinated with a prophylactically effective dose of a traditional vaccine against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1).

**[0355]** In some embodiments the anti-antigenic polypeptide antibody titer in the subject is increased 1 log, 2 log, 3 log, 5 log or 10 log following vaccination relative to anti-antigenic polypeptide antibody titer in a subject vaccinated with a prophylactically effective dose of a traditional vaccine against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1).

**[0356]** A method of eliciting an immune response in a subject against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-

HKU1) is provided in other aspects of the disclosure. The method involves administering to the subject a respiratory virus RNA (e.g., mRNA) vaccine comprising at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide or an immunogenic fragment thereof, thereby inducing in the subject an immune response specific to hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide or an immunogenic fragment thereof, wherein the immune response in the subject is equivalent to an immune response in a subject vaccinated with a traditional vaccine against the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) at 2 times to 100 times the dosage level relative to the RNA (e.g., mRNA) vaccine.

**[0357]** In some embodiments, the immune response in the subject is equivalent to an immune response in a subject vaccinated with a traditional vaccine at 2, 3, 4, 5, 10, 50, 100 times the dosage level relative to the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) RNA (e.g., mRNA) vaccine.

**[0358]** In some embodiments the immune response in the subject is equivalent to an immune response in a subject vaccinated with a traditional vaccine at 10-100 times, or 100-1000 times, the dosage level relative to the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) RNA (e.g., mRNA) vaccine.

**[0359]** In some embodiments the immune response is assessed by determining [protein] antibody titer in the subject.

**[0360]** Some aspects of the present disclosure provide a method of eliciting an immune response in a subject against a. In some embodiments the immune response in the subject is equivalent to an immune response in a subject vaccinated with a traditional vaccine at 2, 3, 4, 5, 10, 50, 100 times the dosage level relative to the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) RNA (e.g., mRNA) vaccine by administering to the subject a respiratory virus RNA (e.g., mRNA) vaccine comprising at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide, thereby inducing in the subject an immune response specific to the antigenic polypeptide or an immunogenic fragment thereof, wherein the immune response in the subject is induced 2 days to 10 weeks earlier relative to an immune response induced in a subject vaccinated with a prophylactically effective dose of a traditional vaccine against the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or



HCoV-HKU1). In some embodiments, the immune response in the subject is induced in a subject vaccinated with a prophylactically effective dose of a traditional vaccine at 2 times to 100 times the dosage level relative to the RNA (e.g., mRNA) vaccine.

**[0361]** In some embodiments, the immune response in the subject is induced 2 days earlier, or 3 days earlier, relative to an immune response induced in a subject vaccinated with a prophylactically effective dose of a traditional vaccine.

**[0362]** In some embodiments the immune response in the subject is induced 1 week, 2 weeks, 3 weeks, 5 weeks, or 10 weeks earlier relative to an immune response induced in a subject vaccinated with a prophylactically effective dose of a traditional vaccine.

**[0363]** Also provided herein is a method of eliciting an immune response in a subject against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) by administering to the subject a respiratory virus RNA (e.g., mRNA) vaccine having an open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide does not include a stabilization element, and wherein an adjuvant is not co-formulated or co-administered with the vaccine.

#### Therapeutic and Prophylactic Compositions

**[0364]** Provided herein are compositions (e.g., pharmaceutical compositions), methods, kits and reagents for prevention, treatment or diagnosis of hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) in humans and other mammals, for example. Respiratory virus RNA (e.g. mRNA) vaccines can be used as therapeutic or prophylactic agents. They may be used in medicine to prevent and/or treat infectious disease. In some embodiments, the respiratory RNA (e.g., mRNA) vaccines of the present disclosure are used for the priming of immune effector cells, for example, to activate peripheral blood mononuclear cells (PBMCs) ex vivo, which are then infused (re-infused) into a subject.

**[0365]** In some embodiments, respiratory virus vaccine containing RNA (e.g., mRNA) polynucleotides as described herein can be administered to a subject (e.g., a mammalian subject, such as a human subject), and the RNA (e.g., mRNA) polynucleotides are translated in vivo to produce an antigenic polypeptide.

**[0366]** The respiratory virus RNA (e.g., mRNA) vaccines may be induced for translation of a polypeptide (e.g., antigen or immunogen) in a cell, tissue or organism. In some embodiments, such translation occurs in vivo, although such translation may occur ex vivo, in culture or in vitro. In some embodiments, the cell, tissue or organism is contacted with an effective amount of a composition containing a respiratory virus RNA (e.g., mRNA) vaccine that contains a polynucleotide that has at least one a translatable region encoding an antigenic polypeptide.

**[0367]** An “effective amount” of an respiratory virus RNA (e.g. mRNA) vaccine is provided based, at least in part, on the target tissue, target cell type, means of administration, physical characteristics of the polynucleotide (e.g., size, and extent of modified nucleosides) and other components of the vaccine, and other determinants. In general, an effective amount of the respiratory virus RNA (e.g., mRNA) vaccine composition provides an induced or boosted immune

response as a function of antigen production in the cell, preferably more efficient than a composition containing a corresponding unmodified polynucleotide encoding the same antigen or a peptide antigen. Increased antigen production may be demonstrated by increased cell transfection (the percentage of cells transfected with the RNA, e.g., mRNA, vaccine), increased protein translation from the polynucleotide, decreased nucleic acid degradation (as demonstrated, for example, by increased duration of protein translation from a modified polynucleotide), or altered antigen specific immune response of the host cell.

**[0368]** In some embodiments, RNA (e.g. mRNA) vaccines (including polynucleotides their encoded polypeptides) in accordance with the present disclosure may be used for treatment of hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1).

**[0369]** Respiratory RNA (e.g. mRNA) vaccines may be administered prophylactically or therapeutically as part of an active immunization scheme to healthy individuals or early in infection during the incubation phase or during active infection after onset of symptoms. In some embodiments, the amount of RNA (e.g., mRNA) vaccine of the present disclosure provided to a cell, a tissue or a subject may be an amount effective for immune prophylaxis.

**[0370]** Respiratory virus RNA (e.g. mRNA) vaccines may be administered with other prophylactic or therapeutic compounds. As a non-limiting example, a prophylactic or therapeutic compound may be an adjuvant or a booster. As used herein, when referring to a prophylactic composition, such as a vaccine, the term “booster” refers to an extra administration of the prophylactic (vaccine) composition. A booster (or booster vaccine) may be given after an earlier administration of the prophylactic composition. The time of administration between the initial administration of the prophylactic composition and the booster may be, but is not limited to, 1 minute, 2 minutes, 3 minutes, 4 minutes, 5 minutes, 6 minutes, 7 minutes, 8 minutes, 9 minutes, 10 minutes, 15 minutes, 20 minutes, 35 minutes, 40 minutes, 45 minutes, 50 minutes, 55 minutes, 1 hour, 2 hours, 3 hours, 4 hours, 5 hours, 6 hours, 7 hours, 8 hours, 9 hours, 10 hours, 11 hours, 12 hours, 13 hours, 14 hours, 15 hours, 16 hours, 17 hours, 18 hours, 19 hours, 20 hours, 21 hours, 22 hours, 23 hours, 1 day, 36 hours, 2 days, 3 days, 4 days, 5 days, 6 days, 1 week, 10 days, 2 weeks, 3 weeks, 1 month, 2 months, 3 months, 4 months, 5 months, 6 months, 7 months, 8 months, 9 months, 10 months, 11 months, 1 year, 18 months, 2 years, 3 years, 4 years, 5 years, 6 years, 7 years, 8 years, 9 years, 10 years, 11 years, 12 years, 13 years, 14 years, 15 years, 16 years, 17 years, 18 years, 19 years, 20 years, 25 years, 30 years, 35 years, 40 years, 45 years, 50 years, 55 years, 60 years, 65 years, 70 years, 75 years, 80 years, 85 years, 90 years, 95 years or more than 99 years. In some embodiments, the time of administration between the initial administration of the prophylactic composition and the booster may be, but is not limited to, 1 week, 2 weeks, 3 weeks, 1 month, 2 months, 3 months, 6 months or 1 year.

**[0371]** In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines may be administered intramuscularly or intradermally, similarly to the administration of inactivated vaccines known in the art.

**[0372]** Respiratory virus RNA (e.g. mRNA) vaccines may be utilized in various settings depending on the prevalence

of the infection or the degree or level of unmet medical need. As a non-limiting example, the RNA (e.g., mRNA) vaccines may be utilized to treat and/or prevent a variety of respiratory infections. RNA (e.g., mRNA) vaccines have superior properties in that they produce much larger antibody titers and produce responses early than commercially available anti-viral agents/compositions.

**[0373]** Provided herein are pharmaceutical compositions including respiratory virus RNA (e.g. mRNA) vaccines and RNA (e.g. mRNA) vaccine compositions and/or complexes optionally in combination with one or more pharmaceutically acceptable excipients.

**[0374]** Respiratory virus RNA (e.g. mRNA) vaccines may be formulated or administered alone or in conjunction with one or more other components. For instance, hMPV/PIV3/RSV RNA (e.g., mRNA) vaccines (vaccine compositions) may comprise other components including, but not limited to, adjuvants.

**[0375]** In some embodiments, respiratory virus (e.g. mRNA) vaccines do not include an adjuvant (they are adjuvant free).

**[0376]** Respiratory virus RNA (e.g. mRNA) vaccines may be formulated or administered in combination with one or more pharmaceutically-acceptable excipients. In some embodiments, vaccine compositions comprise at least one additional active substances, such as, for example, a therapeutically-active substance, a prophylactically-active substance, or a combination of both. Vaccine compositions may be sterile, pyrogen-free or both sterile and pyrogen-free. General considerations in the formulation and/or manufacture of pharmaceutical agents, such as vaccine compositions, may be found, for example, in Remington: The Science and Practice of Pharmacy 21st ed., Lippincott Williams & Wilkins, 2005 (incorporated herein by reference in its entirety). In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines are administered to humans, human patients or subjects. For the purposes of the present disclosure, the phrase "active ingredient" generally refers to the RNA (e.g., mRNA) vaccines or the polynucleotides contained therein, for example, RNA polynucleotides (e.g., mRNA polynucleotides) encoding antigenic polypeptides.

**[0377]** Formulations of the respiratory virus vaccine compositions described herein may be prepared by any method known or hereafter developed in the art of pharmacology. In general, such preparatory methods include the step of bringing the active ingredient (e.g., mRNA polynucleotide) into association with an excipient and/or one or more other accessory ingredients, and then, if necessary and/or desirable, dividing, shaping and/or packaging the product into a desired single- or multi-dose unit.

**[0378]** Relative amounts of the active ingredient, the pharmaceutically acceptable excipient, and/or any additional ingredients in a pharmaceutical composition in accordance with the disclosure will vary, depending upon the identity, size, and/or condition of the subject treated and further depending upon the route by which the composition is to be administered. By way of example, the composition may comprise between 0.1% and 100%, e.g., between 0.5 and 50%, between 1-30%, between 5-80%, at least 80% (w/w) active ingredient.

**[0379]** Respiratory virus RNA (e.g. mRNA) vaccines can be formulated using one or more excipients to: (1) increase stability; (2) increase cell transfection; (3) permit the sustained or delayed release (e.g., from a depot formulation);

(4) alter the biodistribution (e.g., target to specific tissues or cell types); (5) increase the translation of encoded protein in vivo; and/or (6) alter the release profile of encoded protein (antigen) in vivo. In addition to traditional excipients such as any and all solvents, dispersion media, diluents, or other liquid vehicles, dispersion or suspension aids, surface active agents, isotonic agents, thickening or emulsifying agents, preservatives, excipients can include, without limitation, lipidoids, liposomes, lipid nanoparticles, polymers, lipoplexes, core-shell nanoparticles, peptides, proteins, cells transfected with respiratory virus RNA (e.g. mRNA) vaccines (e.g., for transplantation into a subject), hyaluronidase, nanoparticle mimics and combinations thereof.

#### Stabilizing Elements

**[0380]** Naturally-occurring eukaryotic mRNA molecules have been found to contain stabilizing elements, including, but not limited to untranslated regions (UTR) at their 5'-end (5'UTR) and/or at their 3'-end (3'UTR), in addition to other structural features, such as a 5'-cap structure or a 3'-poly(A) tail. Both the 5'UTR and the 3'UTR are typically transcribed from the genomic DNA and are elements of the premature mRNA. Characteristic structural features of mature mRNA, such as the 5'-cap and the 3'-poly(A) tail are usually added to the transcribed (premature) mRNA during mRNA processing. The 3'-poly(A) tail is typically a stretch of adenine nucleotides added to the 3'-end of the transcribed mRNA. It can comprise up to about 400 adenine nucleotides. In some embodiments the length of the 3'-poly(A) tail may be an essential element with respect to the stability of the individual mRNA.

**[0381]** In some embodiments the RNA (e.g., mRNA) vaccine may include one or more stabilizing elements. Stabilizing elements may include for instance a histone stem-loop. A stem-loop binding protein (SLBP), a 32 kDa protein has been identified. It is associated with the histone stem-loop at the 3'-end of the histone messages in both the nucleus and the cytoplasm. Its expression level is regulated by the cell cycle; it peaks during the S-phase, when histone mRNA levels are also elevated. The protein has been shown to be essential for efficient 3'-end processing of histone pre-mRNA by the U7 snRNP. SLBP continues to be associated with the stem-loop after processing, and then stimulates the translation of mature histone mRNAs into histone proteins in the cytoplasm. The RNA binding domain of SLBP is conserved through metazoa and protozoa; its binding to the histone stem-loop depends on the structure of the loop. The minimum binding site includes at least three nucleotides 5' and two nucleotides 3' relative to the stem-loop.

**[0382]** In some embodiments, the RNA (e.g., mRNA) vaccines include a coding region, at least one histone stem-loop, and optionally, a poly(A) sequence or polyadenylation signal. The poly(A) sequence or polyadenylation signal generally should enhance the expression level of the encoded protein. The encoded protein, in some embodiments, is not a histone protein, a reporter protein (e.g. Luciferase, GFP, EGFP,  $\beta$ -Galactosidase, EGFP), or a marker or selection protein (e.g. alpha-Globin, Galactokinase and Xanthine:guanine phosphoribosyl transferase (GPT)).

**[0383]** In some embodiments, the combination of a poly (A) sequence or polyadenylation signal and at least one histone stem-loop, even though both represent alternative

mechanisms in nature, acts synergistically to increase the protein expression beyond the level observed with either of the individual elements. It has been found that the synergistic effect of the combination of poly(A) and at least one histone stem-loop does not depend on the order of the elements or the length of the poly(A) sequence.

**[0384]** In some embodiments, the RNA (e.g., mRNA) vaccine does not comprise a histone downstream element (HDE). "Histone downstream element" (HDE) includes a purine-rich polynucleotide stretch of approximately 15 to 20 nucleotides 3' of naturally occurring stem-loops, representing the binding site for the U7 snRNA, which is involved in processing of histone pre-mRNA into mature histone mRNA. Ideally, the inventive nucleic acid does not include an intron.

**[0385]** In some embodiments, the RNA (e.g., mRNA) vaccine may or may not contain an enhancer and/or promoter sequence, which may be modified or unmodified or which may be activated or inactivated. In some embodiments, the histone stem-loop is generally derived from histone genes, and includes an intramolecular base pairing of two neighbored partially or entirely reverse complementary sequences separated by a spacer, including (e.g., consisting of) a short sequence, which forms the loop of the structure. The unpaired loop region is typically unable to base pair with either of the stem loop elements. It occurs more often in RNA, as is a key component of many RNA secondary structures, but may be present in single-stranded DNA as well. Stability of the stem-loop structure generally depends on the length, number of mismatches or bulges, and base composition of the paired region. In some embodiments, wobble base pairing (non-Watson-Crick base pairing) may result. In some embodiments, the at least one histone stem-loop sequence comprises a length of 15 to 45 nucleotides.

**[0386]** In other embodiments the RNA (e.g., mRNA) vaccine may have one or more AU-rich sequences removed. These sequences, sometimes referred to as AURES are destabilizing sequences found in the 3'UTR. The AURES may be removed from the RNA (e.g., mRNA) vaccines. Alternatively the AURES may remain in the RNA (e.g., mRNA) vaccine.

**Nanoparticle Formulations** In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines are formulated in a nanoparticle. In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines are formulated in a lipid nanoparticle. In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines are formulated in a lipid-polycation complex, referred to as a cationic lipid nanoparticle. As a non-limiting example, the polycation may include a cationic peptide or a polypeptide such as, but not limited to, polylysine, polyornithine and/or polyarginine. In some embodiments, respiratory virus RNA (e.g., mRNA) vaccines are formulated in a lipid nanoparticle that includes a non-cationic lipid such as, but not limited to, cholesterol or dioleoyl phosphatidylethanolamine (DOPE).

**[0387]** A lipid nanoparticle formulation may be influenced by, but not limited to, the selection of the cationic lipid component, the degree of cationic lipid saturation, the nature of the PEGylation, ratio of all components and biophysical parameters such as size. In one example by Semple et al. (*Nature Biotech.* 2010 28:172-176), the lipid nanoparticle formulation is composed of 57.1% cationic lipid, 7.1% dipalmitoylphosphatidylcholine, 34.3% cholesterol, and 1.4% PEG-c-DMA. As another example, changing the com-

position of the cationic lipid can more effectively deliver siRNA to various antigen presenting cells (Basha et al. *Mol Ther.* 2011 19:2186-2200).

**[0388]** In some embodiments, lipid nanoparticle formulations may comprise 35 to 45% cationic lipid, 40% to 50% cationic lipid, 50% to 60% cationic lipid and/or 55% to 65% cationic lipid. In some embodiments, the ratio of lipid to RNA (e.g., mRNA) in lipid nanoparticles may be 5:1 to 20:1, 10:1 to 25:1, 15:1 to 30:1 and/or at least 30:1.

**[0389]** In some embodiments, the ratio of PEG in the lipid nanoparticle formulations may be increased or decreased and/or the carbon chain length of the PEG lipid may be modified from C14 to C18 to alter the pharmacokinetics and/or biodistribution of the lipid nanoparticle formulations. As a non-limiting example, lipid nanoparticle formulations may contain 0.5% to 3.0%, 1.0% to 3.5%, 1.5% to 4.0%, 2.0% to 4.5%, 2.5% to 5.0% and/or 3.0% to 6.0% of the lipid molar ratio of PEG-c-DOMG (R-3-Rw-methoxy-poly(ethylene glycol)2000 carbamoyl)-1,2-dimyristyloxypropyl-3-amine) (also referred to herein as PEG-DOMG) as compared to the cationic lipid, DSPC and cholesterol. In some embodiments, the PEG-c-DOMG may be replaced with a PEG lipid such as, but not limited to, PEG-DSG (1,2-Distearoyl-sn-glycerol, methoxypolyethylene glycol), PEG-DMG (1,2-Dimyristoyl-sn-glycerol) and/or PEG-DPG (1,2-Dipalmitoyl-sn-glycerol, methoxypolyethylene glycol). The cationic lipid may be selected from any lipid known in the art such as, but not limited to, DLin-MC3-DMA, DLin-DMA, C12-200 and DLin-KC2-DMA.

**[0390]** In some embodiments, an respiratory virus RNA (e.g. mRNA) vaccine formulation is a nanoparticle that comprises at least one lipid. The lipid may be selected from, but is not limited to, DLin-DMA, DLin-K-DMA, 98N12-5, C12-200, DLin-MC3-DMA, DLin-KC2-DMA, DODMA, PLGA, PEG, PEG-DMG, PEGylated lipids and amino alcohol lipids. In some embodiments, the lipid may be a cationic lipid such as, but not limited to, DLin-DMA, DLin-D-DMA, DLin-MC3-DMA, DLin-KC2-DMA, DODMA and amino alcohol lipids. The amino alcohol cationic lipid may be the lipids described in and/or made by the methods described in U.S. Patent Publication No. US20130150625, herein incorporated by reference in its entirety. As a non-limiting example, the cationic lipid may be 2-amino-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[[[(9Z,2Z)-octadeca-9,12-dien-1-yloxy]methyl]propan-1-ol (Compound 1 in US20130150625); 2-amino-3-[(9Z)-octadec-9-en-1-yloxy]-2-[[[(9Z)-octadec-9-en-1-yloxy]methyl]propan-1-ol (Compound 2 in US20130150625); 2-amino-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[(octyloxy)methyl]propan-1-ol (Compound 3 in US20130150625); and 2-(dimethylamino)-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[[[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]methyl]propan-1-ol (Compound 4 in US20130150625); or any pharmaceutically acceptable salt or stereoisomer thereof.

**[0391]** Lipid nanoparticle formulations typically comprise a lipid, in particular, an ionizable cationic lipid, for example, 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), or di((Z)-non-2-en-1-yl) 9-((4-dimethylamino)butanoyl)oxyheptadecanedioate (L319), and further comprise a neutral lipid, a sterol and a molecule capable of reducing particle aggregation, for example a PEG or PEG-modified lipid.

**[0392]** In some embodiments, a lipid nanoparticle formulation consists essentially of (i) at least one lipid selected from the group consisting of 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319); (ii) a neutral lipid selected from DSPC, DPPC, POPC, DOPE and SM; (iii) a sterol, e.g., cholesterol; and (iv) a PEG-lipid, e.g., PEG-DMG or PEG-cDMA, in a molar ratio of 20-60% cationic lipid: 5-25% neutral lipid: 25-55% sterol; 0.5-15% PEG-lipid.

**[0393]** In some embodiments, a lipid nanoparticle formulation includes 25% to 75% on a molar basis of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), e.g., 35 to 65%, 45 to 65%, 60%, 57.5%, 50% or 40% on a molar basis.

**[0394]** In some embodiments, a lipid nanoparticle formulation includes 0.5% to 15% on a molar basis of the neutral lipid, e.g., 3 to 12%, 5 to 10% or 15%, 10%, or 7.5% on a molar basis. Examples of neutral lipids include, without limitation, DSPC, POPC, DPPC, DOPE and SM. In some embodiments, the formulation includes 5% to 50% on a molar basis of the sterol (e.g., 15 to 45%, 20 to 40%, 40%, 38.5%, 35%, or 31% on a molar basis. A non-limiting example of a sterol is cholesterol. In some embodiments, a lipid nanoparticle formulation includes 0.5% to 20% on a molar basis of the PEG or PEG-modified lipid (e.g., 0.5 to 10%, 0.5 to 5%, 1.5%, 0.5%, 1.5%, 3.5%, or 5% on a molar basis. In some embodiments, a PEG or PEG modified lipid comprises a PEG molecule of an average molecular weight of 2,000 Da. In some embodiments, a PEG or PEG modified lipid comprises a PEG molecule of an average molecular weight of less than 2,000, for example around 1,500 Da, around 1,000 Da, or around 500 Da. Non-limiting examples of PEG-modified lipids include PEG-distearoyl glycerol (PEG-DMG) (also referred herein as PEG-C14 or C14-PEG), PEG-cDMA (further discussed in Reyes et al. J. Controlled Release, 107, 276-287 (2005) the contents of which are herein incorporated by reference in their entirety).

**[0395]** In some embodiments, lipid nanoparticle formulations include 25-75% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 0.5-15% of the neutral lipid, 5-50% of the sterol, and 0.5-20% of the PEG or PEG-modified lipid on a molar basis.

**[0396]** In some embodiments, lipid nanoparticle formulations include 35-65% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 3-12% of the neutral lipid, 15-45% of the sterol, and 0.5-10% of the PEG or PEG-modified lipid on a molar basis.

**[0397]** In some embodiments, lipid nanoparticle formulations include 45-65% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319),

5-10% of the neutral lipid, 25-40% of the sterol, and 0.5-10% of the PEG or PEG-modified lipid on a molar basis.

**[0398]** In some embodiments, lipid nanoparticle formulations include 60% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 7.5% of the neutral lipid, 31% of the sterol, and 1.5% of the PEG or PEG-modified lipid on a molar basis.

**[0399]** In some embodiments, lipid nanoparticle formulations include 50% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 10% of the neutral lipid, 38.5% of the sterol, and 1.5% of the PEG or PEG-modified lipid on a molar basis.

**[0400]** In some embodiments, lipid nanoparticle formulations include 50% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 10% of the neutral lipid, 35% of the sterol, 4.5% or 5% of the PEG or PEG-modified lipid, and 0.5% of the targeting lipid on a molar basis.

**[0401]** In some embodiments, lipid nanoparticle formulations include 40% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 15% of the neutral lipid, 40% of the sterol, and 5% of the PEG or PEG-modified lipid on a molar basis.

**[0402]** In some embodiments, lipid nanoparticle formulations include 57.2% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 7.1% of the neutral lipid, 34.3% of the sterol, and 1.4% of the PEG or PEG-modified lipid on a molar basis.

**[0403]** In some embodiments, lipid nanoparticle formulations include 57.5% of a cationic lipid selected from the PEG lipid is PEG-cDMA (PEG-cDMA is further discussed in Reyes et al. J. Controlled Release, 107, 276-287 (2005), the contents of which are herein incorporated by reference in their entirety), 7.5% of the neutral lipid, 31.5% of the sterol, and 3.5% of the PEG or PEG-modified lipid on a molar basis.

**[0404]** In some embodiments, lipid nanoparticle formulations consists essentially of a lipid mixture in molar ratios of 20-70% cationic lipid: 5-45% neutral lipid: 20-55% cholesterol: 0.5-15% PEG-modified lipid. In some embodiments, lipid nanoparticle formulations consists essentially of a lipid mixture in a molar ratio of 20-60% cationic lipid: 5-25% neutral lipid: 25-55% cholesterol: 0.5-15% PEG-modified lipid.

**[0405]** In some embodiments, the molar lipid ratio is 50/10/38.5/1.5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG, PEG-DSG or PEG-DPG), 57.2/7.1134.3/1.4 (mol % cationic lipid/neutral lipid, e.g., DPPC/Chol/PEG-modified lipid,

e.g., PEG-cDMA), 40/15/40/5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG), 50/10/35/4.5/0.5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DSG), 50/10/35/5 (cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG), 40/10/40/10 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA), 35/15/40/10 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA) or 52/13/30/5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA).

**[0406]** Non-limiting examples of lipid nanoparticle compositions and methods of making them are described, for example, in Semple et al. (2010) *Nat. Biotechnol.* 28:172-176; Jayarama et al. (2012), *Angew. Chem. Int. Ed.*, S1: 8529-8533; and Maier et al. (2013) *Molecular Therapy* 21, 1570-1578 (the contents of each of which are incorporated herein by reference in their entirety).

**[0407]** In some embodiments, lipid nanoparticle formulations may comprise a cationic lipid, a PEG lipid and a structural lipid and optionally comprise a non-cationic lipid. As a non-limiting example, a lipid nanoparticle may comprise 40-60% of cationic lipid, 5-15% of a non-cationic lipid, 1-2% of a PEG lipid and 30-50% of a structural lipid. As another non-limiting example, the lipid nanoparticle may comprise 50% cationic lipid, 10% non-cationic lipid, 1.5% PEG lipid and 38.5% structural lipid. As yet another non-limiting example, a lipid nanoparticle may comprise 55% cationic lipid, 10% non-cationic lipid, 2.5% PEG lipid and 32.5% structural lipid. In some embodiments, the cationic lipid may be any cationic lipid described herein such as, but not limited to, DLin-KC2-DMA, DLin-MC3-DMA and L319.

**[0408]** In some embodiments, the lipid nanoparticle formulations described herein may be 4 component lipid nanoparticles. The lipid nanoparticle may comprise a cationic lipid, a non-cationic lipid, a PEG lipid and a structural lipid. As a non-limiting example, the lipid nanoparticle may comprise 40-60% of cationic lipid, 5-15% of a non-cationic lipid, 1-2% of a PEG lipid and 30-50% of a structural lipid. As another non-limiting example, the lipid nanoparticle may comprise 50% cationic lipid, 10% non-cationic lipid, 1.5% PEG lipid and 38.5% structural lipid. As yet another non-limiting example, the lipid nanoparticle may comprise 55% cationic lipid, 10% non-cationic lipid, 2.5% PEG lipid and 32.5% structural lipid. In some embodiments, the cationic lipid may be any cationic lipid described herein such as, but not limited to, DLin-KC2-DMA, DLin-MC3-DMA and L319.

**[0409]** In some embodiments, the lipid nanoparticle formulations described herein may comprise a cationic lipid, a non-cationic lipid, a PEG lipid and a structural lipid. As a non-limiting example, the lipid nanoparticle comprise 50% of the cationic lipid DLin-KC2-DMA, 10% of the non-cationic lipid DSPC, 1.5% of the PEG lipid PEG-DOMG and 38.5% of the structural lipid cholesterol. As a non-limiting example, the lipid nanoparticle comprise 50% of the cationic lipid DLin-MC3-DMA, 10% of the non-cationic lipid DSPC, 1.5% of the PEG lipid PEG-DOMG and 38.5% of the

structural lipid cholesterol. As yet another non-limiting example, the lipid nanoparticle comprise 55% of the cationic lipid L319, 10% of the non-cationic lipid DSPC, 2.5% of the PEG lipid PEG-DMG and 32.5% of the structural lipid cholesterol.

**[0410]** Relative amounts of the active ingredient, the pharmaceutically acceptable excipient, and/or any additional ingredients in a vaccine composition may vary, depending upon the identity, size, and/or condition of the subject being treated and further depending upon the route by which the composition is to be administered. For example, the composition may comprise between 0.1% and 99% (w/w) of the active ingredient. By way of example, the composition may comprise between 0.1% and 100%, e.g., between 0.5 and 50%, between 1-30%, between 5-80%, at least 80% (w/w) active ingredient.

**[0411]** In some embodiments, the respiratory virus RNA (e.g. mRNA) vaccine composition may comprise the polynucleotide described herein, formulated in a lipid nanoparticle comprising MC3, Cholesterol, DSPC and PEG2000-DMG, the buffer trisodium citrate, sucrose and water for injection. As a non-limiting example, the composition comprises: 2.0 mg/mL of drug substance (e.g., polynucleotides encoding H10N8 hMPV), 21.8 mg/mL of MC3, 10.1 mg/mL of cholesterol, 5.4 mg/mL of DSPC, 2.7 mg/mL of PEG2000-DMG, 5.16 mg/mL of trisodium citrate, 71 mg/mL of sucrose and 1.0 mL of water for injection.

**[0412]** In some embodiments, a nanoparticle (e.g., a lipid nanoparticle) has a mean diameter of 10-500 nm, 20-400 nm, 30-300 nm, 40-200 nm. In some embodiments, a nanoparticle (e.g., a lipid nanoparticle) has a mean diameter of 50-150 nm, 50-200 nm, 80-100 nm or 80-200 nm.

#### Liposomes, Lipoplexes, and Lipid Nanoparticles

**[0413]** The RNA (e.g., mRNA) vaccines of the disclosure can be formulated using one or more liposomes, lipoplexes, or lipid nanoparticles. In some embodiments, pharmaceutical compositions of RNA (e.g., mRNA) vaccines include liposomes. Liposomes are artificially-prepared vesicles which may primarily be composed of a lipid bilayer and may be used as a delivery vehicle for the administration of nutrients and pharmaceutical formulations. Liposomes can be of different sizes such as, but not limited to, a multilamellar vesicle (MLV) which may be hundreds of nanometers in diameter and may contain a series of concentric bilayers separated by narrow aqueous compartments, a small unicellular vesicle (SUV) which may be smaller than 50 nm in diameter, and a large unilamellar vesicle (LUV) which may be between 50 and 500 nm in diameter. Liposome design may include, but is not limited to, opsonins or ligands in order to improve the attachment of liposomes to unhealthy tissue or to activate events such as, but not limited to, endocytosis. Liposomes may contain a low or a high pH in order to improve the delivery of the pharmaceutical formulations.

**[0414]** The formation of liposomes may depend on the physicochemical characteristics such as, but not limited to, the pharmaceutical formulation entrapped and the liposomal ingredients, the nature of the medium in which the lipid vesicles are dispersed, the effective concentration of the entrapped substance and its potential toxicity, any additional processes involved during the application and/or delivery of the vesicles, the optimization size, polydispersity and the shelf-life of the vesicles for the intended application, and the

batch-to-batch reproducibility and possibility of large-scale production of safe and efficient liposomal products.

**[0415]** In some embodiments, pharmaceutical compositions described herein may include, without limitation, liposomes such as those formed from 1,2-dioleoyloxy-N,N-dimethylaminopropane (DODMA) liposomes, DiLa2 liposomes from Marina Biotech (Bothell, Wash.), 1,2-dilinoleoyloxy-3-dimethylaminopropane (DLin-DMA), 2,2-dilinoleyl-4-(2-dimethylaminoethyl)-[1,3]-dioxolane (DLin-KC2-DMA), and MC3 (US20100324120; herein incorporated by reference in its entirety) and liposomes which may deliver small molecule drugs such as, but not limited to, DOXIL® from Janssen Biotech, Inc. (Horsham, Pa.).

**[0416]** In some embodiments, pharmaceutical compositions described herein may include, without limitation, liposomes such as those formed from the synthesis of stabilized plasmid-lipid particles (SPLP) or stabilized nucleic acid lipid particle (SNALP) that have been previously described and shown to be suitable for oligonucleotide delivery in vitro and in vivo (see Wheeler et al. *Gene Therapy*. 1999 6:271-281; Zhang et al. *Gene Therapy*. 1999 6:1438-1447; Jeffs et al. *Pharm Res*. 2005 22:362-372; Morrissey et al., *Nat Biotechnol*. 2005 2:1002-1007; Zimmermann et al., *Nature*. 2006 441:111-114; Heyes et al. *J Contr Rel*. 2005 107:276-287; Semple et al. *Nature Biotech*. 2010 28:172-176; Judge et al. *J Clin Invest*. 2009 119:661-673; deFougerolles *Hum Gene Ther*. 2008 19:125-132; U.S. Patent Publication No US20130122104; all of which are incorporated herein in their entireties). The original manufacture method by Wheeler et al. was a detergent dialysis method, which was later improved by Jeffs et al. and is referred to as the spontaneous vesicle formation method. The liposome formulations are composed of 3 to 4 lipid components in addition to the polynucleotide. As an example a liposome can contain, but is not limited to, 55% cholesterol, 20% distearylphosphatidyl choline (DSPC), 10% PEG-S-DSG, and 15% 1,2-dioleoyloxy-N,N-dimethylaminopropane (DODMA), as described by Jeffs et al. As another example, certain liposome formulations may contain, but are not limited to, 48% cholesterol, 20% DSPC, 2% PEG-c-DMA, and 30% cationic lipid, where the cationic lipid can be 1,2-distearloxy-N,N-dimethylaminopropane (DSDMA), DODMA, DLin-DMA, or 1,2-dilinolenyloxy-3-dimethylaminopropane (DLenDMA), as described by Heyes et al.

**[0417]** In some embodiments, liposome formulations may comprise from about 25.0% cholesterol to about 40.0% cholesterol, from about 30.0% cholesterol to about 45.0% cholesterol, from about 35.0% cholesterol to about 50.0% cholesterol and/or from about 48.5% cholesterol to about 60% cholesterol. In some embodiments, formulations may comprise a percentage of cholesterol selected from the group consisting of 28.5%, 31.5%, 33.5%, 36.5%, 37.0%, 38.5%, 39.0% and 43.5%. In some embodiments, formulations may comprise from about 5.0% to about 10.0% DSPC and/or from about 7.0% to about 15.0% DSPC.

**[0418]** In some embodiments, the RNA (e.g., mRNA) vaccine pharmaceutical compositions may be formulated in liposomes such as, but not limited to, DiLa2 liposomes (Marina Biotech, Bothell, Wash.), SMARTICLES® (Marina Biotech, Bothell, Wash.), neutral DOPC (1,2-dioleoyl-sn-glycero-3-phosphocholine) based liposomes (e.g., siRNA delivery for ovarian cancer (Landen et al. *Cancer Biology &*

*Therapy* 2006 5(12)1708-1713); herein incorporated by reference in its entirety) and hyaluronan-coated liposomes (Quiet Therapeutics, Israel).

**[0419]** In some embodiments, the cationic lipid may be a low molecular weight cationic lipid such as those described in U.S. Patent Application No. 20130090372, the contents of which are herein incorporated by reference in their entirety.

**[0420]** In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a lipid vesicle, which may have crosslinks between functionalized lipid bilayers.

**[0421]** In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a lipid-polycation complex. The formation of the lipid-polycation complex may be accomplished by methods known in the art and/or as described in U.S. Pub. No. 20120178702, herein incorporated by reference in its entirety. As a non-limiting example, the polycation may include a cationic peptide or a polypeptide such as, but not limited to, polylysine, polyornithine and/or polyarginine. In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a lipid-polycation complex, which may further include a non-cationic lipid such as, but not limited to, cholesterol or dioleoyl phosphatidylethanolamine (DOPE).

**[0422]** In some embodiments, the ratio of PEG in the lipid nanoparticle (LNP) formulations may be increased or decreased and/or the carbon chain length of the PEG lipid may be modified from C14 to C18 to alter the pharmacokinetics and/or biodistribution of the LNP formulations. As a non-limiting example, LNP formulations may contain from about 0.5% to about 3.0%, from about 1.0% to about 3.5%, from about 1.5% to about 4.0%, from about 2.0% to about 4.5%, from about 2.5% to about 5.0% and/or from about 3.0% to about 6.0% of the lipid molar ratio of PEG-c-DOMG (R-3-[(w-methoxy-poly(ethyleneglycol)2000)carbamoyl]1,2-dimyristyloxypropyl-3-amine) (also referred to herein as PEG-DOMG) as compared to the cationic lipid, DSPC and cholesterol. In some embodiments, the PEG-c-DOMG may be replaced with a PEG lipid such as, but not limited to, PEG-DSG (1,2-Distearoyl-sn-glycerol, methoxy-polyethylene glycol), PEG-DMG (1,2-Dimyristoyl-sn-glycerol) and/or PEG-DPG (1,2-Dipalmitoyl-sn-glycerol, methoxypolyethylene glycol). The cationic lipid may be selected from any lipid known in the art such as, but not limited to, DLin-MC3-DMA, DLin-DMA, C12-200 and DLin-KC2-DMA.

**[0423]** In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a lipid nanoparticle.

**[0424]** In some embodiments, the RNA (e.g., mRNA) vaccine formulation comprising the polynucleotide is a nanoparticle which may comprise at least one lipid. The lipid may be selected from, but is not limited to, DLin-DMA, DLin-K-DMA, 98N12-5, C12-200, DLin-MC3-DMA, DLin-KC2-DMA, DODMA, PLGA, PEG, PEG-DMG, PEGylated lipids and amino alcohol lipids. In another aspect, the lipid may be a cationic lipid such as, but not limited to, DLin-DMA, DLin-D-DMA, DLin-MC3-DMA, DLin-KC2-DMA, DODMA and amino alcohol lipids. The amino alcohol cationic lipid may be the lipids described in and/or made by the methods described in U.S. Patent Publication No. US20130150625, herein incorporated by reference in its entirety. As a non-limiting example, the cationic lipid may be 2-amino-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[[[(9Z,2Z)-octadeca-9,12-dien-1-yloxy]methyl]propan-1-ol (Compound 1 in US20130150625);

2-amino-3-[(9Z)-octadec-9-en-1-yloxy]-2-[[9Z)-octadec-9-en-1-yloxy]methyl]propan-1-ol (Compound 2 in US20130150625); 2-amino-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[(octyloxy)methyl]propan-1-ol (Compound 3 in US20130150625); and 2-(dimethylamino)-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[[9Z,12Z)-octadeca-9,12-dien-1-yloxy]methyl]propan-1-ol (Compound 4 in US20130150625); or any pharmaceutically acceptable salt or stereoisomer thereof.

**[0425]** Lipid nanoparticle formulations typically comprise a lipid, in particular, an ionizable cationic lipid, for example, 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), or di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), and further comprise a neutral lipid, a sterol and a molecule capable of reducing particle aggregation, for example a PEG or PEG-modified lipid.

**[0426]** In some embodiments, the lipid nanoparticle formulation consists essentially of (i) at least one lipid selected from the group consisting of 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319); (ii) a neutral lipid selected from DSPC, DPPC, POPC, DOPE and SM; (iii) a sterol, e.g., cholesterol; and (iv) a PEG-lipid, e.g., PEG-DMG or PEG-cDMA, in a molar ratio of about 20-60% cationic lipid: 5-25% neutral lipid: 25-55% sterol; 0.5-15% PEG-lipid.

**[0427]** In some embodiments, the formulation includes from about 25% to about 75% on a molar basis of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), e.g., from about 35 to about 65%, from about 45 to about 65%, about 60%, about 57.5%, about 50% or about 40% on a molar basis.

**[0428]** In some embodiments, the formulation includes from about 0.5% to about 15% on a molar basis of the neutral lipid e.g., from about 3 to about 12%, from about 5 to about 10% or about 15%, about 10%, or about 7.5% on a molar basis. Examples of neutral lipids include, but are not limited to, DSPC, POPC, DPPC, DOPE and SM. In some embodiments, the formulation includes from about 5% to about 50% on a molar basis of the sterol (e.g., about 15 to about 45%, about 20 to about 40%, about 40%, about 38.5%, about 35%, or about 31% on a molar basis. An exemplary sterol is cholesterol. In some embodiments, the formulation includes from about 0.5% to about 20% on a molar basis of the PEG or PEG-modified lipid (e.g., about 0.5 to about 10%, about 0.5 to about 5%, about 1.5%, about 0.5%, about 1.5%, about 3.5%, or about 5% on a molar basis. In some embodiments, the PEG or PEG modified lipid comprises a PEG molecule of an average molecular weight of 2,000 Da. In other embodiments, the PEG or PEG modified lipid comprises a PEG molecule of an average molecular weight of less than 2,000, for example around 1,500 Da, around 1,000 Da, or around 500 Da. Examples of PEG-modified lipids include, but are not limited to, PEG-distearoyl glycerol (PEG-DMG) (also referred herein as PEG-C14 or C14-PEG), PEG-cDMA (further discussed in Reyes et al. *J. Controlled Release*, 107, 276-287 (2005) the contents of which are herein incorporated by reference in their entirety)

**[0429]** In some embodiments, the formulations of the present disclosure include 25-75% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 0.5-15% of the neutral lipid, 5-50% of the sterol, and 0.5-20% of the PEG or PEG-modified lipid on a molar basis.

**[0430]** In some embodiments, the formulations of the present disclosure include 35-65% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 3-12% of the neutral lipid, 15-45% of the sterol, and 0.5-10% of the PEG or PEG-modified lipid on a molar basis.

**[0431]** In some embodiments, the formulations of the present disclosure include 45-65% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 5-10% of the neutral lipid, 25-40% of the sterol, and 0.5-10% of the PEG or PEG-modified lipid on a molar basis.

**[0432]** In some embodiments, the formulations of the present disclosure include about 60% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), about 7.5% of the neutral lipid, about 31% of the sterol, and about 1.5% of the PEG or PEG-modified lipid on a molar basis. In some embodiments, the formulations of the present disclosure include about 50% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), about 10% of the neutral lipid, about 38.5% of the sterol, and about 1.5% of the PEG or PEG-modified lipid on a molar basis.

**[0433]** In some embodiments, the formulations of the present disclosure include about 50% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), about 10% of the neutral lipid, about 35% of the sterol, about 4.5% or about 5% of the PEG or PEG-modified lipid, and about 0.5% of the targeting lipid on a molar basis.

**[0434]** In some embodiments, the formulations of the present disclosure include about 40% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), about 15% of the neutral lipid, about 40% of the sterol, and about 5% of the PEG or PEG-modified lipid on a molar basis.

**[0435]** In some embodiments, the formulations of the present disclosure include about 57.2% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-



yl) 9-((4-(dimethylamino)butanoyloxy)heptadecanedioate (L319), about 7.1% of the neutral lipid, about 34.3% of the sterol, and about 1.4% of the PEG or PEG-modified lipid on a molar basis.

**[0436]** In some embodiments, the formulations of the present disclosure include about 57.5% of a cationic lipid selected from the PEG lipid is PEG-cDMA (PEG-cDMA is further discussed in Reyes et al. (J. Controlled Release, 107, 276-287 (2005), the contents of which are herein incorporated by reference in their entirety), about 7.5% of the neutral lipid, about 31.5% of the sterol, and about 3.5% of the PEG or PEG-modified lipid on a molar basis.

**[0437]** In some embodiments, lipid nanoparticle formulation consists essentially of a lipid mixture in molar ratios of about 20-70% cationic lipid: 5-45% neutral lipid: 20-55% cholesterol: 0.5-15% PEG-modified lipid; more preferably in a molar ratio of about 20-60% cationic lipid: 5-25% neutral lipid: 25-55% cholesterol: 0.5-15% PEG-modified lipid.

**[0438]** In some embodiments, the molar lipid ratio is approximately 50/10/38.5/1.5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG, PEG-DSG or PEG-DPG), 57.2/7.1134.3/1.4 (mol % cationic lipid/neutral lipid, e.g., DPPC/Chol/PEG-modified lipid, e.g., PEG-cDMA), 40/15/40/5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG), 50/10/35/4.5/0.5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DSG), 50/10/35/5 (cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG), 40/10/40/10 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA), 35/15/40/10 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA) or 52/13/30/5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA).

**[0439]** Examples of lipid nanoparticle compositions and methods of making same are described, for example, in Semple et al. (2010) *Nat. Biotechnol.* 28:172-176; Jayarama et al. (2012), *Angew. Chem. Int. Ed.*, S1: 8529-8533; and Maier et al. (2013) *Molecular Therapy* 21, 1570-1578 (the contents of each of which are incorporated herein by reference in their entirety).

**[0440]** In some embodiments, the lipid nanoparticle formulations described herein may comprise a cationic lipid, a PEG lipid and a structural lipid and optionally comprise a non-cationic lipid. As a non-limiting example, the lipid nanoparticle may comprise about 40-60% of cationic lipid, about 5-15% of a non-cationic lipid, about 1-2% of a PEG lipid and about 30-50% of a structural lipid. As another non-limiting example, the lipid nanoparticle may comprise about 50% cationic lipid, about 10% non-cationic lipid, about 1.5% PEG lipid and about 38.5% structural lipid. As yet another non-limiting example, the lipid nanoparticle may comprise about 55% cationic lipid, about 10% non-cationic lipid, about 2.5% PEG lipid and about 32.5% structural lipid. In some embodiments, the cationic lipid may be any cationic lipid described herein such as, but not limited to, DLin-KC2-DMA, DLin-MC3-DMA and L319.

**[0441]** In some embodiments, the lipid nanoparticle formulations described herein may be 4 component lipid nanoparticles. The lipid nanoparticle may comprise a cationic lipid, a non-cationic lipid, a PEG lipid and a structural lipid. As a non-limiting example, the lipid nanoparticle may

comprise about 40-60% of cationic lipid, about 5-15% of a non-cationic lipid, about 1-2% of a PEG lipid and about 30-50% of a structural lipid. As another non-limiting example, the lipid nanoparticle may comprise about 50% cationic lipid, about 10% non-cationic lipid, about 1.5% PEG lipid and about 38.5% structural lipid. As yet another non-limiting example, the lipid nanoparticle may comprise about 55% cationic lipid, about 10% non-cationic lipid, about 2.5% PEG lipid and about 32.5% structural lipid. In some embodiments, the cationic lipid may be any cationic lipid described herein such as, but not limited to, DLin-KC2-DMA, DLin-MC3-DMA and L319.

**[0442]** In some embodiments, the lipid nanoparticle formulations described herein may comprise a cationic lipid, a non-cationic lipid, a PEG lipid and a structural lipid. As a non-limiting example, the lipid nanoparticle comprise about 50% of the cationic lipid DLin-KC2-DMA, about 10% of the non-cationic lipid DSPC, about 1.5% of the PEG lipid PEG-DOMG and about 38.5% of the structural lipid cholesterol. As a non-limiting example, the lipid nanoparticle comprise about 50% of the cationic lipid DLin-MC3-DMA, about 10% of the non-cationic lipid DSPC, about 1.5% of the PEG lipid PEG-DOMG and about 38.5% of the structural lipid cholesterol. As yet another non-limiting example, the lipid nanoparticle comprise about 55% of the cationic lipid L319, about 10% of the non-cationic lipid DSPC, about 2.5% of the PEG lipid PEG-DMG and about 32.5% of the structural lipid cholesterol.

**[0443]** As a non-limiting example, the cationic lipid may be selected from (20Z,23Z)-N,N-dimethylnonacosan-20,23-dien-10-amine, (17Z,20Z)-N,N-dimethylhexacosan-17,20-dien-9-amine, (1Z,19Z)-N,N-dimethylpentacosan-1 6, 19-dien-8-amine, (13Z,16Z)-N,N-dimethyldocosan-13,16-dien-5-amine, (12Z,15Z)-N,N-dimethylhenicosan-12,15-dien-4-amine, (14Z,17Z)-N,N-dimethyltricosan-14,17-dien-6-amine, (15Z,18Z)-N,N-dimethyltetracosan-15,18-dien-7-amine, (18Z,21Z)-N,N-dimethylheptacosan-18,21-dien-10-amine, (15Z,18Z)-N,N-dimethyltetracosan-15,18-dien-5-amine, (14Z,17Z)-N,N-dimethyltricosan-14,17-dien-4-amine, (19Z,22Z)-N,N-dimethyloctacosan-19,22-dien-9-amine, (18Z,21 Z)-N,N-dimethylheptacosan-18,21 -dien-8-amine, (17Z,20Z)-N,N-dimethylhexacosan-17,20-dien-7-amine, (16Z,19Z)-N,N-dimethylpentacosan-16,19-dien-6-amine, (22Z,25Z)-N,N-dimethylhentriacontan-22,25-dien-10-amine, (21 Z,24Z)-N,N-dimethyltriacontan-21,24-dien-9-amine, (18Z)-N,N-dimethylheptacosan-18-en-10-amine, (17Z)-N,N-dimethylhexacosan-17-en-9-amine, (19Z,22Z)-N,N-dimethyloctacosan-19,22-dien-7-amine, N,N-dimethylheptacosan-10-amine, (20Z,23Z)-N-ethyl-N-methylnonacosan-20,23-dien-10-amine, 1-[(11Z,14Z)-1-nonylicosan-11,14-dien-1-yl] pyrrolidine, (20Z)-N,N-dimethylheptacosan-20-en-1 0-amine, (15Z)-N,N-dimethylheptacosan-15-en-1 0-amine, (14Z)-N,N-dimethylnonacosan-14-en-10-amine, (17Z)-N,N-dimethylnonacosan-17-en-10-amine, (24Z)-N,N-dimethyltriacontan-24-en-10-amine, (20Z)-N,N-dimethylnonacosan-20-en-1 0-amine, (22Z)-N,N-dimethylhentriacontan-22-en-10-amine, (16Z)-N,N-dimethylpentacosan-16-en-8-amine, (12Z,15Z)-N,N-dimethyl-2-nonylhenicosan-12,15-dien-1-amine, (13Z,16Z)-N,N-dimethyl-3-nonyldocosan-13,16-dien-1-amine, N,N-dimethyl-1-[(1S,



2R)-2-octylcyclopropyl]heptadecan-8-amine, 1-[(1S,2R)-2-hexylcyclopropyl]-N,N-dimethylnonadecan-10-amine, N,N-dimethyl-1-[(1S,2R)-2-octylcyclopropyl]nonadecan-10-amine, N,N-dimethyl-21-[(1S,2R)-2-octylcyclopropyl]henicosan-10-amine, N,N-dimethyl-1-[(1S,2S)-2-[(1R,2R)-2-pentylcyclopropyl]methyl]cyclopropyl]nonadecan-10-amine, N,N-dimethyl-1-[(1S,2R)-2-octylcyclopropyl]hexadecan-8-amine, N,N-dimethyl-[(1R,2S)-2-undecylcyclopropyl]tetradecan-5-amine, N,N-dimethyl-3-[(1S,2R)-2-octylcyclopropyl]heptyl]dodecan-1-amine, 1-[(1R,2S)-2-heptylcyclopropyl]-N,N-dimethyloctadecan-9-amine, 1-[(1S,2R)-2-decylcyclopropyl]-N,N-dimethylpentadecan-6-amine, N,N-dimethyl-1-[(1S,2R)-2-octylcyclopropyl]pentadecan-8-amine, R-N,N-dimethyl-1-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-3-(octyloxy)propan-2-amine, S-N,N-dimethyl-1-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-3-(octyloxy)propan-2-amine, 1-[2-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-1-[(octyloxy)methyl]ethyl]pyrrolidine, (2S)-N,N-dimethyl-1-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-3-[(5Z)-oct-5-en-1-yloxy]propan-2-amine, 1-[2-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-1-[(octyloxy)methyl]ethyl]azetidine, (2S)-1-(hexyloxy)-N,N-dimethyl-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, (2S)-1-(heptyloxy)-N,N-dimethyl-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, N,N-dimethyl-1-(nonyloxy)-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, N,N-dimethyl-1-[(9Z)-octadec-9-en-1-yloxy]-3-(octyloxy)propan-2-amine; (2S)-N,N-dimethyl-1-[(6Z,9Z,12Z)-octadeca-6,9,12-trien-1-yloxy]-3-(octyloxy)propan-2-amine, (2S)-1-[(11Z,14Z)-icosa-11,14-dien-1-yloxy]-N,N-dimethyl-3-(pentyloxy)propan-2-amine, (2S)-1-(hexyloxy)-3-[(11Z,14Z)-icosa-11,14-dien-1-yloxy]-N,N-dimethylpropan-2-amine, 1-[(11Z,14Z)-icosa-11,14-dien-1-yloxy]-N,N-dimethyl-3-(octyloxy)propan-2-amine, 1-[(13Z,16Z)-docosa-13,16-dien-1-yloxy]-N,N-dimethyl-3-(octyloxy)propan-2-amine, (2S)-1-[(13Z,16Z)-docosa-13,16-dien-1-yloxy]-3-(hexyloxy)-N,N-dimethylpropan-2-amine, (2S)-1-[(13Z)-docos-13-en-1-yloxy]-3-(hexyloxy)-N,N-dimethylpropan-2-amine, 1-[(13Z)-docos-13-en-1-yloxy]-N,N-dimethyl-3-(octyloxy)propan-2-amine, 1-[(9Z)-hexadec-9-en-1-yloxy]-N,N-dimethyl-3-(octyloxy)propan-2-amine, (2R)-N,N-dimethyl-H(1-metoyloctyl)oxy]-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, (2R)-1-[(3,7-dimethyloctyl)oxy]-N,N-dimethyl-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, N,N-dimethyl-1-(octyloxy)-3-[(8-[(1S,2S)-2-[(1R,2R)-2-pentylcyclopropyl]methyl]cyclopropyl]octyl)oxy]propan-2-amine, N,N-dimethyl-1-[[8-(2-octylcyclopropyl)octyl]oxy]-3-(octyloxy)propan-2-amine and (11E,20Z,23Z)-N,N-dimethylnonacosan-11,20,2-trien-10-amine or a pharmaceutically acceptable salt or stereoisomer thereof.

**[0444]** In some embodiments, the LNP formulations of the RNA (e.g., mRNA) vaccines may contain PEG-c-DOMG at 3% lipid molar ratio. In some embodiments, the LNP formulations of the RNA (e.g., mRNA) vaccines may contain PEG-c-DOMG at 1.5% lipid molar ratio.

**[0445]** In some embodiments, the pharmaceutical compositions of the RNA (e.g., mRNA) vaccines may include at least one of the PEGylated lipids described in International Publication No. WO2012099755, the contents of which are herein incorporated by reference in their entirety.

**[0446]** In some embodiments, the LNP formulation may contain PEG-DMG 2000 (1,2-dimyristoyl-sn-glycero-3-

phosphoethanolamine-N-[methoxy(polyethylene glycol)-2000]). In some embodiments, the LNP formulation may contain PEG-DMG 2000, a cationic lipid known in the art and at least one other component. In some embodiments, the LNP formulation may contain PEG-DMG 2000, a cationic lipid known in the art, DSPC and cholesterol. As a non-limiting example, the LNP formulation may contain PEG-DMG 2000, DLin-DMA, DSPC and cholesterol. As another non-limiting example the LNP formulation may contain PEG-DMG 2000, DLin-DMA, DSPC and cholesterol in a molar ratio of 2:40:10:48 (see e.g., Geall et al., Nonviral delivery of self-amplifying RNA (e.g., mRNA) vaccines, PNAS 2012; PMID: 22908294, the contents of each of which are herein incorporated by reference in their entirety).

**[0447]** The lipid nanoparticles described herein may be made in a sterile environment.

**[0448]** In some embodiments, the LNP formulation may be formulated in a nanoparticle such as a nucleic acid-lipid particle. As a non-limiting example, the lipid particle may comprise one or more active agents or therapeutic agents; one or more cationic lipids comprising from about 50 mol % to about 85 mol % of the total lipid present in the particle; one or more non-cationic lipids comprising from about 13 mol % to about 49.5 mol % of the total lipid present in the particle; and one or more conjugated lipids that inhibit aggregation of particles comprising from about 0.5 mol % to about 2 mol % of the total lipid present in the particle.

**[0449]** The nanoparticle formulations may comprise a phosphate conjugate. The phosphate conjugate may increase in vivo circulation times and/or increase the targeted delivery of the nanoparticle. As a non-limiting example, the phosphate conjugates may include a compound of any one of the formulas described in International Application No. WO2013033438, the contents of which are herein incorporated by reference in its entirety.

**[0450]** The nanoparticle formulation may comprise a polymer conjugate. The polymer conjugate may be a water soluble conjugate. The polymer conjugate may have a structure as described in U.S. Patent Application No. 20130059360, the contents of which are herein incorporated by reference in its entirety. In some embodiments, polymer conjugates with the polynucleotides of the present disclosure may be made using the methods and/or segmented polymeric reagents described in U.S. Patent Application No. 20130072709, the contents of which are herein incorporated by reference in its entirety. In some embodiments, the polymer conjugate may have pendant side groups comprising ring moieties such as, but not limited to, the polymer conjugates described in U.S. Patent Publication No. US20130196948, the contents which are herein incorporated by reference in its entirety.

**[0451]** The nanoparticle formulations may comprise a conjugate to enhance the delivery of nanoparticles of the present disclosure in a subject. Further, the conjugate may inhibit phagocytic clearance of the nanoparticles in a subject. In one aspect, the conjugate may be a "self" peptide designed from the human membrane protein CD47 (e.g., the "self" particles described by Rodriguez et al. (*Science* 2013 339, 971-975), herein incorporated by reference in its entirety). As shown by Rodriguez et al., the self peptides delayed macrophage-mediated clearance of nanoparticles which enhanced delivery of the nanoparticles. In another aspect, the conjugate may be the membrane protein CD47 (e.g., see Rodriguez et al. (*Science* 2013 339, 971-975), herein

incorporated by reference in its entirety). Rodriguez et al. showed that, similarly to “self” peptides, CD47 can increase the circulating particle ratio in a subject as compared to scrambled peptides and PEG coated nanoparticles.

**[0452]** In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure are formulated in nanoparticles which comprise a conjugate to enhance the delivery of the nanoparticles of the present disclosure in a subject. The conjugate may be the CD47 membrane or the conjugate may be derived from the CD47 membrane protein, such as the “self” peptide described previously. In some embodiments, the nanoparticle may comprise PEG and a conjugate of CD47 or a derivative thereof. In some embodiments, the nanoparticle may comprise both the “self” peptide described above and the membrane protein CD47.

**[0453]** In some embodiments, a “self” peptide and/or CD47 protein may be conjugated to a virus-like particle or pseudovirion, as described herein for delivery of the RNA (e.g., mRNA) vaccines of the present disclosure.

**[0454]** In some embodiments, RNA (e.g., mRNA) vaccine pharmaceutical compositions comprising the polynucleotides of the present disclosure and a conjugate that may have a degradable linkage. Non-limiting examples of conjugates include an aromatic moiety comprising an ionizable hydrogen atom, a spacer moiety, and a water-soluble polymer. As a non-limiting example, pharmaceutical compositions comprising a conjugate with a degradable linkage and methods for delivering such pharmaceutical compositions are described in U.S. Patent Publication No. US20130184443, the contents of which are herein incorporated by reference in their entirety.

**[0455]** The nanoparticle formulations may be a carbohydrate nanoparticle comprising a carbohydrate carrier and a RNA (e.g., mRNA) vaccine. As a non-limiting example, the carbohydrate carrier may include, but is not limited to, an anhydride-modified phytoglycogen or glycogen-type material, phytoglycogen octenyl succinate, phytoglycogen beta-dextrin, anhydride-modified phytoglycogen beta-dextrin. (See e.g., International Publication No. WO2012109121; the contents of which are herein incorporated by reference in their entirety).

**[0456]** Nanoparticle formulations of the present disclosure may be coated with a surfactant or polymer in order to improve the delivery of the particle. In some embodiments, the nanoparticle may be coated with a hydrophilic coating such as, but not limited to, PEG coatings and/or coatings that have a neutral surface charge. The hydrophilic coatings may help to deliver nanoparticles with larger payloads such as, but not limited to, RNA (e.g., mRNA) vaccines within the central nervous system. As a non-limiting example nanoparticles comprising a hydrophilic coating and methods of making such nanoparticles are described in U.S. Patent Publication No. US20130183244, the contents of which are herein incorporated by reference in their entirety.

**[0457]** In some embodiments, the lipid nanoparticles of the present disclosure may be hydrophilic polymer particles. Non-limiting examples of hydrophilic polymer particles and methods of making hydrophilic polymer particles are described in U.S. Patent Publication No. US20130210991, the contents of which are herein incorporated by reference in their entirety.

**[0458]** In some embodiments, the lipid nanoparticles of the present disclosure may be hydrophobic polymer particles.

**[0459]** Lipid nanoparticle formulations may be improved by replacing the cationic lipid with a biodegradable cationic lipid which is known as a rapidly eliminated lipid nanoparticle (reLNP). Ionizable cationic lipids, such as, but not limited to, DLinDMA, DLin-KC2-DMA, and DLin-MC3-DMA, have been shown to accumulate in plasma and tissues over time and may be a potential source of toxicity. The rapid metabolism of the rapidly eliminated lipids can improve the tolerability and therapeutic index of the lipid nanoparticles by an order of magnitude from a 1 mg/kg dose to a 10 mg/kg dose in rat. Inclusion of an enzymatically degraded ester linkage can improve the degradation and metabolism profile of the cationic component, while still maintaining the activity of the reLNP formulation. The ester linkage can be internally located within the lipid chain or it may be terminally located at the terminal end of the lipid chain. The internal ester linkage may replace any carbon in the lipid chain.

**[0460]** In some embodiments, the internal ester linkage may be located on either side of the saturated carbon.

**[0461]** In some embodiments, an immune response may be elicited by delivering a lipid nanoparticle which may include a nanospecies, a polymer and an immunogen. (U.S. Publication No. 20120189700 and International Publication No. WO2012099805; each of which is herein incorporated by reference in their entirety). The polymer may encapsulate the nanospecies or partially encapsulate the nanospecies. The immunogen may be a recombinant protein, a modified RNA and/or a polynucleotide described herein. In some embodiments, the lipid nanoparticle may be formulated for use in a vaccine such as, but not limited to, against a pathogen.

**[0462]** Lipid nanoparticles may be engineered to alter the surface properties of particles so the lipid nanoparticles may penetrate the mucosal barrier. Mucus is located on mucosal tissue such as, but not limited to, oral (e.g., the buccal and esophageal membranes and tonsil tissue), ophthalmic, gastrointestinal (e.g., stomach, small intestine, large intestine, colon, rectum), nasal, respiratory (e.g., nasal, pharyngeal, tracheal and bronchial membranes), genital (e.g., vaginal, cervical and urethral membranes). Nanoparticles larger than 10-200 nm which are preferred for higher drug encapsulation efficiency and the ability to provide the sustained delivery of a wide array of drugs have been thought to be too large to rapidly diffuse through mucosal barriers. Mucus is continuously secreted, shed, discarded or digested and recycled so most of the trapped particles may be removed from the mucosa tissue within seconds or within a few hours. Large polymeric nanoparticles (200nm -500nm in diameter) which have been coated densely with a low molecular weight polyethylene glycol (PEG) diffused through mucus only 4 to 6-fold lower than the same particles diffusing in water (Lai et al. PNAS 2007 104(5):1482-487; Lai et al. *Adv Drug Deliv Rev.* 2009 61(2): 158-171; each of which is herein incorporated by reference in their entirety). The transport of nanoparticles may be determined using rates of permeation and/or fluorescent microscopy techniques including, but not limited to, fluorescence recovery after photobleaching (FRAP) and high resolution multiple particle tracking (MPT). As a non-limiting example, compositions which can penetrate a mucosal barrier may be made as described in U.S. Pat. No. 8,241,670 or Interna-

tional Patent Publication No. WO2013110028, the contents of each of which are herein incorporated by reference in its entirety.

**[0463]** The lipid nanoparticle engineered to penetrate mucus may comprise a polymeric material (i.e. a polymeric core) and/or a polymer-vitamin conjugate and/or a tri-block co-polymer. The polymeric material may include, but is not limited to, polyamines, polyethers, polyamides, polyesters, polycarbonates, polyureas, polycarbonates, poly(styrenes), polyimides, polysulfones, polyurethanes, polyacetylenes, polyethylenes, polyethyleneimines, polyisocyanates, polyacrylates, polymethacrylates, polyacrylonitriles, and polyarylates. The polymeric material may be biodegradable and/or biocompatible. Non-limiting examples of biocompatible polymers are described in International Patent Publication No. WO2013116804, the contents of which are herein incorporated by reference in their entirety. The polymeric material may additionally be irradiated. As a non-limiting example, the polymeric material may be gamma irradiated (see e.g., International App. No. WO201282165, herein incorporated by reference in its entirety). Non-limiting examples of specific polymers include poly(caprolactone) (PCL), ethylene vinyl acetate polymer (EVA), poly(lactic acid) (PLA), poly(L-lactic acid) (PLLA), poly(glycolic acid) (PGA), poly(lactic acid-co-glycolic acid) (PLGA), poly(L-lactic acid-co-glycolic acid) (PLLGA), poly(D,L-lactide) (PDLA), poly(L-lactide) (PLLA), poly(D,L-lactide-co-caprolactone), poly(D,L-lactide-co-caprolactone-co-glycolide), poly(D,L-lactide-co-PEO-co-D,L-lactide), poly(D,L-lactide-co-PPO-co-D,L-lactide), polyalkyl cyanoacrylate, polyurethane, poly-L-lysine (PLL), hydroxypropyl methacrylate (HPMA), polyethyleneglycol, poly-L-glutamic acid, poly(hydroxy acids), polyanhydrides, polyorthoesters, poly(ester amides), polyamides, poly(ester ethers), polycarbonates, polyalkylenes such as polyethylene and polypropylene, polyalkylene glycols such as poly(ethylene glycol) (PEG), polyalkylene oxides (PEO), polyalkylene terephthalates such as poly(ethylene terephthalate), polyvinyl alcohols (PVA), polyvinyl ethers, polyvinyl esters such as poly(vinyl acetate), polyvinyl halides such as poly(vinyl chloride) (PVC), polyvinylpyrrolidone, polysiloxanes, polystyrene (PS), polyurethanes, derivatized celluloses such as alkyl celluloses, hydroxyalkyl celluloses, cellulose ethers, cellulose esters, nitro celluloses, hydroxypropylcellulose, carboxymethylcellulose, polymers of acrylic acids, such as poly(methyl(meth)acrylate) (PMMA), poly(ethyl(meth)acrylate), poly(butyl(meth)acrylate), poly(isobutyl(meth)acrylate), poly(hexyl(meth)acrylate), poly(isodecyl(meth)acrylate), poly(lauryl(meth)acrylate), poly(phenyl(meth)acrylate), poly(methyl acrylate), poly(isopropyl acrylate), poly(isobutyl acrylate), poly(octadecyl acrylate) and copolymers and mixtures thereof, polydioxanone and its copolymers, polyhydroxyalkanoates, polypropylene fumarate, polyoxymethylene, poloxamers, poly(ortho)esters, poly(butyric acid), poly(valeric acid), poly(lactide-co-caprolactone), PEG-PLGA-PEG and trimethylene carbonate, polyvinylpyrrolidone. The lipid nanoparticle may be coated or associated with a co-polymer such as, but not limited to, a block co-polymer (such as a branched polyether-polyamide block copolymer described in International Patent Publication No. WO2013012476, herein incorporated by reference in its entirety), and (poly(ethylene glycol))-(poly(propylene oxide))-(poly(ethylene glycol)) triblock copolymer (see e.g., U.S. Publication 20120121718 and U.S. Publication

2010003337 and U.S. Pat. No. 8,263,665, the contents of each of which is herein incorporated by reference in their entirety). The co-polymer may be a polymer that is generally regarded as safe (GRAS) and the formation of the lipid nanoparticle may be in such a way that no new chemical entities are created. For example, the lipid nanoparticle may comprise poloxamers coating PLGA nanoparticles without forming new chemical entities which are still able to rapidly penetrate human mucus (Yang et al. *Angew. Chem. Int. Ed.* 2011 50:2597-2600; the contents of which are herein incorporated by reference in their entirety). A non-limiting scalable method to produce nanoparticles which can penetrate human mucus is described by Xu et al. (see, e.g., *J Control Release* 2013, 170(2):279-86; the contents of which are herein incorporated by reference in their entirety).

**[0464]** The vitamin of the polymer-vitamin conjugate may be vitamin E. The vitamin portion of the conjugate may be substituted with other suitable components such as, but not limited to, vitamin A, vitamin E, other vitamins, cholesterol, a hydrophobic moiety, or a hydrophobic component of other surfactants (e.g., sterol chains, fatty acids, hydrocarbon chains and alkylene oxide chains).

**[0465]** The lipid nanoparticle engineered to penetrate mucus may include surface altering agents such as, but not limited to, polynucleotides, anionic proteins (e.g., bovine serum albumin), surfactants (e.g., cationic surfactants such as for example dimethyldioctadecyl-ammonium bromide), sugars or sugar derivatives (e.g., cyclodextrin), nucleic acids, polymers (e.g., heparin, polyethylene glycol and poloxamer), mucolytic agents (e.g., N-acetylcysteine, mugwort, bromelain, papain, clerodendrum, acetylcysteine, bromhexine, carbocysteine, eprazinone, mesna, ambroxol, sobrerol, domiodol, letosteine, stepronin, tiopronin, gelsolin, thymosin  $\beta$ 4 dornase alfa, neltexine, erdoesteine) and various DNases including rhDNase. The surface altering agent may be embedded or enmeshed in the particle's surface or disposed (e.g., by coating, adsorption, covalent linkage, or other process) on the surface of the lipid nanoparticle. (see e.g., U.S. Publication 20100215580 and U.S. Publication 20080166414 and US20130164343; the contents of each of which are herein incorporated by reference in their entirety).

**[0466]** In some embodiments, the mucus penetrating lipid nanoparticles may comprise at least one polynucleotide described herein. The polynucleotide may be encapsulated in the lipid nanoparticle and/or disposed on the surface of the particle. The polynucleotide may be covalently coupled to the lipid nanoparticle. Formulations of mucus penetrating lipid nanoparticles may comprise a plurality of nanoparticles. Further, the formulations may contain particles which may interact with the mucus and alter the structural and/or adhesive properties of the surrounding mucus to decrease mucoadhesion, which may increase the delivery of the mucus penetrating lipid nanoparticles to the mucosal tissue.

**[0467]** In some embodiments, the mucus penetrating lipid nanoparticles may be a hypotonic formulation comprising a mucosal penetration enhancing coating. The formulation may be hypotonic for the epithelium to which it is being delivered. Non-limiting examples of hypotonic formulations may be found in International Patent Publication No. WO2013110028, the contents of which are herein incorporated by reference in their entirety.

**[0468]** In some embodiments, in order to enhance the delivery through the mucosal barrier the RNA (e.g., mRNA) vaccine formulation may comprise or be a hypotonic solu-

tion. Hypotonic solutions were found to increase the rate at which mucin particles such as, but not limited to, mucus-penetrating particles, were able to reach the vaginal epithelial surface (see e.g., Ensign et al. *Biomaterials* 2013 34(28):6922-9, the contents of which are herein incorporated by reference in their entirety).

**[0469]** In some embodiments, the RNA (e.g., mRNA) vaccine is formulated as a lipoplex, such as, without limitation, the ATUPLEX™ system, the DACC system, the DBTC system and other siRNA-lipoplex technology from Silence Therapeutics (London, United Kingdom), STEM-FECT™ from STEMGENT® (Cambridge, Mass.), and polyethylenimine (PEI) or protamine-based targeted and non-targeted delivery of nucleic acids (Aleku et al. *Cancer Res.* 2008 68:9788-9798; Strumberg et al. *Int J Clin Pharmacol Ther* 2012 50:76-78; Santel et al., *Gene Ther* 2006 13:1360-1370; Gutbier et al., *Pulm Pharmacol. Ther.* 2010 23:334-344; Kaufmann et al. *Microvasc Res* 2010 80:286-293; Weide et al. *J Immunother.* 2009 32:498-507; Weide et al. *J Immunother.* 2008 31:180-188; Pascolo *Expert Opin. Biol. Ther.* 4:1285-1294; Fotin-Mleczek et al., 2011 *J. Immunother.* 34:1-15; Song et al., *Nature Biotechnol.* 2005, 23:709-717; Peer et al., *Proc Natl Acad Sci U S A.* 2007 6:104:4095-4100; deFougerolles *Hum Gene Ther.* 2008 19:125-132, the contents of each of which are incorporated herein by reference in their entirety).

**[0470]** In some embodiments, such formulations may also be constructed or compositions altered such that they passively or actively are directed to different cell types *in vivo*, including but not limited to hepatocytes, immune cells, tumor cells, endothelial cells, antigen presenting cells, and leukocytes (Akinc et al. *Mol Ther.* 2010 18:1357-1364; Song et al., *Nat Biotechnol.* 2005 23:709-717; Judge et al., *J Clin Invest.* 2009 119:661-673; Kaufmann et al., *Microvasc Res* 2010 80:286-293; Santel et al., *Gene Ther* 2006 13:1360-1370; Gutbier et al., *Pulm Pharmacol. Ther.* 2010 23:334-344; Basha et al., *Mol. Ther.* 2011 19:2186-2200; Fenske and Cullis, *Expert Opin Drug Deliv.* 2008 5:25-44; Peer et al., *Science.* 2008 319:627-630; Peer and Lieberman, *Gene Ther.* 2011 18:1127-1133, the contents of each of which are incorporated herein by reference in their entirety). One example of passive targeting of formulations to liver cells includes the DLin-DMA, DLin-KC2-DMA and DLin-MC3-DMA-based lipid nanoparticle formulations, which have been shown to bind to apolipoprotein E and promote binding and uptake of these formulations into hepatocytes *in vivo* (Akinc et al. *Mol Ther.* 2010 18:1357-1364, the contents of which are incorporated herein by reference in their entirety). Formulations can also be selectively targeted through expression of different ligands on their surface as exemplified by, but not limited by, folate, transferrin, N-acetylgalactosamine (GalNAc), and antibody targeted approaches (Kolhatkar et al., *Curr Drug Discov Technol.* 2011 8:197-206; Musacchio and Torchilin, *Front Biosci.* 2011 16:1388-1412; Yu et al., *Mol Membr Biol.* 2010 27:286-298; Patil et al., *Crit Rev Ther Drug Carrier Syst.* 2008 25:1-61; Benoit et al., *Biomacromolecules.* 2011 12:2708-2714; Zhao et al., *Expert Opin Drug Deliv.* 2008 5:309-319; Akinc et al., *Mol Ther.* 2010 18:1357-1364; Srinivasan et al., *Methods Mol Biol.* 2012 820:105-116; Ben-Arie et al., *Methods Mol Biol.* 2012 757:497-507; Peer 2010 *J Control Release.* 20:63-68; Peer et al., *Proc Natl Acad Sci U S A.* 2007 104:4095-4100;

Kim et al., *Methods Mol Biol.* 2011 721:339-353; Subramanya et al., *Mol Ther.* 2010 18:2028-2037; Song et al., *Nat Biotechnol.* 2005 23:709-717; Peer et al., *Science.* 2008 319:627-630; Peer and Lieberman, *Gene Ther.* 2011 18:1127-1133, the contents of each of which are incorporated herein by reference in their entirety).

**[0471]** In some embodiments, the RNA (e.g., mRNA) vaccine is formulated as a solid lipid nanoparticle. A solid lipid nanoparticle (SLN) may be spherical with an average diameter between 10 to 1000 nm. SLN possess a solid lipid core matrix that can solubilize lipophilic molecules and may be stabilized with surfactants and/or emulsifiers. In some embodiments, the lipid nanoparticle may be a self-assembly lipid-polymer nanoparticle (see Zhang et al., *ACS Nano*, 2008, 2 (8), pp 1696-1702; the contents of which are herein incorporated by reference in their entirety). As a non-limiting example, the SLN may be the SLN described in International Patent Publication No. WO2013105101, the contents of which are herein incorporated by reference in their entirety. As another non-limiting example, the SLN may be made by the methods or processes described in International Patent Publication No. WO2013105101, the contents of which are herein incorporated by reference in their entirety.

**[0472]** Liposomes, lipoplexes, or lipid nanoparticles may be used to improve the efficacy of polynucleotides directed protein production as these formulations may be able to increase cell transfection by the RNA (e.g., mRNA) vaccine; and/or increase the translation of encoded protein. One such example involves the use of lipid encapsulation to enable the effective systemic delivery of polyplex plasmid DNA (Heyes et al., *Mol Ther.* 2007 15:713-720; the contents of which are incorporated herein by reference in their entirety). The liposomes, lipoplexes, or lipid nanoparticles may also be used to increase the stability of the polynucleotide.

**[0473]** In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure can be formulated for controlled release and/or targeted delivery. As used herein, "controlled release" refers to a pharmaceutical composition or compound release profile that conforms to a particular pattern of release to effect a therapeutic outcome. In some embodiments, the RNA (e.g., mRNA) vaccines may be encapsulated into a delivery agent described herein and/or known in the art for controlled release and/or targeted delivery. As used herein, the term "encapsulate" means to enclose, surround or encase. As it relates to the formulation of the compounds of the disclosure, encapsulation may be substantial, complete or partial. The term "substantially encapsulated" means that at least greater than 50, 60, 70, 80, 85, 90, 95, 96, 97, 98, 99, 99.9, 99.9 or greater than 99.999% of the pharmaceutical composition or compound of the disclosure may be enclosed, surrounded or encased within the delivery agent. "Partially encapsulation" means that less than 10, 10, 20, 30, 40 50 or less of the pharmaceutical composition or compound of the disclosure may be enclosed, surrounded or encased within the delivery agent. Advantageously, encapsulation may be determined by measuring the escape or the activity of the pharmaceutical composition or compound of the disclosure using fluorescence and/or electron micrograph. For example, at least 1, 5, 10, 20, 30, 40, 50, 60, 70, 80, 85, 90, 95, 96, 97, 98, 99, 99.9, 99.99 or greater than 99.99% of the pharmaceutical composition or compound of the disclosure are encapsulated in the delivery agent.

**[0474]** In some embodiments, the controlled release formulation may include, but is not limited to, tri-block copolymers. As a non-limiting example, the formulation may include two different types of tri-block co-polymers (International Pub. No. WO2012131104 and WO2012131106, the contents of each of which are incorporated herein by reference in their entirety).

**[0475]** In some embodiments, the RNA (e.g., mRNA) vaccines may be encapsulated into a lipid nanoparticle or a rapidly eliminated lipid nanoparticle and the lipid nanoparticles or a rapidly eliminated lipid nanoparticle may then be encapsulated into a polymer, hydrogel and/or surgical sealant described herein and/or known in the art. As a non-limiting example, the polymer, hydrogel or surgical sealant may be PLGA, ethylene vinyl acetate (EVAc), poloxamer, GELSITE® (Nanotherapeutics, Inc. Alachua, Fla.), HYL-ENEX® (Halozyme Therapeutics, San Diego Calif.), surgical sealants such as fibrinogen polymers (Ethicon Inc. Cornelia, Ga.), TISSELL® (Baxter International, Inc Deerfield, Ill.), PEG-based sealants, and COSEAL® (Baxter International, Inc Deerfield, Ill.).

**[0476]** In some embodiments, the lipid nanoparticle may be encapsulated into any polymer known in the art which may form a gel when injected into a subject. As another non-limiting example, the lipid nanoparticle may be encapsulated into a polymer matrix which may be biodegradable.

**[0477]** In some embodiments, the RNA (e.g., mRNA) vaccine formulation for controlled release and/or targeted delivery may also include at least one controlled release coating. Controlled release coatings include, but are not limited to, OPADRY®, polyvinylpyrrolidone/vinyl acetate copolymer, polyvinylpyrrolidone, hydroxypropyl methylcellulose, hydroxypropyl cellulose, hydroxyethyl cellulose, EUDRAGIT RL®, EUDRAGIT RS® and cellulose derivatives such as ethylcellulose aqueous dispersions (AQUACOAT® and SURELEASE®).

**[0478]** In some embodiments, the RNA (e.g., mRNA) vaccine controlled release and/or targeted delivery formulation may comprise at least one degradable polyester which may contain polycationic side chains. Degradable polyesters include, but are not limited to, poly(serine ester), poly(L-lactide-co-L-lysine), poly(4-hydroxy-L-proline ester), and combinations thereof. In some embodiments, the degradable polyesters may include a PEG conjugation to form a PEGylated polymer.

**[0479]** In some embodiments, the RNA (e.g., mRNA) vaccine controlled release and/or targeted delivery formulation comprising at least one polynucleotide may comprise at least one PEG and/or PEG related polymer derivatives as described in U.S. Pat. No. 8,404,222, the contents of which are incorporated herein by reference in their entirety.

**[0480]** In some embodiments, the RNA (e.g., mRNA) vaccine controlled release delivery formulation comprising at least one polynucleotide may be the controlled release polymer system described in US20130130348, the contents of which are incorporated herein by reference in their entirety.

**[0481]** In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure may be encapsulated in a therapeutic nanoparticle, referred to herein as “therapeutic nanoparticle RNA (e.g., mRNA) vaccines.” Therapeutic nanoparticles may be formulated by methods described herein and known in the art such as, but not limited to, International Pub Nos. WO2010005740, WO2010030763,

WO2010005721, WO2010005723, WO2012054923, U.S. Publication Nos. US20110262491, US20100104645, US20100087337, US20100068285, US20110274759, US20100068286, US20120288541, US20130123351 and US20130230567 and U.S. Pat. Nos. 8,206,747, 8,293,276, 8,318,208 and 8,318,211; the contents of each of which are herein incorporated by reference in their entirety. In some embodiments, therapeutic polymer nanoparticles may be identified by the methods described in US Pub No. US20120140790, the contents of which are herein incorporated by reference in their entirety.

**[0482]** In some embodiments, the therapeutic nanoparticle RNA (e.g., mRNA) vaccine may be formulated for sustained release. As used herein, “sustained release” refers to a pharmaceutical composition or compound that conforms to a release rate over a specific period of time. The period of time may include, but is not limited to, hours, days, weeks, months and years. As a non-limiting example, the sustained release nanoparticle may comprise a polymer and a therapeutic agent such as, but not limited to, the polynucleotides of the present disclosure (see International Pub No. 2010075072 and US Pub No. US20100216804, US20110217377 and US20120201859, the contents of each of which are incorporated herein by reference in their entirety). In another non-limiting example, the sustained release formulation may comprise agents which permit persistent bioavailability such as, but not limited to, crystals, macromolecular gels and/or particulate suspensions (see U.S. Patent Publication No US20130150295, the contents of each of which are incorporated herein by reference in their entirety).

**[0483]** In some embodiments, the therapeutic nanoparticle RNA (e.g., mRNA) vaccines may be formulated to be target specific. As a non-limiting example, the therapeutic nanoparticles may include a corticosteroid (see International Pub. No. WO2011084518, the contents of which are incorporated herein by reference in their entirety). As a non-limiting example, the therapeutic nanoparticles may be formulated in nanoparticles described in International Pub No. WO2008121949, WO2010005726, WO2010005725, WO2011084521 and US Pub No. US20100069426, US20120004293 and US20100104655, the contents of each of which are incorporated herein by reference in their entirety.

**[0484]** In some embodiments, the nanoparticles of the present disclosure may comprise a polymeric matrix. As a non-limiting example, the nanoparticle may comprise two or more polymers such as, but not limited to, polyethylenes, polycarbonates, polyanhydrides, polyhydroxyacids, polypropylfumerates, polycaprolactones, polyamides, polyacetals, polyethers, polyesters, poly(orthoesters), polycyanoacrylates, polyvinyl alcohols, polyurethanes, polyphosphazenes, polyacrylates, polymethacrylates, polycyanoacrylates, polyureas, polystyrenes, polyamines, polylysine, poly(ethylene imine), poly(serine ester), poly(L-lactide-co-L-lysine), poly(4-hydroxy-L-proline ester) or combinations thereof.

**[0485]** In some embodiments, the therapeutic nanoparticle comprises a diblock copolymer. In some embodiments, the diblock copolymer may include PEG in combination with a polymer such as, but not limited to, polyethylenes, polycarbonates, polyanhydrides, polyhydroxyacids, polypropylfumerates, polycaprolactones, polyamides, polyacetals, polyethers, polyesters, poly(orthoesters), polycyanoacry-

lates, polyvinyl alcohols, polyurethanes, polyphosphazenes, polyacrylates, polymethacrylates, polycyanoacrylates, polyureas, polystyrenes, polyamines, polylysine, poly(ethylene imine), poly(serine ester), poly(L-lactide-co-L-lysine), poly(4-hydroxy-L-proline ester) or combinations thereof. In yet another embodiment, the diblock copolymer may be a high-X diblock copolymer such as those described in International Patent Publication No. WO2013120052, the contents of which are incorporated herein by reference in their entirety.

**[0486]** As a non-limiting example the therapeutic nanoparticle comprises a PLGA-PEG block copolymer (see U.S. Publication No. US20120004293 and U.S. Pat. No. 8,236,330, each of which is herein incorporated by reference in their entirety). In another non-limiting example, the therapeutic nanoparticle is a stealth nanoparticle comprising a diblock copolymer of PEG and PLA or PEG and PLGA (see U.S. Pat. No. 8,246,968 and International Publication No. WO2012166923, the contents of each of which are herein incorporated by reference in their entirety). In yet another non-limiting example, the therapeutic nanoparticle is a stealth nanoparticle or a target-specific stealth nanoparticle as described in U.S. Patent Publication No. US20130172406, the contents of which are herein incorporated by reference in their entirety.

**[0487]** In some embodiments, the therapeutic nanoparticle may comprise a multiblock copolymer (see e.g., U.S. Pat. Nos. 8,263,665 and 8,287,910 and U.S. Patent Pub. No. US20130195987, the contents of each of which are herein incorporated by reference in their entirety).

**[0488]** In yet another non-limiting example, the lipid nanoparticle comprises the block copolymer PEG-PLGA-PEG (see e.g., the thermosensitive hydrogel (PEG-PLGA-PEG) was used as a TGF- $\beta$ 1 gene delivery vehicle in Lee et al. Thermosensitive Hydrogel as a Tgf- $\beta$ 1 Gene Delivery Vehicle Enhances Diabetic Wound Healing. *Pharmaceutical Research*, 2003 20(12): 1995-2000; as a controlled gene delivery system in Li et al. Controlled Gene Delivery System Based on Thermosensitive Biodegradable Hydrogel. *Pharmaceutical Research* 2003 20(6):884-888; and Chang et al., Non-ionic amphiphilic biodegradable PEG-PLGA-PEG copolymer enhances gene delivery efficiency in rat skeletal muscle. *J Controlled Release*. 2007 118:245-253, the contents of each of which are herein incorporated by reference in their entirety). The RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in lipid nanoparticles comprising the PEG-PLGA-PEG block copolymer.

**[0489]** In some embodiments, the therapeutic nanoparticle may comprise a multiblock copolymer (see e.g., U.S. Pat. Nos. 8,263,665 and 8,287,910 and U.S. Patent Pub. No. US20130195987, the contents of each of which are herein incorporated by reference in their entirety).

**[0490]** In some embodiments, the block copolymers described herein may be included in a polyion complex comprising a non-polymeric micelle and the block copolymer. (see e.g., U.S. Publication No. 20120076836, the contents of which are herein incorporated by reference in their entirety).

**[0491]** In some embodiments, the therapeutic nanoparticle may comprise at least one acrylic polymer. Acrylic polymers include but are not limited to, acrylic acid, methacrylic acid, acrylic acid and methacrylic acid copolymers, methyl methacrylate copolymers, ethoxyethyl methacrylates, cyanoethyl

methacrylate, amino alkyl methacrylate copolymer, poly(acrylic acid), poly(methacrylic acid), polycyanoacrylates and combinations thereof.

**[0492]** In some embodiments, the therapeutic nanoparticles may comprise at least one poly(vinyl ester) polymer. The poly(vinyl ester) polymer may be a copolymer such as a random copolymer. As a non-limiting example, the random copolymer may have a structure such as those described in International Application No. WO2013032829 or U.S. Patent Publication No. US20130121954, the contents of each of which are herein incorporated by reference in their entirety. In some embodiments, the poly(vinyl ester) polymers may be conjugated to the polynucleotides described herein.

**[0493]** In some embodiments, the therapeutic nanoparticle may comprise at least one diblock copolymer. The diblock copolymer may be, but it not limited to, a poly(lactic acid)-poly(ethylene)glycol copolymer (see, e.g., International Patent Publication No. WO2013044219, the contents of which are herein incorporated by reference in their entirety). As a non-limiting example, the therapeutic nanoparticle may be used to treat cancer (see International publication No. WO2013044219, the contents of which are herein incorporated by reference in their entirety).

**[0494]** In some embodiments, the therapeutic nanoparticles may comprise at least one cationic polymer described herein and/or known in the art.

**[0495]** In some embodiments, the therapeutic nanoparticles may comprise at least one amine-containing polymer such as, but not limited to polylysine, polyethylene imine, poly(amidoamine) dendrimers, poly(beta-amino esters) (see, e.g., U.S. Pat. No. 8,287,849, the contents of which are herein incorporated by reference in their entirety) and combinations thereof.

**[0496]** In some embodiments, the nanoparticles described herein may comprise an amine cationic lipid such as those described in International Patent Application No. WO2013059496, the contents of which are herein incorporated by reference in their entirety. In some embodiments, the cationic lipids may have an amino-amine or an amino-amide moiety.

**[0497]** In some embodiments, the therapeutic nanoparticles may comprise at least one degradable polyester which may contain polycationic side chains. Degradable polyesters include, but are not limited to, poly(serine ester), poly(L-lactide-co-L-lysine), poly(4-hydroxy-L-proline ester), and combinations thereof. In some embodiments, the degradable polyesters may include a PEG conjugation to form a PEGylated polymer.

**[0498]** In some embodiments, the synthetic nanocarriers may contain an immunostimulatory agent to enhance the immune response from delivery of the synthetic nanocarrier. As a non-limiting example, the synthetic nanocarrier may comprise a Th1 immunostimulatory agent, which may enhance a Th1-based response of the immune system (see International Pub No. WO2010123569 and U.S. Publication No. US20110223201, the contents of each of which are herein incorporated by reference in their entirety).

**[0499]** In some embodiments, the synthetic nanocarriers may be formulated for targeted release. In some embodiments, the synthetic nanocarrier is formulated to release the polynucleotides at a specified pH and/or after a desired time interval. As a non-limiting example, the synthetic nanoparticle may be formulated to release the RNA (e.g., mRNA) vaccines after 24 hours and/or at a pH of 4.5 (see Interna-

tional Publication Nos. WO2010138193 and WO2010138194 and US Pub Nos. US20110020388 and US20110027217, each of which is herein incorporated by reference in their entirety).

**[0500]** In some embodiments, the synthetic nanocarriers may be formulated for controlled and/or sustained release of the polynucleotides described herein. As a non-limiting example, the synthetic nanocarriers for sustained release may be formulated by methods known in the art, described herein and/or as described in International Publication No. WO2010138192 and US Pub No. 20100303850, each of which is herein incorporated by reference in their entirety.

**[0501]** In some embodiments, the RNA (e.g., mRNA) vaccine may be formulated for controlled and/or sustained release wherein the formulation comprises at least one polymer that is a crystalline side chain (CYSC) polymer. CYSC polymers are described in U.S. Pat. No. 8,399,007, herein incorporated by reference in its entirety.

**[0502]** In some embodiments, the synthetic nanocarrier may be formulated for use as a vaccine. In some embodiments, the synthetic nanocarrier may encapsulate at least one polynucleotide which encode at least one antigen. As a non-limiting example, the synthetic nanocarrier may include at least one antigen and an excipient for a vaccine dosage form (see International Publication No. WO2011150264 and U.S. Publication No. US20110293723, the contents of each of which are herein incorporated by reference in their entirety). As another non-limiting example, a vaccine dosage form may include at least two synthetic nanocarriers with the same or different antigens and an excipient (see International Publication No. WO2011150249 and U.S. Publication No. US20110293701, the contents of each of which are herein incorporated by reference in their entirety). The vaccine dosage form may be selected by methods described herein, known in the art and/or described in International Publication No. WO2011150258 and U.S. Publication No. US20120027806, the contents of each of which are herein incorporated by reference in their entirety).

**[0503]** In some embodiments, the synthetic nanocarrier may comprise at least one polynucleotide which encodes at least one adjuvant. As non-limiting example, the adjuvant may comprise dimethyldioctadecylammonium-bromide, dimethyldioctadecylammonium-chloride, dimethyldioctadecylammonium-phosphate or dimethyldioctadecylammonium-acetate (DDA) and an apolar fraction or part of said apolar fraction of a total lipid extract of a mycobacterium (see, e.g., U.S. Pat. No. 8,241,610, the content of which is herein incorporated by reference in its entirety). In some embodiments, the synthetic nanocarrier may comprise at least one polynucleotide and an adjuvant. As a non-limiting example, the synthetic nanocarrier comprising and adjuvant may be formulated by the methods described in International Publication No. WO2011150240 and U.S. Publication No. US20110293700, the contents of each of which are herein incorporated by reference in their entirety.

**[0504]** In some embodiments, the synthetic nanocarrier may encapsulate at least one polynucleotide that encodes a peptide, fragment or region from a virus. As a non-limiting example, the synthetic nanocarrier may include, but is not limited to, any of the nanocarriers described in International Publication No. WO2012024621, WO201202629, WO2012024632 and U.S. Publication No. US20120064110,

US20120058153 and US20120058154, the contents of each of which are herein incorporated by reference in their entirety.

**[0505]** In some embodiments, the synthetic nanocarrier may be coupled to a polynucleotide which may be able to trigger a humoral and/or cytotoxic T lymphocyte (CTL) response (see, e.g., International Publication No. WO2013019669, the contents of which are herein incorporated by reference in their entirety).

**[0506]** In some embodiments, the RNA (e.g., mRNA) vaccine may be encapsulated in, linked to and/or associated with zwitterionic lipids. Non-limiting examples of zwitterionic lipids and methods of using zwitterionic lipids are described in U.S. Patent Publication No. US20130216607, the contents of which are herein incorporated by reference in their entirety. In some aspects, the zwitterionic lipids may be used in the liposomes and lipid nanoparticles described herein.

**[0507]** In some embodiments, the RNA (e.g., mRNA) vaccine may be formulated in colloid nanocarriers as described in U.S. Patent Publication No. US20130197100, the contents of which are herein incorporated by reference in their entirety.

**[0508]** In some embodiments, the nanoparticle may be optimized for oral administration. The nanoparticle may comprise at least one cationic biopolymer such as, but not limited to, chitosan or a derivative thereof. As a non-limiting example, the nanoparticle may be formulated by the methods described in U.S. Publication No. 20120282343, the contents of which are herein incorporated by reference in their entirety.

**[0509]** In some embodiments, LNPs comprise the lipid KL52 (an amino-lipid disclosed in U.S. Application Publication No. 2012/0295832, the contents of which are herein incorporated by reference in their entirety. Activity and/or safety (as measured by examining one or more of ALT/AST, white blood cell count and cytokine induction, for example) of LNP administration may be improved by incorporation of such lipids. LNPs comprising KL52 may be administered intravenously and/or in one or more doses. In some embodiments, administration of LNPs comprising KL52 results in equal or improved mRNA and/or protein expression as compared to LNPs comprising MC3.

**[0510]** In some embodiments, RNA (e.g., mRNA) vaccine may be delivered using smaller LNPs. Such particles may comprise a diameter from below 0.1  $\mu\text{m}$  up to 100  $\mu\text{m}$  such as, but not limited to, less than 0.1  $\mu\text{m}$ , less than 1.0  $\mu\text{m}$ , less than 5  $\mu\text{m}$ , less than 10  $\mu\text{m}$ , less than 15  $\mu\text{m}$ , less than 20  $\mu\text{m}$ , less than 25  $\mu\text{m}$ , less than 30  $\mu\text{m}$ , less than 35  $\mu\text{m}$ , less than 40  $\mu\text{m}$ , less than 50  $\mu\text{m}$ , less than 55  $\mu\text{m}$ , less than 60  $\mu\text{m}$ , less than 65  $\mu\text{m}$ , less than 70  $\mu\text{m}$ , less than 75  $\mu\text{m}$ , less than 80  $\mu\text{m}$ , less than 85  $\mu\text{m}$ , less than 90  $\mu\text{m}$ , less than 95  $\mu\text{m}$ , less than 100  $\mu\text{m}$ , less than 125  $\mu\text{m}$ , less than 150  $\mu\text{m}$ , less than 175  $\mu\text{m}$ , less than 200  $\mu\text{m}$ , less than 225  $\mu\text{m}$ , less than 250  $\mu\text{m}$ , less than 275  $\mu\text{m}$ , less than 300  $\mu\text{m}$ , less than 325  $\mu\text{m}$ , less than 350  $\mu\text{m}$ , less than 375  $\mu\text{m}$ , less than 400  $\mu\text{m}$ , less than 425  $\mu\text{m}$ , less than 450  $\mu\text{m}$ , less than 475  $\mu\text{m}$ , less than 500  $\mu\text{m}$ , less than 525  $\mu\text{m}$ , less than 550  $\mu\text{m}$ , less than 575  $\mu\text{m}$ , less than 600  $\mu\text{m}$ , less than 625  $\mu\text{m}$ , less than 650  $\mu\text{m}$ , less than 675  $\mu\text{m}$ , less than 700  $\mu\text{m}$ , less than 725  $\mu\text{m}$ , less than 750  $\mu\text{m}$ , less than 775  $\mu\text{m}$ , less than 800  $\mu\text{m}$ , less than 825  $\mu\text{m}$ , less than 850  $\mu\text{m}$ , less than 875  $\mu\text{m}$ , less than 900  $\mu\text{m}$ , less than 925  $\mu\text{m}$ , less than 950  $\mu\text{m}$ , less than 975  $\mu\text{m}$ , or less than 1000  $\mu\text{m}$ .

**[0511]** In some embodiments, RNA (e.g., mRNA) vaccines may be delivered using smaller LNPs, which may comprise a diameter from about 1 nm to about 100 nm, from about 1 nm to about 10 nm, about 1 nm to about 20 nm, from about 1 nm to about 30 nm, from about 1 nm to about 40 nm, from about 1 nm to about 50 nm, from about 1 nm to about 60 nm, from about 1 nm to about 70 nm, from about 1 nm to about 80 nm, from about 1 nm to about 90 nm, from about 5 nm to about 100 nm, from about 5 nm to about 10 nm, about 5 nm to about 20 nm, from about 5 nm to about 30 nm, from about 5 nm to about 40 nm, from about 5 nm to about 50 nm, from about 5 nm to about 60 nm, from about 5 nm to about 70 nm, from about 5 nm to about 80 nm, from about 5 nm to about 90 nm, about 10 to about 50 nm, from about 20 to about 50 nm, from about 30 to about 50 nm, from about 40 to about 50 nm, from about 20 to about 60 nm, from about 30 to about 60 nm, from about 40 to about 60 nm, from about 20 to about 70 nm, from about 30 to about 70 nm, from about 40 to about 70 nm, from about 50 to about 70 nm, from about 5 nm to about 70 nm, from about 60 to about 70 nm, from about 20 to about 80 nm, from about 30 to about 80 nm, from about 40 to about 80 nm, from about 50 to about 80 nm, from about 60 to about 80 nm, from about 20 to about 90 nm, from about 30 to about 90 nm, from about 40 to about 90 nm, from about 50 to about 90 nm, from about 60 to about 90 nm and/or from about 70 to about 90 nm.

**[0512]** In some embodiments, such LNPs are synthesized using methods comprising microfluidic mixers. Examples of microfluidic mixers may include, but are not limited to, a slit interdigital micromixer including, but not limited to those manufactured by Microinnova (Allerheiligen bei Wildon, Austria) and/or a staggered herringbone micromixer (SHM) (Zhigaltsev, I.V. et al., Bottom-up design and synthesis of limit size lipid nanoparticle systems with aqueous and triglyceride cores using millisecond microfluidic mixing have been published (Langmuir. 2012. 28:3633-40; Bellevue, N. M. et al., Microfluidic synthesis of highly potent limit-size lipid nanoparticles for in vivo delivery of siRNA. Molecular Therapy-Nucleic Acids. 2012. 1:e37; Chen, D. et al., Rapid discovery of potent siRNA-containing lipid nanoparticles enabled by controlled microfluidic formulation. J Am Chem Soc. 2012. 134(16):6948-51, the contents of each of which are herein incorporated by reference in their entirety). In some embodiments, methods of LNP generation comprising SHM, further comprise the mixing of at least two input streams wherein mixing occurs by microstructure-induced chaotic advection (MICA). According to this method, fluid streams flow through channels present in a herringbone pattern causing rotational flow and folding the fluids around each other. This method may also comprise a surface for fluid mixing wherein the surface changes orientations during fluid cycling. Methods of generating LNPs using SHM include those disclosed in U.S. Application Publication Nos. 2004/0262223 and 2012/0276209, the contents of each of which are herein incorporated by reference in their entirety.

**[0513]** In some embodiments, the RNA (e.g., mRNA) vaccine of the present disclosure may be formulated in lipid nanoparticles created using a micromixer such as, but not limited to, a Slit Interdigital Microstructured Mixer (SIMM-V2) or a Standard Slit Interdigital Micro Mixer (SSIMM) or Caterpillar (CPMM) or Impinging-jet (IJMM) from the Institut für Mikrotechnik Mainz GmbH, Mainz Germany).

**[0514]** In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in lipid nanoparticles created using microfluidic technology (see, e.g., Whitesides, George M. The Origins and the Future of Microfluidics. Nature, 2006 442: 368-373; and Abraham et al. Chaotic Mixer for Microchannels. Science, 2002 295: 647-651; each of which is herein incorporated by reference in its entirety). As a non-limiting example, controlled microfluidic formulation includes a passive method for mixing streams of steady pressure-driven flows in micro channels at a low Reynolds number (see, e.g., Abraham et al. Chaotic Mixer for Microchannels. Science, 2002 295: 647-651, the contents of which are herein incorporated by reference in their entirety).

**[0515]** In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in lipid nanoparticles created using a micromixer chip such as, but not limited to, those from Harvard Apparatus (Holliston, Mass.) or Dolomite Microfluidics (Royston, UK). A micromixer chip can be used for rapid mixing of two or more fluid streams with a split and recombine mechanism.

**[0516]** In some embodiments, the RNA (e.g., mRNA) vaccines of the disclosure may be formulated for delivery using the drug encapsulating microspheres described in International Patent Publication No. WO2013063468 or U.S. Pat. No. 8,440,614, the contents of each of which are herein incorporated by reference in their entirety. The microspheres may comprise a compound of the formula (I), (II), (III), (IV), (V) or (VI) as described in International Patent Publication No. WO2013063468, the contents of which are herein incorporated by reference in their entirety. In some embodiments, the amino acid, peptide, polypeptide, lipids (APPL) are useful in delivering the RNA (e.g., mRNA) vaccines of the disclosure to cells (see International Patent Publication No. WO2013063468, the contents of which are herein incorporated by reference in their entirety).

**[0517]** In some embodiments, the RNA (e.g., mRNA) vaccines of the disclosure may be formulated in lipid nanoparticles having a diameter from about 10 to about 100 nm such as, but not limited to, about 10 to about 20 nm, about 10 to about 30 nm, about 10 to about 40 nm, about 10 to about 50 nm, about 10 to about 60 nm, about 10 to about 70 nm, about 10 to about 80 nm, about 10 to about 90 nm, about 20 to about 30 nm, about 20 to about 40 nm, about 20 to about 50 nm, about 20 to about 60 nm, about 20 to about 70 nm, about 20 to about 80 nm, about 20 to about 90 nm, about 20 to about 100 nm, about 30 to about 40 nm, about 30 to about 50 nm, about 30 to about 60 nm, about 30 to about 70 nm, about 30 to about 80 nm, about 30 to about 90 nm, about 30 to about 100 nm, about 40 to about 50 nm, about 40 to about 60 nm, about 40 to about 70 nm, about 40 to about 80 nm, about 40 to about 90 nm, about 40 to about 100 nm, about 50 to about 60 nm, about 50 to about 70 nm, about 50 to about 80 nm, about 50 to about 90 nm, about 50 to about 100 nm, about 60 to about 70 nm, about 60 to about 80 nm, about 60 to about 90 nm, about 60 to about 100 nm, about 70 to about 80 nm, about 70 to about 90 nm, about 70 to about 100 nm, about 80 to about 90 nm, about 80 to about 100 nm and/or about 90 to about 100 nm.

**[0518]** In some embodiments, the lipid nanoparticles may have a diameter from about 10 to 500 nm.

**[0519]** In some embodiments, the lipid nanoparticle may have a diameter greater than 100 nm, greater than 150 nm, greater than 200 nm, greater than 250 nm, greater than 300



nm, greater than 350 nm, greater than 400 nm, greater than 450 nm, greater than 500 nm, greater than 550 nm, greater than 600 nm, greater than 650 nm, greater than 700 nm, greater than 750 nm, greater than 800 nm, greater than 850 nm, greater than 900 nm, greater than 950 nm or greater than 1000 nm.

**[0520]** In some embodiments, the lipid nanoparticle may be a limit size lipid nanoparticle described in International Patent Publication No. WO2013059922, the contents of which are herein incorporated by reference in their entirety. The limit size lipid nanoparticle may comprise a lipid bilayer surrounding an aqueous core or a hydrophobic core; where the lipid bilayer may comprise a phospholipid such as, but not limited to, diacylphosphatidylcholine, a diacylphosphatidylethanolamine, a ceramide, a sphingomyelin, a dihydrosphingomyelin, a cephalin, a cerebroside, a C8-C20 fatty acid diacylphosphatidylcholine, and 1-palmitoyl-2-oleoyl phosphatidylcholine (POPC). In some embodiments, the limit size lipid nanoparticle may comprise a polyethylene glycol-lipid such as, but not limited to, DLPE-PEG, DMPE-PEG, DPPC-PEG and DSPE-PEG.

**[0521]** In some embodiments, the RNA (e.g., mRNA) vaccines may be delivered, localized and/or concentrated in a specific location using the delivery methods described in International Patent Publication No. WO2013063530, the contents of which are herein incorporated by reference in their entirety. As a non-limiting example, a subject may be administered an empty polymeric particle prior to, simultaneously with or after delivering the RNA (e.g., mRNA) vaccines to the subject. The empty polymeric particle undergoes a change in volume once in contact with the subject and becomes lodged, embedded, immobilized or entrapped at a specific location in the subject.

**[0522]** In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in an active substance release system (see, e.g., U.S. Patent Publication No. US20130102545, the contents of which are herein incorporated by reference in their entirety). The active substance release system may comprise 1) at least one nanoparticle bonded to an oligonucleotide inhibitor strand which is hybridized with a catalytically active nucleic acid and 2) a compound bonded to at least one substrate molecule bonded to a therapeutically active substance (e.g., polynucleotides described herein), where the therapeutically active substance is released by the cleavage of the substrate molecule by the catalytically active nucleic acid.

**[0523]** In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a nanoparticle comprising an inner core comprising a non-cellular material and an outer surface comprising a cellular membrane. The cellular membrane may be derived from a cell or a membrane derived from a virus. As a non-limiting example, the nanoparticle may be made by the methods described in International Patent Publication No. WO2013052167, the contents of which are herein incorporated by reference in their entirety. As another non-limiting example, the nanoparticle described in International Patent Publication No. WO2013052167, the contents of which are herein incorporated by reference in their entirety, may be used to deliver the RNA (e.g., mRNA) vaccines described herein.

**[0524]** In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in porous nanoparticle-supported lipid bilayers (protocells). Protocells are described in

International Patent Publication No. WO2013056132, the contents of which are herein incorporated by reference in their entirety.

**[0525]** In some embodiments, the RNA (e.g., mRNA) vaccines described herein may be formulated in polymeric nanoparticles as described in or made by the methods described in U.S. Pat. Nos. 8,420,123 and 8,518,963 and European Patent No. EP2073848B1, the contents of each of which are herein incorporated by reference in their entirety. As a non-limiting example, the polymeric nanoparticle may have a high glass transition temperature such as the nanoparticles described in or nanoparticles made by the methods described in U.S. Pat. No. 8,518,963, the contents of which are herein incorporated by reference in their entirety. As another non-limiting example, the polymer nanoparticle for oral and parenteral formulations may be made by the methods described in European Patent No. EP2073848B1, the contents of which are herein incorporated by reference in their entirety.

**[0526]** In some embodiments, the RNA (e.g., mRNA) vaccines described herein may be formulated in nanoparticles used in imaging. The nanoparticles may be liposome nanoparticles such as those described in U.S. Patent Publication No. US20130129636, herein incorporated by reference in its entirety. As a non-limiting example, the liposome may comprise gadolinium(III)-{4,7-bis-carboxymethyl-10-[(N,N-distearylamidomethyl-N'-amido-methyl]-1,4,7,10-tetra-azacyclododec-1-yl}-acetic acid and a neutral, fully saturated phospholipid component (see, e.g., U.S. Patent Publication No. US20130129636, the contents of which are herein incorporated by reference in their entirety).

**[0527]** In some embodiments, the nanoparticles which may be used in the present disclosure are formed by the methods described in U.S. Patent Application No. US20130130348, the contents of which are herein incorporated by reference in their entirety.

**[0528]** The nanoparticles of the present disclosure may further include nutrients such as, but not limited to, those which deficiencies can lead to health hazards from anemia to neural tube defects (see, e.g., the nanoparticles described in International Patent Publication No. WO2013072929, the contents of which are herein incorporated by reference in their entirety). As a non-limiting example, the nutrient may be iron in the form of ferrous, ferric salts or elemental iron, iodine, folic acid, vitamins or micronutrients.

**[0529]** In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in a swellable nanoparticle. The swellable nanoparticle may be, but is not limited to, those described in U.S. Pat. No. 8,440,231, the contents of which are herein incorporated by reference in their entirety. As a non-limiting embodiment, the swellable nanoparticle may be used for delivery of the RNA (e.g., mRNA) vaccines of the present disclosure to the pulmonary system (see, e.g., U.S. Pat. No. 8,440,231, the contents of which are herein incorporated by reference in their entirety).

**[0530]** The RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in polyanhydride nanoparticles such as, but not limited to, those described in U.S. Pat. No. 8,449,916, the contents of which are herein incorporated by reference in their entirety.

**[0531]** The nanoparticles and microparticles of the present disclosure may be geometrically engineered to modulate macrophage and/or the immune response. In some embodi-

ments, the geometrically engineered particles may have varied shapes, sizes and/or surface charges in order to incorporate the polynucleotides of the present disclosure for targeted delivery such as, but not limited to, pulmonary delivery (see, e.g., International Publication No. WO2013082111, the contents of which are herein incorporated by reference in their entirety). Other physical features the geometrically engineering particles may have include, but are not limited to, fenestrations, angled arms, asymmetry and surface roughness, charge which can alter the interactions with cells and tissues. As a non-limiting example, nanoparticles of the present disclosure may be made by the methods described in International Publication No. WO2013082111, the contents of which are herein incorporated by reference in their entirety.

**[0532]** In some embodiments, the nanoparticles of the present disclosure may be water soluble nanoparticles such as, but not limited to, those described in International Publication No. WO2013090601, the contents of which are herein incorporated by reference in their entirety. The nanoparticles may be inorganic nanoparticles which have a compact and zwitterionic ligand in order to exhibit good water solubility. The nanoparticles may also have small hydrodynamic diameters (HD), stability with respect to time, pH, and salinity and a low level of non-specific protein binding.

**[0533]** In some embodiments the nanoparticles of the present disclosure may be developed by the methods described in U.S. Patent Publication No. US20130172406, the contents of which are herein incorporated by reference in their entirety.

**[0534]** In some embodiments, the nanoparticles of the present disclosure are stealth nanoparticles or target-specific stealth nanoparticles such as, but not limited to, those described in U.S. Patent Publication No. US20130172406, the contents of which are herein incorporated by reference in their entirety. The nanoparticles of the present disclosure may be made by the methods described in U.S. Patent Publication No. US20130172406, the contents of which are herein incorporated by reference in their entirety.

**[0535]** In some embodiments, the stealth or target-specific stealth nanoparticles may comprise a polymeric matrix. The polymeric matrix may comprise two or more polymers such as, but not limited to, polyethylenes, polycarbonates, poly-anhydrides, polyhydroxyacids, polypropylfumerates, polycaprolactones, polyamides, polyacetals, polyethers, polyesters, poly(orthoesters), polycyanoacrylates, polyvinyl alcohols, polyurethanes, polyphosphazenes, polyacrylates, polymethacrylates, polycyanoacrylates, polyureas, polystyrenes, polyamines, polyesters, polyanhydrides, polyethers, polyurethanes, polymethacrylates, polyacrylates, polycyanoacrylates or combinations thereof.

**[0536]** In some embodiments, the nanoparticle may be a nanoparticle-nucleic acid hybrid structure having a high density nucleic acid layer. As a non-limiting example, the nanoparticle-nucleic acid hybrid structure may be made by the methods described in U.S. Patent Publication No. US20130171646, the contents of which are herein incorporated by reference in their entirety. The nanoparticle may comprise a nucleic acid such as, but not limited to, polynucleotides described herein and/or known in the art.


**[0537]** At least one of the nanoparticles of the present disclosure may be embedded in in the core nanostructure

or coated with a low density porous 3-D structure or coating which is capable of carrying or associating with at least one payload within or on the surface of the nanostructure. Non-limiting examples of the nanostructures comprising at least one nanoparticle are described in International Patent Publication No. WO2013123523, the contents of which are herein incorporated by reference in their entirety.

**[0538]** In some embodiments the RNA (e.g., mRNA) vaccine may be associated with a cationic or polycationic compounds, including protamine, nucleoline, spermine or spermidine, or other cationic peptides or proteins, such as poly-L-lysine (PLL), polyarginine, basic polypeptides, cell penetrating peptides (CPPs), including HIV-binding peptides, HIV-1 Tat (HIV), Tat-derived peptides, Penetratin, VP<sup>22</sup> derived or analog peptides, Pestivirus Ems, HSV, VP<sup>22</sup> (Herpes simplex), MAP, KALA or protein transduction domains (PTDs), PpT620, prolin-rich peptides, arginine-rich peptides, lysine-rich peptides, MPG-peptide(s), Pep-1, L-oligomers, Calcitonin peptide(s), Antennapedia-derived peptides (particularly from *Drosophila antennapedia*), pAntp, plsl, FGF, Lactoferrin, Transportan, Buforin-2, Bac715-24, SynB, SynB(1), pVEC, hCT-derived peptides, SAP, histones, cationic polysaccharides, for example chitosan, polybrene, cationic polymers, e.g. polyethyleneimine (PEI), cationic lipids, e.g. DOTMA: [1-(2,3-sioleyloxy)propyl]-[N,N,N-trimethylammonium chloride, DMRIE, di-C14-amidine, DOTIM, SAINT, DC-Chol, BGTC, CTAP, DOPC, DODAP, DOPE: Dioleoyl phosphatidylethanolamine, DOSPA, DODAB, DOIC, DMEPC, DOGS: Dioctadecylamidoglycylspermin, DIMRI: Dimyristooxypropyl dimethyl hydroxyethyl ammonium bromide, DOTAP: dioleoyloxy-3-(trimethylammonio)propane, DC-6-14: O,O-ditetradecanoyl-N-.alpha.-trimethylammonioacetyl)diethanolamine chloride, CLIP 1: rac-[(2,3-dioctadecyloxypropyl)(2-hydroxyethyl)-[dimethylammonium chloride, CLIP6: rac-[2(2,3-dihexadecyloxypropyloxymethyloxy)ethyl]-trimethylammonium, CLIP9: rac-[2(2,3-dihexadecyloxypropyloxysuccinyloxy)ethyl]-trimethylammonium, oligofectamine, or cationic or polycationic polymers, e.g. modified polyaminoacids, such as beta-aminoacid-polymers or reversed polyamides, etc., modified polyethylenes, such as PVP (poly(N-ethyl-4-vinylpyridinium bromide)), etc., modified acrylates, such as pDMAEMA (poly(dimethylaminoethyl methylacrylate)), etc., modified amidoamines such as pAMAM (poly(amidoamine)), etc., modified polybetaminoester (PBAE), such as diamine end modified 1,4-butanediol diacrylate-co-5-amino-1-pentanol polymers, etc., dendrimers, such as polypropylamine dendrimers or pAMAM based dendrimers, etc., polyimine(s), such as PEI: poly(ethyleneimine), poly(propyleneimine), etc., polyallylamine, sugar backbone based polymers, such as cyclodextrin based polymers, dextran based polymers, chitosan, etc., silan backbone based polymers, such as PMOXA-PDMS copolymers, etc., blockpolymers consisting of a combination of one or more cationic blocks (e.g. selected from a cationic polymer as mentioned above) and of one or more hydrophilic or hydrophobic blocks (e.g. polyethyleneglycole), etc.

**[0539]** In other embodiments the RNA (e.g., mRNA) vaccine is not associated with a cationic or polycationic compounds.

[0540] In some embodiments, a nanoparticle comprises compounds of Formula (I):



(I)

[0541] or a salt or isomer thereof, wherein:

[0542]  $R_1$  is selected from the group consisting of  $C_{5-30}$  alkyl,  $C_{5-20}$  alkenyl,  $-R^*YR''$ ,  $-YR''$ , and  $-R''M'R'$ ;

[0543]  $R_2$  and  $R_3$  are independently selected from the group consisting of H,  $C_{1-14}$  alkyl,  $C_{2-14}$  alkenyl,  $-R^*YR''$ ,  $-YR''$ , and  $-R^*OR''$ , or  $R_2$  and  $R_3$ , together with the atom to which they are attached, form a heterocycle or carbocycle;

[0544]  $R_4$  is selected from the group consisting of a  $C_{3-6}$  carbocycle,  $-(CH_2)_nQ$ ,  $-(CH_2)_nCHQR$ ,

[0545]  $-CHQR$ ,  $-CQ(R)_2$ , and unsubstituted  $C_{1-6}$  alkyl, where Q is selected from a carbocycle, heterocycle,  $-OR$ ,  $-O(CH_2)_nN(R)_2$ ,  $-C(O)OR$ ,  $-OC(O)R$ ,  $-CX_3$ ,  $-CX_2H$ ,  $-CXH_2$ ,  $-CN$ ,  $-N(R)_2$ ,  $-C(O)N(R)_2$ ,  $-N(R)C(O)R$ ,  $-N(R)S(O)_2R$ ,  $-N(R)C(O)N(R)_2$ ,  $-(R)C(S)N(R)_2$ ,  $-N(R)R_8$ ,  $-O(CH_2)_nOR$ ,  $-N(R)C(=NR_9)N(R)_2$ ,  $-(R)C(=CHR_9)N(R)_2$ ,  $-OC(O)N(R)_2$ ,  $-N(R)C(O)OR$ ,  $-N(OR)C(O)R$ ,  $-N(OR)S(O)_2R$ ,  $-N(OR)C(O)OR$ ,  $-N(OR)C(O)N(R)_2$ ,  $-(OR)C(S)N(R)_2$ ,  $-N(OR)C(=NR_9)N(R)_2$ ,  $-N(OR)C(=CHR_9)N(R)_2$ ,  $-C(=NR_9)N(R)_2$ ,  $-C(=NR_9)R$ ,  $-C(O)N(R)OR$ , and  $-C(R)N(R)_2C(O)OR$ , and each n is independently selected from 1, 2, 3, 4, and 5;

[0546] each  $R_5$  is independently selected from the group consisting of  $C_{1-3}$  alkyl,  $C_{2-3}$  alkenyl, and H;

[0547] each  $R_6$  is independently selected from the group consisting of  $C_{1-3}$  alkyl,  $C_{2-3}$  alkenyl, and H;

[0548] M and M' are independently selected from  $-C(O)O-$ ,  $-OC(O)-$ ,  $-C(O)N(R')$ ,  $-N(R')C(O)-$ ,  $-C(O)-$ ,  $-C(S)-$ ,  $-C(S)S-$ ,  $-SC(S)-$ ,  $-CH(OH)-$ ,  $-P(O)(OR')O-$ ,  $-S(O)_2-$ ,  $-S-S-$ , an aryl group, and a heteroaryl group;

[0549]  $R_7$  is selected from the group consisting of  $C_{1-3}$  alkyl,  $C_{2-3}$  alkenyl, and H;

[0550]  $R_8$  is selected from the group consisting of  $C_{3-6}$  carbocycle and heterocycle;

[0551]  $R_9$  is selected from the group consisting of H, CN,  $NO_2$ ,  $C_{1-6}$  alkyl,  $-OR$ ,  $-S(O)_2R$ ,  $-S(O)_2N(R)_2$ ,  $C_{2-6}$  alkenyl,  $C_{3-6}$  carbocycle and heterocycle;

[0552] each R is independently selected from the group consisting of  $C_{1-3}$  alkyl,  $C_{2-3}$  alkenyl, and H;

[0553] each R' is independently selected from the group consisting of  $C_{1-18}$  alkyl,  $C_{2-18}$  alkenyl,  $-R^*YR''$ ,  $-YR''$ , and H;

[0554] each R'' is independently selected from the group consisting of  $C_{3-14}$  alkyl and  $C_{3-14}$  alkenyl;

[0555] each R\* is independently selected from the group consisting of  $C_{1-12}$  alkyl and  $C_{2-12}$  alkenyl;

[0556] each Y is independently a  $C_{3-6}$  carbocycle;

[0557] each X is independently selected from the group consisting of F, Cl, Br, and I; and

[0558] m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13.

[0559] In some embodiments, a subset of compounds of Formula (I) includes those in which when  $R_4$  is  $-(CH_2)_nQ$ ,

$-(CH_2)_nCHQR$ ,  $-CHQR$ , or  $-CQ(R)_2$ , then (i) Q is not  $-N(R)_2$  when n is 1, 2, 3, 4 or 5, or (ii) Q is not 5, 6, or 7-membered heterocycloalkyl when n is 1 or 2.

[0560] In some embodiments, another subset of compounds of Formula (I) includes those in which

[0561]  $R_1$  is selected from the group consisting of  $C_{5-30}$  alkyl,  $C_{5-20}$  alkenyl,  $-R^*YR''$ ,  $-YR''$ , and  $-R''M'R'$ ;

[0562]  $R_2$  and  $R_3$  are independently selected from the group consisting of H,  $C_{1-14}$  alkyl,  $C_{2-14}$  alkenyl,  $-R^*YR''$ ,  $-YR''$ , and  $-R^*OR''$ , or  $R_2$  and  $R_3$ , together with the atom to which they are attached, form a heterocycle or carbocycle;

[0563]  $R_4$  is selected from the group consisting of a  $C_{3-6}$  carbocycle,  $-(CH_2)_nQ$ ,  $-(CH_2)_nCHQR$ ,

[0564]  $-CHQR$ ,  $-CQ(R)_2$ , and unsubstituted  $C_{1-6}$  alkyl, where Q is selected from a  $C_{3-6}$  carbocycle, a 5- to 14-membered heteroaryl having one or more heteroatoms selected from N, O, and S,  $-OR$ ,

[0565]  $-O(CH_2)_nN(R)_2$ ,  $-C(O)OR$ ,  $-OC(O)R$ ,  $-CX_3$ ,  $-CX_2H$ ,  $-CXH_2$ ,  $-CN$ ,  $-C(O)N(R)_2$ ,  $-N(R)C(O)R$ ,  $-N(R)S(O)_2R$ ,  $-N(R)C(O)N(R)_2$ ,  $-N(R)C(S)N(R)_2$ ,  $-CRN(R)_2C(O)OR$ ,  $-N(R)R_8$ ,  $-O(CH_2)_nOR$ ,  $-N(R)C(=NR_9)N(R)_2$ ,  $-N(R)C(=CHR_9)N(R)_2$ ,  $-OC(O)N(R)_2$ ,  $-N(OR)C(O)OR$ ,  $-N(OR)C(O)R$ ,  $-N(OR)S(O)_2R$ ,  $-N(OR)C(O)OR$ ,  $-N(OR)C(O)N(R)_2$ ,  $-N(OR)C(S)N(R)_2$ ,  $-N(OR)C(=NR_9)N(R)_2$ ,  $-N(OR)C(=CHR_9)N(R)_2$ ,  $-C(=NR_9)N(R)_2$ ,  $-C(=NR_9)R$ ,  $-C(O)N(R)OR$ , and a 5- to 14-membered heterocycloalkyl having one or more heteroatoms selected from N, O, and S which is substituted with one or more substituents selected from oxo ( $=O$ ), OH, amino, mono- or di-alkylamino, and  $C_{1-3}$  alkyl, and each n is independently selected from 1, 2, 3, 4, and 5;

[0566] each  $R_6$  is independently selected from the group consisting of  $C_{1-3}$  alkyl,  $C_{2-3}$  alkenyl, and H;

[0567] each  $R_7$  is independently selected from the group consisting of  $C_{1-3}$  alkyl,  $C_{2-3}$  alkenyl, and H;

[0568] M and M' are independently selected from  $-C(O)O-$ ,  $-OC(O)-$ ,  $-C(O)N(R')$ ,  $-N(R')C(O)-$ ,  $-C(O)-$ ,  $-C(S)-$ ,  $-C(S)S-$ ,  $-SC(S)-$ ,  $-CH(OH)-$ ,  $-P(O)(OR')O-$ ,  $-S(O)_2-$ ,  $-S-S-$ , an aryl group, and a heteroaryl group;

[0569]  $R_7$  is selected from the group consisting of  $C_{1-3}$  alkyl,  $C_{2-3}$  alkenyl, and H;

[0570]  $R_8$  is selected from the group consisting of  $C_{3-6}$  carbocycle and heterocycle;

[0571]  $R_9$  is selected from the group consisting of H, CN,  $NO_2$ ,  $C_{1-6}$  alkyl,  $-OR$ ,  $-S(O)_2R$ ,  $-S(O)_2N(R)_2$ ,  $C_{2-6}$  alkenyl,  $C_{3-6}$  carbocycle and heterocycle;

[0572] each R is independently selected from the group consisting of  $C_{1-3}$  alkyl,  $C_{2-3}$  alkenyl, and H;

[0573] each R' is independently selected from the group consisting of  $C_{1-18}$  alkyl,  $C_{2-18}$  alkenyl,  $-R^*YR''$ ,  $-YR''$ , and H;

[0574] each R'' is independently selected from the group consisting of  $C_{3-14}$  alkyl and  $C_{3-14}$  alkenyl;

[0575] each R\* is independently selected from the group consisting of  $C_{1-12}$  alkyl and  $C_{2-12}$  alkenyl;

[0576] each Y is independently a  $C_{3-6}$  carbocycle;

[0577] each X is independently selected from the group consisting of F, Cl, Br, and I; and

[0578] m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13, or salts or isomers thereof.

[0579] In some embodiments, another subset of compounds of Formula (I) includes those in which

**[0580]** R<sub>1</sub> is selected from the group consisting of C<sub>5-30</sub> alkyl, C<sub>5-20</sub> alkenyl, —R\*YR", —YR", and —R"M'R";

**[0581]** R<sub>2</sub> and R<sub>3</sub> are independently selected from the group consisting of H, C<sub>1-14</sub> alkyl, C<sub>2-14</sub> alkenyl, —R\*YR", —YR", and —R\*OR", or R<sub>2</sub> and R<sub>3</sub>, together with the atom to which they are attached, form a heterocycle or carbocycle;

**[0582]** R<sub>4</sub> is selected from the group consisting of a C<sub>3-6</sub> carbocycle, —(CH<sub>2</sub>)<sub>n</sub>Q, —(CH<sub>2</sub>)<sub>n</sub>CHQR,

**[0583]** —CHQR, —CQ(R)<sub>2</sub>, and unsubstituted C<sub>1-6</sub> alkyl, where Q is selected from a C<sub>3-6</sub> carbocycle, a 5- to 14-membered heterocycle having one or more heteroatoms selected from N, O, and S, —OR,

**[0584]** —O(CH<sub>2</sub>)<sub>n</sub>N(R)<sub>2</sub>, —C(O)OR, —OC(O)R, —CX<sub>3</sub>, —CX<sub>2</sub>H, —CXH<sub>2</sub>, —CN, —C(O)N(R)<sub>2</sub>, —N(R)C(O)R, —N(R)S(O)<sub>2</sub>R, —N(R)C(O)N(R)<sub>2</sub>, —N(R)C(S)N(R)<sub>2</sub>, —CRN(R)<sub>2</sub>C(O)OR, —N(R)R<sub>8</sub>,

**[0585]** —O(CH<sub>2</sub>)<sub>n</sub>OR, —N(R)C(=NR<sub>9</sub>)N(R)<sub>2</sub>, —N(R)C(=CHR<sub>9</sub>)N(R)<sub>2</sub>, —OC(O)N(R)<sub>2</sub>, —N(R)C(O)OR, —N(OR)C(O)R, —N(OR)S(O)<sub>2</sub>R, —N(OR)C(O)OR, —N(OR)C(O)N(R)<sub>2</sub>, —N(OR)C(S)N(R)<sub>2</sub>, —N(OR)C(=NR<sub>9</sub>)N(R)<sub>2</sub>, —N(OR)C(=CHR<sub>9</sub>)N(R)<sub>2</sub>, —C(=NR<sub>9</sub>)R, —C(O)N(R)OR, and —C(=NR<sub>9</sub>)N(R)<sub>2</sub>, and each n is independently selected from 1, 2, 3, 4, and 5; and when Q is a 5- to 14-membered heterocycle and (i) R<sub>4</sub> is —(CH<sub>2</sub>)<sub>n</sub>Q in which n is 1 or 2, or (ii) R<sub>4</sub> is —(CH<sub>2</sub>)<sub>n</sub>CHQR in which n is 1, or (iii) R<sub>4</sub> is —CHQR, and —CQ(R)<sub>2</sub>, then Q is either a 5- to 14-membered heteroaryl or 8- to 14-membered heterocycloalkyl;

**[0586]** each R<sub>5</sub> is independently selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

**[0587]** each R<sub>6</sub> is independently selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

**[0588]** M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —N(R')C(O)—, —C(O)—, —C(S)—, —C(S)S—, —SC(S)—, —CH(OH)—, —P(O)(OR')O—, —S(O)<sub>2</sub>—, —S—S—, an aryl group, and a heteroaryl group;

**[0589]** R<sub>7</sub> is selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

**[0590]** R<sub>8</sub> is selected from the group consisting of C<sub>3-6</sub> carbocycle and heterocycle;

**[0591]** R<sub>9</sub> is selected from the group consisting of H, CN, NO<sub>2</sub>, C<sub>1-6</sub> alkyl, —OR, —S(O)<sub>2</sub>R, —S(O)<sub>2</sub>N(R)<sub>2</sub>, C<sub>2-6</sub> alkenyl, C<sub>3-6</sub> carbocycle and heterocycle;

**[0592]** each R is independently selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

**[0593]** each R' is independently selected from the group consisting of C<sub>1-18</sub> alkyl, C<sub>2-18</sub> alkenyl, —R\*YR", —YR", and H;

**[0594]** each R" is independently selected from the group consisting of C<sub>3-14</sub> alkyl and C<sub>3-14</sub> alkenyl;

**[0595]** each R\* is independently selected from the group consisting of C<sub>1-12</sub> alkyl and C<sub>2-12</sub> alkenyl;

**[0596]** each Y is independently a C<sub>3-6</sub> carbocycle;

**[0597]** each X is independently selected from the group consisting of F, Cl, Br, and I; and

**[0598]** m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13,

**[0599]** or salts or isomers thereof.

**[0600]** In some embodiments, another subset of compounds of Formula (I) includes those in which

**[0601]** R<sub>1</sub> is selected from the group consisting of C<sub>5-30</sub> alkyl, C<sub>5-20</sub> alkenyl, —R\*YR", —YR", and —R"M'R";

**[0602]** R<sub>2</sub> and R<sub>3</sub> are independently selected from the group consisting of H, C<sub>1-14</sub> alkyl, C<sub>2-14</sub> alkenyl, —R\*YR",

—YR", and —R\*OR", or R<sub>2</sub> and R<sub>3</sub>, together with the atom to which they are attached, form a heterocycle or carbocycle;

**[0603]** R<sub>4</sub> is selected from the group consisting of a C<sub>3-6</sub> carbocycle, —(CH<sub>2</sub>)<sub>n</sub>Q, —(CH<sub>2</sub>)<sub>n</sub>CHQR,

**[0604]** —CHQR, —CQ(R)<sub>2</sub>, and unsubstituted C<sub>1-6</sub> alkyl, where Q is selected from a C<sub>3-6</sub> carbocycle, a 5- to 14-membered heteroaryl having one or more heteroatoms selected from N, O, and S, —OR,

**[0605]** —O(CH<sub>2</sub>)<sub>n</sub>N(R)<sub>2</sub>, —C(O)OR, —OC(O)R, —CX<sub>3</sub>, —CX<sub>2</sub>H, —CXH<sub>2</sub>, —CN, —C(O)N(R)<sub>2</sub>, —N(R)C(O)R, —N(R)S(O)<sub>2</sub>R, —N(R)C(O)N(R)<sub>2</sub>, —N(R)C(S)N(R)<sub>2</sub>, —CRN(R)<sub>2</sub>C(O)OR, —N(R)R<sub>8</sub>, —O(CH<sub>2</sub>)<sub>n</sub>OR, —N(R)C(=NR<sub>9</sub>)N(R)<sub>2</sub>, —N(R)C(=CHR<sub>9</sub>)N(R)<sub>2</sub>, —OC(O)N(R)<sub>2</sub>, —N(OR)C(O)R, —N(OR)C(O)R, —N(OR)S(O)<sub>2</sub>R, —N(OR)C(O)OR, —N(OR)C(O)N(R)<sub>2</sub>, —N(OR)C(S)N(R)<sub>2</sub>, —N(OR)C(=NR<sub>9</sub>)N(R)<sub>2</sub>, —N(OR)C(=CHR<sub>9</sub>)N(R)<sub>2</sub>, —C(=NR<sub>9</sub>)R, —C(O)N(R)OR, and —C(=NR<sub>9</sub>)N(R)<sub>2</sub>, and each n is independently selected from 1, 2, 3, 4, and 5;

**[0606]** each R<sub>5</sub> is independently selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

**[0607]** each R<sub>6</sub> is independently selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

**[0608]** M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —N(R')C(O)—, —C(O)—, —C(S)—, —C(S)S—, —SC(S)—, —CH(OH)—, —P(O)(OR')O—, —S(O)<sub>2</sub>—, —S—S—, an aryl group, and a heteroaryl group;

**[0609]** R<sub>7</sub> is selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

**[0610]** R<sub>8</sub> is selected from the group consisting of C<sub>3-6</sub> carbocycle and heterocycle;

**[0611]** R<sub>9</sub> is selected from the group consisting of H, CN, NO<sub>2</sub>, C<sub>1-6</sub> alkyl, —OR, —S(O)<sub>2</sub>R, —S(O)<sub>2</sub>N(R)<sub>2</sub>, C<sub>2-6</sub> alkenyl, C<sub>3-6</sub> carbocycle and heterocycle;

**[0612]** each R is independently selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

**[0613]** each R' is independently selected from the group consisting of C<sub>1-18</sub> alkyl, C<sub>2-18</sub> alkenyl, —R\*YR", —YR", and H;

**[0614]** each R" is independently selected from the group consisting of C<sub>3-14</sub> alkyl and C<sub>3-14</sub> alkenyl;

**[0615]** each R\* is independently selected from the group consisting of C<sub>1-12</sub> alkyl and C<sub>2-12</sub> alkenyl;

**[0616]** each Y is independently a C<sub>3-6</sub> carbocycle;

**[0617]** each X is independently selected from the group consisting of F, Cl, Br, and I; and

**[0618]** m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13,

**[0619]** or salts or isomers thereof.

**[0620]** In some embodiments, another subset of compounds of Formula (I) includes those in which

**[0621]** R<sub>1</sub> is selected from the group consisting of C<sub>5-30</sub> alkyl, C<sub>5-20</sub> alkenyl, —R\*YR", —YR", and —R"M'R";

**[0622]** R<sub>2</sub> and R<sub>3</sub> are independently selected from the group consisting of H, C<sub>2-14</sub> alkyl, C<sub>2-14</sub> alkenyl, —R\*YR", —YR", and —R\*OR", or R<sub>2</sub> and R<sub>3</sub>, together with the atom to which they are attached, form a heterocycle or carbocycle;

**[0623]** R<sub>4</sub> is —(CH<sub>2</sub>)<sub>n</sub>Q or —(CH<sub>2</sub>)<sub>n</sub>CHQR, where Q is —N(R)<sub>2</sub>, and n is selected from 3, 4, and 5;

**[0624]** each R<sub>5</sub> is independently selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

**[0625]** each R<sub>6</sub> is independently selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

**[0626]** M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —N(R')C(O)—,

—C(O)—, —C(S)—, —C(S)S—, —SC(S)—, —CH(OH)—, —P(O)(OR')O—, —S(O)<sub>2</sub>—, —S—S—, an aryl group, and a heteroaryl group;

[0627] R<sub>7</sub> is selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

[0628] each R is independently selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

[0629] each R' is independently selected from the group consisting of C<sub>1-18</sub> alkyl, C<sub>2-18</sub> alkenyl, —R\*YR'', —YR'', and H;

[0630] each R'' is independently selected from the group consisting of C<sub>3-14</sub> alkyl and C<sub>3-14</sub> alkenyl;

[0631] each R\* is independently selected from the group consisting of C<sub>1-12</sub> alkyl and C<sub>1-12</sub> alkenyl;

[0632] each Y is independently a C<sub>3-6</sub> carbocycle;

[0633] each X is independently selected from the group consisting of F, Cl, Br, and I; and

[0634] m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13,

[0635] or salts or isomers thereof.

[0636] In some embodiments, another subset of compounds of Formula (I) includes those in which

[0637] R<sub>1</sub> is selected from the group consisting of C<sub>5-30</sub> alkyl, C<sub>5-20</sub> alkenyl, —R\*YR'', —YR'', and —R''M'R';

[0638] R<sub>2</sub> and R<sub>3</sub> are independently selected from the group consisting of C<sub>1-14</sub> alkyl, C<sub>2-14</sub> alkenyl, —R\*YR'', —YR'', and —R\*OR'', or R<sub>2</sub> and R<sub>3</sub>, together with the atom to which they are attached, form a heterocycle or carbocycle;

[0639] R<sub>4</sub> is selected from the group consisting of —(CH<sub>2</sub>)<sub>n</sub>Q, —(CH<sub>2</sub>)<sub>n</sub>CHQR, —CHQR, and 13 CQ(R)<sub>2</sub>, where Q is —N(R)<sub>2</sub>, and n is selected from 1, 2, 3, 4, and 5;

[0640] each R<sub>5</sub> is independently selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H; each R<sub>6</sub> is independently selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

[0641] M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —N(R')C(O)—, —C(O)—, —C(S)—, —C(S)S—, —SC(S)—, —CH(OH)—, —P(O)(OR')O—, —S(O)<sub>2</sub>—, —S—S—, an aryl group, and a heteroaryl group;

[0642] R<sub>7</sub> is selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

[0643] each R is independently selected from the group consisting of C<sub>1-3</sub> alkyl, C<sub>2-3</sub> alkenyl, and H;

[0644] each R' is independently selected from the group consisting of C<sub>1-18</sub> alkyl, C<sub>2-18</sub> alkenyl, —R\*YR'', —YR'', and H;

[0645] each R'' is independently selected from the group consisting of C<sub>3-14</sub> alkyl and C<sub>3-14</sub> alkenyl;

[0646] each R\* is independently selected from the group consisting of C<sub>1-12</sub> alkyl and C<sub>1-12</sub> alkenyl;


[0647] each Y is independently a C<sub>3-6</sub> carbocycle;

[0648] each X is independently selected from the group consisting of F, Cl, Br, and I; and

[0649] m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13,


[0650] or salts or isomers thereof.

[0651] In some embodiments, a subset of compounds of Formula (I) includes those of Formula (IA):




[0652] or a salt or isomer thereof, wherein i is selected from 1, 2, 3, 4, and 5; m is selected from 5, 6, 7, 8, and 9; M<sub>1</sub> is a bond or M'; R<sub>4</sub> is unsubstituted C<sub>1-3</sub> alkyl, or —(CH<sub>2</sub>)<sub>n</sub>Q, in which Q is OH, —NHC(S)N(R)<sub>2</sub>, —NHC(O)N(R)<sub>2</sub>, —N(R)C(O)R, —N(R)S(O)<sub>2</sub>R, —N(R)R<sub>8</sub>, —NHC(=NR<sub>9</sub>)N(R)<sub>2</sub>, —NHC(=CHR<sub>9</sub>)N(R)<sub>2</sub>, —OC(O)N(R)<sub>2</sub>, —N(R)C(O)OR, heteroaryl or heterocycloalkyl; M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —P(O)(OR')O—, —S—S—, an aryl group, and a heteroaryl group; and R<sub>2</sub> and R<sub>3</sub> are independently selected from the group consisting of H, C<sub>1-14</sub> alkyl, and C<sub>2-14</sub> alkenyl.

[0653] In some embodiments, a subset of compounds of Formula (I) includes those of Formula (II):









or a salt or isomer thereof, wherein i is selected from 1, 2, 3, 4, and 5; M<sub>1</sub> is a bond or M'; R<sub>4</sub> is unsubstituted C<sub>1-3</sub> alkyl, or —(CH<sub>2</sub>)<sub>n</sub>Q, in which n is 2, 3, or 4, and Q is OH, —NHC(S)N(R)<sub>2</sub>, —NHC(O)N(R)<sub>2</sub>, —N(R)C(O)R, —N(R)S(O)<sub>2</sub>R, —N(R)R<sub>8</sub>, —NHC(=NR<sub>9</sub>)N(R)<sub>2</sub>, —NHC(=CHR<sub>9</sub>)N(R)<sub>2</sub>, —OC(O)N(R)<sub>2</sub>, —N(R)C(O)OR, heteroaryl or heterocycloalkyl; M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —P(O)(OR')O—, —S—S—, an aryl group, and a heteroaryl group; and R<sub>2</sub> and R<sub>3</sub> are independently selected from the group consisting of H, C<sub>1-14</sub> alkyl, and C<sub>2-14</sub> alkenyl.

[0654] In some embodiments, a subset of compounds of Formula (I) includes those of Formula (IIa), (IIb), (IIc), or (Ile):




-continued





[0655] or a salt or isomer thereof, wherein  $R_4$  is as described herein.

[0656] In some embodiments, a subset of compounds of Formula (I) includes those of Formula (IIb);



[0659] or a salt or isomer thereof, wherein  $R_4$  is as described herein.

[0660] In some embodiments, a subset of compounds of Formula (I) includes those of Formula (IId);




[0657] or a salt or isomer thereof, wherein  $n$  is 2, 3, or 4; and  $m$ ,  $R'$ ,  $R''$ , and  $R_2$  through  $R_6$  are as described herein. For example, each of  $R_2$  and  $R_3$  may be independently selected from the group consisting of  $C_{5-14}$  alkyl and  $C_{5-14}$  alkenyl.


[0658] In some embodiments, a subset of compounds of Formula (I) includes those of Formula (IIa), (IIb), (IIc), or (IIe);

[0661] or a salt or isomer thereof, wherein  $n$  is 2, 3, or 4; and  $m$ ,  $R'$ ,  $R''$ , and  $R_2$  through  $R_6$  are as described herein. For example, each of  $R_2$  and  $R_3$  may be independently selected from the group consisting of  $C_{5-14}$  alkyl and  $C_{5-14}$  alkenyl.


[0662] In some embodiments, the compound of Formula (I) is selected from the group consisting of:




(Compound 1)




(Compound 2)




(Compound 3)




(Compound 4)




(Compound 5)



(Compound 6)




(Compound 7)




(Compound 8)


-continued




(Compound 9)




(Compound 10)




(Compound 11)




(Compound 12)



(Compound 13)




(Compound 14)




(Compound 15)




-continued




(Compound 16)




(Compound 17)




(Compound 18)




(Compound 19)



(Compound 20)




(Compound 21)




(Compound 22)


-continued




(Compound 23)




(Compound 24)




(Compound 25)




(Compound 26)



(Compound 27)




(Compound 28)




(Compound 29)


-continued




(Compound 30)




(Compound 31)




(Compound 32)




(Compound 33)



(Compound 34)




(Compound 35)




(Compound 36)


-continued




(Compound 37)




(Compound 38)




(Compound 39)




(Compound 40)



(Compound 41)










(Compound 42)




(Compound 43)


-continued




-continued




(Compound 51)




(Compound 52)




(Compound 53)




(Compound 54)



(Compound 55)




(Compound 56)




(Compound 57)


-continued




(Compound 58)



(Compound 59)




(Compound 60)



(Compound 61)



**[0663]** In further embodiments, the compound of Formula (I) is selected from the group consisting of:

-continued




(Compound 62)

(Compound 63)




(Compound 64)


**[0664]** In some embodiments, the compound of Formula (I) is selected from the group consisting of:




(Compound 65)




(Compound 66)




(Compound 67)



(Compound 68)




(Compound 69)




(Compound 70)




-continued




(Compound 71)




(Compound 72)




(Compound 73)



(Compound 74)




(Compound 75)




(Compound 76)


-continued




(Compound 77)




(Compound 78)




(Compound 79)



(Compound 80)




(Compound 81)




(Compound 82)


-continued




(Compound 83)




(Compound 84)




(Compound 85)



(Compound 86)









(Compound 87)




(Compound 88)


-continued




-continued




(Compound 95)




(Compound 96)



(Compound 97)




(Compound 98)




(Compound 99)

-continued


(Compound 100)




(Compound 101)




(Compound 102)




(Compound 103)




(Compound 104)




-continued




(Compound 105)




(Compound 106)



(Compound 107)




(Compound 108)




(Compound 109)

-continued


(Compound 110)




(Compound 111)




(Compound 112)



(Compound 113)









(Compound 114)












-continued




-continued




-continued




(Compound 127)




(Compound 128)




(Compound 129)



(Compound 130)




(Compound 131)




(Compound 132)




-continued




(Compound 140)




(Compound 141)




(Compound 142)



(Compound 143)




(Compound 144)




(Compound 145)


-continued




(Compound 146)




(Compound 147)




(Compound 148)



(Compound 149)




(Compound 150)




(Compound 151)

-continued


(Compound 152)




(Compound 153)




(Compound 154)




(Compound 155)



(Compound 156)




(Compound 157)




-continued


(Compound 158)




(Compound 159)



(Compound 160)




(Compound 161)






-continued


(Compound 162)




(Compound 163)




(Compound 164)




(Compound 165)




(Compound 166)




-continued




(Compound 167)




(Compound 168)



(Compound 169)




(Compound 170)




(Compound 171)


-continued




(Compound 172)




(Compound 173)




(Compound 174)



(Compound 175)




(Compound 176)




(Compound 177)

-continued


(Compound 178)




(Compound 179)




(Compound 180)




(Compound 181)



(Compound 182)




(Compound 183)




-continued


(Compound 184)




(Compound 185)




(Compound 186)




(Compound 187)




(Compound 188)




(Compound 189)




-continued




(Compound 190)




(Compound 191)




(Compound 192)



(Compound 193)




(Compound 194)




(Compound 195)

-continued


(Compound 196)




(Compound 197)




(Compound 198)



(Compound 199)




(Compound 200)









-continued




(Compound 206)




(Compound 207)



(Compound 208)




(Compound 209)




(Compound 210)

-continued


(Compound 211)




(Compound 212)




(Compound 213)




(Compound 214)




(Compound 215)




-continued




(Compound 216)




(Compound 217)



(Compound 218)




(Compound 219)




(Compound 220)


-continued




(Compound 221)




(Compound 222)




(Compound 223)



(Compound 224)




(Compound 225)




(Compound 226)


-continued




(Compound 227)




(Compound 228)




(Compound 229)



(Compound 230)




(Compound 231)



(Compound 232)

and salts and isomers thereof.

**[0665]** In some embodiments, a nanoparticle comprises the following compound:



(Compound 233)

or salts and isomers thereof.

**[0666]** In some embodiments, the disclosure features a nanoparticle composition including a lipid component comprising a compound as described herein (e.g., a compound according to Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (Ile)).

**[0667]** In some embodiments, the disclosure features a pharmaceutical composition comprising a nanoparticle composition according to the preceding embodiments and a pharmaceutically acceptable carrier. For example, the pharmaceutical composition is refrigerated or frozen for storage and/or shipment (e.g., being stored at a temperature of 4° C. or lower, such as a temperature between about -150° C. and about 0° C. or between about -80° C. and about -20° C. (e.g., about -5° C., -10° C., -15° C., -20° C., -25° C., -30° C., -40° C., -50° C., -60° C., -70° C., -80° C., -90° C., -130° C. or -150° C.)). For example, the pharmaceutical composition is a solution that is refrigerated for storage and/or shipment at, for example, about -20° C., -30° C., -40° C., -50° C., -60° C., -70° C., or -80° C.

**[0668]** In some embodiments, the disclosure provides a method of delivering a therapeutic and/or prophylactic (e.g., RNA, such as mRNA) to a cell (e.g., a mammalian cell). This method includes the step of administering to a subject (e.g., a mammal, such as a human) a nanoparticle composition including (i) a lipid component including a phospholipid (such as a polyunsaturated lipid), a PEG lipid, a structural lipid, and a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (Ile) and (ii) a therapeutic and/or prophylactic, in which administering involves contacting the cell with the nanoparticle composition, whereby the therapeutic and/or prophylactic is delivered to the cell.

**[0669]** In some embodiments, the disclosure provides a method of producing a polypeptide of interest in a cell (e.g., a mammalian cell). The method includes the step of contacting the cell with a nanoparticle composition including (i) a lipid component including a phospholipid (such as a polyunsaturated lipid), a PEG lipid, a structural lipid, and a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (Ile) and (ii) an mRNA encoding the polypeptide of interest, whereby the mRNA is capable of being translated in the cell to produce the polypeptide.

**[0670]** In some embodiments, the disclosure provides a method of treating a disease or disorder in a mammal (e.g., a human) in need thereof. The method includes the step of

administering to the mammal a therapeutically effective amount of a nanoparticle composition including (i) a lipid component including a phospholipid (such as a polyunsaturated lipid), a PEG lipid, a structural lipid, and a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (Ile) and (ii) a therapeutic and/or prophylactic (e.g., an mRNA). In some embodiments, the disease or disorder is characterized by dysfunctional or aberrant protein or polypeptide activity. For example, the disease or disorder is selected from the group consisting of rare diseases, infectious diseases, cancer and proliferative diseases, genetic diseases (e.g., cystic fibrosis), autoimmune diseases, diabetes, neurodegenerative diseases, cardio- and reno-vascular diseases, and metabolic diseases.

**[0671]** In some embodiments, the disclosure provides a method of delivering (e.g., specifically delivering) a therapeutic and/or prophylactic to a mammalian organ (e.g., a liver, spleen, lung, or femur). This method includes the step of administering to a subject (e.g., a mammal) a nanoparticle composition including (i) a lipid component including a phospholipid, a PEG lipid, a structural lipid, and a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (Ile) and (ii) a therapeutic and/or prophylactic (e.g., an mRNA), in which administering involves contacting the cell with the nanoparticle composition, whereby the therapeutic and/or prophylactic is delivered to the target organ (e.g., a liver, spleen, lung, or femur).

**[0672]** In some embodiments, the disclosure features a method for the enhanced delivery of a therapeutic and/or prophylactic (e.g., an mRNA) to a target tissue (e.g., a liver, spleen, lung, or femur). This method includes administering to a subject (e.g., a mammal) a nanoparticle composition, the composition including (i) a lipid component including a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (Ile), a phospholipid, a structural lipid, and a PEG lipid; and (ii) a therapeutic and/or prophylactic, the administering including contacting the target tissue with the nanoparticle composition, whereby the therapeutic and/or prophylactic is delivered to the target tissue.

**[0673]** In some embodiments, the disclosure features a method of lowering immunogenicity comprising introducing the nanoparticle composition of the disclosure into cells, wherein the nanoparticle composition reduces the induction

of the cellular immune response of the cells to the nanoparticle composition, as compared to the induction of the cellular immune response in cells induced by a reference composition which comprises a reference lipid instead of a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (IIe). For example, the cellular immune response is an innate immune response, an adaptive immune response, or both. The disclosure also includes methods of synthesizing a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (IIe) and methods of making a nanoparticle composition including a lipid component comprising the compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (IIe).

#### Modes of Vaccine Administration

**[0674]** Respiratory virus RNA (e.g. mRNA) vaccines may be administered by any route which results in a therapeutically effective outcome. These include, but are not limited, to intradermal, intramuscular, and/or subcutaneous administration. The present disclosure provides methods comprising administering RNA (e.g., mRNA) vaccines to a subject in need thereof. The exact amount required will vary from subject to subject, depending on the species, age, and general condition of the subject, the severity of the disease, the particular composition, its mode of administration, its mode of activity, and the like. Respiratory virus RNA (e.g., mRNA) vaccine compositions are typically formulated in dosage unit form for ease of administration and uniformity of dosage. It will be understood, however, that the total daily usage of RNA (e.g., mRNA) vaccine compositions may be decided by the attending physician within the scope of sound medical judgment. The specific therapeutically effective, prophylactically effective, or appropriate imaging dose level for any particular patient will depend upon a variety of factors including the disorder being treated and the severity of the disorder; the activity of the specific compound employed; the specific composition employed; the age, body weight, general health, sex and diet of the patient; the time of administration, route of administration, and rate of excretion of the specific compound employed; the duration of the treatment; drugs used in combination or coincidental with the specific compound employed; and like factors well known in the medical arts. In some embodiments, respiratory virus RNA (e.g. mRNA) vaccine compositions may be administered at dosage levels sufficient to deliver 0.0001 mg/kg to 100 mg/kg, 0.001 mg/kg to 0.05 mg/kg, 0.005 mg/kg to 0.05 mg/kg, 0.001 mg/kg to 0.005 mg/kg, 0.05 mg/kg to 0.5 mg/kg, 0.01 mg/kg to 50 mg/kg, 0.1 mg/kg to 40 mg/kg, 0.5 mg/kg to 30 mg/kg, 0.01 mg/kg to 10 mg/kg, 0.1 mg/kg to 10 mg/kg, or 1 mg/kg to 25 mg/kg, of subject body weight per day, one or more times a day, per week, per month, etc. to obtain the desired therapeutic, diagnostic, prophylactic, or imaging effect (see, e.g., the range of unit doses described in International Publication No WO2013078199, the contents of which are herein incorporated by reference in their entirety). The desired dosage may be delivered three times a day, two times a day, once a day, every other day, every third day, every week, every two weeks, every three weeks, every four weeks, every 2 months, every three months, every 6 months, etc. In some embodiments, the desired dosage may be delivered using multiple administrations (e.g., two, three, four, five, six, seven, eight, nine, ten, eleven, twelve, thirteen, fourteen, or more administrations). When multiple administrations are employed, split dosing regimens such as those described

herein may be used. In exemplary embodiments, respiratory virus RNA (e.g., mRNA) vaccine compositions may be administered at dosage levels sufficient to deliver 0.0005 mg/kg to 0.01 mg/kg, e.g., about 0.0005 mg/kg to about 0.0075 mg/kg, e.g., about 0.0005 mg/kg, about 0.001 mg/kg, about 0.002 mg/kg, about 0.003 mg/kg, about 0.004 mg/kg or about 0.005 mg/kg.

**[0675]** In some embodiments, respiratory virus RNA (e.g., mRNA) vaccine compositions may be administered once or twice (or more) at dosage levels sufficient to deliver 0.025 mg/kg to 0.250 mg/kg, 0.025 mg/kg to 0.500 mg/kg, 0.025 mg/kg to 0.750 mg/kg, or 0.025 mg/kg to 1.0 mg/kg.

**[0676]** In some embodiments, respiratory virus RNA (e.g., mRNA) vaccine compositions may be administered twice (e.g., Day 0 and Day 7, Day 0 and Day 14, Day 0 and Day 21, Day 0 and Day 28, Day 0 and Day 60, Day 0 and Day 90, Day 0 and Day 120, Day 0 and Day 150, Day 0 and Day 180, Day 0 and 3 months later, Day 0 and 6 months later, Day 0 and 9 months later, Day 0 and 12 months later, Day 0 and 18 months later, Day 0 and 2 years later, Day 0 and 5 years later, or Day 0 and 10 years later) at a total dose of or at dosage levels sufficient to deliver a total dose of 0.0100 mg, 0.025 mg, 0.050 mg, 0.075 mg, 0.100 mg, 0.125 mg, 0.150 mg, 0.175 mg, 0.200 mg, 0.225 mg, 0.250 mg, 0.275 mg, 0.300 mg, 0.325 mg, 0.350 mg, 0.375 mg, 0.400 mg, 0.425 mg, 0.450 mg, 0.475 mg, 0.500 mg, 0.525 mg, 0.550 mg, 0.575 mg, 0.600 mg, 0.625 mg, 0.650 mg, 0.675 mg, 0.700 mg, 0.725 mg, 0.750 mg, 0.775 mg, 0.800 mg, 0.825 mg, 0.850 mg, 0.875 mg, 0.900 mg, 0.925 mg, 0.950 mg, 0.975 mg, or 1.0 mg. Higher and lower dosages and frequency of administration are encompassed by the present disclosure. For example, a respiratory virus RNA (e.g., mRNA) vaccine composition may be administered three or four times.

**[0677]** In some embodiments, respiratory virus RNA (e.g., mRNA) vaccine compositions may be administered twice (e.g., Day 0 and Day 7, Day 0 and Day 14, Day 0 and Day 21, Day 0 and Day 28, Day 0 and Day 60, Day 0 and Day 90, Day 0 and Day 120, Day 0 and Day 150, Day 0 and Day 180, Day 0 and 3 months later, Day 0 and 6 months later, Day 0 and 9 months later, Day 0 and 12 months later, Day 0 and 18 months later, Day 0 and 2 years later, Day 0 and 5 years later, or Day 0 and 10 years later) at a total dose of or at dosage levels sufficient to deliver a total dose of 0.010 mg, 0.025 mg, 0.100 mg or 0.400 mg.

**[0678]** In some embodiments, the respiratory virus RNA (e.g., mRNA) vaccine for use in a method of vaccinating a subject is administered to the subject as a single dosage of between 10 µg/kg and 400 µg/kg of the nucleic acid vaccine (in an effective amount to vaccinate the subject). In some embodiments the RNA (e.g., mRNA) vaccine for use in a method of vaccinating a subject is administered to the subject as a single dosage of between 10 µg and 400 µg of the nucleic acid vaccine (in an effective amount to vaccinate the subject). In some embodiments, a respiratory virus RNA (e.g., mRNA) vaccine for use in a method of vaccinating a subject is administered to the subject as a single dosage of 25-1000 µg (e.g., a single dosage of mRNA encoding hMPV, PIV3, RSV, MeV and/or BetaCoV antigen). In some embodiments, a respiratory virus RNA (e.g., mRNA) vaccine is administered to the subject as a single dosage of 25, 50, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950 or 1000 µg. For example, a respiratory virus RNA (e.g., mRNA) vaccine may be

administered to a subject as a single dose of 25-100, 25-500, 50-100, 50-500, 50-1000, 100-500, 100-1000, 250-500, 250-1000, or 500-1000  $\mu\text{g}$ . In some embodiments, a respiratory virus RNA (e.g., mRNA) vaccine for use in a method of vaccinating a subject is administered to the subject as two dosages, the combination of which equals 25-1000  $\mu\text{g}$  of the respiratory virus RNA (e.g., mRNA) vaccine.

**[0679]** A respiratory virus RNA (e.g. mRNA) vaccine pharmaceutical composition described herein can be formulated into a dosage form described herein, such as an intranasal, intratracheal, or injectable (e.g., intravenous, intraocular, intravitreal, intramuscular, intradermal, intracardiac, intraperitoneal, and subcutaneous).

Respiratory Virus RNA (e.g., mRNA) Vaccine Formulations and Methods of Use

**[0680]** Some aspects of the present disclosure provide formulations of the respiratory virus RNA (e.g., mRNA) vaccine, wherein the RNA (e.g., mRNA) vaccine is formulated in an effective amount to produce an antigen specific immune response in a subject (e.g., production of antibodies specific to an hMPV, PIV3, RSV, MeV and/or BetaCoV antigenic polypeptide). "An effective amount" is a dose of an RNA (e.g., mRNA) vaccine effective to produce an antigen-specific immune response. Also provided herein are methods of inducing an antigen-specific immune response in a subject.

**[0681]** In some embodiments, the antigen-specific immune response is characterized by measuring an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide antibody titer produced in a subject administered a respiratory virus RNA (e.g., mRNA) vaccine as provided herein. An antibody titer is a measurement of the amount of antibodies within a subject, for example, antibodies that are specific to a particular antigen (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) or epitope of an antigen. Antibody titer is typically expressed as the inverse of the greatest dilution that provides a positive result. Enzyme-linked immunosorbent assay (ELISA) is a common assay for determining antibody titers, for example.

**[0682]** In some embodiments, an antibody titer is used to assess whether a subject has had an infection or to determine whether immunizations are required. In some embodiments, an antibody titer is used to determine the strength of an autoimmune response, to determine whether a booster immunization is needed, to determine whether a previous vaccine was effective, and to identify any recent or prior infections. In accordance with the present disclosure, an antibody titer may be used to determine the strength of an immune response induced in a subject by the respiratory virus RNA (e.g., mRNA) vaccine.

**[0683]** In some embodiments, an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject is increased by at least 1 log relative to a control. For example, anti-antigenic polypeptide antibody titer produced in a subject may be increased by at least 1.5, at least 2, at least 2.5, or at least 3 log relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased by 1, 1.5, 2, 2.5 or 3 log relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased by 1-3 log relative to a control. For example, the anti-antigenic polypeptide anti-

body titer produced in a subject may be increased by 1-1.5, 1-2, 1-2.5, 1-3, 1.5-2, 1.5-2.5, 1.5-3, 2-2.5, 2-3, or 2.5-3 log relative to a control. In some embodiments, the anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject is increased at least 2 times relative to a control. For example, the anti-antigenic polypeptide antibody titer produced in a subject may be increased at least 3 times, at least 4 times, at least 5 times, at least 6 times, at least 7 times, at least 8 times, at least 9 times, or at least 10 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased 2, 3, 4, 5, 6, 7, 8, 9, or 10 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in a subject is increased 2-10 times relative to a control. For example, the anti-antigenic polypeptide antibody titer produced in a subject may be increased 2-10, 2-9, 2-8, 2-7, 2-6, 2-5, 2-4, 2-3, 3-10, 3-9, 3-8, 3-7, 3-6, 3-5, 3-4, 4-10, 4-9, 4-8, 4-7, 4-6, 4-5, 5-10, 5-9, 5-8, 5-7, 5-6, 6-10, 6-9, 6-8, 6-7, 7-10, 7-9, 7-8, 8-10, 8-9, or 9-10 times relative to a control.

**[0684]** A control, in some embodiments, is the anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject who has not been administered a respiratory virus RNA (e.g., mRNA) vaccine of the present disclosure. In some embodiments, a control is an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject who has been administered a live attenuated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine. An attenuated vaccine is a vaccine produced by reducing the virulence of a viable (live). An attenuated virus is altered in a manner that renders it harmless or less virulent relative to live, unmodified virus. In some embodiments, a control is an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject administered inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine. In some embodiments, a control is an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject administered a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. Recombinant protein vaccines typically include protein antigens that either have been produced in a heterologous expression system (e.g., bacteria or yeast) or purified from large amounts of the pathogenic organism. In some embodiments, a control is an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject who has been administered an hMPV, PIV3, RSV, MeV and/or BetaCoV virus-like particle (VLP) vaccine. For example, an hMPV VLP vaccine used as a control may be a hMPV VLPs, comprising (or consisting of) viral matrix (M) and fusion (F) proteins, generated by expressing viral proteins in suspension-adapted human embryonic kidney epithelial (293-F) cells (see, e.g., Cox R G et al., *J Virol.* 2014 June; 88(11): 6368-6379, the contents of which are herein incorporated by reference).

**[0685]** In some embodiments, an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose that is reduced compared to the standard of care dose of a





90 to 1000-, 90 to 900-, 90 to 800-, 90 to 700-, 90 to 600-, 90 to 500-, 90 to 400-, 90 to 300-, 90 to 200-, 90 to 100-, 100 to 1000-, 100 to 900-, 100 to 800-, 100 to 700-, 100 to 600-, 100 to 500-, 100 to 400-, 100 to 300-, 100 to 200-, 200 to 1000-, 200 to 900-, 200 to 800-, 200 to 700-, 200 to 600-, 200 to 500-, 200 to 400-, 200 to 300-, 300 to 1000-, 300 to 900-, 300 to 800-, 300 to 700-, 300 to 600-, 300 to 500-, 300 to 400-, 400 to 1000-, 400 to 900-, 400 to 800-, 400 to 700-, 400 to 600-, 400 to 500-, 500 to 1000-, 500 to 900-, 500 to 800-, 500 to 700-, 500 to 600-, 600 to 1000-, 600 to 900-, 600 to 800-, 600 to 700-, 700 to 1000-, 700 to 900-, 700 to 800-, 800 to 1000-, 800 to 900-, or 900 to 1000-fold reduction in the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine or a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine. In some embodiments, the effective amount is a dose equivalent to (or equivalent to at least) 2-, 3-, 4-, 5-, 6-, 7-, 8-, 9-, 10-, 20-, 30-, 40-, 50-, 60-, 70-, 80-, 90-, 100-, 110-, 120-, 130-, 140-, 150-, 160-, 170-, 180-, 190-, 200-, 210-, 220-, 230-, 240-, 250-, 260-, 270-, 280-, 290-, 300-, 310-, 320-, 330-, 340-, 350-, 360-, 370-, 380-, 390-, 400-, 410-, 420-, 430-, 440-, 450-, 460-, 470-, 480-, 490-, 500-, 510-, 520-, 530-, 540-, 550-, 560-, 570-, 580-, 590-, 600-, 610-, 620-, 630-, 640-, 650-, 660-, 670-, 680-, 690-, 700-, 710-, 720-, 730-, 740-, 750-, 760-, 770-, 780-, 790-, 800-, 810-, 820-, 830-, 840-, 850-, 860-, 870-, 880-, 890-, 900-, 910-, 920-, 930-, 940-, 950-, 960-, 970-, 980-, 990-, or 1000-fold reduction in the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, an anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine or a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine.

**[0689]** In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a total dose of 50-1000 [lg. In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a total dose of 50-1000, 50-900, 50-800, 50-700, 50-600, 50-500, 50-400, 50-300, 50-200, 50-100, 50-90, 50-80, 50-70, 50-60, 60-1000, 60-900, 60-800, 60-700, 60-600, 60-500, 60-400, 60-300, 60-200, 60-100, 60-90, 60-80, 60-70, 70-1000, 70-900, 70-800, 70-700, 70-600, 70-500, 70-400, 70-300, 70-200, 70-100, 70-90, 70-80, 80-1000, 80-900, 80-800, 80-700, 80-600, 80-500, 80-400, 80-300, 80-200, 80-100, 80-90, 90-1000, 90-900, 90-800, 90-700, 90-600, 90-500, 90-400, 90-300, 90-200, 90-100, 100-1000, 100-900, 100-800, 100-700, 100-600, 100-500, 100-400, 100-300, 100-200, 200-1000, 200-900, 200-800, 200-700, 200-600, 200-500, 200-400, 200-300, 300-1000, 300-900, 300-800, 300-700, 300-600, 300-500, 300-400, 400-1000, 400-900, 400-800, 400-700, 400-600, 400-500, 500-1000, 500-900, 500-800, 500-700, 500-600, 600-1000, 600-900, 600-800, 600-700, 700-1000, 700-900, 700-800, 800-1000, 800-900, or 900-1000 µg. In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is

a total dose of 50, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950 or 1000 µg. In some embodiments, the effective amount is a dose of 25-500 µg administered to the subject a total of two times. In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose of 25-500, 25-400, 25-300, 25-200, 25-100, 25-50, 50-500, 50-400, 50-300, 50-200, 50-100, 100-500, 100-400, 100-300, 100-200, 150-500, 150-400, 150-300, 150-200, 200-500, 200-400, 200-300, 250-500, 250-400, 250-300, 300-500, 300-400, 350-500, 350-400, 400-500 or 450-500 µg administered to the subject a total of two times. In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a total dose of 25, 50, 100, 150, 200, 250, 300, 350, 400, 450, or 500 µg administered to the subject a total of two times.

**[0690]** Examples of Additional Embodiments of the Disclosure

**[0691]** Additional embodiments of the present disclosure are encompassed by the following numbered paragraphs:

**[0692]** 1. A respiratory virus vaccine, comprising: at least one ribonucleic acid (RNA) polynucleotide having an open reading frame encoding at least one, at least two, at least three, at least four or at least five antigenic polypeptides selected from human metapneumovirus (hMPV) antigenic polypeptides or immunogenic fragments thereof, human parainfluenza virus type 3 (PIV3) antigenic polypeptides or immunogenic fragments thereof, respiratory syncytial virus (RSV) antigenic polypeptides or immunogenic fragments thereof, measles virus (MeV) antigenic polypeptides or immunogenic fragments thereof, and betacoronavirus (BetaCoV) antigenic polypeptides or immunogenic fragments thereof.

**[0693]** 2. The respiratory virus vaccine of paragraph 1, comprising:

**[0694]** at least one RNA polynucleotide having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof and a PIV3 antigenic polypeptide or an immunogenic fragment thereof; or

**[0695]** at least two RNA polynucleotides, one having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof and one having an open reading frame encoding a PIV3 antigenic polypeptide or an immunogenic fragment thereof.

**[0696]** 3. The respiratory virus vaccine of paragraph 2, wherein the hMPV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 5-8 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, and/or wherein the PIV3 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 12-13 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 12-13.

**[0697]** 4. The respiratory virus vaccine of paragraph 1, comprising:

**[0698]** at least one RNA polynucleotide having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof and a RSV antigenic polypeptide or an immunogenic fragment thereof; or

**[0699]** at least two RNA polynucleotides, one having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof and one having an











- 5-8 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, wherein the PIV3 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 12-13 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 12-13, wherein the MeV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 47-50 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 47-50, and/or wherein the BetaCoV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 24-34 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 24-34.
- [0797] 54. The vaccine of any one of paragraphs 1-53, wherein at least one RNA polynucleotide has less than 80% identity to wild-type mRNA sequence.
- [0798] 55. The vaccine of any one of paragraphs 1-53, wherein at least one RNA polynucleotide has at least 80% identity to wild-type mRNA sequence, but does not include wild-type mRNA sequence.
- [0799] 56. The vaccine of any one of paragraphs 1-55, wherein at least one antigenic polypeptide has membrane fusion activity, attaches to cell receptors, causes fusion of viral and cellular membranes, and/or is responsible for binding of the virus to a cell being infected.
- [0800] 57. The vaccine of any one of paragraphs 1-56, wherein at least one RNA polynucleotide comprises at least one chemical modification.
- [0801] 58. The vaccine of paragraph 57, wherein the chemical modification is selected from pseudouridine, N1-methylpseudouridine, N1-ethylpseudouridine, 2-thiouridine, 4<sup>l</sup>-thiouridine, 5-methylcytosine, 5-methyluridine, 2-thio-1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-pseudouridine, 2-thio-5-aza-uridine, 2-thio-dihydropseudouridine, 2-thio-dihydrouridine, 2-thio-pseudouridine, 4-methoxy-2-thio-pseudouridine, 4-methoxy-pseudouridine, 4-thio-1-methyl-pseudouridine, 4-thio-pseudouridine, 5-aza-uridine, dihydropseudouridine, 5-methoxyuridine and 2<sup>l</sup>-O-methyl uridine.
- [0802] 59. The vaccine of paragraph 57 or 58, wherein the chemical modification is in the 5-position of the uracil.
- [0803] 60. The vaccine of any one of paragraphs 57-59, wherein the chemical modification is a N1-methylpseudouridine or N1-ethylpseudouridine.
- [0804] 61. The vaccine of any one of paragraphs 57-60, wherein at least 80%, at least 90% or 100% of the uracil in the open reading frame have a chemical modification.
- [0805] 62. The vaccine of any one of paragraphs 1-61, wherein at least one RNA polynucleotide further encodes at least one 5' terminal cap, optionally wherein the 5' terminal cap is 7mG(5')ppp(5')NlmpNp.
- [0806] 63. The vaccine of any one of paragraphs 1-62, wherein at least one antigenic polypeptide or immunogenic fragment thereof is fused to a signal peptide selected from: a HulgGk signal peptide (METPAQLL-FLLLLWLPDPTTG; SEQ ID NO: 15); IgE heavy chain epsilon-1 signal peptide (MDWTWILFLVAAATRVHS; SEQ ID NO: 16); Japanese encephalitis PRM signal sequence (MLGSNSGQRVVF-TILLVAPAYS; SEQ ID NO: 17); VSVg protein signal sequence (MKCLLY-LAFLFIGVNCA; SEQ ID NO: 18) and Japanese encephalitis JEV signal sequence (MWLVSLAIVTA-CAGA; SEQ ID NO: 19).
- [0807] 64. The vaccine of paragraph 63, wherein the signal peptide is fused to the N-terminus or the C-terminus of at least one antigenic polypeptide.
- [0808] 65. The vaccine of any one of paragraphs 1-64, wherein the antigenic polypeptide or immunogenic fragment thereof comprises a mutated N-linked glycosylation site.
- [0809] 66. The vaccine of any one of paragraphs 1-65 formulated in a nanoparticle, optionally a lipid nanoparticle.
- [0810] 67. The vaccine of paragraph 66, wherein the lipid nanoparticle comprises a cationic lipid, a PEG-modified lipid, a sterol and a non-cationic lipid; optionally wherein the lipid nanoparticle carrier comprises a molar ratio of about 20-60% cationic lipid, 0.5-15% PEG-modified lipid, 25-55% sterol, and 25% non-cationic lipid; optionally wherein the cationic lipid is an ionizable cationic lipid and the non-cationic lipid is a neutral lipid, and the sterol is a cholesterol; and optionally wherein the cationic lipid is selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleylmethyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319). Formula (II)
- [0811] 68. The vaccine of paragraph 66 or 67, wherein the nanoparticle (e.g., lipid nanoparticle) comprises a compound of Formula (I) and/or Formula (II), optionally Compound 3, 18, 20, 25, 26, 29, 30, 60, 108-112, or 122.
- [0812] 69. The vaccine of any one of paragraphs 1-68 further comprising an adjuvant, optionally a flagellin protein or peptide that optionally comprises an amino acid sequence identified by any one of SEQ ID NO: 54-56.
- [0813] 70. The vaccine of any one of paragraphs 1-69, wherein the open reading frame is codon-optimized.
- [0814] 71. The vaccine of any one of paragraphs 1-70 formulated in an effective amount to produce an antigen-specific immune response.
- [0815] 72. A method of inducing an immune response in a subject, the method comprising administering to the subject the vaccine of any one of paragraphs 1-71 in an amount effective to produce an antigen-specific immune response in the subject.
- [0816] 73. The method of paragraph 72, wherein the subject is administered a single dose of the vaccine, or wherein the subject is administered a first dose and then a booster dose of the vaccine.
- [0817] 74. The method of paragraph 72 or 73, wherein the vaccine is administered to the subject by intradermal injection or intramuscular injection.
- [0818] 75. The method of any one of paragraphs 72-74, wherein an anti-antigenic polypeptide antibody titer produced in the subject is increased by at least 1 log relative to a control, and/or wherein the anti-antigenic polypeptide antibody titer produced in the subject is increased at least 2 times relative to a control.
- [0819] 76. The method of any one of paragraphs 72-75, wherein the control is an anti-antigenic polypeptide antibody titer produced in a subject who has not been administered a vaccine against the virus, and/or wherein the control is an anti-antigenic polypeptide antibody titer



produced in a subject who has been administered a live attenuated vaccine or an inactivated vaccine against the virus, and/or, wherein the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a recombinant protein vaccine or purified protein vaccine against the virus, and/or wherein the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a VLP vaccine against the virus.

**[0820]** 77. The method of any one of paragraphs 72-76, wherein the effective amount is a dose equivalent to an at least 2-fold reduction in the standard of care dose of a recombinant protein vaccine or a purified protein vaccine against the virus, and wherein an anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant protein vaccine or a purified protein vaccine against the virus, respectively; and/or wherein the effective amount is a dose equivalent to an at least 2-fold reduction in the standard of care dose of a live attenuated vaccine or an inactivated vaccine against the virus, and wherein an anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a live attenuated vaccine or an inactivated vaccine against the virus, respectively; and/or wherein the effective amount is a dose equivalent to an at least 2-fold reduction in the standard of care dose of a VLP vaccine against the virus, and wherein an anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a VLP vaccine against the virus.

**[0821]** 78. The method of any one of paragraphs 72-77, wherein the effective amount is a total dose of 50 µg-1000 µg, optionally wherein the effective amount is a dose of 25 µg, 100 µg, 400 µg, or 500 µg administered to the subject a total of two times.

**[0822]** 79. The method of any one of paragraphs 72-78, wherein the efficacy of the vaccine against the virus is greater than 65%; and/or wherein the vaccine immunizes the subject against the virus for up to 2 years or wherein the vaccine immunizes the subject against the virus for more than 2 years.

**[0823]** 80. The method of any one of paragraphs 72-79, wherein the subject has an age of about 5 years old or younger or wherein the subject has an age of about 60 years old or older; and/or wherein the subject has a chronic pulmonary disease; and/or the subject has been exposed to the virus, wherein the subject is infected with the virus, or wherein the subject is at risk of infection by the virus; and/or wherein the subject is immunocompromised.

**[0824]** 81. The respiratory virus vaccine of any one of paragraphs 1-71, comprising at least one (e.g., at least two, at least three, at least four, or at least five) RNA polynucleotide having an open reading frame encoding at least one (e.g., at least two, at least three, at least four, or at least five) antigenic polypeptide selected from hMPV antigenic polypeptides (SEQ ID NO: 5-8), PIV3 antigenic polypeptides (SEQ ID NO: 12-13), RSV antigenic polypeptides, MeV antigenic polypeptides (SEQ ID NO:

47-50) and BetaCoV antigenic polypeptides (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1; (SEQ ID NO: 24-34)), formulated in a cationic lipid nanoparticle

**[0825]** (a) having a molar ratio of about 20-60% cationic lipid, about 5-25% non-cationic lipid, about 25-55% sterol, and about 0.5-15% PEG-modified lipid, and/or

**[0826]** (b) comprising a compound of Formula (I) and/or Formula (II),

**[0827]** wherein the at least one (e.g., at least two, at least three, at least four, or at least five) RNA polynucleotide comprises at least one chemical modification.

**[0828]** 82. The respiratory virus vaccine of any one of paragraphs 1-71, comprising at least one (e.g., at least two, at least three, at least four, or at least five) RNA polynucleotide having an open reading frame encoding at least one (e.g., at least two, at least three, at least four, or at least five) antigenic polypeptide selected from hMPV antigenic polypeptides (SEQ ID NO: 5-8), PIV3 antigenic polypeptides (SEQ ID NO: 12-13), RSV antigenic polypeptides, MeV antigenic polypeptides (SEQ ID NO: 47-50) and BetaCoV antigenic polypeptides (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1; (SEQ ID NO: 24-34)), formulated in a cationic lipid nanoparticle

**[0829]** (a) having a molar ratio of about 20-60% cationic lipid, about 5-25% non-cationic lipid, about 25-55% sterol, and about 0.5-15% PEG-modified lipid, and/or

**[0830]** (b) comprising at least one (e.g., at least 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, or 14) Compound selected from Compounds 3, 18, 20, 25, 26, 29, 30, 60, 108-112 and 122.

**[0831]** 83. The respiratory virus vaccine of paragraphs 81 or 82, wherein the at least one antigenic polypeptide is selected from hMPV antigenic polypeptides (e.g., SEQ ID NO: 5-8).

**[0832]** 84. The respiratory virus vaccine of any one of paragraphs 81-83, wherein the at least one antigenic polypeptide is selected from PIV3 antigenic polypeptides (e.g., SEQ ID NO: 12-13).

**[0833]** 85. The respiratory virus vaccine of any one of paragraphs 81-84, wherein the at least one antigenic polypeptide is selected from RSV antigenic polypeptides.

**[0834]** 86. The respiratory virus vaccine of any one of paragraphs 81-85, wherein the at least one antigenic polypeptide is selected from MeV antigenic polypeptides (e.g., SEQ ID NO: 47-50).

**[0835]** 87. The respiratory virus vaccine of any one of paragraphs 81-86, wherein the at least one antigenic polypeptide is selected from BetaCoV antigenic polypeptides (e.g., SEQ ID NO: 24-34).

**[0836]** 88. The respiratory virus vaccine of paragraph 87, wherein the BetaCoV antigenic polypeptides are MERS antigenic polypeptides.

**[0837]** 89. The respiratory virus vaccine of paragraph 87, wherein the BetaCoV antigenic polypeptides are SARS antigenic polypeptides.

**[0838]** 90. The respiratory virus vaccine of any one of paragraphs 81-89, wherein the at least one (e.g., at least two, at least three, at least four, or at least five) RNA polynucleotide comprises at least one chemical modification (e.g., selected from pseudouridine, N1-methylpseudouridine, N1-ethylpseudouridine, 2-thiouridine, 4-thiouridine, 5-methylcytosine, 5-methyluridine, 2-thio-1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-

pseudouridine, 2-thio-5-aza-uridine, 2-thio-dihydropseudouridine, 2-thio-dihydrouridine, 2-thio-pseudouridine, 4-methoxy-2-thio-pseudouridine, 4-methoxy-pseudouridine, 4-thio-1-methyl-pseudouridine, 4-thio-pseudouridine, 5-aza-uridine, dihydropseudouridine, 5-methoxyuridine and 2'-O-methyl uridine).

**[0839]** 91. A respiratory virus vaccine, comprising:

**[0840]** at least one messenger ribonucleic acid (mRNA) polynucleotide having a 5' terminal cap, an open reading frame encoding at least one respiratory virus antigenic polypeptide, and a 3' polyA tail.

**[0841]** 92. The vaccine of paragraph 91, wherein the at least one mRNA polynucleotide comprises a sequence identified by any one of SEQ ID NO: 57-80.

**[0842]** 93. The vaccine of paragraph 91 or 92, wherein the 5' terminal cap is or comprises 7mG(5')ppp(5')NlmpNp.

**[0843]** 94. The vaccine of any one of paragraphs 91-93, wherein 100% of the uracil in the open reading frame is modified to include N1-methyl pseudouridine at the 5-position of the uracil.

**[0844]** 95. The vaccine of any one of paragraphs 91-94, wherein the vaccine is formulated in a lipid nanoparticle comprising: DLin-MC3-DMA; cholesterol; 1,2-Distearoyl-sn-glycero-3-phosphocholine (DSPC); and polyethylene glycol (PEG)2000-DMG.

**[0845]** 96. The vaccine of paragraph 95, wherein the lipid nanoparticle further comprises trisodium citrate buffer, sucrose and water.

**[0846]** 97. A respiratory syncytial virus (RSV) vaccine, comprising:

**[0847]** at least one messenger ribonucleic acid (mRNA) polynucleotide having a 5' terminal cap 7mG(5')ppp(5')NlmpNp, a sequence identified by any one of SEQ ID NO: 57-80 and a 3' polyA tail, formulated in a lipid nanoparticle comprising DLin-MC3-DMA, cholesterol, 1,2-Distearoyl-sn-glycero-3-phosphocholine (DSPC), and polyethylene glycol (PEG)2000-DMG, wherein the uracil nucleotides of the sequence identified by any one of SEQ ID NO: 57-80 are modified to include N1-methyl pseudouridine at the 5-position of the uracil nucleotide.

**[0848]** This disclosure is not limited in its application to the details of construction and the arrangement of components set forth in the following description or illustrated in the drawings. The disclosure is capable of other embodiments and of being practiced or of being carried out in various ways. Also, the phraseology and terminology used herein is for the purpose of description and should not be regarded as limiting. The use of "including," "comprising," or "having," "containing," "involving," and variations thereof herein, is meant to encompass the items listed thereafter and equivalents thereof as well as additional items.

## EXAMPLES

### Example 1

#### Manufacture of Polynucleotides

**[0849]** According to the present disclosure, the manufacture of polynucleotides and/or parts or regions thereof may be accomplished utilizing the methods taught in International Publication WO2014/152027, entitled "Manufactur-

ing Methods for Production of RNA Transcripts," the contents of which is incorporated herein by reference in its entirety.

**[0850]** Purification methods may include those taught in International Publication WO2014/152030 and International Publication WO2014/152031, each of which is incorporated herein by reference in its entirety.

**[0851]** Detection and characterization methods of the polynucleotides may be performed as taught in International Publication WO2014/144039, which is incorporated herein by reference in its entirety.

**[0852]** Characterization of the polynucleotides of the disclosure may be accomplished using polynucleotide mapping, reverse transcriptase sequencing, charge distribution analysis, detection of RNA impurities, or any combination of two or more of the foregoing. "Characterizing" comprises determining the RNA transcript sequence, determining the purity of the RNA transcript, or determining the charge heterogeneity of the RNA transcript, for example. Such methods are taught in, for example, International Publication WO2014/144711 and International Publication WO2014/144767, the content of each of which is incorporated herein by reference in its entirety.

### Example 2

#### Chimeric Polynucleotide Synthesis

**[0853]** According to the present disclosure, two regions or parts of a chimeric polynucleotide may be joined or ligated using triphosphate chemistry. A first region or part of 100 nucleotides or less is chemically synthesized with a 5' monophosphate and terminal 3'desOH or blocked OH, for example. If the region is longer than 80 nucleotides, it may be synthesized as two strands for ligation.

**[0854]** If the first region or part is synthesized as a non-positionally modified region or part using in vitro transcription (IVT), conversion the 5'monophosphate with subsequent capping of the 3' terminus may follow.

**[0855]** Monophosphate protecting groups may be selected from any of those known in the art.

**[0856]** The second region or part of the chimeric polynucleotide may be synthesized using either chemical synthesis or IVT methods. IVT methods may include an RNA polymerase that can utilize a primer with a modified cap. Alternatively, a cap of up to 130 nucleotides may be chemically synthesized and coupled to the IVT region or part.

**[0857]** For ligation methods, ligation with DNA T4 ligase, followed by treatment with DNase should readily avoid concatenation.

**[0858]** The entire chimeric polynucleotide need not be manufactured with a phosphate-sugar backbone. If one of the regions or parts encodes a polypeptide, then such region or part may comprise a phosphate-sugar backbone. Ligation is then performed using any known click chemistry, ortho-click chemistry, solulink, or other bioconjugate chemistries known to those in the art.

**[0859]** Synthetic Route

**[0860]** The chimeric polynucleotide may be made using a series of starting segments. Such segments include:

**[0861]** (a) a capped and protected 5' segment comprising a normal 3'OH (SEG. 1)

**[0862]** (b) a 5' triphosphate segment, which may include the coding region of a polypeptide and a normal 3'OH (SEG. 2)

**[0863]** (c) a 5' monophosphate segment for the 3' end of the chimeric polynucleotide (e.g., the tail) comprising cordycepin or no 3'OH (SEG. 3)

**[0864]** After synthesis (chemical or IVT), segment 3 (SEG. 3) may be treated with cordycepin and then with pyrophosphatase to create the 5' monophosphate.

**[0865]** Segment 2 (SEG. 2) may then be ligated to SEG. 3 using RNA ligase. The ligated polynucleotide is then purified and treated with pyrophosphatase to cleave the diphosphate. The treated SEG.2-SEG. 3 construct may then be purified and SEG. 1 is ligated to the 5' terminus. A further purification step of the chimeric polynucleotide may be performed.

**[0866]** Where the chimeric polynucleotide encodes a polypeptide, the ligated or joined segments may be represented as: 5'UTR (SEG. 1), open reading frame or ORF (SEG. 2) and 3'UTR+PolyA (SEG. 3).

**[0867]** The yields of each step may be as much as 90-95%.

### Example 3

#### PCR for cDNA Production

**[0868]** PCR procedures for the preparation of cDNA may be performed using 2x KAPA HIFI™ HotStart ReadyMix by Kapa Biosystems (Woburn, Mass.). This system includes 2x KAPA ReadyMix 12.5 µl; Forward Primer (10 µM) 0.75 µl; Reverse Primer (10 µM) 0.75 µl; Template cDNA 100 ng; and dH<sub>2</sub>O diluted to 25.0 µl. The reaction conditions may be at 95° C. for 5 min. The reaction may be performed for 25 cycles of 98° C. for 20 sec, then 58° C. for 15 sec, then 72° C. for 45 sec, then 72° C. for 5 min, then 4° C. to termination.

**[0869]** The reaction may be cleaned up using Invitrogen's PURELINK™ PCR Micro Kit (Carlsbad, Calif.) per manufacturer's instructions (up to 5 µg). Larger reactions may require a cleanup using a product with a larger capacity. Following the cleanup, the cDNA may be quantified using the NANODROP™ and analyzed by agarose gel electrophoresis to confirm that the cDNA is the expected size. The cDNA may then be submitted for sequencing analysis before proceeding to the in vitro transcription reaction.

### Example 4

#### In Vitro Transcription (IVT)

**[0870]** The in vitro transcription reaction generates RNA polynucleotides. Such polynucleotides may comprise a region or part of the polynucleotides of the disclosure, including chemically modified RNA (e.g., mRNA) polynucleotides. The chemically modified RNA polynucleotides can be uniformly modified polynucleotides. The in vitro transcription reaction utilizes a custom mix of nucleotide triphosphates (NTPs). The NTPs may comprise chemically modified NTPs, or a mix of natural and chemically modified NTPs, or natural NTPs.

**[0871]** A typical in vitro transcription reaction includes the following:

1)	Template cDNA	1.0 µg
2)	10x transcription buffer (400 mM Tris-HCl pH 8.0, 190 mM MgCl <sub>2</sub> , 50 mM DTT, 10 mM Spermidine)	2.0 µl
3)	Custom NTPs (25 mM each)	0.2 µl
4)	RNase Inhibitor	20 U
5)	T7 RNA polymerase	3000 U
6)	dH <sub>2</sub> O	up to 20.0 µl. and
7)	Incubation at 37° C. for 3 hr-5 hrs.	

**[0872]** The crude IVT mix may be stored at 4° C. overnight for cleanup the next day. 1 U of RNase-free DNase may then be used to digest the original template. After 15 minutes of incubation at 37° C., the mRNA may be purified using Ambion's MEGACLEAR™ Kit (Austin, Tex.) following the manufacturer's instructions. This kit can purify up to 500 µg of RNA. Following the cleanup, the RNA polynucleotide may be quantified using the NanoDrop and analyzed by agarose gel electrophoresis to confirm the RNA polynucleotide is the proper size and that no degradation of the RNA has occurred.

### Example 5

#### Enzymatic Capping

**[0873]** Capping of a RNA polynucleotide is performed as follows where the mixture includes: IVT RNA 60 µg-180 µg and dH<sub>2</sub>O up to 72 µl. The mixture is incubated at 65° C. for 5 minutes to denature RNA, and then is transferred immediately to ice.

**[0874]** The protocol then involves the mixing of 10x Capping Buffer (0.5 M Tris-HCl (pH 8.0), 60 mM KCl, 12.5 mM MgCl<sub>2</sub>) (10.0 µl); 20 mM GTP (5.0 µl); 20 mM S-Adenosyl Methionine (2.5 µl); RNase Inhibitor (100 U); 2'-O-Methyltransferase (400 U); Vaccinia capping enzyme (Guanylyl transferase) (40 U); dH<sub>2</sub>O (Up to 28 µl); and incubation at 37° C. for 30 minutes for 60 µg RNA or up to 2 hours for 180 µg of RNA.

**[0875]** The RNA polynucleotide may then be purified using Ambion's MEGACLEAR™ Kit (Austin, Tex.) following the manufacturer's instructions. Following the cleanup, the RNA may be quantified using the NANODROP™ (ThermoFisher, Waltham, Mass.) and analyzed by agarose gel electrophoresis to confirm the RNA polynucleotide is the proper size and that no degradation of the RNA has occurred. The RNA polynucleotide product may also be sequenced by running a reverse-transcription-PCR to generate the cDNA for sequencing.

### Example 6

#### PolyA Tailing Reaction

**[0876]** Without a poly-T in the cDNA, a poly-A tailing reaction must be performed before cleaning the final product. This is done by mixing capped IVT RNA (100 µl); RNase Inhibitor (20 U); 10x Tailing Buffer (0.5 M Tris-HCl (pH 8.0), 2.5 M NaCl, 1100 mM MgCl<sub>2</sub>) (12.0 µl); 20 mM ATP (6.0 µl); Poly-A Polymerase (20 U); dH<sub>2</sub>O up to 123.5 µl and incubation at 37° C. for 30 min. If the poly-A tail is already in the transcript, then the tailing reaction may be skipped and proceed directly to cleanup with Ambion's MEGACLEAR™ kit (Austin, Tex.) (up to 500 µg). Poly-A Polymerase may be a recombinant enzyme expressed in yeast.

**[0877]** It should be understood that the processivity or integrity of the polyA tailing reaction may not always result in an exact size polyA tail. Hence, polyA tails of approximately between 40-200 nucleotides, e.g., about 40, 50, 60, 70, 80, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 150-165, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164 or 165 are within the scope of the present disclosure.

#### Example 7

##### Natural 5' Caps and 5' Cap Analogues

**[0878]** 5'-capping of polynucleotides may be completed concomitantly during the in vitro-transcription reaction using the following chemical RNA cap analogs to generate the 5'-guanosine cap structure according to manufacturer protocols: 3'-O-Me-m7G(5')ppp(5') G [the ARCA cap]; G(5')ppp(5')A; G(5')ppp(5')G; m7G(5')ppp(5')A; m7G(5')ppp(5')G (New England BioLabs, Ipswich, Mass.). 5'-capping of modified RNA may be completed post-transcriptionally using a Vaccinia Virus Capping Enzyme to generate the "Cap 0" structure: m7G(5')ppp(5')G (New England BioLabs, Ipswich, Mass.). Cap 1 structure may be generated using both Vaccinia Virus Capping Enzyme and a 2'-O methyl-transferase to generate: m7G(5')ppp(5')G-2'-O-methyl. Cap 2 structure may be generated from the Cap 1 structure followed by the 2'-O-methylation of the 5'-antepenultimate nucleotide using a 2'-O methyl-transferase. Cap 3 structure may be generated from the Cap 2 structure followed by the 2'-O-methylation of the 5'-preantepenultimate nucleotide using a 2'-O methyl-transferase. Enzymes are preferably derived from a recombinant source.

**[0879]** When transfected into mammalian cells, the modified mRNAs have a stability of between 12-18 hours or more than 18 hours, e.g., 24, 36, 48, 60, 72 or greater than 72 hours.

#### Example 8

##### Capping Assays

##### Protein Expression Assay

**[0880]** Polynucleotides (e.g., mRNA) encoding a polypeptide, containing any of the caps taught herein, can be transfected into cells at equal concentrations. The amount of protein secreted into the culture medium can be assayed by ELISA at 6, 12, 24 and/or 36 hours post-transfection. Synthetic polynucleotides that secrete higher levels of protein into the medium correspond to a synthetic polynucleotide with a higher translationally-competent cap structure.

##### Purity Analysis Synthesis

**[0881]** RNA (e.g., mRNA) polynucleotides encoding a polypeptide, containing any of the caps taught herein can be compared for purity using denaturing Agarose-Urea gel electrophoresis or HPLC analysis. RNA polynucleotides with a single, consolidated band by electrophoresis correspond to the higher purity product compared to polynucleotides with multiple bands or streaking bands. Chemically modified RNA polynucleotides with a single HPLC peak also correspond to a higher purity product. The capping reaction with a higher efficiency provides a more pure polynucleotide population.

##### Cytokine Analysis

**[0882]** RNA (e.g., mRNA) polynucleotides encoding a polypeptide, containing any of the caps taught herein can be transfected into cells at multiple concentrations. The amount of pro-inflammatory cytokines, such as TNF-alpha and IFN-beta, secreted into the culture medium can be assayed by ELISA at 6, 12, 24 and/or 36 hours post-transfection. RNA polynucleotides resulting in the secretion of higher levels of pro-inflammatory cytokines into the medium correspond to a polynucleotides containing an immune-activating cap structure.

##### Capping Reaction Efficiency

**[0883]** RNA (e.g., mRNA) polynucleotides encoding a polypeptide, containing any of the caps taught herein can be analyzed for capping reaction efficiency by LC-MS after nuclease treatment. Nuclease treatment of capped polynucleotides yield a mixture of free nucleotides and the capped 5'-5-triphosphate cap structure detectable by LC-MS. The amount of capped product on the LC-MS spectra can be expressed as a percent of total polynucleotide from the reaction and correspond to capping reaction efficiency. The cap structure with a higher capping reaction efficiency has a higher amount of capped product by LC-MS.

#### Example 9

##### Agarose Gel Electrophoresis of Modified RNA or RT PCR Products

**[0884]** Individual RNA polynucleotides (200-400 ng in a 20  $\mu$ l volume) or reverse transcribed PCR products (200-400 ng) may be loaded into a well on a non-denaturing 1.2% Agarose E-Gel (Invitrogen, Carlsbad, Calif.) and run for 12-15 minutes, according to the manufacturer protocol.

#### Example 10

##### Nanodrop Modified RNA Quantification and UV Spectral Data

**[0885]** Chemically modified RNA polynucleotides in TE buffer (1  $\mu$ l) are used for Nanodrop UV absorbance readings to quantitate the yield of each polynucleotide from an chemical synthesis or in vitro transcription reaction.

#### Example 11

##### Formulation of Modified mRNA Using Lipidoids

**[0886]** RNA (e.g., mRNA) polynucleotides may be formulated for in vitro experiments by mixing the polynucleotides with the lipidoid at a set ratio prior to addition to cells. In vivo formulation may require the addition of extra ingredients to facilitate circulation throughout the body. To test the ability of these lipidoids to form particles suitable for in vivo work, a standard formulation process used for siRNA-lipidoid formulations may be used as a starting point. After formation of the particle, polynucleotide is added and allowed to integrate with the complex. The encapsulation efficiency is determined using a standard dye exclusion assays.

## Example 12

## Immunogenicity Study

**[0887]** The instant study is designed to test the immunogenicity in mice of candidate hMPV vaccines comprising a mRNA polynucleotide encoding Fusion (F) glycoprotein, major surface glycoprotein G, or a combination thereof, obtained from hMPV.

**[0888]** Mice are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) with candidate vaccines. Candidate vaccines are chemically modified or unmodified. A total of four immunizations are given at 3-week intervals (i.e., at weeks 0, 3, 6, and 9), and sera are collected after each immunization until weeks 33-51. Serum antibody titers against Fusion (F) glycoprotein or major surface glycoprotein (G) protein are determined by ELISA. Sera collected from each mouse during weeks 10-16 are pooled, and total IgG purified. Purified antibodies are used for immunoelectron microscopy, antibody-affinity testing, and in vitro protection assays.

## Example 13

## hMPV Rodent Challenge

**[0889]** The instant study is designed to test the efficacy in cotton rats of candidate hMPV vaccines against a lethal challenge using an hMPV vaccine comprising mRNA encoding Fusion (F) glycoprotein, major surface glycoprotein G, or a combination of both antigens obtained from hMPV. Cotton rats are challenged with a lethal dose of the hMPV.

**[0890]** Animals are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) at week 0 and week 3 with candidate hMPV vaccines with and without adjuvant. Candidate vaccines are chemically modified or unmodified. The animals are then challenged with a lethal dose of hMPV on week 7 via IV, IM or ID. Endpoint is day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by >30% weight loss, extreme lethargy or paralysis are euthanized. Body temperature and weight are assessed and recorded daily.

**[0891]** In experiments where a lipid nanoparticle (LNP) formulation is used, the formulation may include a cationic lipid, non-cationic lipid, PEG lipid and structural lipid in the ratios 50:10:1.5:38.5. The cationic lipid is DLin-KC2-DMA (50 mol %) or DLin-MC3-DMA (50 mol %), the non-cationic lipid is DSPC (10 mol %), the PEG lipid is PEG-DOMG (1.5 mol %) and the structural lipid is cholesterol (38.5 mol %), for example.

## Example 14

## Immunogenicity of hMPV mRNA Vaccine in BALB/c Mice

**[0892]** The instant study was designed to test the immunogenicity in BALB/c mice of hMPV vaccines comprising an mRNA polynucleotide encoding the hMPV Fusion (F) glycoprotein. The mRNA polynucleotide encodes the full-length fusion protein and comprises the wild-type nucleotide sequence obtained from the hMPV A2a strain. Mice were divided into 3 groups (n=8 for each group) and immunized intramuscularly (IM) with PBS, a 10 µg dose of mRNA vaccines encoding hMPV fusion protein, or a 2 µg dose of

mRNA vaccines encoding hMPV fusion protein. A total of two immunizations were given at 3-week intervals (i.e., at weeks 0, and 3 weeks), and sera were collected after each immunization according to the schedule described in Table 1. Serum antibody titers against hMPV fusion glycoprotein were determined by ELISA and antibodies were detected in the sera collected on day 14 onward. Both vaccine doses tested induced comparable levels of immune response in mice (FIGS. 2A-2C).

**[0893]** Additionally, mice sera were used for IgG isotyping (FIGS. 3A-3C). Both hMPV fusion protein-specific IgG1 and IgG2a were detected in mice sera. hMPV fusion protein mRNA vaccine also induced Th1 and Th2 cytokine responses, with a Th1 bias.

**[0894]** Sera from mice immunized with either 10 µg or 2 µg doses of the hMPV fusion protein mRNA vaccine contain neutralizing antibodies. The ability of these antibodies to neutralize hMPV B2 strain was also tested. The antibody-containing sera successfully neutralized the hMPV B2 virus (FIG. 4).

## Example 15

## T-Cell Stimulation

**[0895]** The instant study was designed to test T-cell stimulation in the splenocytes of mice immunized with mRNA vaccines encoding hMPV fusion protein, as described herein. Immunization of BALB/c mice was performed as described in Example 14. The splenocytes for each group were pooled and split into two parts. One part of splenocytes from each group of mice was stimulated with hMPV-free media, Concanavalin A or a hMPV fusion protein peptide pool comprising 15-mers (15 amino acids long); while the other part of splenocytes from each group of mice was stimulated with hMPV-free media, Concanavalin A or inactivated hMPV virus. Secreted mouse cytokines were measured using the Meso Scale Discovery (MSD) assay.

**[0896]** Cytokines specific to Th1 or Th2 responses were measured. For Th1 response, IFN-γ, IL2 and IL12 were detected from splenocytes stimulated with the hMPV fusion protein peptide pool at a level comparable to that of Concanavalin A (FIGS. 5A-5C). For a Th2 response, the hMPV fusion protein peptide pool induced the secretion of detectable IL10, TNF-α, IL4 and IL, but not IL5, while Concanavalin A stimulated the secretion of all the above-mentioned Th2 cytokines (FIGS. 6A-6E) at a much higher level.

**[0897]** In contrast, inactivated hMPV virus only induced the secretion of IL2 in the Th1 response comparable to that of Concanavalin A (FIGS. 7A-7C). For the Th2 response, the inactivated hMPV virus induced the secretion of detectable IL10, TNF-α, IL4 and IL6, but not IL5, while Concanavalin A stimulated the secretion of all the above-mentioned Th2 cytokines (FIGS. 8A-8E) at a much higher level.

## Example 16

## hMPV Rodent Challenge in Cotton Rats Immunized with mRNA Vaccine Encoding hMPV Fusion Protein

**[0898]** The instant study was designed to test the efficacy in cotton rats of hMPV vaccines against a lethal challenge. mRNA vaccines encoding hMPV fusion protein were used. The mRNA polynucleotide encodes a full-length fusion

protein and comprises the wild-type nucleotide sequence obtained from the hMPV A2a strain.

**[0899]** Cotton rats were immunized intramuscularly (IM) at week 0 and week 3 with the mRNA vaccines encoding hMPV fusion protein with either 2 µg or 10 µg doses for each immunization. The animals were then challenged with a lethal dose of hMPV in week 7 post initial immunization via IV, IM or ID. The endpoint was day 13 post infection, death or euthanasia. Viral titers in the noses and lungs of the cotton rats were measured. The results (FIGS. 9A and 9B) show that a 10 µg dose of mRNA vaccine protected the cotton mice 100% in the lung and drastically reduced the viral titer in the nose after challenge (~2 log reduction). Moreover, a 2 µg dose of mRNA vaccine showed a 1 log reduction in lung viral titer in the cotton mice challenged.

**[0900]** Further, the histopathology of the lungs of the cotton mice immunized and challenged showed no pathology associated with vaccine-enhanced disease (FIG. 10).

#### Example 17

##### Immunogenicity Study

**[0901]** The instant study is designed to test the immunogenicity in mice of candidate PIV3 vaccines comprising a mRNA polynucleotide encoding hemagglutinin-neuraminidase or fusion protein (F or F0) obtained from PIV3.

**[0902]** Mice are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) with candidate vaccines. Candidate vaccines are chemically modified or unmodified. A total of four immunizations are given at 3-week intervals (i.e., at weeks 0, 3, 6, and 9), and sera are collected after each immunization until weeks 33-51. Serum antibody titers against hemagglutinin-neuraminidase or fusion protein (F or F0) are determined by ELISA. Sera collected from each mouse during weeks 10-16 are, optionally, pooled, and total IgGs are purified. Purified antibodies are used for immunoelectron microscopy, antibody-affinity testing, and in vitro protection assays.

#### Example 18

##### PIV3 Rodent Challenge

**[0903]** The instant study is designed to test the efficacy in cotton rats of candidate PIV3 vaccines against a lethal challenge using a PIV3 vaccine comprising mRNA encoding hemagglutinin-neuraminidase or fusion protein (F or F0) obtained from PIV3. Cotton rats are challenged with a lethal dose of the PIV3.

**[0904]** Animals are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) at week 0 and week 3 with candidate PIV3 vaccines with and without adjuvant. Candidate vaccines are chemically modified or unmodified. The animals are then challenged with a lethal dose of PIV3 on week 7 via IV, IM or ID. Endpoint is day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by >30% weight loss, extreme lethargy or paralysis are euthanized. Body temperature and weight are assessed and recorded daily.

**[0905]** In experiments where a lipid nanoparticle (LNP) formulation is used, the formulation may include a cationic lipid, non-cationic lipid, PEG lipid and structural lipid in the ratios 50:10:1.5:38.5. The cationic lipid is DLin-KC2-DMA (50 mol %) or DLin-MC3-DMA (50 mol %), the non-cationic lipid is DSPC (10 mol %), the PEG lipid is

PEG-DOMG (1.5 mol %) and the structural lipid is cholesterol (38.5 mol %), for example.

#### Example 19

##### hMPV/PIV Cotton Rat Challenge

**[0906]** The instant study was designed to test the efficacy in cotton rats of candidate hMPV mRNA vaccines, PIV3 mRNA vaccines, or hMPV/PIV combination mRNA vaccines against a lethal challenge using PIV3 strain or hMPV/A2 strain. The study design is shown in Table 9.

**[0907]** Cotton rats of 10-12 weeks old were divided into 12 groups (n=5), and each group was vaccinated with mRNA vaccines indicated in Table 9. The PIV3 vaccine comprises mRNA encoding hemagglutinin-neuraminidase or fusion protein (F or F0) obtained from PIV3. The hMPV mRNA vaccine encodes the full-length hMPV fusion protein. The hMPV/PIV combination mRNA vaccine is a mixture of the PIV3 vaccine and hMPV vaccine at a 1:1 ratio.

**[0908]** Cotton rats were immunized intramuscularly (IM) at week 0 and week 3 with candidate vaccines with the doses indicated in Table 9. Cotton rats immunized with hMPV mRNA vaccines or hMPV/PIV combination mRNA vaccines were challenged with a lethal dose of hMPV/A2 strain on week 7 via IM. Cotton rats immunized with PIV mRNA vaccines or hMPV/PIV combination mRNA vaccines were challenged with a lethal dose of PIV3 strain on week 7 via IM.

**[0909]** The endpoint was day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by >30% weight loss, extreme lethargy or paralysis were euthanized. Body temperature and weight were assessed and recorded daily.

**[0910]** Lung and nose hMPV/A2 (FIG. 12) or PIV3 (FIG. 13) viral titers were assessed. Lung histopathology of the immunized and challenged cotton rat immunized and challenged were assessed to determine pathology associated with vaccine enhance disease. Neutralization antibody titers in the serum of immunized cotton rats on day 0 and 42 post immunization were assessed (FIG. 11).

**[0911]** hMPV/A2 (FIG. 14) or PIV3 (FIG. 15) neutralizing antibody titers in the serum samples of the immunized cotton rat 42 days post immunization were measured. All mRNA vaccines tested induced strong neutralizing antibodies cotton rats. Lung histopathology of the immunized cotton rats were also evaluated (FIG. 16). Low occurrence of alevolitis and interstitial pneumonia was observed, indicating no antibody-dependent enhancement (ADE) of hMPV or PIV associated diseases.

#### Example 20

##### Betacoronavirus Immunogenicity Study

**[0912]** The instant study is designed to test the immunogenicity in rabbits of candidate betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1 or a combination thereof) vaccines comprising a mRNA polynucleotide encoding the spike (S) protein, the S1 subunit (S1) of the spike protein, or the S2 subunit (S2) of the spike protein obtained from a betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1).

**[0913]** Rabbits are vaccinated on week 0 and 3 via intravenous (IV), intramuscular (IM), or intradermal (ID) routes. One group remains unvaccinated and one is administered inactivated betacoronavirus. Serum is collected from each rabbit on weeks 1, 3 (pre-dose) and 5. Individual bleeds are tested for anti-S, anti-S1 or anti-S2 activity via a virus neutralization assay from all three time points, and pooled samples from week 5 only are tested by Western blot using inactivated betacoronavirus (e.g., inactivated MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1).

**[0914]** In experiments where a lipid nanoparticle (LNP) formulation is used, the formulation may include a cationic lipid, non-cationic lipid, PEG lipid and structural lipid in the ratios 50:10:1.5:38.5. The cationic lipid is DLin-KC2-DMA (50 mol %) or DLin-MC3-DMA (50 mol %), the non-cationic lipid is DSPC (10 mol %), the PEG lipid is PEG-DOMG (1.5 mol %) and the structural lipid is cholesterol (38.5 mol %), for example.

#### Example 21

##### Betacoronavirus Challenge

**[0915]** The instant study is designed to test the efficacy in rabbits of candidate betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-HKU1 or a combination thereof) vaccines against a lethal challenge using a betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-HKU1 or a combination thereof) vaccine comprising mRNA encoding the spike (S) protein, the S1 subunit (S1) of the spike protein, or the S2 subunit (S2) of the spike protein obtained from betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1). Rabbits are challenged with a lethal dose (10xLD90; ~100 plaque-forming units; PFU) of betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1).

**[0916]** The animals used are 6-8 week old female rabbits in groups of 10. Rabbits are vaccinated on weeks 0 and 3 via an IM, ID or IV route of administration. Candidate vaccines are chemically modified or unmodified. Rabbit serum is tested for microneutralization (see Example 14). Rabbits are then challenged with ~1 LD90 of betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1) on week 7 via an IN, IM, ID or IV route of administration. Endpoint is day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by >30% weight loss, extreme lethargy or paralysis are euthanized. Body temperature and weight are assessed and recorded daily.

#### Example 22

##### Microneutralization Assay

**[0917]** Nine serial 2-fold dilutions (1:50-1:12,800) of rabbit serum are made in 50  $\mu$ l virus growth medium (VGM) with trypsin in 96 well microtiter plates. Fifty microliters of virus containing ~50 pfu of betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1) is added to the serum dilutions and allowed to incubate for 60 minutes at room temperature (RT). Positive control wells of virus

without sera and negative control wells without virus or sera are included in triplicate on each plate. While the serum-virus mixtures incubate, a single cell suspension of Madin-Darby Canine-Kidney cells are prepared by trypsinizing (Gibco 0.5% bovine pancrease trypsin in EDTA) a confluent monolayer and suspended cells are transferred to a 50 ml centrifuge tube, topped with sterile PBS and gently mixed. The cells are then pelleted at 200 g for 5 minutes, supernatant aspirated and cells resuspended in PBS. This procedure is repeated once and the cells are resuspended at a concentration of  $3 \times 10^5$ /ml in VGM with porcine trypsin. Then, 100  $\mu$ l cells are added to the serum-virus mixtures and the plates incubated at 35° C. in CO<sub>2</sub> for 5 days. The plates are fixed with 80% acetone in phosphate buffered saline (PBS) for 15 minutes at RT, air dried and then blocked for 30 minutes containing PBS with 0.5% gelatin and 2% FCS. An antibody to the S proteins, S1 protein or S2 protein is diluted in PBS with 0.5% gelatin/2% FCS/0.5% Tween 20 and incubated at RT for 2 hours. Wells are washed and horseradish peroxidase-conjugated goat anti-mouse IgG added, followed by another 2 hour incubation. After washing, O-phenylenediamine dihydrochloride is added and the neutralization titer is defined as the titer of serum that reduced color development by 50% compared to the positive control wells.

#### Example 23

##### MERS CoV Vaccine Immunogenicity Study in Mice

**[0918]** The instant study was designed to test the immunogenicity in mice of candidate MERS-CoV vaccines comprising a mRNA polynucleotide encoding the full-length Spike (S) protein, or the S2 subunit (S2) of the Spike protein obtained from MERS-CoV.

**[0919]** Mice were vaccinated with a 10  $\mu$ g dose of MERS-CoV mRNA vaccine encoding either the full-length MERS-CoV Spike (S) protein, or the S2 subunit (S2) of the Spike protein on days 0 and 21. Sera were collected from each mice on days 0, 21, 42, and 56. Individual bleeds were tested for anti-S, anti-S2 activity via a virus neutralization assay from all four time points.

**[0920]** As shown in FIG. 17, the MERS-CoV vaccine encoding the full-length S protein induced strong immune response after the boost dose on day 21. Further, full-length S protein vaccine generated much higher neutralizing antibody titers as compared to S2 alone (FIG. 18).

#### Example 24

##### MERS CoV Vaccine Immunogenicity Study in New Zealand White Rabbits

**[0921]** The instant study was designed to test the immunogenicity of candidate MERS-CoV mRNA vaccines encoding the full-length Spike (S) protein. The New Zealand white rabbits used in this study weighed about 4-5 kg. The rabbits were divided into three groups (Group 1a, Group 1b, and Group 2, n=8). Rabbits in Group 1a were immunized intramuscularly (IM) with one 20  $\mu$ g dose of the MERS-CoV mRNA vaccine encoding the full-length Spike protein on day 0. Rabbits in Group 1b were immunized intramuscularly (IM) with one 20  $\mu$ g dose of the MERS-CoV mRNA vaccine encoding the full-length Spike protein on day 0, and again on day 21 (booster dose). Group 2 received placebo (PBS). The immunized rabbits were then challenged and

samples were collected 4 days after challenge. The viral loads in the lungs, bronchoalveolar lavage (Bal), nose, and throat of the rabbits were determined, e.g., via quantitative PCR. Replicating virus in the lung tissues of the rabbits were also detected. Lung histopathology were evaluated and the neutralizing antibody titers in serum samples of the rabbits were determined.

**[0922]** Two 20 µg doses of MERS-CoV mRNA vaccine resulted in a 3 log reduction of viral load in the nose and led to complete protection in the throat of the New Zealand white rabbits (FIG. 19A). Two 20 µg doses of MERS-CoV mRNA vaccine also resulted in a 4 log reduction of viral load in the BAL of the New Zealand white rabbits (FIG. 19B). One 20 µg dose of MERS-CoV mRNA vaccine resulted in a 2 log reduction of viral load, while two 20 µg doses of MERS-CoV mRNA vaccine resulted in an over 4 log reduction of viral load in the lungs of the New Zealand white rabbits (FIG. 19C).

**[0923]** Quantitative PCR results show that two 20 µg doses of MERS-CoV mRNA vaccine reduced over 99% (2 log) of viruses in the lungs of New Zealand white rabbits (FIG. 20A). No replicating virus were detected in the lungs (FIG. 20B).

**[0924]** Further, as shown in FIG. 21, two 20 µg doses of MERS-CoV mRNA vaccine induced significant amount of neutralizing antibodies against MERS-CoV (EC<sub>50</sub> between 500-1000). The MERS-CoV mRNA vaccine induced antibody titer is 3-5 fold better than any other vaccines tested in the same model.

Example 25

Immunogenicity Study

**[0925]** The instant study is designed to test the immunogenicity in mice of candidate MeV vaccines comprising a mRNA polynucleotide encoding MeV hemagglutinin (HA) protein, MeV Fusion (F) protein or a combination of both.

**[0926]** Mice are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) with candidate vaccines. Up to three immunizations are given at 3-week intervals (i.e., at weeks 0, 3, 6, and 9), and sera are collected after each

immunization until weeks 33-51. Serum antibody titers against MeV HA protein or MeV F protein are determined by ELISA.

Example 26

MeV Rodent Challenge

**[0927]** The instant study is designed to test the efficacy in transgenic mice of candidate MeV vaccines against a lethal challenge using a MeV vaccine comprising mRNA encoding MeV HA protein or MeV F protein. The transgenic mice express human receptor CD46 or signaling lymphocyte activation molecule (SLAM) (also referred to as CD150). Humans are the only natural host for MeV infection, thus transgenic lines are required for this study. CD46 is a complement regulatory protein that protects host tissue from complement deposition by binding to complement components C3b and C4b. Its expression on murine fibroblast and lymphoid cell lines renders these otherwise refractory cells permissive for MeV infection, and the expression of CD46 on primate cells parallels the clinical tropism of MeV infection in humans and nonhuman primates (Rall GF et al. PNAS USA 1997;94(9):4659-63). SLAM is a type 1 membrane glycoprotein belonging to the immunoglobulin superfamily. It is expressed on the surface of activated lymphocytes, macrophages, and dendritic cells and is thought to play an important role in lymphocyte signaling. SLAM is a receptor for both wild-type and vaccine MeV strains (Sellin CI et al. *J Virol.* 2006;80(13):6420-29).

**[0928]** CD46 or SLAM/CD150 transgenic mice are challenged with a lethal dose of the MeV. Animals are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) at week 0 and week 3 with candidate MeV vaccines with and without adjuvant. The animals are then challenged with a lethal dose of MeV on week 7 via IV, IM or ID. Endpoint is day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by >30% weight loss, extreme lethargy or paralysis are euthanized. Body temperature and weight are assessed and recorded daily.

**[0929]** In experiments where a lipid nanoparticle (LNP) formulation is used, the formulation may include a cationic lipid, non-cationic lipid, PEG lipid and structural lipid in the ratios 50:10:1.5:38.5. The cationic lipid is DLin-KC2-DMA (50 mol %), the non-cationic lipid is DSPC (10 mol %), the PEG lipid is PEG-DOMG (1.5 mol %) and the structural lipid is cholesterol (38.5 mol %), for example.

TABLE 1

hMPV Immunogenicity studies bleeding schedule										
Animal groups		Day								
(n = 8)	vaccine	-2	0	7	14	21	28	35	56	
Placebo Group 1 (n = 8)	PBS (IM)	Pre-Bleed	Prime	Bleeds	Bleeds	Bleeds/Boost	Bleeds	Bleeds		Harvest Spleens/Terminal Bleeds
10 µg Dose 2 (n = 8)	10 µg (IM)									
2 µg Dose 3 (n = 8)	2 µg (IM)									

Total n = 24



[0930] Each of the sequences described herein encompasses a chemically modified sequence or an unmodified sequence which includes no nucleotide modifications.

TABLE 2

hMPV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
gi 122891979 gb EF051124.1  Human metapneumovirus isolate TN/92-4 fusion protein gene, complete genome	ATGAGCTGGAAGGTGGTATTATCTTCAGCCTGCTGATTA CACCTCAACACGGCCTGAAGGAGAGCTACCTGGAAGAGA GCTGCTCCACCATCACCAGGGCTACCTGAGCGTGTGC GGACCGGCTGGTACACCAACGTGTTACCTTGGAGGTGG GCGACGTGGAGAACCTGACCTGCAGCGACGGCCCTAGCC TGATCAAGACCGAGCTGGACCTGACCAAGAGCGCTCTGA GAGAGCTGAAGACCGTGTCCGCCGACAGCTGGCCAGAG AGGAACAGATCGAGAACCCTCGGCAGAGCAGATTCTGTC TGGGCGCCATCGCTCTGGGAGTCCGCCGTGCCGTGCAG TGACAGCTGGAGTGGCCATTGCTAAGACCATCAGACTGG AAAGCGAGGTGACAGCCATCAACAATGCCCTGAAGAAG ACCAACGAGGCGGTGAGCACCTGGGCAATGGAGTGAGA GTGCTGGCCACAGCCGTGCGGGAGCTGAAGGACTTCGTG AGCAAGAACCCTGACCAGGCCATCAACAAGAACAAGTG CGACATCGATGACCTGAAGATGGCCGTGAGCTTCTCCCA GTTCAACAGACGGTTCCTGAACGTGGTGAGACAGTTCTC CGACAACGCTGGAATCACACCTGCCATTAGCCTGGACCT GATGACCGACCGGAGCTGGCTAGAGCCGTGCCCAACAT GCCCACAGCGCTGGCCAGATCAAGCTGATGCTGGAGAA CAGAGCCATGGTGGGAGAAAGGGCTTCGGCATCCTGAT TGGGGTGTATGGAAGCTCCGTGATCTACATGGTGCAGCT GCCCATCTTCGGCGTGTGACACACCCCTGCTGGATCGTG AAGGCCGCTCCTAGCTGCTCCGAGAAGAAAGGAACTAT GCCTGTCTGCTGAGAGAGGACCAGGGCTGGTACTGCCAG AACGCCGGAAGCACAGTGTACTATCCCAACGAGAAGGAC TGGGAGACCAGAGGCGACCAGTGTCTGCGACACCGCT GCCGGAATCAACGTGGCCGAGCAGAGCAAGGAGTGCAA CATCAACATCAGCACAAACCACTACCCCTGCAAGGTGAG CACCGGACGGCACCCCATCAGCATGGTGGCTCTGAGCCC TCTGGGCGCTCTGGTGGCTGCTATAAGGGCGTCTCCTGT AGCATCGGCAGCAATCGGGTGGGCATCATCAAGCAGCTG AACAAAGGATGCTCCTACATCACCACAGGACGCGGAC ACCGTGACCATCGACAACCCGTGATCCAGCTGAGCAAG GTGGAGGGCAGCAGCAGTGTCAAGGGCAGACCCGT GAGCTCCAGCTTCGACCCCATCAAGTTCCTGAGGACCA GTTCAACGTGGCCCTGGACAGGTGTTGAGAATCGA GAACAGCCAGGCCCTGGTGGACCAGAGCAACAGAATCCT GTCCAGCGCTGAGAAGGGCAACACCGGCTTCATCATTGT GATCATCTGATCGCCGTGCTGGGCAGCTCCATGATCCTG GTGAGCATCTTATCATTTATCAAGAAGCAAGAAACCC ACCGGAGCCCTCCTGAGCTGAGCGCGTGAACCAACAT GGCTTCATTCACCAACTGA	1
gb AY525843.1 : 3065-4684 Human metapneumovirus isolate NL/1/99, complete genome	ATGTCTTGAAAGTGATGATCATCATTTTCGTTACTCATAA CACCCAGCACGGGCTAAAGGAGAGTATTTGGAAGAAAT CATGTAGTACTATAACTGAGGGATACCTCAGTGTTTAAG AACAGGCTGGTACACTAATGTCTTACATTAGAAGTTGGT GATGTTGAAAATCTTACATGACTGATGGACCTAGCTTAA TCAAAACAGAACTTGATCTAACAAAAGTGTCTTAAAGGG AACTCAAACAGTCTCTGCTGATCAGTTGGCGAGAGAGG AGCAAATTGAAAATCCCAGACAATCAAGATTTGTCTTAG GTGCGATAGCTCTCGGAGTTGCTACAGCAGCAGCAGTCA CAGCAGGCATTGCAATAGCCAAAACCATAGGCTTGAGA GTGAGGTGAATGCAATTAAGGTGCTCTCAAACAAACTA ATGAAGCAGTATCCACATTAGGGAATGGTGTGCGGCTCC TAGCCACTGCAGTGAGAGAGCTAAAAGAATTTGTGAGCA AAAACCTGACTAGTGCAATCAACAGGAACAATGTGACA TTGCTGATCTGAAGATGGCTGTCAGCTTCAGTCAATTCAA CAGAAGATTTCTAAATGTTGCGGCAGTTTTTCAGACAAT GCAGGGATAACACCAGCAATATCATTGGACTGATGACT GATGCTGAGTTGGCCAGAGCTGATCATACATGCCAACA TCTGCAGGGCAGATAAACTGATGTTGGAGAACCAGCGCA ATGGTAAGGAGAAAAGGATTTGGAATCCTGATAGGGGTC TACGGAAGCTCTGTGATTTACATGGTTCAATTCGCGATCT TTGGTGTATAGATACACCTTGTGGATCATCAAGGCAGC TCCCTTTGCTCAGAAAAAACCAGGAATTAAGCTTGCCTC CTAAGAGAGGATCAAGGTTGATTTGTAATAATGCAGGA	2

TABLE 2-continued

hMPV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	TCTACTGTTTACTACCCAAATGAAAAAGACTGCGAAACA AGAGGTGATCATGTTTTTTGTGACACAGCAGCAGGGATC AATGTTGCTGAGCAATCAAGAGAATGCAACATCAACATA TCTACTACCAACTACCCATGCAAAGTCAGCACAGGAAGA CACCCATAAGCATGGTTGCACTATCACCTCTCGGTGCTT TGGTGGCTTGCTATAAAGGGTAAGCTGCTCGATTGGCA GCAATTGGGT TGGAATCATCAAACAATTACCCAAAGGCTGCTCATA AACCAACCAGGATGCAGACACTGTAACAATTGACAATAC CGTGTATCAACTAAGCAAAGTTGAAGGTGAACAGCATGT AATAAAAGGGAGACCAGTTTCAAGCAGTTTTGATCCAAT CAAGTTTCTGAGGATCAGTTCAATGTTGCGCTTGATCAA GTCTTCGAAAGCATTGAGAACAGTCAGGCACTAGTGGAC CAGTCAAACAAAAATCTAAACAGTGCAGAAAAAGGAAA CACTGGTTTCATTATCGTAGTAATTTGGTTGCTGTTCTTG GTCTAACCATGATTTCAAGTGCATCATCATATAATCAA GAAAACAAGGAAGCCACAGGAGCACCTCCAGAGCTGA ATGGTGTCAACACGGCGTTTCATACCACATAGTTA	
gb KJ627414.1 : 3015-4634 Human metapneumovirus strain hMPV/ <i>Homo sapiens</i> /PER/CFI0497/ 2010/B, complete genome	ATGTCTTGGAAAGTGATGATTATCATTTCTGTTACTCATAA CACCTCAGCATGGACTAAAAGAAAGTTATTAGAAAGAAAT CATGTAGTACTATAACTGAAGGATATCTCAGTGTTTTAAAG AACAGGTTGGTACACCAATGTCTTACATTAGAAGTTGGT GATGTTGAAAATCTTACATGTACTGATGGACCTAGCTTAA TCAAAAACAGAAGTGCCTAACCAAAAAGTGTCTTAAAGAG AACTCAAACAGTTTCTGCTGATCAGTTAGCGAGAGAAAG AACAAATGAAAATCCACAGCAATCAGGTTTGTCTTAG GTGCAATAGCTCTTGGAGTTGCCACAGCAGCAGCAGTCA CAGCAGGCATTGCAATAGCCAAAACATAAAGGCTTGAGA GTGAAGTGAATGCAATCAAGGTGCTCTCAAACAACCA ATGAGGCAGTATCAACTAGGAAATGGAGTGCAGGCTCC TAGCCACTGCAGTAAGAGAGCTGAAAAGAATTTGTGAGCA AAAACCTGACTAGTGCATCAACAAGAACAAAGTGTGACA TTGCTGATTTGAAGATGGCTGTGCTCAGTTTCAAGTCA CAGAAGATTCCATAATGTTGCGGCGAGTTTTCAGACAAT GCAGGGATAACACAGCAATATCATTTGACCTGATGAAT GATGCTGAGCTGGCCAGAGCTGTATCATAATGCCAAC TCTGCAGGACAGATAAACTAATGTTAGAGAACCGTGCA ATGGTGGAGAGAAAAGGATTTGGAATCTTGATAGGGGTC TACGGAAGCTCTGTGATTTACATGGTCCAGCTGCCGATCT TTGGTGTCAAAAACACCTTGTGGATAATCAAGGCAGC TCCCTCTTGTTCAGAAAAGATGGAATATGCTTGCCTC CTAAGAGAGGATCAAGGGTGGTATTTGAAAAATGCAGGA TCCACTGTTTACTACCCAAATGAAAAAGACTGCGAAACA AGAGGTGATCATGTTTTTTGTGACACAGCAGCAGGGATC AATGTTGCTGAGCAATCAAGAGAATGCAACATCAACATA TCTACCACTAACCCTATGCAAAGTGCAGCACAGGAAGA CACCCATCAGCATGGTTGCACTATCACCTCTCGGTGCTT TGGTAGCTTGCTACAAAAGGGTTAGCTGCTCGACTGGCA GTAATCAGGTTGGAATAATCAAACAATACCTAAAGGCT GCTCATAACATAACTAACAGGACGCAGACACTGTAACAA TTGACAACACTGTGTATCACTAAGCAAAGTTGAGGGTG AACAGCATGTAATAAAAGGGAGACCAGTTTCAAGCAGTT TTGATCCAATCAGGTTTCTGAGGATCAGTTCAATGTTGC GCTTGATCAAGTCTTTGAAAGCATTGAAAACAGTCAAGC ACTAGTGGACCAGTCAAACAAAAATCTGAACAGTGCAGA AAAAGGAACACTGGT TTCATTATTGTAATAATTTTGATTGCTGTTCTTGGGTTAAC CATGATTTCAAGTGCATCATCATATAATCAAAAAAC AAGGAAGCCACAGGGGCACCTCCGGAGCTGAATGGTGT TACCAACGGCGGTTTCATACCAGCATAGTTAG	3
gb KJ723483.1 : 5586-7310 Human respiratory syncytial virus strain RSVA/ <i>Homo sapiens</i> /USA/84I- 215A-01/1984, complete genome	ATGGAGTTGCCAATCTCAAACAATGCAATTACCACA ATCCTTGCTGCAGTCACTCTGTTTCGCTTCCAGTCAA ACATCACTGAAGAATTTTATCAATCAACATGCAGTGCAG TTAGCAAAGGCTATCTTAGTCTTAAGAAGTGGTGGTA TACTAGTGTATAACTATAGAATTAAGTAATATCAAGGA AAATAAGTGTAAATGGAACAGATGCTAAGGTAATTTGAT AAAACAAGAAATAGATAAATATAAAAATGCTGTAAACAGA ATTGCAGTTGCTCATGCAAAGCACACCAGCAGCAACAA TCGAGCCAGAAGAGAACTACCAAGGTTTATGAATTATAC ACTCAATATACAAAAATACCAATGTAACTTAAAGCAA	4

TABLE 2-continued

hMPV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	GAAAAGGAAAAGAAGATTTCTTGGCTTTTTGTTAGGTGTT GGATCTGCAATCGCCAGTGGCATTGCTGTATCTAAGGTCC TGCACTTAGAAGGGGAGTGAACAAAATCAAAGTGCTC TACTATCCACAAAAGGCTGTAGTCAGCTTATCAAATG GAGTTAGTGTCTTAACCAGCAAAGTGTAGACCTCAAAA ACTATATAGATAAACAGTTGTACCTATTGTGAACAGC AAAGCTGCAGCATATCAAACATTGAAACTGTGATAGAGT TCCAACAAAAGAACACAGACTACTAGAGATTACCAGGG AATTTAGTGTAAATGCAGGTGTAACACACCTGTAAGCAC TTATATGTTAACTAATAGTGAATTATTATCATTAAATCAAT GATATGCCATAACAAATGATCAGAAAAAGTTAATGTCC AACAAATGTTCAAATAGTTAGACAGCAAAGTTACTCTATC ATGTCCATAATAAAGGAGGAAGTCTTAGCATATGTAGTA CAATTACCCTATATGGTGTAAATAGATACCCCTGTTGGA AAGTGCACACATCCCTCTATGTACAAACACAAAGG AAGGGTCCAACATCTGCTTAAACAAGAACCGACAGAGGAT GGTATTGTGACAAATGCAGGATCAGTATCTTTCTTCCACA AGCTGAAACATGTAAGTTCAATCGAATCGGGTATTTGT GACACAATGAACAGTTTAAACATTACCAAGTGAAGTAAAT CTCTGCAACATTGACATATTCACCCCAAATATGATTGCA AAATTTAGACTTCAAACAGATGTAAGCAGCTCCGTTA TCACATCTTAGGAGCCATTGTGTATGCTATGGCAAAAC TAAATGTACAGCATCCATAAAAAATCGTGGGATCATAAA GACATTTCTAACGGGTGTGATTAATGTATCAAATAAGGG GGTGGATACTGTCTGTAGGTAATACATTATATATGTA AATAAGCAAGAAGGCAAAGTCTCTATGTAAAAGGTGAA CCAATAATAAATTTCTATGACCCATTAGTGTCCCTCTG ATGAATTTGATGCATCAATATCTCAAGTCAATGAGAAGA TTAACAGAGCCTAGCATTTATTCTGTAATCCGATGAATT ATTACATAATGTAATGTCTGGTAAATCCACCACAAATAT CATGATAACTACTATAATTATAGTGATTATAGTAATATTG TTATCATTAAATTCAGTTGGACTGCTCCTACTGCAAGG CCAGAAGCACACCAGTCACTAAGTAAGGATCAACTGA GTGGTATAAATAATTTGCATTTAGTAACTGA	
hMPV mRNA Sequences		
gi 122891979 gb EF051124.1  Human metapneumo virus isolate TN/92-4 fusion protein gene, complete genome	AUGAGCUGGAAGGUGGUGAUUAUCUUCAGCCUGCUGAU UACACCUCAACACCGCCUGAAGGAGAGCUACCUUGAAG AGAGCUGCUCCACCAUCACCGAGGGCUACCUAGCGUG CUGCGGACCGGUGGUAACCAACGUGUUCACCCUGGA GGUGGGCGACGUGGAGAACUGACCUGCAGCGACGGCC CUAGCCUGAUCAGACCAGCUGGACCUAGCCAAAGAGC GCUCUGAGAGAGCUGAAGACCGUGUCGCGCCAGCAGCU GGCCAGAGAGGAAACAGAUCCAGAACCCUGGCAGAGCA GAUUCUGCUGGGCGCCAUCCGUCUGGGAGUCGCGCGCU GCCGUCGAGUGACAGCUGGAGUGGCCAUUGCUAAGAC CAUCAGACUGGAAAGCGAGGUGACAGCCAUCAACAAG CCUGAAGAAGACCAACGAGGCCUGAGCACCCUGGGC AAUGGAGUGAGAGUGCUGGCCACAGCCGUGCGGGAGCU GAAGGACUUCGUGAGCAAGAACCUAGCCAGAGCCAUCA ACAAGAACAAGUGCGCAUCGAUGACCUGAAGAUGGCC GUGAGCUUCUCCAGUUCACAGACGGUUCUGAACGU GGUGAGACAGUUCUCCGACAACCGUGGAUUCACACCU CCAUUAGCCUGGACCUGAUGACCGACCGGAGCUGGCU AGAGCCGUGCCCAACAUCCACCAGCGCUGGCCAGAU CAAGCUGAUGCUGGAGAACAGAGCCAUUGGUGCGGAGAA AGGGCUUCGGCAUCUGAUUGGGGUGUAUGAAGCUC GUGAUCUACAUGGUGCAGCUGCCAUUCGCGGUGAU CGACACACCCUGCUGGAUCGUGAAGGCCGUCUAGCU GCUCGAGAAGAAAGGAAACUAUGCCUGUCUGCUGAGA GAGGACCAGGGCUGGUAUCUGCCAGAACGCGGAAGCAC AGUGUAUCUACCCAACGAGAAGGACUGCAGACAGAG CGCACCACGUGUUCUGGACACCCGUCGCGAAUCAAC GUGGCCGAGCAGAGCAAGGAGUGCAACAUCACACUCAG CACAAACAACUACCCUGCAAGGUGAGCACCGGACGGC ACCCAUUCAGCAUGGUGGUCUCUGAGCCUCUGGGCGCU CUGGUGGCUGCUAUAAGGGCGUGUCUGUAGCAUCGG CAGCAUUCGGUGGGCAUCAACAGCAGCUGAACAAAGG GAUCUCCUACAUCACCAACCAGGACCGCCAGACCCGUG ACCAUCGACAACAACCGUGUACAGCUGAGCAAGGUGGA GGGCGAGCAGCACGUGAUCAGGGCAGACCCGUGAGCU	57

TABLE 2-continued

hMPV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	CCAGCUUCGACCCCAUCAAGUUCUCCUGAGGACCAGUUC AACGUGGCCCCUGGACCAGGUGUUUGAGAACAUCGAGAA CAGCCAGGCCCCUGGUGGACCAGAGCAACAGAAUCCUGU CCAGCGCUGAGAAGGGCAACACCGGCUUCAUCAUUGUG AUCAUUCUGAUCGCCGUGCGGGCAGCUCCAUGAUCCU GGUGAGCAUCUUCAUUUUAUCAAGAGACCAGAAAC CCACCGGAGCCUCCUGAGCUGAGCGGGCUGACCAAC AAUGGCUUCAUUCGCCCAACUGA	
gb AY525843.1 : 3065-4684 Human metapneumovirus isolate NL/1/99, complete genome	AUGUCUUGGAAAGUGAUGAUCAUCAUUUCGUUACUCAU AACACCCAGCACGGGCUAAAAGGAGAGUUUUUGGAAG AAUCAUGUAGUACUAUAACUGAGGGAUACCCUGAGU UUAAGAACAGGCUGGUACACUAUUGUCUUCACAUUAGA AGUUGGUGAUGUUUAAAUCUUACAUGUACUGAUGGA CCUAGCUUAUCAAACAGAACUUGAUCUAACAAAAG UGCUUUUAGGGAAUCUAAAACAGUCUCUGCUGAUCAGU UGGCGAGAGAGGAGCAAUUGAAAUCAGACAAUCA AGAUUUGUCUUAGGUGCGAUAGCUCUGGAGUUGCUAC AGCAGCAGCAGUCACAGCAGGCAUUGCAAUAGCCAAA CCAUAAGGCUUGAGAGUGAGGUGAAUGCAAUUAAGG UGCUUCUCAAACAACUAUAGGAGUUAUCACAUAUAG GGAUUGGUGCGGGUCUAGCCACUGCAGUGAGAGAG CUAAAAGAAUUUGAGCAAACCCUGACUAGUGCAAU CAACAGGAACAAUUGAGCAUUGCUGAUCUGAAGAUGG CUGUCAGCUUCAGUCAAUUCAACAGAAUUAUUAUU GUUGUGCGGCAGUUUUCAGACAAUGCAGGGAAUACCC AGCAAUAUCAUUGGACCUGAUGACUGAUGCUGAGUUGG CCAGAGCUGUAUCAUACUAGCCAAACUUCUGCAGGGCAG AUAAAACUGAUGUUGGAGAACCGCGCAAUGUUAAGGAG AAAAGGAUUUGGAUCCUGAUAGGGGUCUACGGAAGCU CUGUGAUUUACAUGGUUCAUUGCCGAUCUUUGGUGUC AUAGAUACACCUUGUUGGAUCAUCAAGGCAGCUCUCCU UUGCUCAGAAAAAACGGGAUUUAUGCUUGCCUCAA GAGAGGAUCAAGGGUGGUUUUGUAAAAAUGCAGGAUC UACUGUUUACUACCAAUUGAAAAGACUGCGAAACAA GAGGUGAUCAGUUUUUUGACACAGCAGCAGGGAUC AAUGUUGCUGAGCAAUCAAGAGAAUGCAACAUCAACAU AUCUACUACCAACUACCAUGCAAAGUCAGCACAGGAA GACACCUUAUAGCAUGGUUGCACUAUCACUCUCGGU GCUUUGGUGGCUUGCUAUAAGGGGUAAGCUGCUCGAU UGGCAGCAAUUGGGU UGGAAUCAUCAAACAUAUACCCAAAGGCUGCUCAUACA UAACCAACAGGAUGCAGACACUGUAACAAUUGACAAU ACCGUGUAUCAACUAAGCAAAGUUGAAGGUAAACAGCA UGUAAUAAAAGGGAGACCAGUUUCAAGCAGUUUUGAUC CAUCAAGUUUCCUGAGGAUCAGUUAUUGUUGCGCUU GAUCAAGUUCUUGAAAGCAUUGAGAAACAGUCAGGCACU AGUGGACCAGUCAAAACAAAUUCUAAACAGUCAGAAA AAGGAAACACUGGUUUCUAUUCGUAGUAAUUUUGGU UGCUUUCUUGGUCUAACCAUGAUUUUAGUGAGCAUCA UCAUCAAAUCAAGAAACAAGGAAGCCACAGGAGCA CCUCCAGAGCUGAAUGGUGUACCAACCGGCGGUUCAU ACCCAUAGUUAG	58
gb KJ627414.1 : 3015-4634 Human metapneumovirus strain hMPV/Homo sapiens/PER/CFI0497/ 2010/B, complete genome	AUGUCUUGGAAAGUGAUGAUUAUCAUUUCGUUACUCAU AACACCCAGCAUGGACUAAAAGAAAGUUUUUAGAAAG AAUCAUGUAGUACUAUAACUGAAGGAUUAUCUGAGU UUAAGAACAGGUUGGUACACCAUUGUCUUAUCAUUGA AGUUGGUGAUGUUUAAAUCUUACAUGUACUGAUGGA CCUAGCUUAUCAAACAGAACUUGACCUAACCAAAG UGCUUUUAGGAAUCUAAAACAGUUUCUGCUGAUCAGU UAGCGAGAGAAAGAAUUGAAAUCAGACAAUCA AGGUUUUGCCUAGGUGCAAUAGCUCUUGGAGUUGCCAC AGCAGCAGCAGUCACAGCAGGCAUUGCAAUAGCCAAA CUUAAGGCUUGAGAGUGAAGUGAAUGCAAUCAAGG UGCUUCUAAAACAACCAUAGGGCAGUAUCAACACUAG GAAAUGGAGUGCGGGUCUAGCCACUGCAGUAAGAGAG CUGAAAAGAAUUUGAGCAAACCCUGACUAGUGCGAU CAACAAGAACAGUGUGACAUUGCUGAUUUGAAGAUGG CUGUCAGCUUCAGUCAGUUCAAACAGAAUUCUAAA GUUGUGCGGCAGUUUUCAGACAAUGCAGGGAAUACCC AGCAAUAUCAUUGGACCUGAUGAAUGAUGCUGAGCUGG	59

TABLE 2-continued

hMPV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	CCAGAGCUGUAUCAUACAUAGCCAAACUUCUGCAGGACAG AUA AAAACUAAUGUUAAGAGAACCGUGCAAUGGUGAGGA GAAAAGGAUUUGGAAUCUUGAUAGGGGUCUACGGAAG CUCUGUGAUUUACAUUGUCCAGCUGCCGAUCUUUGGUG UCAUAAAUAACCCUUGUUGGAUAAUCAAGGCAGCUC UCUUGUUCAGAAAAAGAUAGGAAUUAUGCUUGCCUCCU AAGAGAGGAUCAAGGGUGGUUUGUAAAAAUGCAGGA UCCACUGUUUAUCUCCAAAUGAAAAAGACUGCGAAAC AAGAGGUGAUCAUGUUUUUGUGACACAGCAGCAGGGA UCAUGUUGCUGAGCAAUCAAGGAAUGCAACAUCAAC AUAUCUACCAACUACCCAUUGCAAAGUCAGCAGCAGG AAGACACCUCUACAGCAUGGUUGCACAUCACCCUCUG GUGCUUUGGUAGCUGCUACAAGGGGUAGCUGCUCG ACUGGCAGUAAUCAGGUUGGAAUAAUCAAACAUCUAC UAAAGGCUGCUCAUACAUAACUAAACAGGACGCAGACA CUGUAACA AUUGACAACACUGUGUAUCAACUAAGCAA GUUGAGGGUGAACAGCAUGUAAUAAAAGGGAGACCAG UUUCAAGCAGUUUGAUCCAUCAGGUUUCUGAGGAU CAGUUCAAUGUUGCGCUUGAUCAAGUCUUUGAAAGCAU UGAAAACAGUCAAGCACUAGUGGACCAGUCAACAAAA UUUCUGAACAGUGCAGAAAAAGGAAACACUGGU UUCAUUUUGUAUAAUUUUUGAUUGCUGUUUUUGGGU UAACCAUGAUUUCAGUGAGCAUCAUCAUAAUCAA AAAACAAGGAAGCCACAGGGGCACUCCGAGCUGAA UGGUGUUAACCAACGGCGGUUCAUACCGCAUAGUUAG	
gb KJ723483.1  : 5586-7310 Human respiratory syncytial virus strain RSV A/Homo sapiens/USA/84I- 215A-01/1984, complete genome	AUGGAGUUGCCAAUCCUCAAACAAAUGCAAUACCAC AAUCCUUGCUGCAGUCAACUCUGUUUCGCUUCCAGUC AAAACAUCACUGAAGAAUUUAUCAAUCAACAUGCAGU GCAGUAGCAAAGGCUAUCUUAGUGCUCUAGAACUGG UUGGUUAUCUAGUGUUAUAACUUAUAGAAUUAGUAAU AUC AAGGAAAAUAAGUGUAAUGGAACAGAUUCUAAAGG UAAAAUUGAUAAAAACAAGAAUUGAUAAAUAUAAAA UGCUGUAACAGAAUUGCAGUUGCUCAUGCAAGCACAC CAGCAGCCAACAUCGAGCCAGAAGGAACUACCAAGG UUUAUGAAUUUAUCACUCAUAAUACCAAAAAUACCAA UGUAACAUAAGCAAGAAAAGGAAAAGAGAUUUUU GGCUUUUUGUUAGGUUUGGUAUCUGCAAUCGCAAGUGG CAUUGCUGUAUCUAAAGGUCUGCACCUAAGAGGGGAAG UGAACAAAAUCAAAAGGUCUCUACUUCACAAACAAG GCUGUAGUCAGCUUAUCAAAUGGAGUUAUGUCUUAAC CAGCAAAGUGUAGACCUCAAAACUAUUAUGAUAAAC AGUUGUUAACCUAUUGUGAACAAAGCAAAGCUGCAGCAUA UCAACAUAUGAAACUGGAUAGAGUUCCAAACAAGAA CAACAGACUACUAGAGAUUAC CAGGGAAUUUAGUGUUA AUGCAGGUUAACUACCCUGUAAGCAUUAUUAUGUUA ACUAAUAGUGAAUUAUUAUCAUUAUUAUUAUGAUUGCC UAUAACAAUUGAU CAGAAAAAGUUAUUGUCCAACAUG UUCAAAUAGUUAGACAGCAAAGUUAUCUUAUCAUGUCC AUAUAAGGAGGAAGUCUUAAGCAUUAUGUAUACA AU UACCACUAUUAUGGUGUAUAGAUACCCUGUUGGAAA CUGCACACAUCCCUUAUGUACAACCAACAAGGA AGGGUCCAACAUCUGCUUAACAAGAACCGACAGAGGAU GGUAUUGGACAAUGCAGGAUCAGUAUCUUUCUCCCA CAAGCUGAAA CAUGUAAAGUUAUUAUGAAUUGGUAUU UUGGACACAAGUAAACAGUUUAACAUAUACCAAGUGAAG UAAAUCUCUGCAACAUGGACAUUUCAACCCAAAUAU GAUUGCAAAUUAUGACUUCAAAAACAGAUUAAGCAG CUCUGUUAUCAUCUCUAGGAGCCAUUGUGUCAUGCU AUGGCAAACUAAUUGUACAGCAUCCAAUAAAAUUCGU GGGAUCAUAAAGACAUUUUUAACGGGUGUGAUUAUG UAUCAAAUUAAGGGGUGGAUCUGUGUCUGUAGGUAA UACAUAUUAUUAUGUAAUUAAGCAAGAAAGGCAAAGU CUCUAUGUAAAAGGUGAACCAUUAUUAUUUAUGA CCCAUUAUGUUCUCCUCUGAUGAAUUGAUGCAUCA UAUCUAAGUCAUUGAGAGAUUAAC CAGAGCCUAGCA UUUAUUCGUAUUUCCGAUGAAUUAUUAUUAUUAUGUA AUGCUGUAAAUCACCAAAUAUCAUGAUACUACU	60

TABLE 2-continued

hMPV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	AUAAUUUAGUGAUUUAUAGUAAUUAUUGUUUAUCAUUA UUGCAGUUGGACUGCUCUUAUACUGCAAGGCCAGAAGC ACACCAGUCACACUAAGUAAGGAUCAACUGAGUGGUAU AAAUAAUUAUGCAUUUAGUAAACUGA	

TABLE 3

hMPV Amino Acid Sequences		
Description	Sequence	SEQ ID NO:
gi 122891979 gb EF051124.1  Human metapneumovirus isolate TN/92-4 fusion protein gene, complete cds	MSWKVVIIFSLITPQHGLKESYLEESCSTITEGYLSVLRTGW YTNVFTLEVGDVENLTCSDGPSLIKTELDLTKSALRELKTVS ADQLAREEQIENPRQSRFVLGAIALGVAAAAAVTAGVAIAK TIRLESEVTAIINNALKKTNEAVSTLGNQVRLATAVRELKD FVSKNLTRAINKNKCDIDDLKMAVFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVNMPPTSAGQIKLMLLENRA MVRKGFGLIGVYSSVIYMVQLPIFGVIDTPCWIVKAAPS CSEKKGNYACLLREDQGWYCKNAGSTVYYPNEKDCETR DHVPCDTAAGINVAEQSKECNINISTTNYPCVKVSTGRHPISM VALSPLGALVACYKGVSCS IGSNRVGI I KQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHV I KGRPVSS SFDPIKFPEDQF NVALDQVFENIENSQALVDQSNRI LSSAEKNGTGFIIIVILIAV LGSSMILVSIPIIIKKTRKPTGAPPELNGVTNNGFIPHN	5
gb AY525843.1  : 3065-4684 Human metapneumovirus isolate NL/1/99, complete cds	MSWKVMIIISLLITPQHGLKESYLEESCSTITEGYLSVLRTGW YTNVFTLEVGDVENLTCTDGP SLIKTELDLTKSALRELKTVS ADQLAREEQIENPRQSRFVLGAIALGVATAAAVTAGIAIAKT IRLESEVNAIKGALKQTNEAVSTLGNQVRLATAVRELKEF VSKNLTSAINKNKCDIADLKMAVFSQFNRRFLNVVRQFSD NAGITPAISLDLMTDAELARAVSYMPTAGQIKLMLLENRAM VRRKGFGLIGVYSSVIYMVQLPIFGVIDTPCWIIKAAPSCS EKNGNYACLLREDQGWYCKNAGSTVYYPNEKDCETR VFCDTAAGINVAEQSRECNINISTTNYPCVKVSTGRHPISMVA LSPLGALVACYKGVSCS IGSNWVGI I KQLPKGCSYITNQDAD TVTIDNTVYQLSKVEGEQHV I KGRPVSS SFDPIKFPEDQFNV ALDQVFESIENSQALVDQSNKILNSAEKNGTGFIIIVILVAVL GLTMISVSI IIIKKTRKPTGAPPELNGVTNNGFIPHS	6
gb KJ627414.1  : 3015-4634 Human metapneumovirus strain hMPV/ <i>Homo sapiens</i> /PER/CFI0497/ 2010/B, complete cds	MSWKVMIIISLLITPQHGLKESYLEESCSTITEGYLSVLRTGW YTNVFTLEVGDVENLTCTDGP SLIKTELDLTKSALRELKTVS ADQLAREEQIENPRQSRFVLGAIALGVATAAAVTAGIAIAKT IRLESEVNAIKGALKKTNEAVSTLGNQVRLATAVRELKEF VSKNLTSAINKNKCDIADLKMAVFSQFNRRFLNVVRQFSD NAGITPAISLDLMTDAELARAVSYMPTAGQIKLMLLENRAM VRRKGFGLIGVYSSVIYMVQLPIFGVINTPCWIIKAAPSCS EKDGNACLLREDQGWYCKNAGSTVYYPNEKDCETR VFCDTAAGINVAEQSRECNINISTTNYPCVKVSTGRHPISMVA LSPLGALVACYKGVSCS CTGNSQVGI I KQLPKGCSYITNQDAD TVTIDNTVYQLSKVEGEQHV I KGRPVSS SFDPIRFPEDQFNV ALDQVFESIENSQALVDQSNKILNSAEKNGTGFIIIVILIAVL LTMISVSI IIIKKTRKPTGAPPELNGVTNNGFIPHS	7
gb KJ723483.1  : 5586-7310 Human respiratory syncytial virus strain RSVa/ <i>Homo sapiens</i> /USA/84I- 215A-01/1984, complete cds	MELPILKTNAITTILAAVTLCFASSQNI TEEFYQSTCSAVSKG YLSALRTGWYTSVITIELSNIKENKCNKGTDAKVLIKQELDK YKNAVTEQLQLMQSTPAANNRARELPRFMNYTLNNTKNT NVTLSKKRKRFLGFLGVSASIAVSKVLHLEGEVNI KSALLSTNKAVVLSNGVSVLTSKVLDLKNYIDKQLLPVNI KQSCSISNIETVIEFQQKNNRLEITREFSVNAGVTPPVSTYIM LTNSELNLSLINDMPI TNDQKMLMNNVQIVRQSYSIMSIIKE EVLAYVVQLPLYGVIDTPCWKLTHTSPLCTTNTKEGNSICLTR TDRGWYCDNAGSVSFFPQAEKCKVQSNRVFCDTMMNSLTLP SEVNLNIDIFPNKYDKIMTSKTDVSSS VITSLGAIVSCYGK TKCTASNKNGRIIKTFSNGCDYVSNKGVDTVSVGNTLYYVN KQEGKSLYVKGEP IINFYDPLVFP SDFDASISQVNEKINQSL AFIRKSDLELHNVNAGKSTTNIIMITIIIVIIIVILLSLIAVGLL YCKARSTPVTLTKDQLSGINNIASFN	8

TABLE 4

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
F [Human metapneumovirus] [Human metapneumovirus]	AEK26895.1
fusion glycoprotein [Human metapneumovirus]	ACJ53565.1
fusion glycoprotein [Human metapneumovirus]	ACJ53566.1
fusion glycoprotein [Human metapneumovirus]	ACJ53569.1
fusion protein [Human metapneumovirus]	AEZ52347.1
fusion glycoprotein [Human metapneumovirus]	ACJ53574.1
fusion glycoprotein [Human metapneumovirus]	AHV79473.1
fusion glycoprotein [Human metapneumovirus]	ACJ53570.1
fusion glycoprotein [Human metapneumovirus]	ACJ53567.1
fusion protein [Human metapneumovirus]	AAS22125.1
fusion glycoprotein [Human metapneumovirus]	AHV79795.1
fusion glycoprotein [Human metapneumovirus]	AHV79455.1
fusion glycoprotein [Human metapneumovirus]	ACJ53568.1
fusion protein [Human metapneumovirus]	AAS22109.1
fusion glycoprotein [Human metapneumovirus]	AGU68417.1
fusion glycoprotein [Human metapneumovirus]	AGJ74228.1
fusion glycoprotein [Human metapneumovirus]	ACJ53575.1
fusion protein [Human metapneumovirus]	AAU25820.1
fusion glycoprotein [Human metapneumovirus]	AGU68377.1
fusion glycoprotein [Human metapneumovirus]	AGU68371.1
fusion glycoprotein [Human metapneumovirus]	AGJ74087.1
fusion glycoprotein [Human metapneumovirus]	ACJ53560.1
fusion glycoprotein [Human metapneumovirus]	AHV79858.1
fusion glycoprotein [Human metapneumovirus]	ACJ53577.1
fusion protein [Human metapneumovirus]	AAS22085.1
fusion protein [Human metapneumovirus]	AEZ52348.1
fusion glycoprotein [Human metapneumovirus]	AGJ74044.1
fusion glycoprotein [Human metapneumovirus]	ACJ53563.1
fusion glycoprotein precursor [Human metapneumovirus]	YP_012608.1
fusion glycoprotein [Human metapneumovirus]	AGJ74053.1
fusion protein [Human metapneumovirus]	BAM37562.1
fusion glycoprotein [Human metapneumovirus]	ACJ53561.1
fusion glycoprotein [Human metapneumovirus]	AGU68387.1
fusion [Human metapneumovirus]	AGL74060.1
fusion glycoprotein precursor [Human metapneumovirus]	AAV88364.1
fusion protein [Human metapneumovirus]	AAN52910.1
fusion protein [Human metapneumovirus]	AAN52915.1
fusion protein [Human metapneumovirus]	BAM37564.1
fusion glycoprotein precursor [Human metapneumovirus]	BAH59618.1
fusion protein [Human metapneumovirus]	AAQ90144.1
fusion glycoprotein [Human metapneumovirus]	AHV79446.1
fusion protein [Human metapneumovirus]	AEI87260.1
fusion glycoprotein [Human metapneumovirus]	AHV79867.1
fusion protein [Human metapneumovirus]	ABQ66027.2
fusion glycoprotein [Human metapneumovirus]	ACJ53621.1
fusion protein [Human metapneumovirus]	AAN52911.1
fusion glycoprotein [Human metapneumovirus]	AHV79536.1
fusion glycoprotein [Human metapneumovirus]	AGU68411.1
fusion protein [Human metapneumovirus]	AEZ52346.1
fusion protein [Human metapneumovirus]	AAN52913.1
fusion protein [Human metapneumovirus]	AAN52908.1
fusion glycoprotein [Human metapneumovirus]	ACJ53553.1
fusion glycoprotein [Human metapneumovirus]	AIY25727.1
fusion protein [Human metapneumovirus]	ABM67072.1
fusion protein [Human metapneumovirus]	AEZ52361.1
fusion protein [Human metapneumovirus]	AAS22093.1
fusion glycoprotein [Human metapneumovirus]	AGH27049.1
fusion protein [Human metapneumovirus]	AAK62968.2
fusion glycoprotein [Human metapneumovirus]	ACJ53556.1
fusion glycoprotein [Human metapneumovirus]	ACJ53620.1
fusion protein [Human metapneumovirus]	ABQ58820.1
F [Human metapneumovirus] [Human metapneumovirus]	AEK26886.1
fusion glycoprotein [Human metapneumovirus]	ACJ53619.1
fusion glycoprotein [Human metapneumovirus]	ACJ53555.1
fusion [Human metapneumovirus]	AGL74057.1
fusion protein [Human metapneumovirus]	ABD27850.1
fusion protein [Human metapneumovirus]	AEZ52349.1
fusion protein [Human metapneumovirus]	ABD27848.1
fusion protein [Human metapneumovirus]	ABD27846.1
fusion protein [Human metapneumovirus]	ABQ66021.1
fusion protein [Human metapneumovirus]	AFM57710.1
fusion protein [Human metapneumovirus]	AFM57709.1
fusion protein [Human metapneumovirus]	ABH05968.1

TABLE 4-continued

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
fusion protein [Human metapneumovirus]	AEZ52350.1
fusion protein [Human metapneumovirus]	AFM57712.1
fusion protein [Human metapneumovirus]	AEZ52364.1
fusion protein [Human metapneumovirus]	AANS2912.1
fusion protein [Human metapneumovirus]	AEZ52363.1
fusion [Human metapneumovirus]	AGL74059.1
fusion glycoprotein [Human metapneumovirus]	ACJ53583.1
fusion protein [Human metapneumovirus]	AEZ52356.1
fusion protein [Human metapneumovirus]	AEZ52353.1
fusion glycoprotein [Human metapneumovirus]	ACJ53581.1
fusion glycoprotein [Human metapneumovirus]	ACJ53578.1
fusion protein [Human metapneumovirus]	AAS22117.1
fusion protein [Human metapneumovirus]	BAN75965.1
fusion protein [Human metapneumovirus]	AGF92105.1
fusion protein [Human metapneumovirus]	AAS22077.1
fusion protein [Human metapneumovirus]	AANS2909.1
fusion glycoprotein [Human metapneumovirus]	ACJ53586.1
fusion protein [Human metapneumovirus]	AAQ90145.1
fusion glycoprotein [Human metapneumovirus]	AGT75042.1
fusion [Human metapneumovirus]	AGL74058.1
fusion protein [Human metapneumovirus]	AEL87263.1
fusion glycoprotein [Human metapneumovirus]	AGH27057.1
fusion glycoprotein [Human metapneumovirus]	AHV79491.1
F [Human metapneumovirus] [Human metapneumovirus]	AEK26906.1
fusion glycoprotein [Human metapneumovirus]	ACJ53580.1
fusion protein [Human metapneumovirus]	AEZ52354.1
fusion protein [Human metapneumovirus]	AANS2914.1
G [Human metapneumovirus] [Human metapneumovirus]	AEK26901.1
glycoprotein [Human metapneumovirus]	AFI56738.1
glycoprotein [Human metapneumovirus]	AFI56739.1
glycoprotein [Human metapneumovirus]	AFI56745.1
G protein [Human metapneumovirus]	AAQ62718.1
G protein [Human metapneumovirus]	AAQ62719.1
attachment glycoprotein G [Human metapneumovirus]	AGH27104.1
G protein [Human metapneumovirus]	AAQ62729.1
G protein [Human metapneumovirus]	AAQ62728.1
glycoprotein [Human metapneumovirus]	AFI56753.1
glycoprotein [Human metapneumovirus]	AFI56746.1
glycoprotein [Human metapneumovirus]	AFI56750.1
glycoprotein [Human metapneumovirus]	AFI56747.1
G protein [Human metapneumovirus]	AAQ62721.1
glycoprotein [Human metapneumovirus]	AAT46573.1
glycoprotein [Human metapneumovirus]	AFI56748.1
glycoprotein [Human metapneumovirus]	AFI56736.1
glycoprotein [Human metapneumovirus]	AFI56749.1
attachment glycoprotein G [Human metapneumovirus]	AGH27131.1
attachment glycoprotein G [Human metapneumovirus]	AHV79558.1
glycoprotein [Human metapneumovirus]	AFI56740.1
glycoprotein [Human metapneumovirus]	AFI56741.1
glycoprotein [Human metapneumovirus]	AFI56744.1
attachment glycoprotein G [Human metapneumovirus]	AHV79790.1
attachment glycoprotein G [Human metapneumovirus]	AGH27122.1
attachment glycoprotein G [Human metapneumovirus]	AHV79763.1
attachment glycoprotein G [Human metapneumovirus]	AGZ48849.1
glycoprotein [Human metapneumovirus]	AFI56743.1
attachment glycoprotein G [Human metapneumovirus]	AHV79450.1
glycoprotein [Human metapneumovirus]	AFI56751.1
attachment glycoprotein [Human metapneumovirus]	AAS48482.1
attachment glycoprotein G [Human metapneumovirus]	AHV79889.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43050.1
glycoprotein [Human metapneumovirus]	AFI56754.1
attachment glycoprotein G [Human metapneumovirus]	AHV79601.1
glycoprotein [Human metapneumovirus]	AFI56752.1
attachment glycoprotein G [Human metapneumovirus]	AHV79871.1
G protein [Human metapneumovirus]	AEZ68099.1
attachment glycoprotein G [Human metapneumovirus]	AHV79817.1
attachment glycoprotein G [Human metapneumovirus]	AHV79943.1
attachment glycoprotein G [Human metapneumovirus]	BAN75968.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43045.1
attachment glycoprotein G [Human metapneumovirus]	AHV79628.1
attachment glycoprotein [Human metapneumovirus]	AFK49783.1



TABLE 4-continued

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
G protein [Human metapneumovirus]	AAQ62723.1
attachment glycoprotein [Human metapneumovirus]	ABD27839.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43046.1
G protein [Human metapneumovirus]	AAQ62717.1
glycoprotein [Human metapneumovirus]	AFI56742.1
attachment protein [Human metapneumovirus]	ABQ44522.1
glycoprotein [Human metapneumovirus]	AFI56735.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43065.1
G protein [Human metapneumovirus]	AAQ62724.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43075.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43062.1
glycoprotein [Human metapneumovirus]	AAT46579.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43064.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43054.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43042.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43078.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43067.1
G protein [Human metapneumovirus]	AAQ62722.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43063.1
glycoprotein [Human metapneumovirus]	AAT46571.1
glycoprotein [Human metapneumovirus]	AAT46578.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74232.1
glycoprotein [Human metapneumovirus]	AAT46580.1
glycoprotein [Human metapneumovirus]	AAT46574.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43061.1
attachment glycoprotein [Human metapneumovirus]	AFK49791.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43047.1
glycoprotein [Human metapneumovirus]	ABC26386.1
attachment glycoprotein [Human metapneumovirus]	AAS48466.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43048.1
attachment glycoprotein G [Human metapneumovirus]	AGH27140.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43049.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74082.1
attachment glycoprotein G [Human metapneumovirus]	AHV79442.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74091.1
attachment glycoprotein G [Human metapneumovirus]	AHV79477.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43056.1
attachment protein [Human metapneumovirus]	ABQ44523.1
attachment glycoprotein G [Human metapneumovirus]	BAH59622.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43070.1
glycoprotein [Human metapneumovirus]	AAT46585.1
attachment glycoprotein G [Human metapneumovirus]	AGU68409.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74223.1
attachment glycoprotein [Human metapneumovirus]	AAS22129.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74048.1
G protein [Human metapneumovirus]	AAQ62725.1
glycoprotein [Human metapneumovirus]	ABC26384.1
attachment protein [Human metapneumovirus]	ABQ44525.1
attachment glycoprotein G [Human metapneumovirus]	YP_012612.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43071.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74162.1
attachment glycoprotein G [Human metapneumovirus]	AGH27095.1
attachment glycoprotein G [Human metapneumovirus]	AHV79531.1
G protein [Human metapneumovirus]	AAQ62726.1
attachment glycoprotein [Human metapneumovirus]	AAS48465.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43058.1
P [Human metapneumovirus] [Human metapneumovirus]	AEK26894.1
phosphoprotein [Human metapneumovirus]	AHV79631.1
phosphoprotein [Human metapneumovirus]	AHV79901.1
phosphoprotein [Human metapneumovirus]	AHV79570.1
phosphoprotein [Human metapneumovirus]	AGJ74076.1
phosphoprotein [Human metapneumovirus]	AAS22123.1
phosphoprotein [Human metapneumovirus]	ABB16895.1
phosphoprotein [Human metapneumovirus]	AHV79579.1
phosphoprotein [Human metapneumovirus]	AGJ74244.1
phosphoprotein [Human metapneumovirus]	AHV79856.1
phosphoprotein [Human metapneumovirus]	ACJ70113.1
phosphoprotein [Human metapneumovirus]	AGZ48843.1
phosphoprotein [Human metapneumovirus]	AHV79498.1
phosphoprotein [Human metapneumovirus]	AHV79480.1
phosphoprotein [Human metapneumovirus]	ABQ43382.1
phosphoprotein [Human metapneumovirus]	AAS22107.1
phosphoprotein [Human metapneumovirus]	ABB16898.1

TABLE 4-continued

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
phosphoprotein [Human metapneumovirus]	AGH27134.1
phosphoprotein [Human metapneumovirus]	ABB16899.1
phosphoprotein [Human metapneumovirus]	AGH27098.1
phosphoprotein [Human metapneumovirus]	AAN52866.1
phosphoprotein [Human metapneumovirus]	AAS22083.1
phosphoprotein [Human metapneumovirus]	YP_012606.1
phosphoprotein [Human metapneumovirus]	AHV79973.1
phosphoprotein [Human metapneumovirus]	AHV79462.1
phosphoprotein [Human metapneumovirus]	AGJ74042.1
phosphoprotein [Human metapneumovirus]	AAV88362.1
P [Human metapneumovirus] [Human metapneumovirus]	AIL23591.1
phosphoprotein [Human metapneumovirus]	AHV79453.1
phosphoprotein [Human metapneumovirus]	AGJ74261.1
phosphoprotein [Human metapneumovirus]	AGH27116.1
phosphoprotein [Human metapneumovirus]	ABB16444.1
phosphoprotein [Human metapneumovirus]	ABB16445.1
phosphoprotein [Human metapneumovirus]	AHV79507.1
phosphoprotein [Human metapneumovirus]	BAH59616.1
phosphoprotein [Human metapneumovirus]	ABB16443.1
phosphoprotein [Human metapneumovirus]	ABQ43388.1
phosphoprotein [Human metapneumovirus]	ABQ43389.1
phosphoprotein [Human metapneumovirus]	ABQ43395.1
phosphoprotein [Human metapneumovirus]	ABQ43385.1
phosphoprotein [Human metapneumovirus]	AAP84042.1
phosphoprotein [Human metapneumovirus]	AAN52868.1
phosphoprotein [Human metapneumovirus]	AAP84041.1
phosphoprotein [Human metapneumovirus]	AGH27080.1
phosphoprotein [Human metapneumovirus]	ABQ43387.1
phosphoprotein [Human metapneumovirus]	AAS22099.1
phosphoprotein [Human metapneumovirus]	ABB16896.1
phosphoprotein [Human metapneumovirus]	AGJ74094.1
phosphoprotein [Human metapneumovirus]	AEZ68089.1
phosphoprotein [Human metapneumovirus]	ABK97002.1
phosphoprotein [Human metapneumovirus]	AAP13486.1
phosphoprotein [Human metapneumovirus]	AHV79444.1
phosphoprotein [Human metapneumovirus]	AHV79865.1
phosphoprotein [Human metapneumovirus]	AGJ74226.1
phosphoprotein [Human metapneumovirus]	ABQ43383.1
phosphoprotein [Human metapneumovirus]	AAN52863.1
phosphoprotein [Human metapneumovirus]	AHV79775.1
phosphoprotein [Human metapneumovirus]	AEZ68094.1
phosphoprotein [Human metapneumovirus]	AHV79883.1
phosphoprotein [Human metapneumovirus]	AEZ68092.1
phosphoprotein [Human metapneumovirus]	ABQ43390.1
phosphoprotein [Human metapneumovirus]	ABQ43386.1
phosphoprotein [Human metapneumovirus]	ABQ43391.1
phosphoprotein [Human metapneumovirus]	ACS16062.1
phosphoprotein [Human metapneumovirus]	AEZ68090.1
phosphoprotein [Human metapneumovirus]	AAK62967.1
phosphoprotein [Human metapneumovirus]	AEZ68093.1
phosphoprotein [Human metapneumovirus]	AEZ68088.1
phosphoprotein [Human metapneumovirus]	ABQ43392.1
phosphoprotein [Human metapneumovirus]	ABQ43393.1
phosphoprotein [Human metapneumovirus]	ABQ43384.1
phosphoprotein [Human metapneumovirus]	ABQ43394.1
phosphoprotein [Human metapneumovirus]	ABK96999.1
phosphoprotein [Human metapneumovirus]	AHV79489.1
phosphoprotein [Human metapneumovirus]	AGJ74235.1
phosphoprotein [Human metapneumovirus]	AAS22075.1
phosphoprotein [Human metapneumovirus]	AAS22115.1
phosphoprotein [Human metapneumovirus]	AI117601.1
phosphoprotein [Human metapneumovirus]	ABK97000.1
phosphoprotein [Human metapneumovirus]	AHV79561.1
phosphoprotein [Human metapneumovirus]	AGT75040.1
phosphoprotein [Human metapneumovirus]	AAN52864.1
phosphoprotein [Human metapneumovirus]	ABK97001.1
phosphoprotein [Human metapneumovirus]	AGT74979.1
phosphoprotein [Human metapneumovirus]	AHV79955.1
phosphoprotein [Human metapneumovirus]	AGH27055.1
phosphoprotein [Human metapneumovirus]	AAV88361.1
phosphoprotein [Human metapneumovirus]	ABQ43397.1
phosphoprotein [Human metapneumovirus]	AGJ74173.1

TABLE 4-continued

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
P [Human metapneumovirus] [Human metapneumovirus]	AEK26904.1
phosphoprotein [Human metapneumovirus]	ACJ70104.1
phosphoprotein [Human metapneumovirus]	ABK97003.1
phosphoprotein [Human metapneumovirus]	AGT74955.1
phosphoprotein [Human metapneumovirus]	AAN52856.1
phosphoprotein [Human metapneumovirus]	AAN52862.1
phosphoprotein [Human metapneumovirus]	AGJ74138.1
phosphoprotein [Human metapneumovirus]	AHV79613.1
phosphoprotein [Human metapneumovirus]	AGJ74060.1
phosphoprotein [Human metapneumovirus]	AAQ67684.1
phosphoprotein [Human metapneumovirus]	AEA02278.1
N [Human metapneumovirus] [Human metapneumovirus]	AEK26899.1
nucleoprotein [Human metapneumovirus]	ACS16061.1
nucleoprotein [Human metapneumovirus]	AAS88425.1
nucleoprotein [Human metapneumovirus]	YP_012605.1
nucleoprotein [Human metapneumovirus]	AHV79882.1
nucleoprotein [Human metapneumovirus]	AHV79774.1
nucleocapsid protein [Human metapneumovirus]	AAN52886.1
nucleoprotein [Human metapneumovirus]	AAS22082.1
nucleoprotein [Human metapneumovirus]	AHV79864.1
nucleoprotein [Human metapneumovirus]	AHV79828.1
nucleoprotein [Human metapneumovirus]	AGJ74084.1
nucleocapsid protein [Human metapneumovirus]	AAN52888.1
N [Human metapneumovirus] [Human metapneumovirus]	AIL23590.1
nucleoprotein [Human metapneumovirus]	AAK62966.1
nucleoprotein [Human metapneumovirus]	AHV79972.1
nucleoprotein [Human metapneumovirus]	AHV79470.1
nucleoprotein [Human metapneumovirus]	AHV79452.1
nucleoprotein [Human metapneumovirus]	AGJ74243.1
nucleoprotein [Human metapneumovirus]	AHV79533.1
nucleoprotein [Human metapneumovirus]	AGJ74181.1
nucleoprotein [Human metapneumovirus]	AHV79497.1
nucleoprotein [Human metapneumovirus]	AHV79702.1
nucleoprotein [Human metapneumovirus]	AHV79648.1
nucleoprotein [Human metapneumovirus]	AHV79435.1
putative nucleoprotein [Human metapneumovirus]	AGJ74260.1
nucleocapsid protein [Human metapneumovirus]	AAN52887.1
nucleoprotein [Human metapneumovirus]	AGU68386.1
nucleocapsid protein [Human metapneumovirus]	AAN52899.1
nucleoprotein [Human metapneumovirus]	AAR17673.1
nucleocapsid protein [Human metapneumovirus]	AAN52898.1
nucleoprotein [Human metapneumovirus]	AEA02277.1
nucleoprotein [Human metapneumovirus]	AHV79612.1
nucleoprotein [Human metapneumovirus]	AGU68416.1
nucleoprotein [Human metapneumovirus]	AGU68408.1
nucleoprotein [Human metapneumovirus]	AGU68370.1
nucleoprotein [Human metapneumovirus]	AAQ67683.1
nucleoprotein [Human metapneumovirus]	AGJ74137.1
nucleoprotein [Human metapneumovirus]	AGU68344.1
nucleocapsid protein [Human metapneumovirus]	ABK96997.1
nucleoprotein [Human metapneumovirus]	AGU68413.1
nucleocapsid protein [Human metapneumovirus]	AAN52891.1
nucleoprotein [Human metapneumovirus]	AGU68360.1
nucleoprotein [Human metapneumovirus]	AGU68353.1
nucleocapsid protein [Human metapneumovirus]	ABK96996.1
nucleoprotein [Human metapneumovirus]	AAR17666.1
N [Human metapneumovirus] [Human metapneumovirus]	AEK26903.1
nucleoprotein [Human metapneumovirus]	AGT75039.1
nucleoprotein [Human metapneumovirus]	AGU68410.1
nucleoprotein [Human metapneumovirus]	AAS22074.1
nucleoprotein [Human metapneumovirus]	AHV79560.1
nucleoprotein [Human metapneumovirus]	AGT74978.1
nucleoprotein [Human metapneumovirus]	AGJ74128.1
nucleoprotein [Human metapneumovirus]	AAR17663.1
nucleoprotein [Human metapneumovirus]	AAR17662.1
nucleoprotein [Human metapneumovirus]	AAR17664.1
nucleoprotein [Human metapneumovirus]	AAR17657.1
nucleoprotein [Human metapneumovirus]	AAR17659.1
nucleoprotein [Human metapneumovirus]	AAR17661.1
nucleoprotein [Human metapneumovirus]	AGU68352.1
nucleoprotein [Human metapneumovirus]	AGU68373.1
nucleoprotein [Human metapneumovirus]	AGU68376.1
nucleoprotein [Human metapneumovirus]	AGU68342.1

TABLE 4-continued

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
nucleoprotein [Human metapneumovirus]	AGU68365.1
nucleoprotein [Human metapneumovirus]	AGU68363.1
nucleoprotein [Human metapneumovirus]	AGU68398.1
nucleoprotein [Human metapneumovirus]	AGU68348.1
nucleoprotein [Human metapneumovirus]	AGU68354.1
nucleoprotein [Human metapneumovirus]	AGU68391.1
nucleoprotein [Human metapneumovirus]	AGU68389.1
nucleoprotein [Human metapneumovirus]	AGU68399.1
nucleoprotein [Human metapneumovirus]	AGU68337.1
nucleoprotein [Human metapneumovirus]	AAR17660.1
nucleoprotein [Human metapneumovirus]	AAR17667.1
nucleoprotein [Human metapneumovirus]	AGU68402.1
nucleoprotein [Avian metapneumovirus type C]	CDN30025.1
nucleoprotein [Avian metapneumovirus]	AGZ87947.1
Nucleoprotein [Avian metapneumovirus type C]	CAL25113.1
nucleocapsid protein [Avian metapneumovirus]	ABO42286.1
nucleocapsid protein [Avian metapneumovirus]	AAK38430.1
nucleocapsid protein [Avian metapneumovirus]	AAK54155.1
nucleocapsid protein [Avian metapneumovirus]	AAK38426.1
nucleocapsid protein [Avian metapneumovirus]	AAK38425.1
nucleocapsid protein [Avian metapneumovirus]	AAK38424.1
nucleocapsid protein [Avian metapneumovirus]	AAF05909.1
nucleocapsid protein [Avian metapneumovirus]	AAK38435.1
nucleocapsid protein [Avian metapneumovirus]	AAK38428.1
nucleoprotein [Human metapneumovirus]	AAR17669.1
nucleocapsid protein [Avian metapneumovirus]	AAK38429.1
nucleocapsid protein [Avian metapneumovirus]	AAK38427.1
nucleocapsid protein [Avian metapneumovirus]	AAK38423.1
nucleocapsid protein [Avian metapneumovirus]	AAK38434.1
nucleoprotein [Human metapneumovirus]	AGU68338.1
nucleoprotein [Avian metapneumovirus]	YP_443837.1
nucleoprotein [Human metapneumovirus]	AGU68384.1
nucleocapsid protein [Avian metapneumovirus]	AAK38431.1
nucleoprotein [Human metapneumovirus]	AGU68405.1
nucleoprotein [Human metapneumovirus]	AGU68382.1
nucleoprotein [Human metapneumovirus]	AGU68395.1
nucleocapsid [Human metapneumovirus]	AAL35389.3
nucleoprotein [Human metapneumovirus]	AEZ68064.1

TABLE 5

PIV3 Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
>gb KJ672601.1  : 4990-6609 Human parainfluenza virus 3 strain HPiV3/Homo sapiens/PER/FLA4815/ 2008[fusion glycoprotein F0]	ATGCCAATTTCAACTGTTAATTATTACAACCATGATC ATGGCATCACACTGCCAAATAGACATCACAAACTACA GCATGTAGGTGTATTGGTCAACAGTCCCAAAGGGATGA AGATATCACAAACTTCGAAACAAGATATCTAATCCTGA GTCTCATACCAAAAATAGAAGATTCTAACTCTGTGGTG ACCAACAGATCAAGCAATACAGAGGTTATTGGATAGA CTGATCATTCCTTTATATGATGGACTAAGATTACAGAAG GATGTGATAGTGACTAATCAAGAATCCAATGAAAACAC TGATCCAGAAACAGAACGATTCTTTGGAGGGGTAATTGG AACTATTGCTCTAGGAGTAGCAACCTCAGCACAAAATTAC AGCAGCAGTTGCTCTGGTTGAAGCAAGCAGGCAAGAT CAGACATTGAAAACCTCAAGGAAGCAATCAGGGACACA AATAAAGCAGTGCAGTCAAGTTCAGAGCTCTGTAGGAAA TTTGATAGTAGCAATTAATCAGTCCAGGATTATGTCAA CAAAGAAATCGTGCCATCGATTGCGAGACTAGGTTGTG AAGCAGCAGGACTTCAGTTAGGGATTGCATTAAACACAG CATTACTCAGAATTAACAAATATATTTGGTGATAACATA GGATCGTTACAGAAAAGGAATAAAATTAACAAGGTAT AGCATCATATACCGTACAAATATCACAGAAATATTCAC AACATCAACAGTTGACAAATATGATATTTATGATCTATT ATTTACAGAAATCAATAAGGTGAGAGTTATAGATGTTGA TTTGAATGATTACTCAATAACCTCCAAAGTCAAGTCCC TTTATTGACCAGACTGCTGAACACTCAAATCTACAAAGT AGATTCCATATCATACAATATCCAAAATAGAGAAATGGTA	9

TABLE 5-continued

PIV3 Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	TATCCCTCTTCCCAGCCATATCATGACGAAAGGGGCATT TCTAGGTGGAGCAGATGTCAAAGAATGCATAGAAGCAT TCAGCAGTTATATATGCCCTTCTGATCCAGGATTTGTACT AAACCATGAAATGGAGAGCTGTCTATCAGGAAACATAT CCCAATGTCCAAGAACCACAGTCACATCAGACATAGTTC CTAGGTATGCATTTGTCAATGGAGGAGTGGTTGCGAATT GTATAACAACACTACATGTACATGCAATGGTATCGGTAATA GAATCAACCAACCCTGATCAAGGAGTCAAAAATTATA ACACATAAAGAATGTATACCAATAGGTATCAACGGAAT GCTATTCAACACAAAAGAAAGAACTCTTGCAATTTA CACACCAGACGACATAACATTAACAATTTGTTGCACT TGATCCGATTGACATATCAATCGAGCTCAACAAGGCCAA ATCAGATCTTGAGGAATCAAAGAATGGATAAAGAAGGT CAAATCAAAGCTAGATTCATTGGAAAGTTGGCATCAAT CTAGCCTACCAATCATAGTATTTTGTATATGATGATTA TATTGTTTATAATTAATAACAATAATACAATTGCAA TTAAGTATTACAGAATTCAAAGAGAAATCGAGTGGAT CAAATGATAAGCCGTATGTATTAACAACAAG	
gi 612507167 gb AHX22430.1  hemagglutinin- neuraminidase [Human parainfluenza virus 3]	ATGGAATACTGGAAGCACCAACCACGGAAAGGATGC TGGTAATGAGCTGGAGACATCCACAGCCACTCATGGCA ACAAGCTCACCAACAAGATAACATATATATTTGTGGACG ATAACCCCTGGTGTATTATCAATAGTCTTCATCATAGTG CTAACTAATCCATCAAAGTGAAAAGGCCCGCGAATC ATTGCTACAAGACATAAATAATGAGTTTATGGAAGTTAC AGAAAAGATCCAAGTGGCATCGGATAATACTAATGATC TAATACAGTCAGGAGTGAATACAAGGCTTCTTACAATTC AGAGTCATGTCGAGAATATATACCAATATCATTGACAC AACAAAATATCGGATCTTAGGAAATTCATTAGTGAAATTA CAATTAGAAATGATAATCAAGAAAGTCCACCACAAGA ATAACACATGATGTGGGTATAAAACCTTTAAATCCAGAT GATTTCTGGAGATGCACGTCTGGTCTTCCAATCTTGTGATG AAAATCCAAAATAAGATTAATGCCGGGACCAGGATF ATTAGCTATGCCAACGACTGTGATGGCTGTGTCAGAAC CCCGTCTTAGTGATAAATGATCTGATTTATGCTTACAC CTCAAATCTAATTACTCGAGGTTGCCAGGATATAGGGAA ATCATATCAAGTATTACAGATAGGGATAATAACTGTAAA CTCAGACTTGGTACCTGACTTAAATCCTAGGATCTCTCA TACCTTCAACATAAATGACAATAGAAAGTCATGTTCTCT AGCACTCCTAAATACAGATGTATATCAACTGTGTTCAAC CCAAAAGTTGATGAAAGATCAGATTATGCATCATCAG GCATAGAAGATATTGTACTTGATATTGTCATTTATGATG GCTCAATCTCGACAACAAGATTTAAGAATAAATAATAA GTTTTGATCAACCATATGCCGCATTATACCATCTGTTG GACCAGGGATATACTACAAGGGCAAAATAATTTCTC GGGTATGGAGGCTTGAACATCCAATAAATGAGAATGC AATCTGCAACACAACCTGGGTGTCTGGGAAAACACAGA GAGACTGTAATCAAGCATCTCATAGTCCATGGTTTTCAG ATAGAAGGATGGTCAACTCTATAATTGTTGTTGACAAGG GCTTGAACCTCAGTTCCAAAATGAAGGTATGGACGATAT CTATGAGACAAAATTACTGGGGTTCAGAAGGAAGATTA CTTCTACTAGGTAACAAGATCTACATATACACAAGATCT ACAAGTTGGCACAGCAAGTTACAATTAGGAATAATTGA CATTACTGACTACAGTGATATAAGGATAAAATGGACAT GGCATAATGTGCTATCAAGACCAGGAACAATGAATGT CCATGGGGACATTCATGTCCGGATGGATGTATAACGGG AGTATATACCGATGCATATCCACTCAATCCACAGGAAG CATTGTATCATCTGTATATTTGGACTCACAAAAATCGAG AGTCAACCCAGTCATAACTTACTCAACAGCAACCGAAA GGGTAAACGAGCTGGCTATCCGAAACAAAACACTCTCA GCTGGGTACACAACAACAGCTGCATTACACACTATAA CAAAGGTATTGTTTTCATATAGTAGAAATAAATCATAA AAGCTTAACACATTTCAACCCATGTTGTTCAAACACAGA GATTCAAAAGCTGCAGT	10
HPIV3_HN_Codon Optimized	ATGGAATACTGGAAGCACCAACCACGGCAAGGACGC CGGCAACGAGCTGGAAACCAGCACAGCCACACACGGCA ACAAGCTGACCAACAAGATCACCTACATCCCTGTGGACC ATCACCCCTGGTGTGCTGAGCATCGTGTTCATCATCGTG CTGACCAATAGCATCAAGAGCGAGAAGCCAGAGAGAG CCTGCTGCAGGACATCAACAACGAGTTCATGGAAGTGA CCGAGAAGATCCAGGTGGCCAGCGACAACCAACGAC	11

TABLE 5-continued

PIV3 Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	CTGATCCAGAGCGGCGTGAACACCCGGCTGCTGACCATC CAGAGCCACGTGCAGAACTACATCCCCATCAGCCTGACC CAGCAGATCAGCGACCTGCGGAAGTTCATCAGCGAGAT CACCATCCGGAAACGACAACCAGGAAGTGCCCCCCAGA GAATCACCACGACGTGGGCATCAAGCCCCGAAACCC GACGATTTCTGGCGGTGTACAAGCGGCCTGCCAGCCTG ATGAAGACCCCAAGATCCGGCTGATGCCTGGCCCTGG ACTGCTGGCCATGCCACACAGTGGATGGCTGTGTGCG GACCCCGAGCCTCGTGATCAACGATCTGATCTACGCCTA CACCAGCAACCTGATCACCAGGGCTGCCAGGATATCG GCAAGAGCTACCAGGTGCTGCAGATCGGCATCATCACC GTGAACTCCGACCTGGTGCCCGACCTGAACCTCGGATC AGCCACACCTTCAACATCAACGACAACAGAAAGAGCTG CAGCCTGGCTCTGCTGAACACCGACGTGTACCAGTGTG CAGCACCCCAAGGTGGACGAGAGAAGCGACTACGCCA GCAGCGGCATCGAGGATATCGTGTGGACATCGTGAA TACGACGGCAGCATCAGCACCACCCGGTTCAAGAACA CAACATCAGCTTCGACCGCCTACGCCGCCCTGTACCC TTCTGTGGCCCTGGCATCTACTACAAGGGCAAGATCAT CTTCCTGGGCTACGGCGGCCTGGAACACCCCATCAACGA GAACGCCATCTGCAACACCCCGCTGCCCTGGCAAGA CCCAGAGAGCTGCAATCAGGCCAGCCACAGCCCTGG TTCAGCGACCGCAGAATGGTCAACTCTATCATCGTGGTG GACAAGGGCTGAACAGCGTGCCTAAGCTGAAAGTGTG GACAATCAGCATGCGCCAGAACTACTGGGGCAGCGAGG GCAGACTTCTGCTGTTGGAAACAAGATCTACATCTACA CCCGGTCCACCAGCTGGCACAGCAACTGCAGCTGGGA ATCATCGACATCACCAGCTACAGCGACATCCGGATCAA GTGGACCTGGCACAACTGCTGAGCAGACCCGGCAACA ATGAGTGCCTTGGGGCCACAGCTGCCCGATGGATGTA TCACCGCGTGTACACCGACGCCTACCCCTGAATCCTA CCGGCTCCATCGTGTCCAGCGTATCCTGGACAGCCAGA AAAGCAGAGTGAACCCCGTATCACAACAGCACCAGCC ACCGAGAGAGTGAACGAACCTGGCCATCAGAAACAAGAC CCTGAGCGCCGGCTACACCACCAAGCTGCATCACAC ACTACAACAAGGGCTACTGCTTCCACATCTGTGAAATCA ACCACAAGTCCCTGAACACCTTCCAGCCCATGTGTTCA AGACCGAGATCCCCAAGAGTGTCTCC	
HPIV3_F_Codon Optimized	ATGCCCATCAGCATCCTGCTGATCATCACCACAATGATC ATGGCCAGCCACTGCCAGATCGACATCACCAGCTGCA GCACGTGGCGGTGCTCGTGAACAGCCCAAGGGCATGA AGATCAGCCAGAACTTCGAGACAGCTACCTGATCCTGA GCCTGATCCCCAAGATCGAGGACAGCAACAGCTGCGGC GACCAGCAGATCAAGCAGTACAAGCGGCTGCTGGACAG ACTGATCATCCCCCTGTACGACGGCCTGCGGCTGCAGAA AGACGTGATCGTGACCAACCAGGAAAGCAACGAGAACA CCGACCCCGGACCGAGAGATCTTCGGCGGCGTGTGCG GCACAATCGCCCTGGGAGTGGCCACAAGCGCCAGATT ACAGCCGCTGTGGCCCTGGTGGAAAGCAAGCAGGCCAG AAGCGACATCGAGAAGCTGAAAGAGGCCATCCGGGACA CCAACAAGGCCGTGCAGAGCGTGCAGTCCAGCGTGGC AATCTGATCGTGGCCATCAAGTCCGTGCAGGACTACGTG AACAAAGAAATCGTGCCCTCTATCGCCCGGCTGGGCTGT GAAGCTGCCGACTGCAGCTGGGCATTGCCCTGACACA GCACTACAGCGAGCTGACCAACATCTCGGCGCAACA TCGGCAGCCTGCAGGAAAGGGCATTAAGCTGCAGGGA ATCGCCAGCCTGTACCGCACCAACATCACCAGATCTTC ACCACCAGCACCGTGGATAAGTACGACATCTACGACCT GCTGTTACCCAGAGCATCAAAGTGCCTGATCGACGT GGACCTGAACGACTACAGCATCACCTGCAAGTGCAGC TGCCCCTGCTGACCAGACTGCTGAACACCCAGATCTACA AGGTGGACAGCATCTCTACAACATCCAGAACCAGCGAG TGGTACATCCCTCTGCCAGCCACATTATGACCAAGGGC GCCTTTCTGGGCGGAGCCGACGTGAAAGAGTGCATCGA GGCCCTCAGCAGCTACATCTGCCCCAGCGACCTGGCTT CGTGCTGAACCACGAGATGGAAAGCTGCCTGAGCGGCA ACATCAGCCAGTGCACCAGAACCCGTGACCTCCGAC ATCGTGCCAGATACGCCCTCGTGAATGGCGGCGTGGTG GCCAATGCATCACCACCCTGTACCTGCAACGGCATC GGCAACCAGGATCAACCAGCTCCCGATCAGGGCGTGAA GATTATCACCCACAAGAGTGTAAACCATCGGCATCA	12

TABLE 5-continued

PIV3 Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	ACGGCATGCTGTTCAATACCAACAAGAGGGCACCCTG GCCTTCTACACCCCGACGATATCACCTGAACACTCC GTGGCTCTGGACCCCATCGACATCTCCATCGAGCTGAAC AAGGCCAAGAGCGACCTGGAAGAGTCCAAAGAGTGGAT CCGGCGAGCAACCAGAAGCTGGACTCTATCGGAGCT GGCAACGAGCAGCACCACATCATCTGTGATCCTGATTA TGATGATTATCCTGTTTCATCATCAACATTACCATCATCAC TATCGCCATTAAGTACTACCGGATCCAGAAACGGAACC GGGTGGACCAGAATGACAAGCCCTACGTGCTGACAAAC AAG	
PIV3 mRNA Sequences		
>gb KJ672601.1 : 4990-6609 Human parainfluenza virus 3 strain HPIV3/Homo sapiens/PER/FLA4815/ 2008[fusion glycoprotein F0]	AUGCCAAUUUCAUACUGUUAAUUUUAACAACCAUGA UCAUGGCAUCACACUGCCAAAUAGACAUCAAAAACU ACAGCAUGUAGGUGUUAUUGGUCAACAGUCCAAAGGG AUGAAGAUUACACAAAACUUCGAAACAGAUAUCUAA UCCUGAGUCUCAUACCAAAAUAAGAAUUCUAACUC UUGUGGUGACCACAGAUCAAGCAAUACAAGAGGUUA UUGGAUAGACUGAUCAUUCUUUAUAUGAUGGACUAA GAUUACAGAAGGAUGUGAUAGUGACUAAUCAGAAUC CAAUGAAAACACUGAUCACAGAACAGAAUCUUAU GGAGGGUAAUUGGAACUAUUGUCUAGGAGUAGCAA CCUCAGCACAAAUAACAGCAGCAGUUGCUCUGGUUGA AGCCAAGCAGGCAAGAUCAAGAUUGAAAACUCUAG GAAGCAAUCAGGGACACAAAUAAGCAGUCAGUCAG UUCAGAGCUCUGUAGGAAAUUGAUAGUAGCAAUUA AUCAGUCCAGGAUUAUGUCAACAAGAAUUCGUGCCA UCGAUUGCGAGACUAGGUUGUGAAGCAGCAGGACUUC AGUUAAGGAUUGCAUUAACAGCAUUAUCAGAAU AACAAAUAUUAUUGGUGUAACAUAAGGAUCGUUCAA GAAAAAGGAAUAAAUAACAAGGUUAAGCAUUAUUA ACCGUACAAAUAUCAGAAAUAUUCACAAUCAUCAA AGUUGACAAAUAUGAUUAUUAUGAUCUUAUUAUACA GAAUCAAUAAAGGUGAGAGUUAUAGAUUGAUUUGA AUGAUUACUCAAUAAACCCUCCAAAGUCAGACUCCUU AUUGACCAGACUGCUGAACACUCAAUCUCAAAGUA GAUUCUAUACAUACAUAUCCAAAUAAGAAUUGGU AUUCCUUCUCCAGCCAUUAUCAGACGAAAGGGGC AUUUCUAGGUGGAGCAGAUUGCAAAGAAUGCAUAGAA GCAUUCAGCAGUUUAUUAUGCCUUCUGAUCCAGGAU UUGUACUAAACCAUGAAAUGGAGAGCUGUCUAUCAGG AAACAUAUCCAAUGUCCAAGAACCACAGUCACAUA GACAUAUUGUCCUAGGUUUGCAUUUGCAAUGGAGGAG UGGUUGCGAAUUGUAUAACAACUACAGUACAUGCAA UGGUAUCGGUAAUAGAUAACAACACCACUUGAUCAA GGAGUCAAAAUAUAACAACAUAAGAUAUGAAUAACA UAGGUAUCAACGGAUUGCUAUUCAAACAACAAGA AGGAACUCUUGCAUUCACACACCAGCAGCAUAACA UUAACAUAUUCUGUUGCACUUGAUCGGAUUGACAUA CAUUCGAGCUCACAAGGCCAAAUACAGAUUCUUGAGGA AUCAAAAGAAUGGAUAGAAGGUCAAAUCAAAAGCUA GAUUCUAUUGGAAGUUGGCAUCAUUCUAGCACUCAA UCAUAGUUUAUUGAUAAUGAUGAUUAUUGUUUAU AAUUAUAUAACAUAUAUACAUAUUGCAAUAAGUAU UACAGAAUUCAAAAGAGAAUUCGAGUGGAUCAAUUG AUAAGCCGUAUGUAUAACAACAAG	61
gi 612507167 gb AHX22430.1  hemagglutinin- neuraminidase [Human parainfluenza virus 3]	AUGGAAUACUGGAAGCACCAACCACGAAAGGAUG CUGGUAUUGAGCUGGAGACAUCCACAGCCACUCAUGG CAACAAGCUCACCAACAAGAUACAUAUUAUUGUGG ACGAUAACCCUGGUGUUAUUAACAUAAGUCUUCUA UAGUGCUAACUAAUUCUACAAGAGUAAAAGGCCCG CGAAUCAUUGCUACAAGACUAAAUAUAGAUUUUAUG GAAGUUAACAGAAAAGAUCCAAGUGGCACGGAUAUA CUAUAGAUCAAUACAGUCAGGAGUGAAUAACAAGGCU UCUUAACAUAUCAGAGUCUAGUCCAGAAUUAUAUCCA AUUAUUAUGACACACAAAUUAUCGGAUCUUAGGAAU UCAUUAUGGAAUUAACAUAUAGAAUUAUAUCAAGA AGUGCCACCACAAGAAUAACAUAUAGUUGGGUAUA AAACCUUUAUAUCAGAUUAUUCUGGAGAUUGCACGU CUGGUCUUCUUAUUGAUGAAAACUCCAAAUAUAG	62

TABLE 5-continued

PIV3 Nucleic Acid Sequences			
Description	Sequence	SEQ ID NO:	
	AUUA AUGCCGGGACCAGGAUUUUAGCUAUGCCAACG ACUGUUGAUGGCUGUGUCAGAACC CGUCCUUAGUGA UAAAUGAUCUGAUUUUAGCUUACCCUAAAUCUAU UACUCGAGGUUGCCAGGAUUUAGGGAAAUCUAUCAA GUUUUACAGAUAGGGAUAAUACUGUAAACUCAGACU UGGUACCUAGCUUAAAUCUAGGAUCUCUCAUCCUU CAACAUAAAUGACAAUAGAAAGUCAUGUUCUCUAGCA CUCCUAAAUCAGAUUUAUUAACUGUUAUCAAACCC CAAAGUUGAUGAAAGAUAGAUUUAUGCAUCAUAGG CAUAGAAGAUUUUAGUACUUGAUUUUGCAAUUUAGAU GGCUCAAUCUCGACAACAAGAUUUUAGAUAUUUAUA UAAGUUUUGAUCAACCAUAGCGGCAUUUAUACCCAU UGUUGGACCAGGGAUUUACUCAAAGGCAAAAUAUA UUUCUCGGUAUGGAGGUCUUGAACAUCAAUAAAUG AGAAUGCAAUCUGCAACACAUCGGGUGUCUGGGAA AACACAGAGAGACUGUAUUAAGCAUCUAUAGUCCA UGGUUUUCAGAUAGAAGGAGGUAACUCUAUAAUUG UUGUUGACAAGGGCUUGAACUCAGUUCCAAUUUGAA GGUAUGGACGAUUAUCUAGAGACAAAUAUCUGGGGG UCAGAAGGAAGAUUAUUUCUACUAGGUAAACAGAU ACAUUAACACAAAGAUUCACAAAGUUGGCACAGCAAGU ACAAUAGGAUUAUUGACAUUUCAGACUAUAGUGAU AUAAGGAUAAAAGGACUAGGCAUAAUGUUAUCAA GACCAGGAACAUAUGAUUGCAUUGGGGACAUUCAUG UCCGGAUGGAUGUAUAACGGGAGUAUUAUCGAUGCA UAUCCAUCUAUCCACAGGAAGCAUUGUAUCAUCUG UCAUUAUGGACUCACAAAUCGAGAGUCAACCCAGU CAUAACUUACUCAAACAGCAACCGAAAGGUAACAGG CUGGCUAUCCGAAACAAAACUCUCAGCUGGGUACA CAACAACAAAGCUGCAUUAACACUAUAAAGGGUA UUGUUUUAUUAUGUAGAAAUAUAAUAAAAGCUUA AACACAUUUCAACCCAUUGUUAUCAAACAGAGAUUC CAAAAGCUGCAGU		
HPIV3_HN_Codon Optimized	AUGGAUACUGGAAGCACCAACCACGGCAAGGACG CCGGCAACGAGCUGGAAACCAGCAAGCCACACACGGC AACAAAGCUGACCAACAAGAUACCUACAUCUCUGGGA CCAUCACCCUGGUCUGCUGAGCAUCGUGUUAUCAUC GUGCUGACCAAUAGCAUCAAGAGCGAGAAAGCCAGAG AGAGCCUGCUGCAGGACAUCAACAACGAGUUAUGGA AGUGACCGAGAAGAUCCAGGUGGCAGCGACAACACC AACGACCUGAUCCAGAGCGGCUGAACACC CGGUCUGU GACCAUCCAGAGCCACGUGCAGAAUACAUCUCCAUCA GCCUGACCAGCAGAUACGAGCCUGCGGAAGUUAUC AGCGAGUACCAUCCGGAACGACAACCAGGAAGUGC CCCCCAGAGAAUACCCACGACGUGGGCAUCAAGCCC CUGAACCCCGACGAUUUCUGGCGGUGUAACAGCGGCC UGCCACGCUGAUGAAGACCCCAAGAUCCGGCUGAUG CCUGGCCUGGACUGCGGCCAUGCCUACCACAGUGGA UGGCUUGUGCGGACCCCAAGCCUGUUAUCAAAGAU UGAUUAACGCCUACACAGCAACCCUGAUCACC CGGGC UGCCAGGAUUAUCGGCAAGAGCUACCCAGGUCUGCAGA UCGGCAUCAACCGUGAACUCCGACCUUGGUGCCGAC CUGAACCCUGGAUCAGCCACACCUUCAACAUCAACGA CAACAGAAAGAGCUGCAGCCUGGCUUCUGUAACACC GACGUGUACCAAGCUGUGCAGCACCCCAAGGUGGACG AGAGAAGCGACUACGCCAGCAGCGGCAUCGAGGAUUA CGUGCUGGACAUUGUAACUACGAGCGGCAUCAGC ACCACCGGUUAAGAACAACAUAUAGCUUUCAGCA GCCUUAACGCCCGUUAUCCUUCUGGGGCCUGGCA UCUAUCAAGGGCAAGAUCAUUCUUGGGCUACGG CGGCCUGGAACACCCAUCAACGAGAACGCCAUUCGA ACACCACCGGCUGCCUGGCAAGACCCAGAGAGACUGC AAUCAGGCCAGCCACAGCCUUGGUUCAGCGACCGCAG AAUGGUCAACUCUAUCUUGGUGGACAAAGGCCUG AACAGCGUGCCCAAGCUGAAAGUGUGGCAUAUCAGCA UGCGCCAGAACUACUGGGGACGAGGGCAGACUUCU GCUGCUGGGAACAAAGAUUCAUUAUACCCGGUCC ACCAGCUGGCACAGCAACUCGAGCUGGGAUUAUCG ACAUCACCGACUACAGCGACAUCCGGAUCAAUGGACC UGGCACAACGUGCUGAGCAGACCCGGCAACAAGAGU GCCUUGGGGCCACAGCUGCCCGAUGGAUUAUACCC	63	



TABLE 5-continued

PIV3 Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	GGCGUGUACACCGACGCCUACCCCGUGAAUCCUACCGG CUCCAUCGUGUCCAGCGUGAUCCUGGACAGCCAGAAA AGCAGAGUGAACCCCGUGAUCACAUCAGCACCGCCAC CGAGAGAGUGAACGAACUGGCCAUCAGAAAACAGACC CUGAGCGCCGGCUACACCACCACAAGCUGCAUCACACA CUACAACAAGGGCUACUGCUUCCAUCUGGGAUUC AACCAACAAGUCCUGAACACCUUCCAGCCCAUGCUGUU CAAGACCGAGAUCCECAAGAGCUGCUC	
HPIV3_F_Codon Optimized mRNA sequence	AUGCCCAUCAGCAUCCUGCUGAUCUACCCACAUGAU CAUGGCCAGCCACUGCCAGAUCCGACAUCCACCAAGCUGC AGCACGUGGGGUGUCUGAUCAGCCCAAGGGCAU GAAGAUACAGCCAGAACUUCGAGACACGCUACCGUAUC CUGAGCCUGAUCCECAAGAUCCGAGGACAGCAACAGCU GCGGCGACCCAGCAGAUCAAGCAGUACAGCGGCUGCU GGACAGACUGAUCUCCCGUGUACGACGGCCUGCGGC UGCAGAAAGACGUGAUCGUGACCAACCAGGAAAGCAA CGAGAACACCGACCCCGGACCGAGAGAUUCUUCGGCG GCGUGAUCGGCACAAUCGCCUUGGGAGUGGCCACAAG CGCCCAAGAUUACAGCCGUGUGGCCUUGGUGGAAGCCA AGCAGGCCAGAAAGCAGAUCCGAGAAAGCUGAAAGAGGC CAUCCGGGACACCAACAAGGCCGUGCAGAGCUGCAG UCCAGCGUGGGCAUUCGUAUCGUGGCCAUCAGUCCG UGCAGGACUACGUGAACAAAGAAUUCGUGCCUCUUAU CGCCCGGCGUGGCGUGAAGCUGCCGACUGCAGCUG GGCAUUGCCUGACACAGCAUCACAGCGAGCUGACCAA CAUCUUCGGCGACAAACUCCGACCGUGCAGGAAAAG GGCAUUAAGCUGCAGGGAAUCGCCAGCCUGUACCGCA CCAACAUCACCGAGAUUCACCAACAGCACCGUGGAU AAGUACGACAUUCAGACCGUGCUGUACCGAGAGCA UCAAAGUGCGCUGAUCGACGUGGACUGAACGACUA CAGCAUCACCCUGCAAGUGCGGCCUCCUGCUGACCA GACUGCUGAACACCCAGAUUCACAGGUGGACAGCAU CUCCUACAACAUCAGAACCCGAGUGGUAUCAUCCUC UGCCCAGCCACAUAUAGACCAAGGGCCUUCUGGGC GGAGCCGACGUGAAAGAGUGCAUCGAGGCCUUCAGCA GCUACAUCUGCCCGACGACCCUGGCCUUCGUGCUGAAC CACGAGAUUGGAAAGCUGCCUGAGCGGCAACUACGCC AGUGCCCGAGAACACCGUGACCCGACAUUCGUGCC AGAUAAGCCUUCGUGAAUGGCCGGCUGGUGGCCAAUC GCAUCACCAACCACCGUACUGCAACGGCAUCGGCAAC CGGAUCAACCAGCCUCCGAUCAGGGCGUGAAGAUUA UCACCCACAAGAGUGUAACACCAUCGGCAUCAACGGC AUGCUGUUAUAUACCAACAAGAGGGCACCCUGGCCU UCUACACCCCGACGAUAUCACCCUGAACAAUCUCCGUG GCUCUGGACCCCAUCGACAUUCUCCAUCCGAGCUGAACAA GGCCAAGAGCGACCCUGGAGAGUCCAAAGAGUGGAUC CGGCGGAGCAACCAGAAAGCUGGACUCUUCGGCAGCU GGCACAGAGCAGCACCAUCAUCUGAUCUGAUCUGAUU AUGAUGAUUAUCUGUUAUCAUCAACAUAUACCAUCA UCACUAUCGCCAUUAAGUACUACCGGAUCCAGAAACG GAACCGGUGGACAGAAUGCAAGCCUACGUGCUG ACAAACAAG	64

TABLE 6

PIV3 Amino Acid Sequences		
Description	Sequence	SEQ ID NO:
>gi 612507166 gb  AHX22429.1  fusion glycoprotein Fo [Human parainfluenza virus 3]	MPISILLIITTMIMASHCQIDITKLQHVGLVNSPKGMKISQ NFETRYLILSLIPKIEDSNSCGDQIQKYKRLDLRLIPLYDG LRLQKDVIVTNQESNENTDPRTERFFGGVIGTIALGVATSA QITAAVALVEAKQARSDIEKLEAIRDTNKAVQSVQSSVG NLIVAIKSVQDYVNKEIVPSIARLGEAAAGLQLGIALTQHYS ELTNIFGDNIGSLQEKGIKLGQIASLYRTNITEIFTTSTVDKY DIYDLLFTESIKVRVIDVDLNDYSITLQVRLPLLTRLNLTQIY KVDSISYNIQNREWYIPLPSHIMTKGAFLLGGADVKECIAEAFS	13

TABLE 6-continued

PIV3 Amino Acid Sequences		
Description	Sequence	SEQ ID NO:
	SYICPSDPGPFVLNHEMESCLSGNISQCPRTTVTSDIVPRYAF VNGGVVANCITTTCTCNGIGNRINQPPDQGVKII THKECNT I GINGMLFNTNKEGTLAFYTPDDITLNNNSVALDPIDIS IELNK AKSDLEESKEWIRRSNQKLD SIGSWHQSTTTIIVILIMMILFI INITIITIAIKYYRIQKRNVDQNDKPYVLTNK	
gi 612507167 gb AHX22430.1  hemagglutinin- neuraminidase [Human parainfluenza virus 3]	MEYWKHTNHGKDAGNELETSTATHGNKLTNKITYILWTT LVLLSIVFIIIVLTNSIKSEKARESLQDINNEFMEVTEKIQVA SDNTNDLIQSGVNRLLTIQSHVQNYIPISLTQQISDLRKFIS EITIRNDNQEVPPQRITHDVGIKPLNPDDFWRCTSGLPSLMK TPKIRLMPGPGLLAMPITVDGCVRTPSLVINDLIYAYTSNLI TRGCQDIGKSYQVLQIGIITVNSDLVVDLNPRIISHTFMINDN RKSCSLALLNTDVYQLCSTPKVDESDYASSGIEDIVLDIV NYDGSISTTRFKNNNISFDQPYAALYPSVGPYIYKGIIFL GYGGLEHPINENAI CNTTGCPGKTQRDCNQASHSPWFSDR RMVNSIIVVDKGLNSVPKLVWTI SMRQNYWGSERLLLL GNKIYIYTRSTSWHSKLQGLGIDITDYSDIRIKWTWHMVLRSR PGNNECPWGHSCPDCITGVYTDAYPLNPTGSIVSSVILDS QKSRVNPVITYSTATERVNELAIRNKTLSAGYTTTSCITHY NKGYCFHIVEINHKS LNTFQPM LFKTEIPKSCS	14

TABLE 7

PIV3 NCBI Accession Numbers (Nucleic Acid and Amino Acid Sequences)	
Description	GenBank Accession
Fusion glycoprotein F0 [Human parainfluenza virus 3] HPIV3/ <i>Homo sapiens</i> /PER/FLA4815/2008	KJ672601.1: 4990-6609 AHX22429 (Fusion protein)
hemagglutinin-neuraminidase [Human parainfluenza virus 3] HPIV3/ <i>Homo sapiens</i> /PER/FLA4815/2008	KJ672601.1: 6724-8442 AHX22430 (HN protein)
Recombinant PIV3/PIV1 virus fusion glycoprotein (F) and hemagglutinin (HN) genes, complete cds; and RNA dependent RNA polymerase (L) gene, partial cds.	AF016281 AAC23947 (hemagglutinin)
Recombinant PIV3/PIV1 virus fusion glycoprotein (F) and hemagglutinin (HN) genes, complete cds; and RNA dependent RNA polymerase (L) gene, partial cds.	AF016281 AAC23947 (fusion protein)
hemagglutinin-neuraminidase [Human parainfluenza virus 3]	BAO32044.1
hemagglutinin-neuraminidase [Human parainfluenza virus 3]	BAO32051.1
C protein [Human parainfluenza virus 3]	NP_599251.1
C protein [Human parainfluenza virus 3]	ABZ85670.1
C protein [Human parainfluenza virus 3]	AGT75164.1
C protein [Human parainfluenza virus 3]	AAB48686.1
C protein [Human parainfluenza virus 3]	AHX22115.1
C protein [Human parainfluenza virus 3]	AGW51066.1
C protein [Human parainfluenza virus 3]	AGW51162.1
C protein [Human parainfluenza virus 3]	AGT75252.1
C protein [Human parainfluenza virus 3]	AGT75188.1
C protein [Human parainfluenza virus 3]	AGW51218.1
C protein [Human parainfluenza virus 3]	AGW51074.1
C protein [Human parainfluenza virus 3]	AGT75323.1
C protein [Human parainfluenza virus 3]	AGT75307.1
C protein [Human parainfluenza virus 3]	AHX22131.1
C protein [Human parainfluenza virus 3]	AGW51243.1
C protein [Human parainfluenza virus 3]	AGT75180.1
C protein [Human parainfluenza virus 3]	AGT75212.1
C protein [Human parainfluenza virus 3]	AGW51186.1
C protein [Human parainfluenza virus 3]	AHX22075.1
C protein [Human parainfluenza virus 3]	AHX22163.1
C protein [Human parainfluenza virus 3]	AGT75196.1
C protein [Human parainfluenza virus 3]	AHX22491.1
C protein [Human parainfluenza virus 3]	AHX22139.1
C protein [Human parainfluenza virus 3]	AGW51138.1
C protein [Human parainfluenza virus 3]	AGW51114.1
C protein [Human parainfluenza virus 3]	AGT75220.1

TABLE 7-continued

PIV3 NCBI Accession Numbers (Nucleic Acid and Amino Acid Sequences)	
Description	GenBank Accession
C protein [Human parainfluenza virus 3]	AHX22251.1
RecName: Full = Protein C; AltName: Full = VP18 protein	P06165.1
C protein [Human parainfluenza virus 3]	AHX22187.1
C protein [Human parainfluenza virus 3]	AGT75228.1
C protein [Human parainfluenza virus 3]	AHX22179.1
C protein [Human parainfluenza virus 3]	AHX22427.1
C protein [Human parainfluenza virus 3]	AGW51210.1
nonstructural protein C [Human parainfluenza virus 3]	BAA00922.1
C protein [Human parainfluenza virus 3]	AHX22315.1
C protein [Human parainfluenza virus 3]	AGW51259.1
C protein [Human parainfluenza virus 3]	AHX22435.1
C protein [Human parainfluenza virus 3]	AHX22123.1
C protein [Human parainfluenza virus 3]	AHX22299.1
C protein [Human parainfluenza virus 3]	AGW51267.1
unnamed protein product [Human parainfluenza virus 3]	CAA28430.1
C protein [Human parainfluenza virus 3]	AGW51178.1
C protein [Human parainfluenza virus 3]	AHX22411.1
RecName: Full = Protein C	P06164.1
phosphoprotein [Human parainfluenza virus 3]	NP_067149.1
phosphoprotein [Human parainfluenza virus 3]	AAB48685.1
phosphoprotein [Human parainfluenza virus 3]	AHX22498.1
phosphoprotein [Human parainfluenza virus 3]	AHX22490.1
phosphoprotein [Human parainfluenza virus 3]	AGT75259.1
phosphoprotein [Human parainfluenza virus 3]	AGW51137.1
phosphoprotein [Human parainfluenza virus 3]	AGW51145.1
phosphoprotein [Human parainfluenza virus 3]	AGT75298.1
phosphoprotein [Human parainfluenza virus 3]	AGW51113.1
phosphoprotein [Human parainfluenza virus 3]	AGT75203.1
phosphoprotein [Human parainfluenza virus 3]	AGT75163.1
phosphoprotein [Human parainfluenza virus 3]	AHX22506.1
phosphoprotein [Human parainfluenza virus 3]	AGW51129.1
phosphoprotein [Human parainfluenza virus 3]	AHX22194.1
phosphoprotein [Human parainfluenza virus 3]	AGT75211.1
phosphoprotein [Human parainfluenza virus 3]	AHX22258.1
phosphoprotein [Human parainfluenza virus 3]	AGW51121.1
phosphoprotein [Human parainfluenza virus 3]	AGT75282.1
phosphoprotein [Human parainfluenza virus 3]	AHX22146.1
phosphoprotein [Human parainfluenza virus 3]	AHX22138.1
phosphoprotein [Human parainfluenza virus 3]	AHX22322.1
phosphoprotein [Human parainfluenza virus 3]	AHX22370.1
phosphoprotein [Human parainfluenza virus 3]	AHX22098.1
phosphoprotein [Human parainfluenza virus 3]	AHX22130.1
phosphoprotein [Human parainfluenza virus 3]	AHX22418.1
phosphoprotein [Human parainfluenza virus 3]	AHX22114.1
phosphoprotein [Human parainfluenza virus 3]	AHX22410.1
phosphoprotein [Human parainfluenza virus 3]	AGT75306.1
phosphoprotein [Human parainfluenza virus 3]	AHX22170.1
phosphoprotein [Human parainfluenza virus 3]	AHX22266.1
phosphoprotein [Human parainfluenza virus 3]	AHX22090.1
phosphoprotein [Human parainfluenza virus 3]	AGT75195.1
phosphoprotein [Human parainfluenza virus 3]	AHX22226.1
phosphoprotein [Human parainfluenza virus 3]	AHX22178.1
phosphoprotein [Human parainfluenza virus 3]	AHX22122.1
phosphoprotein [Human parainfluenza virus 3]	AHX22186.1
phosphoprotein [Human parainfluenza virus 3]	AHX22066.1
phosphoprotein [Human parainfluenza virus 3]	AHX22522.1
phosphoprotein [Human parainfluenza virus 3]	AGW51225.1
phosphoprotein [Human parainfluenza virus 3]	BAN29032.1
phosphoprotein [Human parainfluenza virus 3]	ABZ85669.1
phosphoprotein [Human parainfluenza virus 3]	AHX22426.1
phosphoprotein [Human parainfluenza virus 3]	AHX22058.1
phosphoprotein [Simian Agent 10]	ADR00400.1
phosphoprotein [Human parainfluenza virus 3]	AHX22250.1
phosphoprotein [Human parainfluenza virus 3]	AHX22434.1
phosphoprotein [Human parainfluenza virus 3]	AHX22298.1
phosphoprotein [Human parainfluenza virus 3]	AHX22442.1
phosphoprotein [Human parainfluenza virus 3]	AHX22074.1
phosphoprotein [Human parainfluenza virus 3]	AGW51153.1
phosphoprotein [Human parainfluenza virus 3]	AGW51241.1
phosphoprotein [Human parainfluenza virus 3]	AHX22210.1
phosphoprotein [Human parainfluenza virus 3]	AGW51105.1
phosphoprotein [Human parainfluenza virus 3]	AGT75251.1
phosphoprotein [Human parainfluenza virus 3]	AHX22362.1

TABLE 7-continued

PIV3 NCBI Accession Numbers (Nucleic Acid and Amino Acid Sequences)	
Description	GenBank Accession
phosphoprotein [Human parainfluenza virus 3]	AHX22474.1
phosphoprotein [Human parainfluenza virus 3]	AGW51217.1
phosphoprotein [Human parainfluenza virus 3]	AIG60038.1
phosphoprotein [Human parainfluenza virus 3]	AHX22378.1
phosphoprotein [Human parainfluenza virus 3]	AGW51057.1
phosphoprotein [Human parainfluenza virus 3]	AGT75187.1
phosphoprotein [Human parainfluenza virus 3]	AGW51233.1
phosphoprotein [Human parainfluenza virus 3]	AHX22482.1
phosphoprotein [Human parainfluenza virus 3]	AGW51161.1
phosphoprotein [Human parainfluenza virus 3]	AHX22306.1
phosphoprotein [Human parainfluenza virus 3]	AHX22162.1
phosphoprotein [Human parainfluenza virus 3]	ACJ70087.1
phosphoprotein [Human parainfluenza virus 3]	AHX22466.1
phosphoprotein [Human parainfluenza virus 3]	AHX22346.1
phosphoprotein [Human parainfluenza virus 3]	AGW51089.1
phosphoprotein [Human parainfluenza virus 3]	AGW51073.1
phosphoprotein [Human parainfluenza virus 3]	AGW51185.1
phosphoprotein [Human parainfluenza virus 3]	AGW51065.1
phosphoprotein [Human parainfluenza virus 3]	ABY47603.1
phosphoprotein [Human parainfluenza virus 3]	AGW51049.1
phosphoprotein [Human parainfluenza virus 3]	AHX22330.1
phosphoprotein [Human parainfluenza virus 3]	AGW51250.1
phosphoprotein [Human parainfluenza virus 3]	AGT75227.1
phosphoprotein [Human parainfluenza virus 3]	AGW51282.1
phosphoprotein [Human parainfluenza virus 3]	AGW51209.1
phosphoprotein [Human parainfluenza virus 3]	AGW51193.1
phosphoprotein [Human parainfluenza virus 3]	AGT75322.1
phosphoprotein [Human parainfluenza virus 3]	AGT75219.1
phosphoprotein [Human parainfluenza virus 3]	AGW51258.1
phosphoprotein [Human parainfluenza virus 3]	AGW51041.1
phosphoprotein [Human parainfluenza virus 3]	ACD99698.1
phosphoprotein [Human parainfluenza virus 3]	AGW51266.1
phosphoprotein [Human parainfluenza virus 3]	AGT75179.1
phosphoprotein [Human parainfluenza virus 3]	AHX22282.1
phosphoprotein [Human parainfluenza virus 3]	AGW51169.1
phosphoprotein [Human parainfluenza virus 3]	AGW51274.1
phosphoprotein [Human parainfluenza virus 3]	AGW51201.1
phosphoprotein [Human parainfluenza virus 3]	AGW51177.1
RecName: Full = Phosphoprotein; Short = Protein P	P06162.1
P protein [Human parainfluenza virus 3]	AAA66818.1
phosphoprotein [Human parainfluenza virus 3]	AAA46866.1
phosphoprotein [Human parainfluenza virus 3]	BAA00031.1
polymerase-associated nucleocapsid phosphoprotein (version 2) - parainfluenza virus type 3 [Human parainfluenza virus 3]	RRNZP5
phosphoprotein [Human parainfluenza virus 3]	AGT75171.1
phosphoprotein [Human parainfluenza virus 3]	BAA00921.1
D protein [Human parainfluenza virus 3]	NP_599250.1
D protein [Human parainfluenza virus 3]	AHX22377.1
D protein [Human parainfluenza virus 3]	AHX22121.1
D protein [Human parainfluenza virus 3]	AGT75297.1
D protein [Human parainfluenza virus 3]	AGW51136.1
D protein [Human parainfluenza virus 3]	AGW51242.1
D protein [Human parainfluenza virus 3]	AGW51112.1
D protein [Human parainfluenza virus 3]	AHX22497.1
D protein [Human parainfluenza virus 3]	AHX22145.1
D protein [Human parainfluenza virus 3]	AGT75202.1
D protein [Human parainfluenza virus 3]	AHX22385.1
D protein [Human parainfluenza virus 3]	AGW51216.1
D protein [Human parainfluenza virus 3]	AGT75281.1
D protein [Human parainfluenza virus 3]	AGT75194.1
D protein [Human parainfluenza virus 3]	AHX22521.1
D protein [Human parainfluenza virus 3]	AGW51120.1
D protein [Human parainfluenza virus 3]	AGT75313.1
D protein [Human parainfluenza virus 3]	AHX22249.1
D protein [Human parainfluenza virus 3]	AHX22097.1
D protein [Human parainfluenza virus 3]	AGW51144.1
D protein [Human parainfluenza virus 3]	AHX22089.1
D protein [Human parainfluenza virus 3]	AHX22225.1
D protein [Human parainfluenza virus 3]	AHX22137.1
D protein [Human parainfluenza virus 3]	AHX22065.1
D protein [Human parainfluenza virus 3]	AGW51224.1
D protein [Human parainfluenza virus 3]	AGT75210.1

TABLE 7-continued

PIV3 NCBI Accession Numbers (Nucleic Acid and Amino Acid Sequences)	
Description	GenBank Accession
D protein [Human parainfluenza virus 3]	AHX22393.1
D protein [Human parainfluenza virus 3]	AGT75258.1
D protein [Human parainfluenza virus 3]	AHX22345.1
D protein [Human parainfluenza virus 3]	AGT75250.1
D protein [Human parainfluenza virus 3]	AHX22113.1
D protein [Human parainfluenza virus 3]	AGW51232.1
D protein [Human parainfluenza virus 3]	AHX22057.1
D protein [Human parainfluenza virus 3]	AHX22209.1
D protein [Human parainfluenza virus 3]	AGW51056.1
D protein [Human parainfluenza virus 3]	AHX22161.1
D protein [Simian Agent 10]	ADR00402.1
D protein [Human parainfluenza virus 3]	AHX22361.1
D protein [Human parainfluenza virus 3]	AGW51281.1
D protein [Human parainfluenza virus 3]	AGW51184.1
D protein [Human parainfluenza virus 3]	AGW51160.1
D protein [Human parainfluenza virus 3]	AHX22465.1
D protein [Human parainfluenza virus 3]	AHX22329.1
D protein [Human parainfluenza virus 3]	AGW51064.1
D protein [Human parainfluenza virus 3]	AGW51040.1
D protein [Human parainfluenza virus 3]	AGT75226.1
D protein [Human parainfluenza virus 3]	AHX22425.1
D protein [Human parainfluenza virus 3]	AHX22305.1
D protein [Human parainfluenza virus 3]	AGW51249.1
D protein [Human parainfluenza virus 3]	AHX22481.1
D protein [Human parainfluenza virus 3]	AHX22281.1
D protein [Human parainfluenza virus 3]	AGW51048.1
D protein [Human parainfluenza virus 3]	AHX22297.1
D protein [Human parainfluenza virus 3]	AGW51088.1
D protein [Human parainfluenza virus 3]	AGT75305.1
D protein [Human parainfluenza virus 3]	AHX22185.1
D protein [Human parainfluenza virus 3]	AGW51104.1
D protein [Human parainfluenza virus 3]	AHX22081.1
D protein [Human parainfluenza virus 3]	AGW51192.1
D protein [Human parainfluenza virus 3]	AHX22489.1
D protein [Human parainfluenza virus 3]	AHX22441.1
D protein [Human parainfluenza virus 3]	AHX22409.1
D protein [Human parainfluenza virus 3]	AHX22369.1
D protein [Human parainfluenza virus 3]	AHX22321.1
D protein [Human parainfluenza virus 3]	AHX22073.1
D protein [Human parainfluenza virus 3]	AGW51152.1
D protein [Human parainfluenza virus 3]	AGW51072.1
D protein [Human parainfluenza virus 3]	AGT75321.1
D protein [Human parainfluenza virus 3]	AHX22257.1
D protein [Human parainfluenza virus 3]	AHX22129.1
D protein [Human parainfluenza virus 3]	AHX22417.1
D protein [Human parainfluenza virus 3]	AGT75218.1
D protein [Human parainfluenza virus 3]	AHX22265.1
D protein [Human parainfluenza virus 3]	AGT75178.1
D protein [Human parainfluenza virus 3]	AHX22433.1
D protein [Human parainfluenza virus 3]	AGW51273.1
D protein [Human parainfluenza virus 3]	AGW51208.1
D protein [Human parainfluenza virus 3]	AGT75170.1
D protein [Human parainfluenza virus 3]	AGT75162.1
D protein [Human parainfluenza virus 3]	AGW51257.1
D protein [Human parainfluenza virus 3]	AGW51200.1
D protein [Human parainfluenza virus 3]	AGW51176.1
D protein [Human parainfluenza virus 3]	AGT75186.1
D protein [Human parainfluenza virus 3]	AGW51265.1
D protein [Human parainfluenza virus 3]	AGW51168.1

TABLE 8

Signal Peptides		
Description	Sequence	SEQ ID NO:
HuIgG <sub>k</sub> signal peptide	METPAQLLFLLLLWLPDTTG	15
IgE heavy chain epsilon-1 signal peptide	MDWTWILFLVAAATRVHS	16
Japanese encephalitis PRM signal sequence	MLGSNSGQRVVFTILLLLVAPAYS	17
VSVg protein signal sequence	MKCLLYLAFLEFIGVNCA	18
Japanese encephalitis JEV signal sequence	MWLVSIAIVTACAGA	19

TABLE 9

hMPV/PIV Cotton Rat Challenge Study Design					
Group	n	Test Article	[conc]/μg	Route	Challenge
1	5	Placebo	n/a	IM	hMPV/A2
2	5	hMPV vaccine mRNA	30	IM	hMPV/A2
3	5	hMPV vaccine mRNA	15	IM	hMPV/A2
4	5	hMPV vaccine mRNA	10	IM	hMPV/A2
5	5	hMPV/PIV3 vaccine mRNA (15/15)	30	IM	hMPV/A2
6	5	FI-hMPV	n/a	IM	hMPV/A2
7	5	Placebo	n/a	IM	PIV3
8	5	PIV3 vaccine mRNA	30	IM	PIV3
9	5	PIV3 vaccine mRNA	15	IM	PIV3
10	5	PIV3 vaccine mRNA	10	IM	PIV3
11	5	hMPV/PIV3 vaccine mRNA (15/15)	30	IM	PIV3
12	5	FI-PIV3	n/a	IM	PIV3
60					

TABLE 10

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
gb KJ156934.1 : 21405-25466 Middle East respiratory syndrome coronavirus isolate Riyadh_14_2013, spike protein (nucleotide)	ATGATACACTCAGTGTTCCTACTGATGTTCTTGTTAACACC TACAGAAAGTTACGTTGATGTAGGGCCAGATTCTGTTAAG TCTGCCTTGATTGAGGTTGATATACAACAGACCTTCTTTGA TAAACTTGGCCTAGGCCAATTGATGTTTCTAAGGCTGAC GGTATTATATACCCTCAAGGCCGTACATATTCTAACATAA CTATCACTTATCAAGGTTCTTTTCCCTATCAGGGAGACCAT GGTGATATGTATGTTTACTCTGCAGGACATGCTACAGGCA CAACTCCACAAAAGTTGTTTGTAGCTAACTATTCACGGA CGTCAAACAGTTTGCTAATGGGTTTGTCTGTCGGTATAGGA GCAGCTGCCAATCCACTGGCACTGTTATTATTAGCCCATC TACCAGCGCTACTATACGAAAATTACCCTGCTTTTATGC TGGGTTCTTCAGTTGGTAATTTCTCAGATGGTAAAATGGG CCGCTTCTCAATCATACTCTAGTTCTTTTGCCTGATGGAT GTGGCACTTACTTAGAGCTTTTATTGTATTCTAGAGCCT CGCTCTGGAAATCATGTCTGCTGGCAATTCCTATACTTC TTTTGCCACTTATCACACTCCTGCACAGATTTGTTCTGATG GCAATTACAATCGTAATGCCAGTCTGAACTCTTTAAGGA GTATTTAATTTACGTAAGTGCACCTTTATGTACACTTATA ACATTACCGAAGATGAGATTTTAGAGTGGTTGGCATTAC ACAAACTGCTCAAGGTGTTCACTCTTCTCATCTCGGTATG TTGATTTGTACGGCGGCAATATGTTCAATTTGCCACCTTG CCTGTTTATGATACTATTAAGTATTATTCTATCATTCCTCA CAGTATTCGTTCTATCCAAGTGATAGAAAAGCTTGGGCT GCCTTCTACGTATATAAACTTCAACCGTTAACTTTCCTGTT GGATTTTCTGTTGATGGTTATATACGCAGAGCTATAGACT GTGGTTTTAATGATTTGTCACAACTCCACTGCTCATATGAA TCCTTCGATGTTGAATCTGGAGTTTATTCAGTTTCGTCTTT CGAAGCAAAACCTTCTGGCTCAGTTGTGGAACAGGCTGAA GGTGTGAAATGTGATTTTTCACCTCTTCTGCTGGCACACC TCCTCAGTTTATAAATTTCAAGCGTTTGGTTTTTACCAATT GCAATTATAATCTTACCAAATTTGCTTCACTTTTTTCTGTG AATGATTTTACTTGTAGTCAAAATATCTCCAGCAGCAATTGC TAGCAACTGTTATTCTTCACTGATTTTGGATTATTTTTCAT ACCCACTTAGTATGAAATCCGATCTCAGTGTAGTTCTGCT GGTCAATATCCCAGTTAATATAAACAGTCCCTTTCTAA TCCCACATGTTGATCTTAGCGACTGTTCCCTATAACCTTA CTACTATTACTAAGCCTCTTAAGTACAGCTATATTAACAA GTGCTCTCGTCTTCTTTCTGATGATCGTACTGAAGTACCTC AGTTAGTGAACGCTAATCAATACTCACCTGTGTATCCATT GTCCCATCCACTGTGTGGGAAGACGGTGATTATTATAGGA AACAACTATCTCCACTTGAAGGTGGTGGCTGGCTGTGTC TAGTGGCTCAACTGTGCCATGACTGAGCAATACAGATG GGCTTTGGTATTACAGTTCAATATGGTACAGACCAATA GTGTTTGGCCCAAGCTTGAATTTGCTAATGACACAAAAT	20

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	TGCCCTCAATTAGGCAATTGCGTGGAAATATCCCTCTATG GTGTTTCGGGCCGTGGTGTTCAGAAATGCACAGCTGTA GGTGTTTCGACAGCAGCGCTTTGTTTATGATGCGTACCAGA ATTTAGTTGGCTATTATTCTGATGATGGCACTACTACTGT CTGCGTGTGTTGTTAGTGTTCCTGTTTCTGTCATCTATGA TAAAGAACTAAAACCCACGCTACTCTATTTGGTAGTGT GCATGTGAACACATTTCTTCTACCATGTCTCAATACTCCCG TTCTACCGCATCAATGCTTAAACGGCGAGATTCTACATAT GGCCCCCTTCAGACACCTGTTGGTTGTGTCCTAGGACTTGT TAATTCCTCTTTGTTTCGTAGAGGACTGCAAGTTGCCTCTCG GTCAATCTCTCTGTGCTCTTCTGACACACCTAGTACTCTC ACACCTCGCAGTGTGCGCTCTGTGCCAGGTGAAATGCGCT TGGCATCCATTGCTTTTAAATCATCCATTGAGTTGATCAA CTTAATAGTAGTATTTTAAATAAGTATACCCACTAATTT TTCCCTTGGTGTGACTCAGGAGTACATTGACACACCATTC AGAAAGTTACTGTTGATGTAACAGTACGTTTGCATGG TTCCAGAAAGTGTGAGCAATTACTGCGGAGTATGGCCAG TTTTGTTCAAAATAAACCCAGGCTCTCCATGGTGCCATTT ACGCCAGGATGATTCTGTACGTAATTTGTTTGCAGCGTG AAAAGCTCTCAATCATCTCTATCATACCAGGTTTGGAG GTGACTTTAATTTGACACTTCTAGAACCTGTTTCTATATCT ACTGGCAGTCGTAGTGCACGTAGTGTCTATTGAGGATTTGC TATTTGACAAAAGTCACTATAGCTGATCCTGGTTATATGCA AGGTTACGATGATTTGATGACGCAAGGTCAGCATCAGCT CGTGATCTTATTTGTGCTCAATATGTTGGCTGGTTATAAAGT ATTACCTCCTCTTATGGATGTTAATATGGAAGCCGCGTATA CTTCATCTTTGCTTGGCAGCATAGCAGGTGTTGGCTGGACT GCTGGCTTATCCTCCTTTGCTGCTATTCATTGACACAGAG TATYTTTATAGGTTAAACGGTGTGGCATTACTCAACAG GTTCTTTCAGAGAACCAAAAGCTTATTGCCAATAAGTTTA ATCAGGCTCTGGGAGCTATGCAAAACAGGCTTCACTACAAC TAATGAAGCTTTTCGGAAGGTTGAGGATGCTGTGAACAC AATGCACAGGCTCTATCCAAATAGCTAGCGAGCTATCTA ATACTTTTGGTGTCTATTCCGCTCTATTGGAGACATCATA CAACGCTTGATGTTCTCGAACAGGACGCCAAAATAGACA GACTTATTAATGGCCGTTTGACAACACTAAATGCTTTTGT GCACAGCAGCTTGTTGTTCCGAATCAGCTGCTCTTTCCGC TCAATTGGCTAAAGATAAAGTCAATGAGTGTGTCAAGGCA CAATCCAAGCGTCTGGATTTTGGCGTCAAGGCACACATA TAGTGTCTTTGTTGTAATGCCCCAATGGCCTTTACTTT ATGCATGTTGGTTATTACCCTAGCAACCACATTGAGGTTGT TTCTGCTTATGGTCTTTGCGATGCAGCTAACCTACTAATT GTATAGCCCCGTTAATGGCTACTTTATTAACACTAATAAC ACTAGGATGTTGATGAGTGGTCATATACTGGCTCGTCCTT CTATGCACCTGAGCCCATCACCTCTTAACTAAGTATG TTGCACCAAGGTGACATACCAAAACATTTCTACTAACCT CCCTCCTCCTCTTCTCGGCAATCCACCGGGATTGACTTCC AAGATGAGTTGGATGAGTTTTCAAAATGTTAGCACCAG TATACCTAATTTGGTCTCTAACAACAGATTAATACTACAT TACTCGATCTTACCTACGAGATGTTGTCCTTCAACAAGTT GTTAAAGCCCTAATGAGTCTTACATAGACCTTAAAGAGC TTGGCAATTATACTATTACAACAAATGGCCGTGGTACAT TTGGCTTGGTTTCATTGCTGGGCTTGTGCTTAGCTCTAT GCGTCTTCTTACATCTGTGCTGCATGGTTGTGGCACAAAC TGTATGGGAAAACCTAAGTGTAATCGTTGTTGTGATAGAT ACGAGGAATACGACCTCGAGCCGCATAAGGTTTCAATGTTCA CTA	
MERS S FL SPIKE 2cEMC/2012 (XBaI change(T to G)) (nucleotide)	ATGATACACTCAGTGTTCCTACTGATGTTCTTGTAAACCC TACAGAAAGTTACGTTGATGTAGGCGCAGATTCTGTAAAG TCTGCTTGTATTGAGGTTGATATACAACAGACTTTCTTTGA TAAACTTGGCCTAGGCCAATGATGTTTCTAAGGCTGAC GGTATTATATACCCTCAAGGCCGTACATATTCTAACATAA CTATCACTTATCAAGGCTTTTTCCCTATCAGGGAGACCAT GGTGATATGATGTTTACTCTGCAGGACATGCTACAGGCA CAACCTCCAAAAGTTGTTTGTAGCTAACTATTCTCAGGA CGTCAAACAGTTTGTAAATGGGTTTGTGCTCCGTATAGGA GCAGCTGCCAATCCACTGGCACTGTATTATTAGCCCATC TACCAGCGCTACTATACGAAAATTTACCTGCTTTTATGC TGGGTTCTTCAAGTTGGTAATTTCTCAGATGGTAAAATGGG CCGCTTCTCAATCATACTCTAGTTCTTTGCCCGATGGAT GTGGCACTTACTTAGAGCTTTTATTGTATTCTGGAGCCT	21

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	CGCTCTGGAATCATTGTCCTGCTGGCAATTCCTATACTTC TTTTGCCACTTATCACACTCCTGCAACAGATTGTTCTGATG GCAATTACAAATCGTAATGCCAGTCTGAACTCTTTAAGGA GTATTTAATTTACGTAACGACCTTTATGTACACTTATA ACATTACCGAAGATGAGATTTTAGAGTGGTTTGGCATTAC ACAAACTGCTCAAGGTGTTACCTCTTCTCATCTCGGTATG TTGATTGTACGGCGGCAATATGTTCAATTTGCCACCTTG CCTGTTTATGATACTATTAAGTATTATTCTATCATTCTCA CAGTATTCGTTCTATCCAAGTGATAGAAAAGCTTGGGCT GCCTTCTACGTATATAAACTTCAACCGTTAACTTTCCTGTT GGATTTTCTGTTGATGGTTATATACGACAGCTATAGACT GTGGTTTTAATGATTGTGACAACTCCACTGCTCATATGAA TCCTTCGATGTTGAATCTGGAGTTTATTGAGTTTCGTCCTT CGAAGCAAACCTTCTGGCTCAGTTGTGGAACAGGCTGAA GGTTGTAATGTGATTTTACCTCTTCTGTCTGGCACACC TCCTCAGGTTTATAATTTCAAGCGTTGGTTTTTACCAAT GCAATTATAATCTTACCAATGCTTTCACCTTTTTCTGTG AATGATTTACTTGTAGTCAAATATCTCCAGCAGCAATTGC TAGCAACTGTTATTCTTCACTGATTTGGATTACTTTTCAT ACCCACTAGTATGAAATCCGATCTCAGTGTAGTTCTGCT GGTTCAATATCCAGTTTAAATATAAACAGTCTTTCTAA TCCCACATGTTGATTTTAGCGACTGTTCCCTATAACCTTA CTACTATTACTAAGCCTCTAAGTACAGCTATATTAACAA GTGCTCTCGTCTTCTTTCTGATGATCGTACTGAAGTACCTC AGTTAGTGAACGCTAATCAATACTCACCTGTGTATCCATT GTCCCATCCACTGTGTGGGAAGCGGTGATTATTATAGGA AACAACTATCTCCACTTGAAGGTGGTGGCTGGCTTGTGTC TAGTGGCTCAACTGTTGCCATGACTGAGCAATTACAGATG GGCTTTGGTATTACAGTCAAATATGGTACAGACCAATA GTGTTGCCCCAAGCTTGAATTTGCTAATGACACAAAAT TGCTCTCAATTAGGCAATGCGTGGAAATTTCCCTCTATG GTGTTTCGGGCCGTGGTGTTTTTCAGAAATGCACAGCTGTA GGTGTTGACAGCAGCGCTTTGTTTATGATGCGTACCAGA ATTTAGTTGGCTATTATTCTGATGATGGCACTACTACTGT TTGCGTGTGTTGTTAGTGTTCCTGTTTCTGTCATCTATGAT AAAGAACTAAAACCCACGCTACTCTATTTGGTAGTGTG CATGTGAACACATTTCTTACCATGCTCAATACTCCCGT TCTACGCGATCAATGCTTAAACGCGGAGATTCTACATAG GCCCCCTTACAGACCTGTGGTGTGTTCTTAGGACTTGT AATTCCTCTTTGTTGCTAGAGGACTGCAAGTTGCCTCTTGG TCAATCTCTCTGTGCTTTCCTGACACCTTAGTACTCTCA CACCTCGCAGTGTGCGCTCTGTTCCAGGTGAAATGCGCTT GGCATCCATTGCTTTAATCATCTTATTGAGTTGATCAAC TTAATAGTAGTTATTTAAATTAAGTATACCACTAATTTT TCCTTTGGTGTGACTCAGGAGTACATTAGCAACCATTC AGAAAGTTACTGTTGATGTAACAGTACGTTTGAATGG TTTCCAGAAGTGTGAGCAATTACTGCGGAGTATGGCCAG TTTTGTCCAAAATAAACAGGCTCTCCATGGTGCCAAATTT ACGCCAGGATGATTCGTACGTAATTTGTTTGGCAGCGTG AAAAGCTCAATCATCTCCTATCATACAGGTTTGGAG GTGACTTTAATTTGACACTTCTGGAACCTGTTCTATATCT ACTGGCAGTCTAGTGCACGTAGTGCTATTGAGGATTTGC TATTTGACAAAGTCACTATAGCTGATCCTGGTTATATGCA AGGTTACGATGATTGCATGCAGCAAGGTTCCAGCATCAGCT CGTGATCTTATTTGTGCTCAATATGTTGGCTGGTTACAAGT ATTACCTCCTCTTATGGATGTTAATATGGAAGCCCGTATA CTTCATCTTTGCTTGGCAGCATAGCAGGTGTTGGCTGGACT GCTGGCTTATCCTCCTTTGCTGCTATTCCATTTGCACAGAG TATCTTTTATAGGTTAAACGGTGTGGCATTACTCAACAGG TTCTTTCAGAGAACCAAAGCTTATTGCCAATAAGTTTAA TCAGGCTCTGGGAGCTATGCAAAACAGGCTTCACTACAAC AATGAAGCTTTTCAAGAGTTTCAAGATGCTGTGAACAACA ATGCACAGGCTCTATCCAATTAGCTAGCGAGCTATCTAA TACTTTTGGTGTATTTCCGCTCTATTGGAGACATCATAC AACGTCCTGATGTTCTCGAACAGGACGCCAAATAGACAG ACTTATTAATGGCCGTTTGCACAACTAAATGCTTTTGTG CACAGCAGCTTGTTCGTTCCGAATCAGCTGCTCTTTCCGCT CAATTGGCTAAAGATAAAGTCAATGAGTGTCAAGGCAC AATCCAAGCGTTCTGGATTTTGCGGTCAAGGCACACATAT AGTGTCTTTGTTGTAATGCCCTAATGGCCTTTACTTCA TGCATGTTGGTTATTACCTAGCAACCAATTGAGGTTGTT TCTGCTTATGGTCTTTGCGATGCAGCTAACCTACTAATTG	



TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	TATAGCCCCTGTTAATGGCTACTTTATTA AAACTAATAACA CTAGGATTGTTGATGAGTGGTCATATAC TGGCTCGTCCCTTC TATGCACCTGAGCCCAATTACCTCCCTTAATACTAAGTATGT TGCACCACAGGTGACATACAAAACATTTCTACTAACCTC CCTCCTCCTCTTCTCGGCAATTCACCGGGATTGACTTCCA AGATGAGTTGGATGAGTTTTTCAAAAATGTTAGCACCGT ATACCTAATTTTGGTTCCCTAACACAGATTAATACTACATT ACTCGATCTTACCTACGAGATGTGTCTCTTCAACAAGTTG TTAAAGCCCTTAATGAGTCTTACATAGACCTTAAAGAGCT TGGCAATTATACTTATTACAACAAATGGCCGTGGTACATT TGGCTTGGTTTCAATTGCTGGGCTTGTGCCTTAGCTCTATG CGTCTTCTTACTACTGTGCTGCACTGGTGTGGCACAACT GTATGGGAAAACCTAAGTGTAACTCGTTGTTGTGATAGATA CGAGGAATACGACCTCGAGCCGATAAGGTTTATGTTTAC TAA	
Novel_MERS_S2_subunit_trimeric vaccine (nucleotide)	ATGATCCACTCCGTGTTCTCTCATGTTCTGTTGACCCC CACTGAGTCAGACTGCAAGCTCCCGTGGGACAGTCCCTG TGTGCGCTGCCTGACACTCCTAGCACTGACCCCAAGCTC CGTGCCTGCGTGCCTGGCGAAATGCGGCTGGCCTCCATC GCCTTCAATCACCCAATCCAAGTGGATCAGCTGAATAGCT CGTATTTCAAGCTGTCCATCCCAAGAACTTCTCGTTCGGG GTCACCCAGGAGTACATCCAGACCACAATTCAAGAGTCA CCGTGATGCAAGCAATACGTGTGCAACGGCTTCCAGAA GTGCGAGCAGCTGCTGAGAGAATACGGGCAGTTTTGACG AAGATCAACCAGGCGCTGCATGGAGCTAACTTGCACCAGG ACGACTCCGTGCGCAACTCTTTCCTCTGTGAAGTCATCC CAGTCCCTCCCAATCATCCCGGATTCGGAGGGGACTTCA ACCTGACCCTCCTGGAGCCCGTGCATCAGCACCGGTAG CAGATCGGCGCTCAGCCATTGAAGATCTTCTGTTCGAC AAGTCCACCATCGCCGATCCGGGCTACATGCAGGGATACG ACGACTGTATGCAAGCAGGACAGCCTCCGCGAGGGACCT CATCTGCGCGCAATACGTGGCCGGGTACAAGTGTGCCT CCTCTGATGGATGTGAACATGGAGGCCCTTATACTTCGT CCCTGCTCGGCTCTATCGCCGGCTGGGGTGGACCGCCGG CCTGTCTCTTTCGCGCTATCCCTTTGCACAATCCATTT TCTACCGCTCAACGGCGTGGGCATTAACAACAAGTCTCT GTCGGAGAACAGAAAGTGTATCGCAACAAGTTCAATCA GGCCCTGGGGCCATGCAAGTGGATTCACTACGACTAAC GAAGCGTTCCAGAAGTCCAGGACGCTGGAACAACAAC GCCAGGCGCTCTCAAAGCTGGCCTCCGAACCTCAGCAACA CCTTCGGAGCCATCAGCGCATCGATCGGTGACATAATTCA GCGGCTGGACGTGCTGGAGCAGGACGCCAGATCGACCG CCTCATCAACGGACGGCTGACCACCTTGAATGCCTTCGTG GCACAACAGCTGGTCCGGAGCGAATCAGCGGCATTTCCG CCCAACTCGCCAAGGACAAAGTCAACGAATGCGTGAAG CCCAGTCCAAGAGTCCGGTTTCTGCGGTCAAGGAACCCA TATTGTGTCTTCGTGCTGAACGCGCCCAACGGTCTGTACT TTATGCAGTCCGGCTACTACCCGAGCAATCATATCGAAGT GGTGTCCGCTACGGCTGTGCGATGCCGCTAACCCACT AACTGTATTGCCCTGTGAACGGATATTTATTAAGACCA ACAACACCCGCATTGTGGACGAATGGTCATACACCGGTTT GTCCCTTCTACGCGCCGAGCCCATCACTTCACTGAACACC AAATACGTGGCTCCGCAAGTGACCTACCAGAATCTCCA CCAATTTGCCGCGCGCTGCTCGGAAACAGCACCGGAAT TGATTTCCAAGATGAACCTGGACGAATTTCAAGAACGTG TCCACTTCCATTTCCAACTTCGGAAGCCTGACACAGATCA ACACCACCTTCTCGACCTGACCTACGAGATGCTGAGCCT TCAACAAGTGGTCAAGCCCTGAACGAGAGCTACATCGAC CTGAAGGAGCTGGGCAACTATACCTACTACAACAAGTGGC CGGACAAGATTGAGGAGATTCGTGCAAAATCTACCACAT TGAAAACGAGATCGCCAGAATCAAGAAGCTTATCGGCGA AGCC	22
MERS_S0_Full-length Spike protein (nucleotide, codon optimized)	ATGGAAACCCCTGCCAGCTGCTGTTCTGCTGCTGCTGTG GCTGCTGATACCACCGGAGCTATGTGGACGTGGGCCCC GATAGCGTGAAGTCCGCTGTATCGAAGTGGACATCCAGC AGACCTTTTTCGACAAGACTGGCCAGACCCATCGACGT GTCCAAGGCCGACGGCATCATATCCACAAGGCCGGACC TACAGCAACATCACCATTACCTACAGGGCTGTTCCTCAT ATCAAGGCGACACGGCGATAGTACGTGACTCTGCGCG CCACGCCACCGGCACACACCCGAAACTGTTCGTGGCC	23

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	AACTACAGCCAGGACGTGAAGCAGTTCGCCAACGGCTTCG TCGTGCCGATTTGGCGCCGCTGCCAATAGCACCGGCACAGT GATCATCAGCCCGCAGCACCAGCGCCACCATCCGGAAATC TACCCCGCCTTCATGCTGGGACGCTCCGTGGGCAATTTCA GCGACGGCAAGATGGGCGGTTCTTCAACCACACCTGGT GCTGCTGCCGATGGCTGTGGCACACTGCTGAGAGCCTTC TACTGCATCCTGGAACCCAGAAGCGGCAACCACTGCCCTG CCGCAATAGCTACACCAGCTTCGCCACCTACCACACACC CGCCACCGATTGCTCCGACGGCAACTACAAACCGGAACGCC AGCCTGAACAGCTTCAAAGAGTACTTCAACCTGCGGAACT GCACCTTCATGTACACCTACAATATCACCGAGGACGAGAT CCTGGAATGGTTCCGCATCACCCAGACCGCCAGGGCGTG CACCTGTTTCCAGCAGATACGTGGACCTGTACGGCGGCA ACATGTTCCAGTTTGGCCACCTGCCCGTGTACGACACCATC AAGTACTACAGCATCATCCCCACAGCATCCGGTCCATCC AGAGCGACAGAAAAGCCTGGGCGGCTTCTACGTGTACAA GCTGACGCCCTGACCTTCTGCTGGACTTCAGCGTGGAC GGCTACATCAGACGGGCCATCGACTGCGGCTTCAACGACC TGAGCCAGCTGCACTGCTCCTACGAGAGCTTCGACGTGGA AAGCGGCGTGTACAGCGTGTCCAGTTTCGAGGCCAAGCCT AGCGGCAGCGTGGTGGAAACAGGCTGAGGGCGTGGAAATG GACTTCAGCCCTCTGCTGAGCGGCACCCCTCCCCAGGTGT ACAACTTCAAGCGGCTGGTGTACCAACTGCAATTACAA CCTGACCAAGCTGCTGAGCCTGTCTCCGTGAACGACTTC ACCTGTAGCCAGATCAGCCCTGCCGCCATTGCCAGCAACT GCTACAGCAGCCTGATCCTGGACTACTTCAGCTACCCCT GAGCATGAAGTCCGATCTGAGCGTGTCTCCGCGGACCC ATCAGCCAGTTCAACTACAAGCAGAGCTTCAGCAACCCTA CCTGCTGATTTTGGCCACCGTGGCCCAATCTGACAC CATCACCAAGCCCTGAAGTACAGCTACATCAACAAGTGC AGCAGACTGCTGTCCGACGACCGGACCGAAGTGCCTCAGC TCGTGAACGCCAACACAGTACAGCCCTGCGTGTCCATCGT GCCCAGCACCGTGTGGGAGGACGGGACTACTACAGAAA GCAGCTGAGCCCTTGAAGGCGGCGGATGGCTGGTGGCT TCTGGAAGCACAGTGGCCATGACCGAGCAGCTGCAGATG GGCTTGGCATCACCGTGCAGTACGGCACCGACCAACA GCGTGTGCCCCAAGCTGGAATTCGCCAATGACACCAAGAT CGCCAGCCAGCTGGGAAACTGCGTGGAACTACTCCCTGTAT GGCGTGTCCGACGGGGCGTGTCCAGAATTGCACAGCAG TGGGAGTGGCGCAGCAGAGATTCGTGTACGATGCCTACCA GAACCTCGTGGGCTACTACAGCGACGACGGCAATTAATAC TGCTTGGCGGCTGTGTGTCCGTGCCCGTGTCCGTGATCTA CGACAAAGAGCAAAAGCCACGCCACACTGTTCCGGCTCC GTGGCTTGCAGCACATCAGCTCCACCATGAGCCAGTACT CCGCTCCACCCGGTCCATGCTGAAGCGGAGAGATAGCAC CTACGGCCCCCTGCAGACACCTGTGGGATGTGTGCTGGGC CTCGTGAACAGCTCCCTGTTTGTGGAAGATTGCAAGCTGC CCCTGGGCCAGAGCCTGTGTGCCCTGCCAGATACCCCTAG CACCTGACCCCTAGAAGCGTGCCTCTGTGCCCGGCGAA ATGCGGCTGGCCTCTATCGCCTCAATACCCCATCCAGGT GGACCAGCTGAACTCCAGCTACTTCAAGCTGAGCATCCCC ACCAACTTCAGCTTCGGCGTGACCCAGGAGTACATCCAGA CCACAATCCAGAAAAGTACCGTGGACTGCAAGCAGTACGT GTGCAACGGCTTTCAGAAGTGCGAACAGCTGTGCGCGAG TACGGCCAGTTTGCAGCAAGATCAACCAGGCCCTGCACG GCGCCAACCTGAGACAGGATGACAGCGTCCGGAACCTGTT CGCCAGCGTGAAGAGCAGCAGTCCAGCCCCATCATCCCT GGCTTCGGCGGCGACTTTAACCTGACCTGTGGAACCTG TGTCCATCAGCACCGGCTCCAGAAGCGCCAGATCCGCCAT CGAGGACCTGCTGTTCCGACAAAGTACCATGCGGACCC GGCTACATGCAGGGCTACGACGATTGCATGCAGCAGGGCC CAGCCAGCGCCAGGGATCTGATCTGTGCCAGTATGTGGC CGGCTACAAGGTGCTGCCCCCTGATGGACGTGAACATG GAAGCCGCTACACCTCCAGCCTGCTGGGCTCTATTGCTG GCGTGGGATGGACAGCCCGCTGTCTAGCTTTGCGCCAT CCCTTTCGCCAGAGCATCTTACCAGGCTGAACGGCGTG GGCATCACACAACAGGTGCTGAGCGAGAACCAGAAGCTG ATCGCCAACAAGTTTAAACAGGCACTGGGCGCCATGCAGA CCGGCTTACCACCAACGAGGCTTTCAGAAAGGTGCA GGACGGCTGAACAACAACGCCAGGCTCTGAGCAAGCT GGCTTCGAGCTGAGCAATACCTTCGGCGCCATCAGCGCC TCCATCGGCGACATCATCCAGCGGCTGGACGTGCTGGAAC	

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	AGGACGCCAGATCGACCGGCTGATCAACGGCAGACTGA CCACCTGAACGCCTTCGTGGCACAGCAGCTCGTGCGGAG CGAATCTGCCGCTCTGTCTGCTCAGCTGGCCAAGGACAAA GTGAACGAGTGCCTGAAGGCCAGTCCAAGCGGAGCGGC TTTTGTGGCCAGGGCACCCACATCGTGTCTTCGTCTGTGAA TGCCCCAACGGCCTGTACTTTATGCACGTGGCTATTACC CCAGCAACACATCGAGGTGGTTCGCCCTATGGCCTGTG CGACGCGCCAATCTACCAACTGTATCGCCCCGTGAAC GGCTACTTCATCAAGACCACAAACCCGGATCGTGGACG AGTGGTCTACACAGGCAGCAGCTTACGCCCCCGAGCC CATCACCCTCCCTGAACACCAAATACGTGGCCCCCAAGTG ACATACCAGAACATCTCCACCACCTGCCCTCCACTGC TGGGAAATTCACCGGCATCGACTTCCAGGACGAGCTGGA CGAGTTCTCAAGAACGTGTCCACCTCCATCCCCAACTTCG GCAGCCTGACCAGATCAACACCCTCTGTGGACTGAC CTACGAGATGCTGCTCCCTGCAACAGGTCGTGAAAGCCCTG AACGAGAGCTACATCGACCTGAAAGAGCTGGGGAACCTAC ACCTACTACAACAAGTGGCCTTGGTACATTTGGCTGGGCT TTATCGCCGGCCTGGTGGCCCTGGCCCTGTGCGTGTCTTC ATCCTGTGCTGCACCGGCTGCGGCACCAATTGCATGGGCA AGCTGAAATGCAACCGGTGCTGCGACAGATACGAGGAAT ACGACCTGGAACTCACAAGTGCATGTGCAC	
Betacoronavirus mRNA Sequences		
gb KJ156934.1 : 21405-25466 Middle East respiratory syndrome coronavirus isolate Riyadh_14_2013, spike protein (nucleotide)	AUGAUACACUCAGUGUUUCUACUGAUGUUCUUGUUAAC ACCUACAGAAAGUUACGUUGAUGUAGGGCCAGAUUCUG UUAAGUCUGCUUGUAUUGAGGUUGAUUAACAACAGACC UUCUUUGAUAAAACUUGGCCUAGGCCAAUUGAUGUUUC UAAGGCUGACGGUAUUUAUAUCCUCAGGGCCGUACAU AUUCUAACAUAACUACUUAUUAAGGUCUUUUUCCU AUCAGGGAGACCAUGGUGAUAUGUAUGUUUACUCUGCA GGACAUUCUACAGGCACAACUCCACAAAAGUUUGUUU AGCUAACUAUUCUACAGGACGUAACAGUUUGCUAUG GGUUUUGUCUGCCGUUAUAGGAGCAGCUGCCAAUUCACU GCACUGUUUAUUAUAGCCCAUCUACAGCGCUACUAUAC GAAAAUUUACCCUGCUUUUAUGCUGGGUUCUUCAGUU GGUAUUUCUACAGUUGGUAUUUAGGGCCGCUUCUCAA UCAUACUCUAGUUCUUUUGCCGAUGGAGUUGGCACUU UACUUAAGACUUUUUAUUGUAUUCUAGAGCCUCGUCU GGAAUUCAUUGCCUGCUGGCAAUUCUUAUACUUUU UGCCACUUUAACACUCUCUGCAACAGAUUGUUUGAUGG CAUUUAACAUCGUAUUGCCAGUCUGAACUUUUUAAGG AGUAUUUUAAUUUACGUAACUGCACUUUAUGUACACU UAUAAUAUACCGAAGAUAGAUUUUAGAGUGGUUUUG CAUUACACAAACUGCUAAGGUGUUCACCUUCUUCUACU UCGUAUUGUUAUUUUAACGGCGCAUUAUGUUUCAU UUGCCACCUUGCCUGUUUAUGAUACUAUUAAGUAUUU UCUAUCUUCUACAGUAUUCGUUCUAUCCAAAGUGAU AGAAAAGCUUGGGCUGCCUUCUACGUUAUUAACUUCA ACCGUUAACUUCCUGUUGGAUUUUUCUGUUGAUGGUU AUUAACGCAGACUAUAGACUGUGGUUUUAUAGAUUUG UCACAAUCUCCACUGCUCUAUAGAAUCCUUCGAUGUUGA UCUGGAGUUUAUUCAGUUUCGUCUUUCGAAAGCAAACC UUCUGGCUCAGUUGGGAACAGGCUGAAGGUGUUGAAU GUGAUUUUUCACCUUCUUGUCUGGCACACCCUCAGG UUUUAUUUUCAAGCGUUUGGUUUUACCAAUUGCAAU UAUAAUCUUACCAAUUGCUUCACUUUUUUCUGUGAA UGAUUUAUCUUGUAGUCAAUUAUCUCCAGCAGCAAUUG CUAGCAACUGUUUAUUCACUGAUUUUUGGAUUUUUU UCAUACCCACUUAGUAUGAAUCCGAUCUCAGUUGUAG UUCUGCUGGUCCAAUAUCCAGUUUAUUUAUAAACAGU CCUUUUUAUACCCCAUGUUUGAUUUUAGCGACUGUUC CUCUAACCUUAUCUAUUUAUAGCCUUCUUAAGUACA GCUAUAUUAAAGUUCUUCGUUCUUUUUCUGAUGAU CGUACUGAAGUACCUAGUUAGUGAACGUAUUAUCAA CUCACCCUGUGUAUCUUGUCCAUUCCACUGUGUGGGA AGACGGUGAUUUUAUAGGAAACAUCUUCUCCAUUG AAGGUGGUGGCGGCUUGUUGCUAGUGGCUCAACUGUU GCCAUGACUGAGCAAUUAACAGUUGGCUUUGUAUUAC AGUUCAAUAUGGUACAGACACCAAUAGUUUUGCCCA AGCUUGAAUUUGCUAUGACACAAAUAUUGCCUUCUCAA	65

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	UUAGGCCAAUUGCGUGGAAUUAUCCUCUAUGGUGUUUC GGGCCGUGGUGUUUUUCAGAAUUGCACAGCUGUAGGUG UUCGACAGCAGCGCUUUGUUUUGAUGCGUACCAGAAU UUAGUUGGCUAUUAUUCUGAUGAUGGCAACUACUACUG UCUGCGUGCUGUGUUAGUGUUCUGUUUCUGUCAUCU AUGAUAAAGAAACUAAAACCCACGCUCUCUAUUUGGU AGUGUUGCAUGUGAACACAUUUCUUCUACCAUGUCUCA AUACUCCCGUUCUACGCGAUCAAUGCUAAAACGGCGAGA UUCUACAUUUGGCCCCUUCAGACACCGUUGGUUGUGU CCUAGGACUUGUUAAUCCUCUUGUUCGUAGAGGACU GCAAGUUGCCUCUGGUAUUCUCUCUGUGUCUUCUCG ACACACCUAGUACUCUCACACUCGCGAGUGGCGUCUG UGCCAGGUGAAAUGCGCUUGGCAUCUUGCUUUUAAU CAUCCAUUCAGGUUGAUCACUAAUUAAGUAGUUUUU UAAAUUAAGUAUACCCACUAAUUUUUCCUUUGGUGUGA CUCAGGAGUACAUUCAGACAACCAUUCAGAAAGUUAUCU GUUGAUUGUAAAACAGUACGUUUGCAAUGGUUUCCAGAA GUGUGAGCAAUUCUGCGCAGUAUGGCAGUUUUGUU CCAAUUAAACAGGCUCUCCAUUGGUCCAAUUUACGCC AGGAUGAUUCUGUACGUAAUUUGUUUGCGAGCGUAAA AGCUCUCAUUCUUCUUCUACUACAGGUUUUGGAGGU GACUUUAAUUUGACACUUCUAGAACCUGUUUCUAUAUC UACUGGCAGUCGUAGUGCACGUAGUCUUAUGAGGAUU UGCUAUUUGACAAAGUCACUAUAGCUGAUCUGGUUUU AUGCAAGGUUACGAUGAUUGUAUGCAGCAAGGUCAGC AUCAGCUCGUAUCUUUUUGUGCUCAAUAUGUGGUCG GUUAUAAAGUAUUCUCCUCUUAUGGAUGUUAAUUG GAAGCCGCUAAUUCUUCUUGCUUGGCGAGCAUAGCA GGUGUUUGCGGACUGCUGGCUUUAUCCUUUGCUGUCU AUUCCAUUUGCACAGAUUUAUUUAUAGGUUAAACGG UGUUGGCAUUCUAAACAGGUUCUUUCAGAGAACCAAA AGCUUAUUGCCAAUAAGUUUAAUCAGGCUCUGGGAGCU AUGCAAACAGGCUUCACUAACAUAUGAAGCUUUUCG GAAGGUUCAGGAUGCUGAACAACAUGCACAGGCUC UAUCCAAUUAGCUAGCGAGCUAUCUAAUACUUUUGGU GCUAUUUCCGCCUCUAUUGGGACAUCAUACAACGUCUU GAUGUUUCGAAACAGGACGCCCAAUAGACAGACUUUA UAAUGGCCGUUUGACAACAUAUAAUGCUUUUGUUGCAC AGCAGCUUGUUCGUUCCGAUCAGCUGCUCUUUCGCU AAUUGGCUAAAGUAUAAAGUCAUAGAGUGUGUCAAGGCA CAAUCCAAGCGUUCUGGAUUUUGCGGUAAGGCAACAUC AUAGUGUCUUUUGUUGAAUUGCCCUAAUGGCCUUUA CUUUAUGCAUGUUGUUUAUACCCUAGCAACCACAUCU AGGUUGUUUCUGCUUAUGGUCUUUGCGAUGCAGCUAAC CCUAUUAUUGUAUAGCCCGUUAUUGGCUACUUUAU UAAAACUAUAACACUAGGAUUGUUGAUGAGUGGUCUA AUACUGGCUCGUCUUUCUAGCACCUAGCCCAUACACCU CUCUUAUUAUAGUAUGUUGCACACAGGUGACAUACC AAAACAUUUCUAUAACCUCCUCCUCCUUCUUCGCGCA AUUCACCCGGAUUGACUUCAGAGUAGUUGGAGUAG UUUUCAAUAUUGUAGCACAGUAUACCUAAUUUUGG UUCUCUAACACAGAUUAUACUACAUUACUCGAUCUUA CUACGAGAUUGUUGCUCUUCAACAAGUUUUAAAGCCC UUAUUGAGUCUUACAUAAGACCUUAAAGAGCUUGGCAU UAUAUCUAUUACAACAAUUGGCCGUGGUACAUUUGGCU UGGUUUCAUUGCUGGGCUUGUUGCCUUAAGCUCUUGCG UCUUCUUCUAUCUGUGCUGCACUGGUUGGCGACAAACU GUAUGGGAACCUAAAGUGUAUUGUUGUUGGUAAGA UACGAGGAUACGACCUAGAGCCGCAUAAGGUUCAUGU UCACUAA	
MERS S FL SPIKE 2cEMC/2012 (XBaI change(U to G)) (nucleotide)	AUGAUACACUCAGUGUUUCUACUGAUGUUCUUGUUAA ACCUACAGAAAGUUACGUUGAUGUAGGGCCAGAUUCUG UUAAGUCUGCUUGUAUUGAGGUUGAUUAACAACAGACU UUCUUUGAUAUAAACUUGGCCUAGGCCAAUUGAUGUUUC UAAGGUCGACGGUAUUUAUACCCUCAAGGCCGUACAU AUUCUAACAUAACUACUUAUUAUUAAGGUCUUUUUCCU AUCAGGAGACCAAGGUGAUAUGUAUGUUUAUCUCUGCA GGACAUUCUACAGGCACAUCUCCACAAGUUGUUUGU AGCUAAUCUAUUCUACAGGACGUCAAACAGUUUGCUAAUG GGUUUGUCGUCGUAUAGGAGCAGCUGCCAAUUCACUG GCACUGUUUAUUAUAGCCCAUUCACAGCGCUACUAUAC	66

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	GAAAAUUUACCCUGCUUUUAUGCUGGGUUCUUCAGUU GGUAAUUUCUCAGAUAGGUAUUUUUGGCGCCUUCUCAA UCAUACUCUAGUUCUUUUGCCGGAUGGAUGGGCACUU UACUUAGAGCUUUUUUAUGUAUUUCUGGAGCCUCGCUCU GGAAAUCAUUGCCUGCGGGCAAUCCUAUACUUUUUU UGCCACUUAUCAACUCCUGCAACAGAUUGUUCUGAUGG CAUUUACAACUGUAUUGCCAGUCUGAACUUUUUAAAGG AGUAUUUUAAUUUACGUAACUGCACUUUAUGUACACU UAUAAUUAUACCGAAGAUAGAGAUUUUAGAGUGGUUUGG CAUUACACAACUGUCUAAAGGUGUUCACCUUCUCAUC UCGUAUUGUUAUUUUGUACGGCGGCAUUAUGUUCAAU UUGCCACCUUGCCUGUUUAUGAUACUAUUAAGUAUUUU UCUAUCAUUCUCACAGUAUUUGUUCUAUCCAAAGUGAU AGAAAAGCUUGGGCUGCCUUCUACGUAUUAUAAACUUCA ACCGUUUAACUUUCCUGUUGGAUUUUUUGUUGAUGGUU AUUAACGCAGAGCUAUGACUGUGGUUUAAUUAUUUG UCACAACUCCACUGCUCUAUAGAAUCCUUCGAUGUUGAA UCUGGAGUUUAUUCAGUUUCGUCUUUCGAAAGCAAACC UUCUGGCUCAGUUGUGGAACAGGCUGAAGGUGUUGAAU GUGAUUUUUACCCUCUUCUGUCUGGCACACCCUCACAGG UUUUAUAAUUUAAGCGUUUUGUUUUUACCAAUUGCAAU UAUAAUCUUACCAAUUGCUUUCACUUUUUUUCUGUGAA UGAUUUUACUUGUAGUCAAAUUAUCUCCAGCAGCAAUUG CUAGCAACUGUUUAUUCUACUGAUUUUUGGAUUACUUU UCAUACCCACUUAGUAUGAAUCCGAUCUCAGUUGUAG UUCUGCUGGUCCAAUAUCCAGUUUAUUUAUAAACAGU CCUUUUUAUACCCACUUGUUUGAUUUUAGCGACUGUUC CUCUAUACCUUACUACUAUUAUUAAGCCUUCUUAAGUACA GCUAUAUUAAACAAGUUCUCUGUUCUUUUUCUGAUGAU CGUAUCUAGUAACCUAGUUAUGUAACGUAUUAUCAAUA CUCACCCUGUGUAUCCAUUGUCCAUCCACUGUGUGGGA AGACGGUGAUUAUUUAAGGAAACAACUAUCUCCACUUG AAGGUGGUGGCGUGGCUUGUUGCUAGUGGCUCAACUGUU GCCAUGACUGAGCAAUACAGAUUGGCUUUGGUUUUAC AGUUCAAUAGGUACAGACACCAAUAGUUUUGCCCA AGCUUGAAUUUGCUAUGACAACAUAUUUGCCUCUCAA UUAGGCAAUUGCGUGGAUUAUCCUUAUUGGUGUUUC GGGCCGUGGUGUUUUUACGAAUUGCACAGCUUGAAGGUG UUCGACAGCAGCGCUUUUUUAUGAUGCGUACAGAAU UUAGUUGGCUAUUUUCUGAUGAUGGCAACUACUACUG UUUUGCGUCUUGUGUUAGUUCUUGUUUCUGUCAUCU AUGAUAAAGAAACUAAAACCCACGCUACUCUAUUUGGU AGUUGUGCAUGUGAACACAUUUCUUAUCCAUUGUCUA AUACUCCCGUUCUACGCGAUCAAUGCUUAAACGGCGAGA UUCUACAUUAGGCCCCUUCAGACACCUUGUUGGUUGUGU CCUAGGACUUGUUAUUCCUUCUUGUUCGUAGAGGACU GCAAAGUUGCCUUGGUCAAUCUUCUGUGUCUUCUCUG ACACACCUAGUACUCUACACUCUCGAGUGUGCGUCUCG UUCCAGGUGAAUUGCGCUUGGCAUCCAUUGCUUUUAU CAUCCUAUUCAGGUUGAUCACUUAUUAAGUAGUUUUUU UAAAUUAAGUAUACCCACUAUUUUUCCUUGGUGUGA CUCAGGAGUACAUUCAGACAACCAUUCAGAAAGUUAUCU GUUGAUUGUAAAAGUAUGUUUGCAAUGGUUUCCAGAA GUGUGAGCAAUUACUGCGCAGUAUGGCCAGUUUUUGUU CCAAAUUAACCCAGGCUCUCCAUUGGUCCAAUUUACGCC AGGAUGAUUCUGUACGUAUUUUUGUUGCGAGCGUGAAA AGCUUCUAAUACUUCUUAUACUACAGGUUUUGGAGGU GACUUUAUUUAGACACUUCUGAACUGUUUCUUAUUC UACUGGCAUUCGUAUGCAGUAGUUCUUAUGAGGAUU UGCUAUUUAGCAAAGUACUAUAGCUGAUUCUGGUUUU AUGCAAAGGUUACGAUUGCAUUGCAGCAAGGUCAGC AUCAGCUCGUAUCUUUUUUGUCUCAAUAUGUGGUCG GUUACAAGUAUUACUCUCUUAUUGGAUGUUAAUUAUG GAAGCCCGUAUACUUAUCUUCUUGCUGGCAUAGCA GGUUUUGGCGGACUGCUGGCUUAUCCUCCUUUGCUGCU AUUCCAUUUGCACAGAGUAUCUUUUUAUAGGUUAAACGG UGUUGGCAUUAUCUAAACAGGUUCUUUCAGAGAACCAA AGCUUAUUGCCAAUAAGUUUAUACAGGCUCUGGGAGCU AUGCAAACAGGCUUCACUAACAUAUAGGAAAGCUUUUCA GAAGGUUCAGGAUGCUGUAGAACAAUUGCAGAGGCUC UAUCCAAUUAGCUAGCGAGCUAUCUAUAUUAUUUGGU GCUAUUUUCGCCUCUAUUGGAGACAUAUACACGUCUU	

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	GAUGUUCUGAACAGGACGCCCAAUAGACAGACUUAU UAAUGGCCGUUUGACAACACUAAAUGCUUUUGUUGCAC AGCAGCUUGUUCGUUCGAAUCAGCUGUCUUUCGCU AAUUGGCUAAAGAUAAAGUCAUAGAGUGUGUCAAGGCA CAAUCCAAGCGUUCUGGAUUUUGCGGUCAGGCAACAU AUAGUGUCUUUUGUUAUAGCCCUAAUGGCCUUUA CUUCAUGCAUGUUGUUUAUACCUAGCAACCAUUGA GGUUGUUUCUGCUUAUGGUUUUGGAUGCAGCUAAC CUACUAAUUGUAUAGCCCUUUAAUGGCUACUUUAU AAAACUAAUAACACUAGGAUUUGUAGAGUGGUCAUA UACUGGCUUGUCUUUAUGCACCUGAGCCAUUACCU CCUUAUAUCUAAGUAUGUUGCACACAGGUGACAUA AAACAUUUCUACUAACCUCCUCCUCCUUCUGGCAA UUCCACCGGAUUGACUUCCAAGAUAGUUUGAUGAGU UUUUCAAAAUGUUAAGCACAGUAUACUAAUUUGGU UCCCUAACACAGAUAAUAUAUACUACUUGAUCUAC UACGAGAUUGUUCUUCACCAAGUUGUUAAAGCCU UAAUGAGUCUUAUAUAGACCUUAAAGAGCUUGGCAU AUACUUUAUACAACAAUUGGCCUGGUUAUUGGCU GGUUUAUUGCUGGCUUGUUGCUUAGCUUAUGCGU CUUCUUAUACUGGUCGACUGGUUGGCAAAACUG UAUGGAAACUUAAGUGUAUCGUUGUUGAUAGAU ACGAGGAUACGACUUGGCGCAUAGGUUCAUGUUC ACUAA	
Novel_MERS_S2_subunit_trimeric vaccine (nucleotide)	AUGAUCCACUCCGUGUCCUCCUCAUGUCCUGUUGACC CCCACUGAGUCAGACUGCAAGCUCCCGUGGACAGUCC CUGUGUGCGUCGUCGACACUCCUAGCACUCUGACCCCA CGCUCGUGCGGUCGGUGCCUGGCGAAUUGCGGCGGGC UCCAUCGCCUUCAAUACACC AAUCCAAGUGGAUCAGCUG AAUAGCUCGUUUUCAAGCUGUCCAUCCACGAAACUUC UCGUUCGGGGUACCCAGGAGUACAUCCAGACCACA CAGAAGGUCACCGUCGAUUGCAAGCAUACGUGGCAAC GGUUCCAGAAGUGCGAGCAGCUGCUGAGAGAUAACGG GCAGUUUUGCAGCAAGAUCAACAGGCGUGCAUGGAGC UAAUUGCGCCAGGACGACUCCGUGCGCAACCUUUUGC CUCUGUAGAUCAUCCAGUCCUCCCAUACUCCGGG AUUCGGAGGGACUUAACUGACCUCUGGAGCCCGU GUCGAUCAGCACCGUAGCAGAUCCGCGCGCUCAGCCA UGAAGAUCUUUGUUCGACAAGGUCACC AUCCGCGAUCC GGGCUACUAGCAGGGAUACGACGACUGUAUGCAGCAGG GACCAGCCUCCGCGAGGGACCUCAUCUGCGCAUACG UGGCCGGGUACAAGUGCGUCCUUCUGAUGGAUGUG AACUUGGAGGCGCUUAUACUUCGUCCUGCUGGCUUC AUCGCCGGCGUGGGUGGACCGCCGCGCUGUCUCCUUC GCCGCUAUCUCCUUUGCAAAUCCAUUUUCUACCGGCU AACGGCGUGGGCAUUAUCACAAAGUCCUGCGGGAAC CAGAAGUUGAUCGCAAAACAGUUAUUCAGGCCUUGG GGCCAUAGCAGACUGGAUUCACUACGACUACGAAAGCGU CCAGAAGGUCCAGGACGUCUGAACAACACGCCAGGC GCUCUCAAAGCUGGCCUCCGAACUAGCAACACCUUCGG AGCCAUAGCGCAUCGAUCGUGACAUAAUUCAGCGGCU GGACGUCUGGAGCAGGACGCCAGAUCCAGCCUUCU CAACGGACGGCUGACCAUUGAAUGCCUUCGUGGCACA ACAGCUGGUCGGAGCGAAUCAGCGGCAUUUCCGCCA ACUCGCCAAGGACAAAGUCAAGAAUGCGUAGGCGCA GUCCAAAGAGGUCCGUUUCUGCGUUAAGGAACCAU UGUGUCCUUCGUGGAACCGCCCAACGGUCUGUACU UAUGCAGUCGGCUACUACCCGAGCAAUCAUUCGAAGU GGUGUCCGCCUACGGCCUGUGCGAUGCCGUAACCCAC UAACUGUAUUGCCUUGGAAAGGAUUAUUUAUUAAGA CCAACACACCCGCAUUGUGGACGAAUGGUCUACACCG GUUCGUCCUUCACGCGCCGAGCCCAUACUUCACUGA ACACCAAUAUCGUGGCUCCGCAAGUGACCUACGAA UCUCACCAAUUUGCCGCGCGCUGCUUGGAAACAGCA CCGGAAUUGAUUUCAGAUAGAACUGGACGAAUUCUUC AAGAAGGUGUCCAUUCCAUUCCAAUUCGGAAGCCUG ACACAGAUCAAACACCCUUCUCCAGCUGACCUACGAG AUGCUGAGCCUCAAAGUGGUCAGGCCCUGAACGAG	67

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	AGCUACAUCGACCUGAAGGAGCUGGGCAACUAUACCUAC UACAACAAGUGGCCGGACAAGAUUGAGGAGAUUCUGUC GAAAAUCUACCAUUGAAAACGAGAUCGCCAGAAUCA AGAAGCUUAUCGGCGAAGCC	
MERS_S0_Full-length Spike protein (nucleotide, codon optimized)	AUGGAAACCCUGCCAGCUGUGUCCUGCUGCUGCUG UGGCUGCCUGAUACCACCGGCAGCUAUGUGGACGUGGGC CCCGAUAGCGUGAAGUCCGCCUGUAUCGAAAGUGGACAUC CAGCAGACCUUUUUCGACAAGACCUGGCCAGACCCAUUC GACGUGUCCAAGGCCGACGGCAUCAUCUAUCCACAAGGC CGGACCUACAGCAACAUCACCAUUAUCCUACAGGGCCUG UUCUCAUUAAGGGCACCACGGCGAUUUGUACGUGUAC UCUGCCGGCCACGCCACCGGCACCACCCAGAAAACUG UUCGUGGCCAACUACAGCCAGGACGUGAAGCAGUUCGCC AACGGCUUCGUCGUGCGGAUUGGCCCGCUGCCAUAAGC ACCGGCACAGUGAUCUACGCCAGCACCAGCGCCACC AUCCGGAAGAUCAUCCCGCCUUAUGCUGGGCAGCUC GUGGGCAUUUCAGCAGCGGCAGAUUGGGCCGGUUCUU CAACCACACCCUGGUGCUGCUGCCGAUGGCGUGGGCAC ACUGCUGAGAGCCUUCUACUGCAUCUUGGAACCCAGAA CGGCACCCACUGCCUGCCGGCAUAAGCUACACAGCUU CGCCACCUACCACACCCCGCACCGAUUGCUCGACGG CAACUACAACCGAACGCCAGCCUGAACAGCUUCAAGA GUACUUAACUUGCGGACUGCACCUCUUAUGUACACCUA CAUAUACCCGAGGACGAGAUCCUGGAAUGGUUCGGCA UCACCCAGACCGCCAGGGCGUGCACCUGUUCAGCAGCA GAUACGUGGACCUGUACGGCGGCAACUUGUCCAGUUU GCCACCCUGCCGUGUACGACACCAUCAAGUACUACAGC AUCAUCCCCACAGCAUCCGGUCCAUCCAGAGCGACAGA AAAGCCUGGGCCGCCUUCUACGUGUACAAAGCUGCAGCC CUGACCUUCCUGCUGGACUUCAGCGUGGACGGCUACAUC AGACGGGCCAUCGACUGCGGCUUCAACGACUAGACCCAG CUGCAGUCUCUACGAGAGCUUCGACGUGGAAAGCGGC GUGUACAGCGUGUCCAGCUUCGAGGCCAAGCCUAGCGGC AGCGUGGUGGAAACAGGCUAGAGGGCGUGGAAUCCGACUU CAGCCCUUCUGCUGAGCGGCACCCUCCCGAGGUGUACAA CUUCAAGCGGCUGGUGUACCAACUGCAAUUACAACCU GACCAAGCUGCUGAGCCUUCUUCGUGAACGACUUCAC CUGUAGCCAGAUACGCCUUCGCGCAUUGCCAGCAACUG CUACAGCAGCCUGAUCCUGGACUACUUCAGCUACCCCU GAGCAUGAAGUCCGAUCUGAGCGUGUCCUCCGCGGAC CAUCAGCCAGUUAACAUCACAAGCAGAGCUUCAGCAACCC UACCUGCCUGAUUUCGGCCACCGUGCCCAAAUCUGAC CACCAUCAACAAGCCUUGAAGUACAGCUACAUAACA GUGCAGCAGACUGCUGUCCGACGACCGGACCGAAGUGCC CCAGCUCUGAAGCCCAACAGUACAGCCUUCGCGUGUC CAUCGUGCCAGCACCGUGUGGAGGACGGCGACUACUA CAGAAAGCAGCUGAGCCUUGGAAAGGCGGCGGAUGGCU GGUGGCUUCUGAAGCACAGUGGCCAUGACCAGCAGCU GCAGAUUGGCUUUGGCAUACCGUGCAGUACGGCACCGA CACCAACAGCGUGUGCCCAAGCUGGAAUUCGCCAAUGA CACCAAGAUCGCCAGCCAGCUGGGAAACUGCGUGGAAUA CUCCUUGUAUGGCGUGUCCGGACGGGGCGUGUUCAGAA UUGCACAGCAGUGGGAGUGCGGCAGCAGAGAUUCUGU ACGAUGCCUACCAGAACCUUCGUGGGCUACUACAGCGACG ACGGCAAUUACUACUGCCUGCGGGCCUGUGUUCGUGC CCGUGUCCGUAUCUACGACAAGAGACAAGACCCACG CCACACUGUUCGGCUCCGUGGCCUGCGAGCACAUACAGCU CCACCAUGAGCCAGUACUCCCGUCCACCCGGUCCAUGC UGAAGCGGAGAGAUAGCACUACGGCCCCUGCAGACAC CUGUGGGAUGUGUCUGGGCCUUGGAAACAGUCCUUGU UUGUGGAAGAUUGCAAGCUGCCUUGGGCCAGAGCCUGU GUGCCUGCCAGAUACCCUAGCACCCUGACCCUAGAA GCGUGCGCUCUGUGCCGGCGAAAUGCGGCUGGCCUCUA UCGCCUUCAAUACCCCAUCCAGGUGGACAGCUGAACU CCAGCUACUUAAGCUGAGCAUCCACCAACUUCAGCU UCGGCGUGACCAGGAGUACAUCAGACCAAAUCCAGA AAGUGACCUGGACUGCAAGCAGUACGUGGCAACGGC UUUCAGAAGUGCGAACAGCUGCUGCGGAGUACGGCCAG UUCUGCAGCAAGAUCAACCAGGCCUUCGACGGCCCAAC CUGAGACAGGAUGACAGCGUGCGGAACCUUUCGCCAGC GUGAAAGCAGCCAGUCCAGCCCAUCAUCCUUGGCUUC	68

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	GGCGGCGACUUUAAACCUGACCCUGCUGGAACCUGUGUCC AUCAGCACCGGUCCAGAAGCGCCAGAUCCGCCAUCGAG GACCCUGUGUUCGACAAGGUGACCAUUGCCGACCCCGGC UACAUGCAGGGCUACGACGAUUGCAUGCAGCAGGGCCCA GCCAGCGCCAGGGAUCUGAUCUGUGCCAGUAUGUGGCC GGCUACAAGGUGCUGCCCCCUGAUGGACGUGAACAUUG GAAGCCCGCUACACCUGCAGCCUGCUGGGUCUAUUGCU GGCGUGGGUUGGACAGCCGGCCUGUCUAGCUUUGCCGCC AUCCUUUCGCCAGAGCAUCUUCUACCGGCUGAACGGC GUGGGCAUCACACAACAGGUGCUGAGCGAGAACCAGAA GCUGAUCGCCAACAAAGUUUAAACCAGGCACUGGGCGCCAU GCAGACCGGUUCACACCACCAACGAGGCCUUCAGAAA GGUGCAGGACCGCGUGAACACAACGCCCAGGCUCUGAG CAAGCUGGCCUCCGAGCUGAGCAUACCUUCGGCGCCAU CAGCGCCUCCAUCCGCGCAUCAUCAGCGCUGGACGU GCUGGAACAGGACGCCAGAUCCGCGCUGAUAACGG CAGACUGACCACCCUGAACGCCUUCGUGGCACAGCAGCU CGUGCGGAGCGAAUCUGCCGUCUGUCUGCUCAGCUGGC CAAGGACAAGUGAACGAGUGCGUGAAGGCCAGUCCA AGCGGAGCGCCUUUUGGGCCAGGGCACCCACAUCGUGU CCUUCGUCGUGAAUGCCCCAACGGCCUGUACUUUAUGC ACGUGGGCUAUUACCCAGCAACCACAUCGAGGUGGUGU CCGCCUAUGGCCUGUGCGACGCCGCCAAUCCUACCAACU GUUUCGCCCCCGUGAACGGCUACUUCUACAGACCAACA ACACCCGGAUCGUGGACGAGUGGUCUACACAGGCAGCA GCUUCUACGCCCCCGAGCCAUACACUCCUGAACACCA AAUACGUGGCCCCCAAGUGACAUAACAGAACAUCCCA CCAACCGUCCCCUCCAUUCUGGGGAAUUCACCGGCA UCGACUUCGAGGACGAGCUGGACGAGUUCUUAAGAAGC UGUCCACCUCUACCCCAACUUCGGCAGCCUGACCCAGA UCAACACCACUCUGCUGGACCCUGACCUACGAGAUGCUGU CCUGCAACAGGUCGUGAAGCCUGAACGAGAGCUACA UCGACCUGAAAGAGCUGGGGAACUACACCUACUACAACA AGUGGCCUUGGUACAUUUGGCUGGGCUUUAUCGCGGCC UGGUGGCCUGGCCUUGCGUGUUCUUAUCUUCUGUCU GCACCGGCUUGCGCACCAAUUGCAUGGGCAAGCUGAAAU GCAACCGGUGCUGCGACAGAUACGAGAAUACGACCUGG AACCUCACAAGUGCAUGGUCAC	

TABLE 11

Betacoronavirus Amino Acid Sequences		
Strain	Amino Acid Sequence	SEQ ID NO:
gb KJ156934.1 : 21405-25466 Middle East respiratory syndrome coronavirus isolate Riyadh_14_2013, spike protein (amino acid)	MIHSVFLLMFLLTPTESYVDVGPDSVKSACIEVDIQQTFDDKT WPRPIDVSKADGIIYPQGRYSNITITYQGLFPYQGDHGDY VYSAGHATGTTpQKLFVANYSQDVKQFANGFVVRIGAAANS TGTVIIISPSTSATIRKIYPAPMLGS SVGNFSDGKMGRFFNHTL VLLPDGCGTLRLAFYCI LEPRSGNHCPAGNSYTSFATYHTPA TDCSDGNYNRNASLNSFKYFNLNRCTFMYTYNI TEDEILEW FGITQTAQGVHLFSSRYVDLYGGNMFQFATLPVYDTIKYYSII PHSIRSIQSDRKAWAAFVYVKLQPLTFLLDLFSVDGYIRRAIDC GFNDLSQLHCSYESPDEVSGVYSVVSFEAKPSGVSVEQAEGV ECDPSPLLSGTTPPYVNFKRLVFTNCNVLTKLLSLFSVNDFT CSQISPAAIASNCYSLLILDYFSYPLSMKSDLVSVSAGPISQFN YKQSFNPTCLILATVPHNLTTITKPLKYSYINKSRLSLSDDRD EVPQLVNAQYSPCVSIVPSTVWEDGDYRQKLSPLEGGW LVASGLGNVCEYSLYGVSGRGVFNCTAVGVRRQRFVYDA YQNLVGYYSDDGNYCLRACVSVVSVIYDKETKTHATLFG SVACEHISSTMSQYRSTRSMLKRRDSTYGPLQTPVGCVLGL VNSSLFVEDCKLPLGQSLCALPDTPTSTLTPRSVRSVPGEMRLA SIAFNHPIQVDQLNSYFKLSIPTNFSFGVTQEYIQTIIQKVTV DCKQYVCNGFKCEQLLREYGFCSKINQALHGANLRQDDS VRNLFASVKSSQSSPIIPFGGDFNLTLLEPVSISTGSRARSASAI EDLLFDKVTIADPGYMQGYDDCMQQGPASARDLI CAQYVA GYKVLPLMDVNMEEAYTSSLGSIAGVGTAGLSSFAAIPF	24



TABLE 11-continued

Betacoronavirus Amino Acid Sequences		
Strain	Amino Acid Sequence	SEQ ID NO:
	AQSI FYRLNGVGITQQVLS ENQKLIANKFNQALGAMQTGFTT TNEAFK VQDAVN NNAQALS KLA SELSNTFGAISASIGDIIQR LDVLEQDAQIDRLINGRLTTLNAFVAQQLVRS ESAALS AQLA KDKVNECVKAQSKRSGFCGQGT HVSFVNAPNGLYFMHV GYYP SNHIEVVSAYGLCDAANPTNCIAPVNGYFIKTNNTRIV DEWSTGSSFYAPEPITS LN TKYVAPQV TYQNI STNLPPPLLG NSTGIDFQDELDEFFKNVSTSI PNFGSLTQINTLLDLTYEMLS LQQVVKALNESYIDLKELGNYTYNKWPWYIWLGF IAGLVA LALCVFFILCCTGCGTNCMGK LKCNRCDDRYEYDLEPHKV HVH	
MERS S FL SPIKE 2cEMC/2012 (XbaI change(T to G)) (amino acid)	MIHSV FLLMFLLTPTESYVDVGPDSVKSACIEVDIQQTFFDKT WPRPIDVSKADGIIYPQGR TYSNITITYQGLFPYQGDHGDY VYSAGHATGTT POKLFVANYSQDVKQFANGFVVRIGAAANS TGTV I I SPSTSATIRKI YPAFMLGSSVGNFSDGKMGRFFNHTL VLLPDGCGTLLRAF YCILEPRSGNHCPAGNSYTSFATYHTPA TDCSDGNYNRNASLNSFKEYFNLRNCTFMYTYNI TEDEILEW FGITQTAQGVHLFSSRYVDLYGGMFQFATLPVYDTIKYYSII PHSIRSIQSDRKAWAAFVYKLOPLTFLD FSV DGYIRRAIDC GFNDLSQLHCSYESFDVESGVYSVSFEAKPSGVSVEQAEGV ECDFSPLLSGT PPQVY NFKRLVFTNCNYNLTKLLSLFSVNDFT CSQISPAAIASNCYSSLILDYFSYPLSMKSDLSVSSAGPISQFN YKQSF SNPTCLILATVPHNLTITKPLKYSYINKCSRLSDDRT EVPQLVNA NQYSPCVSIVPSTVWEDGDY YRKQLS PLEGGGW LVASGSTVAMTEQLQMGFGITVQYGTDTNSVCPKLEFANDT KIASQLGNCVEYSLYGVSGRGVQNC TAVGVRQQRFVYDA YQNLVGYYSDDGNYCLRACVSVPVSVIYDKETKTHATLFG SVACEHISSTMSQYSRSTRSMLKRRDSTYGPLQTPVGCVLGL VNSSLFVEDCKLPLGQSLCALPDT PSTLTPRSVRSVPGEMRLA SIAFNHPIQVDQLNSYFKLSIPTNFSGVTQEQYIQTTIQKVTV DCKQYV CNGFQKCEQLLREYGFCSKINQALHGANLRQDDS VRNFLFASVKSQSSPIIPGFGDFNLTLLEPVSI STGSR SARSAI EDLLFDKVTIADPGYMQYDDCMQQGPASARDLICAQYVA GYKVL PPLMDVNMEAA YTSLLGSIAGVGW TAGLSSFAAIPF AQSI FYRLNGVGITQQVLS ENQKLIANKFNQALGAMQTGFTT TNEAFK VQDAVN NNAQALS KLA SELSNTFGAISASIGDIIQR LDVLEQDAQIDRLINGRLTTLNAFVAQQLVRS ESAALS AQLA KDKVNECVKAQSKRSGFCGQGT HVSFVNAPNGLYFMHV GYYP SNHIEVVSAYGLCDAANPTNCIAPVNGYFIKTNNTRIV DEWSTGSSFYAPEPITS LN TKYVAPQV TYQNI STNLPPPLLG NSTGIDFQDELDEFFKNVSTSI PNFGSLTQINTLLDLTYEMLS LQQVVKALNESYIDLKELGNYTYNKWPWYIWLGF IAGLVA LALCVFFILCCTGCGTNCMGK LKCNRCDDRYEYDLEPHKV HVH	25
Novel_MERS_S2_subunit_trimeric vaccine (amino acid)	MIHSV FLLMFLLTPTESDCKLPLGQSLCALPDT PSTLTPRSVR SVPGEMRLASIAFNHPIQVDQLNSYFKLSIPTNFSGVTQEQYI QTTIQKVTV DCKQYV CNGFQKCEQLLREYGFCSKINQALH GANLRQDSDVRNFLFASVKSQSSPIIPGFGDFNLTLLEPVSI S TGSRSARSAI EDLLFDKVTIADPGYMQYDDCMQQGPASAR DLICAQYVAGYKVL PPLMDVNMEAA YTSLLGSIAGVGWTA GLSSFAAIPFAQSI FYRLNGVGITQQVLS ENQKLIANKFNQAL GAMQTGFTTNEAFK VQDAVN NNAQALS KLA SELSNTFG AISASIGDIIQR LDVLEQDAQIDRLINGRLTTLNAFVAQQLVRS ESAALS AQLAKDKVNECVKAQSKRSGFCGQGT HVSFVN PNGLYFMHVGYYP SNHIEVVSAYGLCDAANPTNCIAPVNGY FIKTNNTRIVDEWSTGSSFYAPEPITS LN TKYVAPQV TYQNI STNLPPPLLG NSTGIDFQDELDEFFKNVSTSI PNFGSLTQINTL LDLTYEMLS LQQVVKALNESYIDLKELGNYTYNKWPDKIE EILSKIYHIENEIARIKKLIGEA	26
Isolate Al- Hasa_1_2013 (NCBI accession #AGN70962)	MIHSV FLLMFLLTPTESYVDVGPDSVKSACIEVDIQQTFFDKT WPRPIDVSKADGIIYPQGR TYSNITITYQGLFPYQGDHGDY VYSAGHATGTT POKLFVANYSQDVKQFANGFVVRIGAAANS TGTV I I SPSTSATIRKI YPAFMLGSSVGNFSDGKMGRFFNHTL VLLPDGCGTLLRAF YCILEPRSGNHCPAGNSYTSFATYHTPA TDCSDGNYNRNASLNSFKEYFNLRNCTFMYTYNI TEDEILEW FGITQTAQGVHLFSSRYVDLYGGMFQFATLPVYDTIKYYSII PHSIRSIQSDRKAWAAFVYKLOPLTFLD FSV DGYIRRAIDC GFNDLSQLHCSYESFDVESGVYSVSFEAKPSGVSVEQAEGV ECDFSPLLSGT PPQVY NFKRLVFTNCNYNLTKLLSLFSVNDFT CSQISPAAIASNCYSSLILDYFSYPLSMKSDLSVSSAGPISQFN	27

TABLE 11-continued

Betacoronavirus Amino Acid Sequences		
Strain	Amino Acid Sequence	SEQ ID NO:
	YKQSFNPTCLILATVPHNLTTITKPLKYSYINKCSRLLSDDRT EVPQLVNAVQYSPCVSIVPSTVWEDGDYRQQLS PLEGGGW LVASGTVAMTEQLQMGFGITVQYGTDTNSVCPKLEFANDT KIASQLGNCVEYSLYGVSGRGVFQNTAVGVRQQRFFVYDA YQNLVGYYSDDGNYYCLRACVSVPSVVIYDKETKTHATLFG SVACEHISSTMSQYSRSTRSMLKRRDSTYGPLQTPVGCVLGL VNSSLFVEDCKLPLGQSLCALPDTPTSTLTPRSVRSVPGEMRLA SIAFNHPIQVDQLNSYFKLSIPTNFSGVGTQEYIQTTIQKVTV DCKQYVCNGFQKCEQLLREYGFQCSKINQALHGANLRQDDS VRNLFASVKSSQSSPIIPGFGGDFNLTLEPVSISTGSRARSASAI EDLLFDKVTIADPGYMQGYDDCMQQGPASARDLICAQYVA GYKVLPLMDVNMEAAAYTSSLGSIAGVGTAGLSSFAAIPF AQSIFYRLNGVGITQQVLS ENKLIANKFNQALGAMQTGFST TNEAFRKVQDAVNNAQALSKLASELSNTFGAISASIGDIIQR LDVLEQDAQIDRLINGRLTTLNAFVAQQLVRSESAALSQLA KDKVNECVKAQSKRSFGCGQTHIVSFVNAPNGLYFMHV GYYPSNHI EVVSAYGLCDAANPTNCIAPVNGYFIKTNNTRIV DEWSTGSSFYAPEPITSLNTKYVAPHVTYQNI STNLPPLLG NSTGIDFQDELDEFFKNVSTSPNFGSLTQINTLLDLTYEMLS LQQVVKALNESYIDLKELGNYTYNKWPWYIWLGFIALGLVA LALCVFFILCCTGCGTNCMGKLCNRCCDRYEYDLEPHKV HVH	28
Middle East respiratory syndrome coronavirus S protein UniProtKB- R9UQ53	MIHSVFLLMFLLTPTESYVDVGPDSVKSACIEVDIQOTFFDKT WPRPIDVSKADGIIYPQGRITYSNITITYQGLFPYQGDHGDY VYSAGHATGTTPKLQFVANYSDVKQFANGFVVRIGAAANS TGTVILSPSTSATIRKIYPAFMLGSSVGNFSDGKMGRRFNHTL VLLPDGCGTLLRAFYCILEPRSGNHCPAGNSYTSFATYHTPA TDCSDGNYNRNASLNSFKKEYFNLRNCTFMYTYNI TEDEILEW FGITQTAQGVHLFSSRYVDLYGGNMFQFATLPVYDTIKYYSII PHSIRSIQSDRKAAAFYVYKLOPLTFLDLSVDGYIRRAIDC GFNDLSQLHCSYESPDVESGVYSVSFEAKPSGVSVEQAEV ECDFSPLLSGTTPQVYNFKRLVFTNCNYNLTKLLSLSVNDFT CSQISPAATASNCYSSILIDYFSYPLSMKSDLSVSSAGPISQFN YKQSFNPTCLILATVPHNLTTITKPLKYSYINKCSRLLSDDRT EVPQLVNAVQYSPCVSIVPSTVWEDGDYRQQLS PLEGGGW LVASGTVAMTEQLQMGFGITVQYGTDTNSVCPKLEFANDT KIASQLGNCVEYSLYGVSGRGVFQNTAVGVRQQRFFVYDA YQNLVGYYSDDGNYYCLRACVSVPSVVIYDKETKTHATLFG SVACEHISSTMSQYSRSTRSMLKRRDSTYGPLQTPVGCVLGL VNSSLFVEDCKLPLGQSLCALPDTPTSTLTPRSVRSVPGEMRLA SIAFNHPIQVDQLNSYFKLSIPTNFSGVGTQEYIQTTIQKVTV DCKQYVCNGFQKCEQLLREYGFQCSKINQALHGANLRQDDS VRNLFASVKSSQSSPIIPGFGGDFNLTLEPVSISTGSRARSASAI EDLLFDKVTIADPGYMQGYDDCMQQGPASARDLICAQYVA GYKVLPLMDVNMEAAAYTSSLGSIAGVGTAGLSSFAAIPF AQSIFYRLNGVGITQQVLS ENKLIANKFNQALGAMQTGFST TNEAFRKVQDAVNNAQALSKLASELSNTFGAISASIGDIIQR LDVLEQDAQIDRLINGRLTTLNAFVAQQLVRSESAALSQLA KDKVNECVKAQSKRSFGCGQTHIVSFVNAPNGLYFMHV GYYPSNHI EVVSAYGLCDAANPTNCIAPVNGYFIKTNNTRIV DEWSTGSSFYAPEPITSLNTKYVAPHVTYQNI STNLPPLLG NSTGIDFQDELDEFFKNVSTSPNFGSLTQINTLLDLTYEMLS LQQVVKALNESYIDLKELGNYTYNKWPWYIWLGFIALGLVA LALCVFFILCCTGCGTNCMGKLCNRCCDRYEYDLEPHKV HVH	28
Human SARS coronavirus (SARS-CoV) (Severe acute respiratory syndrome coronavirus) Spike glycoprotein UniProtKB- P59594	MFIFLLFLTLTSGSDDLDRCTTFDDVQAPNYTQHTSSMRGVY PDEIFRSDTLYLTDLFLFPYSNVTGFHTINHTFGNPVIPPDKG IYFAATEKSNVVRGWVFGSTMNKSSQSVI IINNSTNVVIRAC NFELCDNPPFAVSKPMGTQHTMTIFDNFNCTFEYISDAFSLD VSEKSGNFKHLREFVFKNKDGLFYVYKQYQPIDVVRDLPSGF NTLKPIFKLPLGINITNFRAILTAFSPAQDINGTSAAYVFGYL KPPTFMLKYDENGITDAVDCSQNPLAELKCSVKSFEIDKGI YQTSNFRVVPSSGDVVRFPNITNLCPFGVEFNATKPPSVYAW RKKISNCVADYSVLYNSTFFSTFKCYGVSATKLNLDLCSNVY ADSFVVKGGDVRQIAPGQTVIADYNYKLPDDFMGCVLAW NTRNIDATSTGNYYKYRYLRHGKLRPPERDISNVPFSPDGK PCTPPALNCYWPLNDYGFYTTTGIGYQPYRVVVLSEFELNAP ATVCGPKLSTDLIKIQCVNFNENGLTGTGVLTPSSKRFQPFQ QFGRDVSDFDTSVRDPKTSSEILDISPCSPGGVSVITPGTNASSE VAVLYQDVNCTDVSSTAIHADQLTPAWRIYSTGNVVFQIQAG	29

TABLE 11-continued

Betacoronavirus Amino Acid Sequences		
Strain	Amino Acid Sequence	SEQ ID NO:
	CLIGAEHVDTSYECDIPIGAGICASYHTVSLLRSTSQKSIVAYT MSLGADSSIAYSNNTIAIPTNFSISITTEVMPVSMKTSVDCN MYICGDSTECANLLQYGSFCTQLNRALSGIAAEQDRNTREV FAQVKQMYKPTLKYFGGFNFSQLPDPKPKTRSFIEDLLFN KVTLADAGFMKYGECLGDINARDLICAQKFNGLTVLPPLL TDDMIAAYTAALVSGTATAGWTFGAGALQIPFAMQMYR FNGIGVTQNVLYENQKQIANQFNKAI SQIQESLTTTSTALGKL QDVVNQNAQALNTLVKQLSSNFGAISVNLNDILSRLDKVEAE VQIDRLITGRLQSLQTYVTQQLIRAAEIRASANLAATKMSEC VLGQSKRVDFCGKYHLMSFPQAAPHGVVFLHVTVYVPSQER NFTTAPAI CHEGKAYFPREGVVFVNGTSWFI TQRNFSPQI ITT DNTFVSGNCDVVIGI INNTVYDPLQPELDSFKEELD KYFKNH TSPVDLGDISGINASVVNIQKEIDRLNEVAKNLNESLIDLQE LGKYBQYIKWPWYVWLGFIAGLIAIVMVITILLCCMTSCCSCL KGACSCGSCCKFDEDDSEPVLLKGVKLHYT	
Human coronavirus OC43 (HCoV-OC43) Spike glycoprotein UniProtKB-P36334	MFLILLISLPTAFAVIGDLKCTSDNINDKDTGPPPISTDTVDT NGLGTYVLDREVYLLTFLNLYGYPSTGTYRNMALKGSVL LSRLWFKPFLSDFINGIFAKVKNTKVIKDRVMYSEFPATITGS TFVNTSYSVVQPRINSTQGDGNLQGLLEVSVCQYNMCE YPQTI CHPNLGNHRKELWHLDTGVVSCLYKRNFTYDVNAD YLYPHFYQEGGTFYAYFTDTGVVTKFLPNVYLGMAISHYV MPLTCNSKLTLEYVWVPLTSRQYLLAFNQDGI IPNAEDCMSD FMSEIKCKTQSIAPPTGVYELNGYTVQPIADVRRKPNLPNC NIEAWLNDKSVSPNLNWERKTFSNCFNMSSLMSFIQADSFT CNNIDAAKIYGMCFSSI TIDKFAIPNGRKVDLQGLNLYLQSF NYRIDTTATSCQLYVNLPAANVSVSRFNPSTWNKRFGFIEDS VFKPRPAGVLTNHDVVYAQHCFKAPKNFCPCKLNGSCVGGSG PGKNNIGTCTPAGTNYLTCNLTCPDPI TFTGTYKCPQTKSL VGI GEHCSGLAVKSDYCGGNSCTCRPQAF LGWSADSC LQGD KCNI FANFILHDVNSGLTCTD LQKANTDI ILGVCVNYDLYGI LGQGI FVEVNATYYNSWQNLLYDSNGNLYGFRDYI INRPFMI RSCYSGRVSAAPHANSEPALFRN IKCNYVFNNSLTRQLQPI NYFDSYLGCVVNAYNSTAISVQTCDLTVGSGYCVDYSKNRR SRGAITTYRFTNFEPFTVNSVNDLSEPVGGLYEIQIPSEFTIG NMVEFIQTSSPKVTIDCAAFVCGDYAACKSQLVEYGSFCDNI NAILTEVNELD TTQLQVANS LMNGVTLSTKLKDG VNFNVD DINFSPVLGCLGSECSKASRS AIEDLLFDKVKLSDVGFVEAY NNCTGGAEIRDLCVQSYKGIKVLPPLLSENQISGYTLAATSA SLFPPWTAAGVPFYLNVQYR INGLGVTMDVLSQNQKLIAN AFNNALYAIQEGFDATNSALVKIQAVVNANAEALNNLQQL SNRFGAISASLQEI LSRLDALAEAEQIDRL INGRLTALNAYVS QQLSDSTLVKFSAAQAMEKVNCEVKSSQSSRINF CGNGNHIIS LVQNAPYGLYFIHFSYVPTKYVTARVSPGLCTAGDRGIAPKS GYFVNVNNTWMTGSGYYPPEPI TENNVVMSTCAVNYTK APYVMLNTSIPNLPDFKEELDQWFKNQT SVAPDLSLDYINVT FLDLQVEMNRLQEAIKVLNQSYINLKDI GTYEYVYKWPWYV WLLICLAGVAMLVLLFFICCTGCGTSCPKKCGGCCDDYTG YQELVIKTSHDD	30
Human coronavirus HKU1 (isolate N5) (HCoV-HKU1) Spike glycoprotein UniProtKB-Q0ZME7	MFLIIFILPTTLAVIGDFNCTNSFINDYNKTI PRISEDVVDVSLG LGTYVYVLRNVYLLNTLLFTGYFPKSGANFRDLALKGSYILST LWYKPPFLSDFNNGIFSKVKNTKLYVNNLYSEFSTIVIGSVF VNTSYTIVVQPHNGILEITACQYTMCEYPHTVCKSKGSRNES WHIDSSEPLCLFKKNFTYVNSADWLYPHFYQERGVFYAYYA DVGMPPTFLFSYLGTILSHYVMP LTNCAISSNTDNETLEY WVTPLSRRQYLLNFDEHGVITNAVDCSSSFLSEIQCKTQSFAP NTGVYDLSGFTVKPVATVYRRIPNLPDCDIDNWLNNVSPSP LNWERRIFSNCFNLSLTLRLVHVDVFS CNLNDKSKIFGSCFN SITVDKFAIPNRRRDLQLGSSGFLQSSNYKIDISSSSCQLYYS LPLVNVTIMNFPSSWRRYRFGS FNLSYDVVYSDHCFSVN SDFPCADPSVNSCAKSKPPSAICPAGTKYRHCDLDTLYV KNWCRCSCLPDP ISTYSPNTCPQKVVVGI GEHCPLGINEE KCGTQLNHSSCFSPDAFLGWSFDCISNNRNCIPSNFIFNGIN SGTTCNDLLYSNTEISTGVCVNYDLYGITGGGIFKEVSAA YNNWQNLLYDSNGNI I GPKDFLTNKTYTILPCYSGRVSAAFY QNSSSPALLYRNLCYSVLLNNSIFISQPFYFDSYLGCVLNAVN LTSYSVSSCDLRMGSGFCIDYALPSRRKRRGISSPYRFVTFEP FNVSVVND SVETVGGLEFIQIPNFTIAGHEEFIQ TSSPKVTIDC SAFVCSNYAACHDLLSEYGTFCDNINSI LNEVNDLLDI TQLQV ANALMQGVTLSSNLNTLHSDVDNIDFKSLLECLGSCQCGSSS RSLLEDLLFNKVKLSDVGFVEAYNCTGGSEIRDLLCVQSFN	31

TABLE 11-continued

Betacoronavirus Amino Acid Sequences		
Strain	Amino Acid Sequence	SEQ ID NO:
	GIKVLPPILSETQISGYTTAATVAAMFPPWSAAAGVPPSLNVQ YRINGLGV TMDVLNKNQKLIANAFNKALLSIQNGFTATNSAL AKIQSVVANAQALNSLLQQLFNKPGAISSSLQEILSRLDNLE AQVQIDRLINGRTALNAYVSQQLSDITLIKAGASRAIEKVN CVKSQSPRINFCGNGNHILSLVQNAPYGLLFIHFYKPTSFKT VLVSPGLCLSGDRGIAPKQGYFIKQNDWMFTGSSYYYPEPIS DKNVVMNSCSVNFTKAPFIYLNNSIPNLSDFEAELESLWFKN HTSIAPNLTFNHSHINATFLDLYEMNVIQESI KSLNSSFINKKEI GTYEMYVKNPWYIWLIVILFIIFLMILFFICCTGCGSACFSK CHNCCDEYGGHDFVIKASHDD	
Novel_SARS_S2	MFIFLLFLTTLTSGSDLDRLASGIAAEQDRNTREVFQVQKQMY KTPTLKYFGGFNFSQILPDPLKPTKRSFIEDLLFNKVTLADAG FMKQYGECLGDINARDLICAQKFNGLTVLPPLLTDDMIAAYT AALVSGTATAGWTFGAGAAALQIPFAMQMAFRNGIGVTQN VLYENQKQIANQFNKAI S QIQESLTTTSTALGKLDQVNVQNA QALNTLVKQLSSNFGAISVSLNDILSRLDKVEAEVQIDRLITG RLQSLQTYVTQQLIRAAEIRASANLAATKMSCEVLGQSKRV DFCGKGYHLMSPQAAPHGVVFLHVTVVPSQERNFTTAPAI C HEGKAYFPREGVVFVNGTWSWFI TQRNFFSPQIITTDNTFVSGN CDVVIGIINNTVYDPLQPELDSFKEELDKYFKNHTSPDVLG DISGINASVVNIQKEIDRLNEVAKNLNESLIDLQELGKYEQYI KWPWYVWLGFIAGLIAIVMVTILLCMTSCCSCLKGACSCGS CCKFDEDDSEPVKGVKLYHT	32
Novel_MERS_S2	MIHSVFLMFLLTPTESDCKLPLGQSLCALPDPSTLTPRSVR SVPGEMLASIAFNHPIQVDQLNNSYFKLSIPTNFSFGVTQEYI QTTIQKVTVDCKQYV CNQFKCEQLLREYGFQPCSKINQALH GANLRQDDSVRNLFASVKSQSSPIIPGFGGDFNLTLEPVSIS TGRSARS AIEDLLFDKVTIADPGYMQGYDDCMQGPASAR DLICAQYVAGYKVLPLMDVNMEAAYSLLGSIAGVGWTA GLSSFAAIPFAQSIFRYLNGVGI TQQVLS ENQKLIANKFNQAL GAMQTGFTTNEAFQKVQDAVNNNAQALSKLASELSNTFG AISASIGDIIQRLDVLEQDAQIDRLINGRLTTLNAPVAQQLVRS ESAALSQAQAKKVNKQKQSKRSQKRSQKRSQKRSQKRSQKRS PNGLYFMHVGYYPSNHI EVVSYGLCDAANPTNCIAPVNGY FIKTNNTRIVDEWYSYTGSSFYAPEPITS LNTKYVAPQVTVQNI STNLPPPLGNSTGIDFQDELDEFFKNVSTSI PNFGSLTQINTTL LDLTYEMLSLQQVVKALNESYIDLKELGNYTYYNKWP	33
Novel_Trimeric_SARS_S2	MFIFLLFLTTLTSGSDLDRLASGIAAEQDRNTREVFQVQKQMY KTPTLKYFGGFNFSQILPDPLKPTKRSFIEDLLFNKVTLADAG FMKQYGECLGDINARDLICAQKFNGLTVLPPLLTDDMIAAYT AALVSGTATAGWTFGAGAAALQIPFAMQMAFRNGIGVTQN VLYENQKQIANQFNKAI S QIQESLTTTSTALGKLDQVNVQNA QALNTLVKQLSSNFGAISVSLNDILSRLDKVEAEVQIDRLITG RLQSLQTYVTQQLIRAAEIRASANLAATKMSCEVLGQSKRV DFCGKGYHLMSPQAAPHGVVFLHVTVVPSQERNFTTAPAI C HEGKAYFPREGVVFVNGTWSWFI TQRNFFSPQIITTDNTFVSGN CDVVIGIINNTVYDPLQPELDSFKEELDKYFKNHTSPDVLG DISGINASVVNIQKEIDRLNEVAKNLNESLIDLQELGKYEQYI KWPWYVWLGFIAGLIAIVMVTILLCMTSCCSCLKGACSCGS CCKFDEDDSEPVKGVKLYHT	34

TABLE 12

Full-length Spike Glycoprotein Amino Acid Sequences ( <i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AFY13307	United Kingdom	2012 Sep. 11	2012 Dec. 5	Betacoronavirus England 1, complete genome
AFS88936		2012 Jun. 13	2012 Sep. 27	Human betacoronavirus 2c EMC/2012, complete genome
AGG22542	United Kingdom	2012 Sep. 19	2013 Feb. 27	Human betacoronavirus 2c England-Qatar/2012, complete genome
AHY21469	Jordan	2012	2014 May 4	Human betacoronavirus 2c Jordan-N3/2012 isolate MG167, complete genome

TABLE 12-continued

Full-length Spike Glycoprotein Amino Acid Sequences ( <i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AGH58717	Jordan	2012 April	2013 Mar. 25	Human betacoronavirus 2c Jordan-N3/2012, complete genome
AGV08444	Saudi Arabia	2013 May 7	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_12_2013, complete genome
AGV08546	Saudi Arabia	2013 May 11	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_15_2013, complete genome
AGV08535	Saudi Arabia	2013 May 12	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_16_2013, complete genome
AGV08558	Saudi Arabia	2013 May 15	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_17_2013, complete genome
AGV08573	Saudi Arabia	2013 May 23	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_18_2013, complete genome
AGV08480	Saudi Arabia	2013 May 23	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_19_2013, complete genome
AGN70962	Saudi Arabia	2013 May 9	2013 Jun. 10	Middle East respiratory syndrome coronavirus isolate Al-Hasa_1_2013, complete genome
AGV08492	Saudi Arabia	2013 May 30	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_21_2013, complete genome
AHI48517	Saudi Arabia	2013 May 2	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Al-Hasa_25_2013, complete genome
AGN70951	Saudi Arabia	2013 Apr. 21	2013 Jun. 10	Middle East respiratory syndrome coronavirus isolate Al-Hasa_2_2013, complete genome
AGN70973	Saudi Arabia	2013 Apr. 22	2013 Jun. 10	Middle East respiratory syndrome coronavirus isolate Al-Hasa_3_2013, complete genome
AGN70929	Saudi Arabia	2013 May 1	2013 Jun. 10	Middle East respiratory syndrome coronavirus isolate Al-Hasa_4_2013, complete genome
AGV08408	Saudi Arabia	2012 Jun. 19	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Bisha_1_2012, complete genome
AGV08467	Saudi Arabia	2013 May 13	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Buraidah_1_2013, complete genome
AID50418	United Kingdom	2013 Feb. 10	2014 Jun. 18	Middle East respiratory syndrome coronavirus isolate England/2/2013, complete genome
AJD81451	United Kingdom	2013 Feb. 10	2015 Jan. 18	Middle East respiratory syndrome coronavirus isolate England/3/2013, complete genome
AJD81440	United Kingdom	2013 Feb. 13	2015 Jan. 18	Middle East respiratory syndrome coronavirus isolate England/4/2013, complete genome
AHB33326	France	2013 May 7	2013 Dec. 7	Middle East respiratory syndrome coronavirus isolate FRA/UAE, complete genome
AIZ48760	USA	2014 June	2014 Dec. 14	Middle East respiratory syndrome coronavirus isolate Florida/USA-2_Saudi Arabia_2014, complete genome
AGV08455	Saudi Arabia	2013 Jun. 4	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Hafr-Al-Batin_1_2013, complete genome
AHI48561	Saudi Arabia	2013 Aug. 5	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Hafr-Al-Batin_2_2013, complete genome
AHI48539	Saudi Arabia	2013 Aug. 28	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Hafr-Al-Batin_6_2013, complete genome

TABLE 12-continued

Full-length Spike Glycoprotein Amino Acid Sequences ( <i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AIZ74417	France	2013 Apr. 26	2015 Mar. 10	Middle East respiratory syndrome coronavirus isolate Hu-France (UAE) - FRA1_1627-2013_BAL_Sanger, complete genome
AIZ74433	France	2013 May 7	2015 Mar. 10	Middle East respiratory syndrome coronavirus isolate Hu-France - FRA2_130569-2013_IS_HTS, complete genome
AIZ74439	France	2013 May 7	2015 Mar. 10	Middle East respiratory syndrome coronavirus isolate Hu-France - FRA2_130569-2013_InSpu_Sanger, complete genome
AIZ74450	France	2013 May 7	2015 Mar. 10	Middle East respiratory syndrome coronavirus isolate Hu-France - FRA2_130569-2013_Isolate_Sanger, complete genome
AKK52602	Saudi Arabia	2015 Feb. 10	2015 Jun. 8	Middle East respiratory syndrome coronavirus isolate Hu/Riyadh_KSA_2959_2015, complete genome
AKK52612	Saudi Arabia	2015 Mar. 1	2015 Jun. 8	Middle East respiratory syndrome coronavirus isolate Hu/Riyadh_KSA_4050_2015, complete genome
AHN10812	Saudi Arabia	2013 Nov. 6	2014 Mar. 24	Middle East respiratory syndrome coronavirus isolate Jeddah_1_2013, complete genome
AID55071	Saudi Arabia	2014 Apr. 21	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C10306/KSA/2014-04-20, complete genome
AID55066	Saudi Arabia	2014	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C7149/KSA/2014-04-05, complete genome
AID55067	Saudi Arabia	2014	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C7569/KSA/2014-04-03, complete genome
AID55068	Saudi Arabia	2014 Apr. 7	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C7770/KSA/2014-04-07, complete genome
AID55069	Saudi Arabia	2014 Apr. 12	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C8826/KSA/2014-04-12, complete genome
AID55070	Saudi Arabia	2014 Apr. 14	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C9055/KSA/2014-04-14, complete genome
AHE78108	Saudi Arabia	2013 Nov. 5	2014 May 1	Middle East respiratory syndrome coronavirus isolate MERS-CoV- Jeddah-human-1, complete genome
AKL59401	South Korea	2015 May 20	2015 Jun. 9	Middle East respiratory syndrome coronavirus isolate MERS-CoV/KOR/KNIH/002_05_2015, complete genome
ALD51904	Thailand	2015 Jun. 17	2015 Jul. 7	Middle East respiratory syndrome coronavirus isolate MERS-CoV/THA/CU/17_06_2015, complete genome
AID55072	Saudi Arabia	2014 Apr. 15	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Makkah_C9355/KSA/Makkah/2014-04-15, complete genome
AHC74088	Qatar	2013 Oct. 13	2013 Dec. 23	Middle East respiratory syndrome coronavirus isolate Qatar3, complete genome

TABLE 12-continued

Full-length Spike Glycoprotein Amino Acid Sequences ( <i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AHC74098	Qatar	2013 Oct. 17	2013 Dec. 23	Middle East respiratory syndrome coronavirus isolate Qatar4, complete genome
AHI48572	Saudi Arabia	2013 Aug. 15	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Riyadh_14_2013, complete genome
AGV08379	Saudi Arabia	2012 Oct. 23	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Riyadh_1_2012, complete genome
AID55073	Saudi Arabia	2014 Apr. 22	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Riyadh_2014KSA_683/KSA/2014, complete genome
AGV08584	Saudi Arabia	2012 Oct. 30	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Riyadh_2_2012, complete genome
AGV08390	Saudi Arabia	2013 Feb. 5	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Riyadh_3_2013, complete genome
AHI48605	Saudi Arabia	2013 Mar. 1	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Riyadh_4_2013, complete genome
AHI48583	Saudi Arabia	2013 Jul. 2	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Riyadh_5_2013, complete genome
AHI48528	Saudi Arabia	2013 Jul. 17	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Riyadh_9_2013, complete genome
AHI48594	Saudi Arabia	2013 Jun. 12	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Taif_1_2013, complete genome
AHI48550	Saudi Arabia	2013 Jun. 12	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Wadi-Ad-Dawasir_1_2013, complete genome
AIY60558	United Arab Emirates	2014 Mar. 7	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi/Gayathi_UAE_2_2014, complete genome
AIY60538	United Arab Emirates	2014 Apr. 10	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_16_2014, complete genome
AIY60528	United Arab Emirates	2014 Apr. 10	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_18_2014, complete genome
AIY60588	United Arab Emirates	2014 Apr. 13	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_26_2014, complete genome
AIY60548	United Arab Emirates	2014 Apr. 19	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_30_2014, complete genome
AIY60568	United Arab Emirates	2014 Apr. 17	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_33_2014, complete genome
AIY60518	United Arab Emirates	2014 Apr. 7	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_8_2014, complete genome
AIY60578	United Arab Emirates	2013 Nov. 15	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_9_2013, complete genome
AKJ80137	China	2015 May 27	2015 Jun. 5	Middle East respiratory syndrome coronavirus strain ChinaGD01, complete genome

TABLE 12-continued

Full-length Spike Glycoprotein Amino Acid Sequences ( <i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AHZ64057	USA	2014 May 10	2014 May 14	Middle East respiratory syndrome coronavirus strain Florida/USA-2_Saudi Arabia_2014, complete genome
AKM76229	Oman	2013 Oct. 28	2015 Jun. 23	Middle East respiratory syndrome coronavirus strain Hu/Oman_2285_2013, complete genome
AKM76239	Oman	2013 Dec. 28	2015 Jun. 23	Middle East respiratory syndrome coronavirus strain Hu/Oman_2874_2013, complete genome
AKI29284	Saudi Arabia	2015 Jan. 6	2015 May 27	Middle East respiratory syndrome coronavirus strain Hu/Riyadh-KSA-2049/2015, complete genome
AKI29265	Saudi Arabia	2015 Jan. 21	2015 May 27	Middle East respiratory syndrome coronavirus strain Hu/Riyadh-KSA-2343/2015, complete genome
AKI29255	Saudi Arabia	2015 Jan. 21	2015 May 27	Middle East respiratory syndrome coronavirus strain Hu/Riyadh-KSA-2345/2015, complete genome
AKI29275	Saudi Arabia	2015 Jan. 26	2015 May 27	Middle East respiratory syndrome coronavirus strain Hu/Riyadh-KSA-2466/2015, complete genome
AKK52582	Saudi Arabia	2015 Feb. 10	2015 Jun. 8	Middle East respiratory syndrome coronavirus strain Hu/Riyadh_KSA_2959_2015, complete genome
AKK52592	Saudi Arabia	2015 Mar. 1	2015 Jun. 8	Middle East respiratory syndrome coronavirus strain Hu/Riyadh_KSA_4050_2015, complete genome
AHZ58501	USA	2014 Apr. 30	2014 May 13	Middle East respiratory syndrome coronavirus strain Indiana/USA-1_Saudi Arabia_2014, complete genome
AGN52936	United Arab Emirates	2013	2013 Jun. 10	Middle East respiratory syndrome coronavirus, complete genome

TABLE 13

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO :
GC_F_MEASLES_B3.1 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 1864	TCAAGCTTTGGACCCCTCGTACAGAAGCTAATACGACT CACTATAGGGAAATAAGAGAGAAAAGAAGAGTAAGAA GAAATATAAGAGCCACCATGGGTCTCAAGGTGAACGTC TCTGCCGTATTCATGGCAGTACTGTTAACTCTCCAAACA CCCGCCGGTCAAATTCATTGGGGCAATCTCTTAAGAT AGGGGTAGTAGGAATAGGAAGTGCAAGCTACAAGTT ATGACTCGTTCAGCCATCAATCATAGTCATAAAATT AATGCCCAATATAACTCTCTCAATAACTGCACGAGGG TAGAGATTGCAGAAATACAGGAGACTACTAAGAACAGTT TTGGAACCAATTAGGGATGCACTTAATGCAATGACCCA GAACATAAGGCCGGTTCAGAGCGTAGCTTCAAGTAGGA GACACAAGAGATTTGCGGGAGTAGTCTGGCAGGTGCCG GCCTAGGTGTGCCACAGCTGCTCAGATAACAGCCGG CATTGCACCTCACCCGGTCCATGCTGAACTCTCAGGCCAT CGACAATCTGAGAGCGAGCCTGGAACCTACTAATCAGG CAATTGAGGCAATCAGACAAGCAGGGCAGGAGATGAT ATTGGCTGTTCAAGGTGTCCAAGACTACATCAATAATG AGCTGATACCGTCTATGAACCAGCTATCTGTGATCTA ATCGGTCAGAGCTCGGCTCAAATGTGCTTAGATACTA TACAGAAATCCTGTATTATTTGGCCCCAGCCTACGGG ACCCCATATCTGCGGAGATATCTATCCAGGCTTTGAGTT ATGCACTTGGAGGAGATATCAATAAGGTGTTAGAAAAG	35



TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	CTCGGATACAGTGGAGGCGATTTACTAGGCATCTTAGA GAGCAGAGGAATAAAGGCTCGGATAACTCAGTCGAC ACAGAGTCTACTTCATAGTCCTCAGTATAGCCTATCCG ACGCTGTCCGAGATTAAGGGGTGATTGTCCACCGGCT AGAGGGGTCTCGTACAACATAGGCTCTCAAGAGTGGT ATACCACGTGTGCCAAGTATGTTGCAACCCAGGGTAC CTTATCTCGAATTTTGATGAGTCATCATGTACTTTCATG CCAGAGGGGACTGTGTGCAGCCAAAATGCCTGTACCC GATGAGTCTCTGCTCCAAGATGCCTCCGGGGTCCA CCAAGTCTGTGCTCGTACACTCGTATCCGGGTCTTTTG GGAACCGGTTCAATTTATCAAGGGAACCTAATAGCC AATTGTGCATCAATCTTTGTAGTGTACACAACAGGT ACGATTATTAATCAAGACCCCTGACAAGATCCTAACATA CATGTGCTGCCGATCGCTGCCCGTAGTCGAGGTGAACG GCGTGACCATCCAAGTCCGGAGCAGGAGGTATCCAGA CGCTGTGACTTGCACAGAATTGACCTCGGTCTCCCAT ATCATTGGAGAGGTGGACGTAGGGACAAAATCTGGGG AATGCAATTGCCAAATGGAGGATGCCAAGGAATTGTT GGAATCATCGGACCAGATATTGAGAAGTATGAAAGGTT TATCGAGCACTAGCATAGTCTACATCCTGATTGCAGTG TGTCTTGAGGGTGTAGGGATCCCCACTTAAATATGT TGCTGCAGGGGGCGTTGTAACAAAAGGGAGAACAAAG TTGGTATGTCAAGACCAGGCCAAAAGCCTGACCTTACA GGAACATCAAAATCCTATGTAAGATCGCTTTGATGATA ATAGGCTGGAGCCTCGGTGGCCAAGCTTCTTGCCCTT GGGCCTCCCCCAGCCCTCCTCCCTTCTGCACCCGT ACCCCGTGGTCTTTGAATAAAGTCTGAGTGGGCGGC	
GC_F_MEASLES_B3.1 ORF Sequence, NT	ATGGGTCTCAAGGTGAACGTCCTGCGGTATTCATGGC AGTACTGTTAACTCTCCAAACACCCCGCGTCAAATTC ATTGGGGCAATCTCTCTAAGATAGGGGTAGTAGGAATA GGAAGTGCAGCTACAAAAGTATGACTCGTCCAGCCA TCAATCATAGTCAATAAATTAATGCCAATATAACTCT CCTCAATAACTGCACGAGGGTAGAGATTGCAGAATACA GGAGACTACTAAGAACAGTTTGGAAACCAATTAGGGAT GCACCTAATGCAATGACCCAGAACATAAGGCCGGTCA GAGCGTAGCTTCAAGTAGGAGACACAAGAGATTTGCG GGAGTAGTCTTGGCAGGTGCCGCCCTAGGTGTTGCCAC AGCTGCTCAGATAACAGCCGGCATTGCACCTCACCAGT CCATGCTGAATCTCAGGCCATCGACAATCTGAGAGCG AGCCTGGAAACTACTAATCAGGCAATTGAGGCAATCAG ACAAGCAGGGCAGGAGATGATATTGGCTGTTGAGGGTG TCCAAGACTACATCAATAATGAGCTGATACCGTCTATG AACCAGCTATCTTGTGATCTAATCGGTGAGAAGCTCGG GCTCAAATTGCTTAGATACTATACAGAAATCTGTCATT ATTTGGCCCCAGCCTACGGGACCCCATCTGCGGAGA TATCTATCCAGGCTTTGAGTATGCACTTGGAGGAGAT ATCAATAAGGTGTTAGAAAAGCTCGGATACAGTGGAG GCGATTTACTAGGCATCTTAGAGAGCAGAGGAATAAAG GCTCGGATAACTCAGTCGACACAGAGTCTACTTCAT AGTCTCAGTATAGCCTATCCGACGCTGTCCGAGATTA AGGGGGTATTGTCCACCCGGCTAGAGGGGGTCTCGTAC AACATAGGCTCTCAAGAGTGGTATACCCTGTGCCAA GTATGTTGCAACCCAAAGGTACCTTATCTCGAATTTTGA TGAGTCATCATGTACTTTTATGCCAGAGGGGACTGTGT GCAGCAAAAATGCCCTTGTACCCGATGAGTCTCTGCTC CAAGAATGCCCTCGGGGTCCACCAGTCTGTGCTCG TACACTCGTATCCGGGTCTTTTGGAAACCGGTTCAATTT ATCAAGGGAACCTAATAGCCAATTGTGCATCAATTC TTTGTAAAGTGTACACAACAGGTACGATTATTAATCAA GACCTTGACAAGATCCTAACATACATTGCTGCCGATCG CTGCCCGGTAGTCGAGGTGAACGGCGTGACCATCCAAG TCGGGAGCAGGAGGTATCCAGACGCTGTGTACTTGCAC AGAATTGACCTCGTCTCCCATATCATTGGAGAGGTT GGACGTAGGGACAAATCTGGGGAATGCAATTGCCAAA TTGGAGGATGCCAAGGAATGTTGGAATCATCGGACCA GATATTGAGAAGTATGAAAGGTTTATCGAGCACTAGCA TAGTCTACATCCTGATTGCAGTGTCTTGGAGGGTTGA TAGGGATCCCCACTTAAATATGTTGCTGCAGGGGGCGT TGTAACAAAAGGGAGAACAAAGTTGGTATGTCAAGAC CAGGCCTAAAGCCTGACCTTACAGGAACATCAAAATCC TATGTAAGATCGCTTGA	36

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO.
GC_F_MEASLES_B3.1 mRNA Sequence (assumes T100 tail) mRNA Sequence Length: 1925	G*GGGAAATAAGAGAGAAAAGAAGAGTAAGAAGAAAT ATAAGAGCCACCATGGGTCTCAAGGTGAACGTCTCTGC CGTATTCATGGCAGTACTGTAACTCTCCAACACCCG CCGGTCAAATTCATTGGGGCAATCTCTAAGATAGGG GTAGTAGGAATAGGAAGTGCAAGCTACAAAGTTATGA CTCGTCCAGCCATCAATCATTAGTCATAAAATTAATGC CCAATATAACTCTCCTCAATAACTGCACGAGGGTAGAG ATTGCAGAATACAGGAGACTACTAAGAACAGTTTGGGA ACCAATTAGGGATGCACTTAATGCAATGACCCAGAACA TAAGGCCGGTTCAGAGCGTAGCTTCAAGTAGGAGACAC AAGAGATTGCGGGAGTAGTCTGGCAGGTGCGGCCCT AGGTGTTGCCACAGCTGCCTCAGATAACAGCCGGCATTG CACTTCAACCGTCCATGCTGAACTCTCAGGCCATCGAC AATCTGAGAGCGAGCCTGGAACTACTAATCAGGCAAT TGAGGCAATCAGACAAGCAGGGCAGGAGATGATATTG GCTGTTCAAGGTGTCCAAGACTACATCAATAATGAGCT GATACCGTCTATGAACAGCTATCTTGTGATCTAATCG GTCAGAAGCTCGGGCTCAAATTGCTTAGATACTATA GAAATCCTGTCAATTTGGCCCCAGCCTACGGGACCC CATATCTGCGGAGATATCTATCCAGGCCTTGAGTTATGC ACTTGGAGGAGATACAATAAGGTGTTAGAAAAGCTCG GATACAGTGGAGGCGATTACTAGGCATCTTAGAGAGC AGAGGAATAAAGGCTCGGATAACTCACGTCGACACAG AGTCTACTTCATAGTCCCTCAGTATAGCCTATCCGACGC TGTCAGAGATTAAGGGGTGATTGTCCACCGCTAGAG GGGGTCTCGTACACATAGGCTCTCAAGAGTGGTATAC CACTGTGCCCAAGTATGTTGCAACCCAAGGGTACCTTA TCTCGAAATTTGATGAGTCACTCATGTACTTTCATGCCAG AGGGGACTGTGTGCAGCAAATGCCTTGTACCCGATG AGTCTCTGTCTCAAGAATGCCTCCGGGGTCCACCAA GTCTGTGCTCGTACACTCGTATCCGGTCTTTTGGGAA CCGGTTCATTTATCAAGGGAACTAATAGCCAATT GTGCATCAATCTTTGTAAGTGTACACAACAGGTACG ATTATTAATCAAGACCCTGACAAGATCCTAACATACAT TGCTGCCGATCGTGCCTGGTAGTCGAGGTGAACGGCG TGACCATCAAGTCGGGAGCAGGAGGTATCCAGACGCT GTGTACTGACACAGAATTGACCTCGTCTCCATATCA TTGGAGAGGTGGACGTAGGGACAATCTGGGGAATG CAATTGCCAAATGGAGGATGCCAAGGAATGTTGGAA TCATCGGACCAGATATTGAGAAGTATGAAAGTTTATC GAGCACTAGCATAGTCTACATCCTGATTGCAGTGTGTC TTGGAGGGTTGATAGGGATCCCCACTTAAATATGTTGCT GCAGGGGCGTTGTAACAAAAGGGAGAACAAGTTGG TATGTCAAGACCAGGCCTAAGCCTGACCTTACAGGAA CATCAAAATCCTATGTAAGATCGCTTTGATGATAATAG GCTGGAGCCTCGGTGGCCAAGCTTCTTCCCTTGGGC CTCCCCCAGCCCCCTCCCTCCCTTCTGCACCCGTACCC CCGTGGTCTTTGAATAAAGTCTGAGTGGGCGCAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAATCTAG	37
GC_F_MEASLES_D8 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 1864	TCAAGCTTTTGGACCCTCGTACAGAAGCTAATACGACT CACTATAGGGAAATAAGAGAGAAAAGAAGTAAGAA GAAATATAAGAGCCACCATGGGTCTCAAGGTGAACGTC TCTGTCAATTCATGGCAGTACTGTAACTCTTCAAACA CCCACCGTCAAATCCATTGGGGCAATCTCTAAGAT AGGGGTGGTAGGGTAGGAAGTGCAAGCTACAAGTT ATGACTCGTTCAGCCATCAATCATAGTCATAAAGTT AATGCCCAATATAACTCTCCTCAACAATTGCACGAGGG TAGGGATTGCAGAAACAGGAGACTACTGAGAACAGTT CTGGAAACCAATFAGAGATGCACTTAATGCAATGACCCA GAATATAAGACCCTCAGAGTGTAGCTTCAAGTAGGA GACACAAGAGATTTGCGGGAGTTGCTTGGCAGGTGCG GCCCTAGGCGTTGCCACAGCTGCTCAAATAACAGCCGG TATTGCACCTCACCAGTCCATGCTGAACCTCAAGCCAT CGACAATCTGAGAGCGAGCCTAGAACTACTAATCAGG CAATTGAGGCAATCAGACAAGCAGGGCAGGAGATGAT ATTGGCTGTTCAAGGTGTCCAAGACTACATCAATAATG AGCTGATACCGTCTATGAATCAACTACTTGTGATTTAA TCGGCCAGAAGCTAGGGCTCAAATTGCTCAGATACTAT	38

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO.
	ACAGAAATCCTGTCATTATTTGGCCCCAGCTTACGGGA CCCCATATCTGCGGAGATATCTATCCAGGCTTTGAGCT ATGCGCTTGGAGGAGATATCAATAAGGTGTTGGAAAAG CTCGGATACAGTGGAGGTGATCTACTGGGCATCTTAGA GAGCAGAGGAATAAAGGCCCGGATAACTCAGTCGAC ACAGAGTCTACTTCTATTGTAAGTACTAGCTATAGCCTATCCG ACGCTATCCGAGATTAAGGGGGTATTGTCCACCGGCT AGAGGGGGTCTCGTACAACATAGGCTCTCAAGAGTGGT ATACCACCTGTGCCCAAGTATGTTGCAACCCAGGGTAC CTTATCTCGAATTTTGATGAGTCATCATGCACCTTTCATG CCAGAGGGGACTGTGTGCAGCCAGAATGCCTGTACCC GATGAGTCTCTGCTCCAAGAATGCCTCCGGGGTCCA CTAAGTCTGTGCTCGTACACTCGTATCCGGGTCTTTTCG GGAACCGGTTCAATTTATCACAGGGGAACCTAATAGCC AATTGTGCATCAATCCTTTGCAAGTGTACACCAACAGG AACAAATCATTAAATCAAGACCCGACAGATCCTAACAT ACATTGCTGCCGATCACTGCCCGTGGTGCAGGTGAAT GGCGTGACCATCCAAGTCGGGAGCAGGAGGTATCCGG ACGCTGTGTAAGTGCACAGGATTGACCTCCGGTCTCCC ATATCTTTGGAGAGGTGGACGTAGGGACAATCTGGG GAATGCAATTGCTAAGTTGGAGGATGCCAAGGAATTGT TGGAGTCAATCCGACAGATATTGAGGAGTAAAGGT TTATCGAGCACTAGTATAGTTTACATCCTGATTGCAGTG TGTCTTGGAGGATTGATAGGGATCCCGCTTTAATATGT TGCTGCAGGGGGCGTTGTAACAAGAAGGGAGAACAAG TTGGTATGTCAAGACCAGGCCAAAAGCCTGATCTTACA GGAAACATCAAATCCTATGTAAAGTCACTCTGATGATA ATAGGCTGGAGCCTCGGTGGCCAAGCTTCTTGCCTTT GGGCCTCCCCCAGCCCTCCTCCCTTCCCTGCACCCGT ACCCCCGTGGTCTTTGAATAAAGTCTGAGTGGCGGC	
GC_F_MEASLES_D8 ORF Sequence, NT	ATGGGTCTCAAGGTGAACGCTCTGTGCATATTCATGGC AGTACTGTTAACTCTTCAAACACCCACCGGTCAAATCC ATTGGGGCAATCTCTCTAAGATAGGGGTGGTAGGGGTA GGAAGTGCAAGCTACAAAGTTATGACTCGTCCAGCCA TCAATCATTAGTCAATAAGTTAATGCCAATATAACTCT CCTCAACAATTGCACGAGGGTAGGGATTGCAGAATACA GGAGACTACTGAGAACAGTTCTGGAACCAATTAGAGAT GCACCTAATGCAATGACCCAGAATATAAGACCGGTTCA GAGTGTAGCTTCAAGTAGGAGACACAAGAGATTTGCGG GAGTTGTCTGGCAGGTGCGGCCCTAGGCGTTGCCACA GCTGTCAAATAACAGCCGGTATTGCACTTACCAGTC CATGCTGAACTCTCAAGCCATCGACAATCTGAGAGCGA GCCTAGAACTACTAATCAGGCAATTGAGGCAATCAGA CAAGCAGGGCAGGAGATGATATTGGCTGTTGAGGGTGT CCAAGACTACATCAATAATGAGCTGATACCGTCTATGA ATCAACTATCTTGTGATTAAATCGCCAGAAGCTAGGG CTCAAATTGCTCAGATACTATACAGAAATCCTGTCAAT ATTTGGCCCCAGCTTACGGGACCCATATCTGCGGAGA TATCTATCCAGGCTTTGAGCTATGCGCTTGGAGGAGAT ATCAATAAGGTGTTGGAAAAGCTCGGATACAGTGGAG GTGATCTACTGGGCATCTTAGAGAGCAGAGGAATAAAG GCCCGGATAACTCAAGTCGACACAGAGTCTACTTCAT TGTACTCAGTATAGCCTATCCGACGCTATCCGAGATTA AGGGGGTATTGTCCACCGGCTAGAGGGGTCTCGTAC AACATAGGCTCTCAAGAGTGGTATACCCTGTGCCCAA GTATGTTGCAACCCAGGGTACCTTATCTCGAATTTTGA TGAGTCATCATGCACCTTTCATGCCAGAGGGGACTGTGT GCAGCCAGAATGCCCTTGTACCCGATGAGTCTCTGCTC CAAGAATGCCCTCGGGGTCCACTAAGTCTGTGCTCG TACACTCGTATCCGGGTCTTCCGGAAACCGGTTCAATTT ATCACAGGGGAACCTAATAGCCAATTTGTCATCAATCC TTTGCAAGTGTACACAACAGGAACAATCATTAATCAA GACCTTGACAAGATCCTAACATACATTGCTGCCGATCA CTGCCCGGTGGTTCAGGTTGAATGGCGTGACCATCCAAG TCGGGAGCAGGAGGTATCCGGACGCTGTGTAAGTGCAC AGGATGACCTCGGTCCTCCATATCTTTGGAGAGGTT GGACGTAGGGACAATCTGGGGAATGCAATTGCTAAGT TGGAGGATGCCAAGGAATGTTGGAGTCACTCGGACCAG ATATTGAGGAGTATGAAAGTTTATCCGAGCACTAGTAT AGTTTACATCCTGATTGCAAGTGTGCTTGGAGGATTGAT AGGGATCCCCGCTTTAATATGTTGTGCAGGGGGCGTT	39

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	GTAACAAGAAGGGAGAACAAAGTTGGTATGTCAAGACC AGGCCTAAAGCCTGATCTTACAGGAACATCAAAATCCT ATGTAAGTCACTCTGA	
GC_F_MEASLES_D8 mRNA Sequence (assumes T100 tail) Sequence Length: 1925	G*GGGAAATAAGAGAGAAAAGAAGAGTAAGAAGAAAT ATAAGAGCCACCATGGGTCTCAAGGTGAACGTCTCTGT CATATTCATGGCAGTACTGTAACTCTTCAAACCCAC CGGTCAAATCCATTGGGGCAATCTCTAAGATAGGGG TGGTAGGGGTAGGAAGTGCAGCTACAAGTTATGACT CGTTCAGCCATCAATCATTAGTCATAAAGTTAATGCC CAATATAACTCTCTCAACAATTGCACGAGGGTAGGGA TTGCAGAATACAGGAGACTACTGAGAACAGTCTGGAA CCAATTAGAGATGCACTTAATGCAATGACCCAGAATAT AAGACCGGTTTCAAGTGTAGCTTCAAGTAGGAGACACA AGAGATTTGCGGGAGTTGCTTGGCAGGTGCGGCCCTA GGCGTTGCCACAGCTGCTCAAATAACAGCCGGTATTGC ACTTCACCAGTCCAATGCTGAATCTCAAGCCATCGACA ATCTGAGAGCGAGCCTAGAACTACTAATCAGGCCAAT GAGGCAATCAGACAAGCAGGCAGGAGATGATATTGG CTGTTCAAGGTGTCGAAGACTACATCAATAATGAGCTG ATACCGTCTATGAATCAACTATCTTGTGATTTAATCGGC CAGAAGCTAGGGCTCAAATGCTCAGATACTATACAGA AATCCTGTCAATATTGGCCCCAGCTTACGGGACCCCAT ATCTGCGGAGATATCTATCCAGGCTTTGAGCTATGCGC TTGGAGGAGATATCAATAAGGTGTTGAAAAAGCTCGGA TACAGTGGAGGTGATCTACTGGGCATCTTAGAGAGCAG AGGAATAAAGGCCCGGATAACTCAGCTCGACACAGAG TCCTACTTCAATGTACTCAGTATAGCCTATCCGACGCTA TCCGAGATTAAGGGGGTATGTTCCACCGGCTAGAGGG GGTCTCGTACAACATAGGCTCTCAAGAGTGGTATACCA CTGTGCCCAAGTATGTTGCAACCCAAGGGTACCTTATC TCGAATTTGATGAGTCATCATGCACTTTCATGCCAGAG GGGACTGTGTGCAGCCAGAATGCCTTGTACCCGATGAG TCCTCTGCTCCAAGAATGCCTCCGGGGTCCACTAAGT CCTGTGCTCGTACACTCGTATCCGGGCTTTCGGGAACC GGTTCATTTTATCAGAGGGGAACCTAATAGCCAATGT GCATCAATCCTTTGCAAGTGTACACAACAGGAACAAT CATTAATCAAGACCCTGACAAGATCTAACATACATTG CTGCCGATCACTGCCCGGTGGTTCGAGGTGAATGGCGTG ACCATCCAAGTCGGGAGCAGGAGGTATCCGGACGCTGT GTACTTGACAGGATTGACCTCGGTCTCCCATATCTTT GGAGAGGTTGGACGTAGGGACAAATCTGGGGAATGCA ATTGCTAAGTTGGAGGATGCCAAGGAATGTTGGAGTC ATCGACACAGATATTGAGGAGTATGAAAGGTTATCGA GCAC TAGTATAGTTTACATCTGATTCAGTGTGTCTTG GAGGATTGATAGGGATCCCCGCTTAATATGTTGCTGC AGGGGGCGTTGTAA CAAGAAGGGAGAACAAAGTTGGTA TGTC AAGACCAGGCC TAAAGCCTGATCTTACAGGAACA TCAAATCCTATGTAAGGTCACTCTGATGATAATAGGC TGGAGCCTCGGTGGCCAAGCTTCTTGGCCCTTGGCCCTC CCCCAGCCCCCTCCCTCCCTTCTGCAACCCGTACCCCG TGGTCTTTGAATAAAGTCTGAGTGGGCGGCAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAATCTAG	40
GC_H_MEASLES_B3 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 2065	TCAAGCTTTTGGACCCCTCGTACAGAAGCTAATACGACT CACTATAGGGAATAAGAGAGAAAAGAAGTAAGAA GAAATATAAGAGCCACCATGTCACCGCAACGAGACCG GATAAATGCCCTTCTACAAGATAACCCCTTATCCCAAGG GAAGTAGGATAGTTATTAACAGAGAACATCTTATGAT GACAGACCCTATGTTCTGCTGGCTGTTCTGTTTCGTCATG TTTCTGAGCTTGATCGGATGCTGGCAATTGCAGGCATT AGACTTCACTCGGGCAGCCATCTACCCGCGGAGATCCA TAAAAGCCTCAGTACCAATCTGGATGTGACTAACTCCA TCGAGCATCAGGTC AAGGACGTGCTGACACCCTCTTT AAAATCATCGGGGATGAAGTGGGCTTGAGAACACCTC AGAGATTCAGTACCTAGTGAATTCATCTCGGACAAG ATTAATTCCTTAATCCGGATAGGGAGTACGACTFCAG AGATCTCACTTGGTGCATCAACCCGCCAGAGAGGATCA AACTAGATTATGATCAATACTGTGCAGATGTTGGCTGCT GAAGACTCATGAATGCATTGGTGAACCTCACTCTACT	41

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	GGAGACCAGAACAACCACTCAGTTCCTAGCTGTCTCAA AGGGAAACTGCTCAGGGCCACTACAATCAGAGGTCA ATTCTCAAACATGTCGCTGTCTTGTGGACTTGACTT AGGTCGAGGTTACAATGTGTCTATAGTCACTATGA CATCCCAGGGAATGTATGGGGAACTACCTAGTTGAA AAGCCTAATCTGAAACAGCAAGGGTCAGAGTTGTACA ACTGAGCATGTACCAGTGTGTTGAAGTAGGTGTGATCA GAAACCCGGGTTTGGGGCTCCGGTGTCCATATGACA AACTATTTGAGCAACAGTCAGTAATGGTCTCGGCAA CTGTATGGTGGCTTGGGGGAGCTCAAACCTCGCAGCCC TTTGTACCGGGGACGATTCTATCATAATCCCTATCAGG GATCAGGGAAAGGTGTACGCTTCCAGCTCGTCAAGCTG GGTGTCTGGAAATCCCAACCGACATGCAATCCTGGGT CCCCTTATCAACGGATGATCCAGTGGTAGACAGGCTTT ACCTCTCATCTCACAGAGGTGTCTCGCTGACAAATCAA GCAAATGGGCTGTCCGACAAACGACAGATGACA AGTTGCGAATGGAGACATGCTTCAGCAGGCGTGAAA GGTAAAATCCAAAGCACTCTGCGAGAATCCCGAGTGGGT ACCATGAAAGGATAACAGGATTCCTTACACGGGGTCC TGTCTGTTGATCTGAGTCTGACGGTTGAGCTTAAAATCA AAATTGCTTCGGGATTCGGGCCATTGATCACACACGGC TCAGGGATGGACCTATACAAATCCAACCTGCAACAATGT GTATTGGCTGACTATTCGCCAATGAGAAAATCTAGCCT TAGGCGTAATCAACACATGGAGTGGATACCGAGATTC AAGGTTAGTCCCAACCTCTTCACTGTCCCAATTAAGGA AGCAGGCGAAGACTGCCATGCCCAACATACCTACCTG CGGAGGTGGACGGTGTCAAACTCAGTTCACACCTG GTGATCTACCTGGTCAAGATCTCCAATATGTTTTGGCA ACCTACGATACTCCAGGTTGAGCATGCTGTGGTTTA TTACGTTTACAGCCCAAGCCGCTCATTTCTTACTTTTA TCCTTTTAGGTTGCCTATAAAGGGGTCCTCAATCGAAC TACAAGTGAATGCTTACATGGGATCAAAAACCTGCG TGCCGCTACTTCTGTGTCTGCGGACTCAGAATCCGGT GGACTTATCACTACTCTGGGATGGTGGGCATGGGAGT CAGCTGCACAGCTACCGGGAAGATGGAACCAATCGC AGATAATGATAATAGGCTGGAGCCTCGGTGGCCAAGCT TCTTGGCCCTTGGGCTCCCCAGCCCTCCTCCCCTT CCTGCACCCGTACCCCGTGGTCTTTGAATAAAGTCTG AGTGGGCGGC	
GC_H_MEASLES_B3 ORF Sequence, NT	ATGTCACCGCAACGAGACCGGATAAATGCCTTCTACAA AGATAACCCTTATCCCAAGGGAAGTAGGATAGTTATTA ACAGAGAACATCTTATGATTGACAGACCTATGTTCTG CTGGCTGTTCTGTTCTGTCATGTTTCTGAGCTTGATCGGA TTGCTGGCAATGCAAGGCATTAGACTTTCATCGGGCAGC CATCTACACCGCGGAGATCCATAAAGCCCTCAGTACCA ATCTGGATGTGACTAACTCCATCGAGCATCAGGTCAAG GACGTGCTGACACCACTCTTAAAATCATCGGGGATGA AGTGGGCTGAGAACACCTCAGAGATTCAGTACCTAG TGAAATTCATCTCGGACAAGATTAATTCCTTAATCCG GATAGGGAGTACGACTTCAGAGATCTCACTTGGTGCAT CAACCCGCGAGAGAGGATCAAACTAGATTATGATCAAT ACTGTGCAGATGTGGCTGCTGAAGAGCTCATGAATGCA TTGGTGAACCTCACTTACTGGAGACCAGAACCAACCAC TCAGTTCCTAGCTGTCTCAAAGGAACTGCTCAGGGC CCACTACAATCAGAGGTCAATTCCAAACATGTCTGCTG TCCTTGTGGACTTGTACTTAGGTCGAGGTTACAATGTG TCATCTATAGTCACTATGACATCCAGGGAATGTATGG GGAAACCTACCTAGTTGAAAAGCCTAATCTGAACAGCA AAGGGTCAGAGTTGTCAAACTGAGCATGTACCGAGTG TTTGAAGTAGGTGTGATCAGAAACCCGGGTTTGGGGC TCCGGTGTTCATATGACAAAATATTTGAGCAACCAG TCAGTAATGGTCTCGGCAACTGTATGGTGGCTTTGGGG GAGCTCAAACCTCGCAGCCCTTGTACCGGGGACGATTC TATCATAATTCCTATCAGGGATCAGGGAAAGGTGTCA GCTTCCAGCTCGTCAAGCTGGGTGTCTGGAATCCCA ACCGACATGCARTCTGGGTCCCCTTATCAACGGATGA TCCAGTGGTAGACAGGCTTACCTCTCATCTCACAGAG GTGTCTCGTGCACAAATCAAGCAAAATGGGCTGTCCCG ACAACACGAACAGATGACAAAGTTCGCAATGGAGACAT GCTTCCAGCAGGCGTGAAGGTAATAATCCAAAGCACTC TGCAGAAATCCCGAGTGGGTACCATTGAAGGATAACAG	42



TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	AA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAATC TAG	
GC_H_MEASLES_D8 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 2065	TCAAGCTTTTGGACCCCTCGTACAGAAGCTAATACGACT CACTATAGGGAAATAAGAGAGAAAAGAAGAGTAGAA GAAATATAAGAGCCACCATGTCACCACAACGAGACCG GATAAATGCCTTCTACAAGACAACCCCATCCTAAGG GAAGTAGGATAGTTATTAACAGAGAACATCTTATGATT GATAGACCTTATGTTTTGCTGGCTGTTCTATTTCGTCATG TTTCTGAGCTTGATCGGGTTGCTAGCCATTGCAGGCATT AGACTTCATCGGGCAGCCATCTACACCCGAGAGATCCA TAAAAGCCTCAGCACAATCTGGATGTAACCTAATCAA TCGAGCATCAGGTTAAGGACGTGCTGACACCCTCTTC AAGATCATCGGTGATGAAGTGGCTTGAGGACACCTCA GAGATTCACCTGACCTAGTGAAGTTCATCTCTGACAAGA TTAAATTCCTTAATCCGGACAGGGAATACGACTTCAGA GATCTCACTTGGTGTATCAACCCGCCAGAGAGAAATCAA ATTGGATTATGATCAACTGTGCAGATGTGGCTGCTG AAGAACTCATGAATGCATTGGTGAATCAACTCTACTG GAGACCAGGGCAACCAATCAGTTCCTAGCTGTCTCAA GGGAAACTGCTCAGGGCCCACTACAATCAGAGGCCAAT TCTCAAAACATGTCGCTGTCCCTGTTGGACTGTATTTAA GTCGAGGTACAATGTGTCTCTATAGTCACTATGACA TCCCAGGGAATGTACGGGGAACTTACCTAGTGGAAAA GCCATACTGAGCAGCAAAGGTGAGAGTTGTCAACAAC TGAGCATGCACCGAGTGTGAAGTAGGTGTATCAGA AATCCGGGTTTGGGGCTCCGGTATTCATATGACAAA CTATCTTGAGCAACCAGTCAGTAATGATTCAGCAACT GCATGGTGGCTTTGGGGGAGCTCAAGTTCGACGCCCTC TGTCACAGGGAAGATTCTATCACAATTCCTATCAGGG ATCAGGGAAGGTGTCAGCTTCCAGCTGTCAAGCTAG GTGTCTGGAATCCCAACCGACATGCAATCCTGGGTG CCCCATCAACGGATGATCCAGTGTAGACAGGCTTTA CCTCTCATCTCACAGGCGTTATCGCTGACAATCAAG CAAAATGGGCTGTCCGACACACGGACAGATGACAA GTTGCGAATGGAGACATGCTTCCAGCAGGCGTGAAGG GTAAAATCCAAGCACTTTGCGAGAATCCCGAGTGGACA CCATTGAAGGATAACAGGATTCCTTCATACGGGGTCTT GTCGTTGATCTGAGTCTGACAGTTGAGCTTAAATCA AAATGTTTTCAGGATTCGGGCCATTGATCACACACGGT TCAGGGATGGACTATACAATCAACCAACAACATAT GTATTGGCTGACTATCCCGCAATGAAGAACCTGGCCT TAGGTGTAATCAACACATTGGAGTGGATACCGAGATTC AAGGTTAGTCCCAACCTCTCACTGTTCCAATTAAGGA AGCAGGCAGGACTGCCATGCCCAACATACCTACCTG CGGAGGTGGATGGTGTATGCTCAAACTCAGTTCCAATCTG GTGATCTACCTGGTCAAGATCTCCAATATGTTCTGGCA ACCTACGATACTCCAGAGTTGAACATGCTGTAGTTTAT TACGTTTACAGCCCAAGCCGCTCATTTTCTACTTTTAT CCTTTTAGGTTGCCTGTAAGGGGGTCCCCATTGAATTA CAAGTGGAAATGCTTACATGGGACCAAAAACCTGGTG CCGTCACTTCTGTGTGCTTGGGACTCAGAACTCGGTGG ACATATCACTCACTCTGGGATGGTGGGATGGGAGTCA GCTGCACAGCCACTCGGAAGATGGAACAGCCGCGAG ATAGTGATAATAGGCTGGAGCCTCGGTGGCCAAGCTTC TTGCCCTTGGGCTTCCCCCAGCCCTCCTCCCCTTCC TGCACCCGTACCCCGTGGTCTTTGAATAAAGTCTGAG TGGGCGG	44
GC_H_MEASLES_D8 ORF Sequence, NT	ATGTCACCACAACGAGACCGGATAAATGCCTTCTACAA AGACAACCCCATCCTAAGGGAAGTAGGATAGTTATTA ACAGAGAACATCTTATGATTGATAGACCTTATGTTTGG TGGCTGTCTATTCGTCATGTTTCTGAGCTTGATCGGGT TGCTAGCCATTGCAGGCATTAGACTTCATCGGGCAGCC ATCTACACCGCAGAGATCCATAAAAAGCCTCAGCACC TCTGGATGTAACCTCACTCAATCGAGCATCAGGTTAAG ACGTGCTGACACCACTCTCAAGATCATCGGTGATGAA GTGGGCTTGAGGACACCTCAGAGATTCACTGACCTAGT GAAGTTCATCTCTGACAAGATTAATTCCTTAATCCGG ACAGGGAATACGACTTCAGAGATCTCACTTGGTGTATC AACCCGCCAGAGAGATCAAATTGGATTATGATCAATA	45

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	CTGTGCAGATGTGGCTGCTGAAGAAGCTCATGAATGCAT TGGTGAAGCTCAACTCTACTGGAGACCAGGGCAACCAAT CAGTTCCTAGCTGTCTCAAAGGAAACCTGCTCAGGGCC CACTACAATCAGAGGCCAATCTCAAACATGTCGCTGT CCCTGTTGGACTTGTATTAAAGTCGAGGTACAAATGTTG CATCTATAGTCACTATGACATCCCAGGGAATGTACGGG GGAACCTTACCTAGTGGAAAAGCCTAATCTGAGCAGCAA AGGGTCAGAGTTGTCACAACTGAGCATGCACCGAGTGT TTGAAGTAGGTGTTATCAGAAATCCGGGTTTGGGGCT CCGGTATTCCATATGACAACTATCTTGAGCAACCAGT CAGTAATGATTTAGCAACTGCATGGTGGCTTTGGGGG AGCTCAAGTTCGACGCCCTCTGTCAAGGGAAGATTCT ATCACAATTCCTATCAGGGATCAGGGAAGGTGTCTAG CTTCAGCTTGTCAAGCTAGGTGTCTGGAAATCCCAA CCGACATGCAATCTGGGTCCCTTATCAACGGATGAT CCAGTGATAGACAGGCTTTACCTCTCATCTCACAGAG CGTTATCGCTGACAATCAAGCAAAATGGGCTGTCCCGA CAACACGGACAGATGACAAGTTGCGAATGGGACATG CTTCAGCAGGGCTGTAAGGGTAAATCCAAGCACTTT GCGAGAAATCCCGAGTGGACACCATTGAAGGATAACAG GATTCTTCATACGGGGTCTGTCTGTTGATCTGAGTCT GACAGTTGAGCTTAAATCAAAATGTTTCAGGATTCG GGCCATTGATCACACACGGTTCAGGGATGGACCTATAC AATCCAACCAACAATATGATTGGCTGACTATCCC GCCAATGAAGAACCCTGGCCTTAGGTGTAATCAACACAT TGGAGTGGATACCGAGATTCAGGTTAGTCCCAACCTC TTCCTGTTCCAATTAAGGAGCAGGCGAGGACTGCCA TGCCCCAACATACCTACCTGCGGAGGTGGATGGTGTATG TCAAACCTAGTTCCAATCTGGTGAATTCACCTGGTCAAG ATCTCCAATATGTTCTGGCAACCTACGATACCTCCAGA GTTGAACATGCTGTAGTTTATTACGTTTACAGCCCAAGC CGCTCATTTTCTTACTTTTATCCTTTTAGGTTGCCTGTAA GGGGGGTCCTCAATTAAGTACAAGTGGAAATGCTTCA TGGGACCAAAAACCTGCGTCCGTCACCTCTGTGTGCTT GCGGACTCAGAATCTGGTGGACATATCACTCACTCTGG GATGGTGGGCATGGGAGTCAGCTGCACAGCCACTCGGG AAGATGGAACCAGCCGAGATAG	
GC_H_MEASLES_D8 mRNA Sequence (assumes T100 tail) Sequence Length: 2126	G*GGGAAATAAGAGAGAAAAGAAGAGTAAAGAAAT ATAAGAGCCACCATGTCAACCAACGAGACCGGATAA ATGCCTTCTACAAGACAACCCCATCCTAAGGGAAGT AGGATAGTTATTAACAGAGAACATCTTATGATTGATAG ACCTTATGTTTGGCTGGCTGTTCTATTTCGTCATGTTTCTG AGCTTGTATCGGGTTGCTAGCCATTGCAGGCATTAGACT TCATCGGGCAGCCATCTACACCGCAGAGATCCATAAAA GCCTCAGCACAATCTGGATGTAACAACTCAATCGAG CATCAGGTTAAGGACGTGTCGACACCACTCTCAAGAT CATCGGTGATGAAGTGGGCTGAGGACACCTCAGAGAT TCCTGACCTAGTGAAGTTCATCTCTGACAAGATTA TTCCTAATCCGGACAGGGAATACGACTTCAGAGATCT CACTTGGTGTATCAACCCGCCAGAGAGAATCAAATTGG ATTTATGATCAATACGTGTCAGATGTTGGCTGCTGAAGAA CTCATGAATGCATTGGTGAACCTCACTCACTGGAGAC CAGGGCAACCAATCAGTTCCCTAGCTGTCTCAAAGGGAA ACTGCTCAGGGCCCACTACAATCAGAGGCCAATTTCTCA AACATGTCGCTGTCCTGTTGGACTTGTATTAAAGTCGA GGTTACAATGTGTCATCTATAGTCACTATGACATCCCA GGAATGTACGGGGAACTTACCTAGTGGAAAAGCCT AATCTGAGCAGCAAAGGGTCAGAGTTGTCACAACCTGAG CATGACCCGAGTGTGTAAGTAGGTGTTATCAGAAATC CGGGTTTGGGGCTCCGGTATTCCATATGACAACTAT CTTGAGCAACCAGTCAGTAATGATTTAGCAACTGCAT GGTGGCTTTGGGGAGCTCAAGTTCGACGCCCTCTGTCT ACAGGGAAGATTCTATCACAATCCCTATCAGGGATCA GGGAAAGGTGTCAGCTTCCAGCTTGTCAAGCTAGGTGT CTGGAAATCCCAACCGACATGCAATCCTGGGTCCCTC TATCAACGGATGATCCAGTGATAGACAGGCTTTACCTC TCATCTCACAGAGCGTTATCGCTGACAATCAAGCAAA ATGGGCTGTCCGCAACACCGACAGATGACAAGTTGC GAATGGAGACATGCTTCCAGCAGGCGTGAAGGGTAA AATCCAAGCACTTTCGAGAAATCCGAGTGGACACCAT TGAAGGATAACAGGATTCTTCATACGGGGTCTTGTCT	46



TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	GTTGATCTGAGTCTGACAGTTGAGCTTAAAAATCAAAT TGTTCAGGATTCGGGCCATTGATCACACACGGTTCAG GGATGGACCTATACAAATCCAACCACAACATATGTAT TGGCTGACTATCCCGCCAATGAAGAACCTGGCCTTAGG TGTAATCAACACATTGGAGTGGATACCGAGATTCAGG TTAGTCCCAACCTCTCACTGTTCCAATTAAGGAAGCA GCGGAGGACTGCCATGCCCAACATACCTACCTGCGGA GGTGGATGGTATGTCAAATCAGTTCCAATCTGGTGA TTCTACCTGGTCAAGATCTCCAATATGTTCTGGCAACCT ACGATACTTCCAGAGTTGAACATGCTGTAGTTTATTAC GTTTACAGCCCAAGCCGCTCATTTTCTACTTTTATCCT TTTAGGTTGCCCTGTAAGGGGGTCCCCATTGAATTACA AGTGGAAATGCTTCACATGGGACCAAACTCTGGTGCC GTCACCTCTGTGTGCTTGCAGACTCAGAATCTGGTGA CATATCACTCACTCTGGGATGGTGGCATGGGAGTCAG CTGCACAGCCACTCGGGAAGATGGAACAGCCGCGAGA TAGTGATAAATAGGCTGGAGCCTCGGTGGCCAAGTTCT TGCCCTTGGGCTCCCCAGCCCTCCTCCCTTCT GCACCCGTACCCCGTGGTCTTTGAATAAAGTCTGAGT GGGCGGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA CTAG	
MeV mRNA Sequences		
GC_F_MEASLES_B3.1 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 1864	UCAAGCUUUUGGACCCUGUACAGAAAGCUAAUACGAC UCACUUAUAGGGAAAUAAGAGAGAAAAGAGAGUAAG AAGAAAUAUAAGAGCCACCAUGGGUCUAAGGUGAA CGUCUCUGCCGUUAUUAUGGAGUAUCUUAACUCUC CAAACACCCCGGUCAAAUAUUGGGGCAUUCUCU CUAAGAUAGGGGUAUAGGAUAUAGGAUGCAAGCU ACAAAAGUUAUGACUCGUUCCAGCCAUCAAUAUAGU CAUAAAAUUAUGCCCAAUAUAUCUCUCCUAUAAC UGCACGAGGUAAGAUUGCAGAAUACAGGAGACUA CUAAGAACAGUUUUGGAACCAAUAUGGGAUGCACUU AAUGCAAUGACCCAGAACAUAAGGCCGGUUCAGAGCG UAGCUUAAGUAGGAGACACAAGAGAUUUGCGGGAG UAGUCCUGGCAGGUGCGGCCUAGGUGUUGCCACAGC UGCUCAGAUAAACAGCCGGCAUUGCAUUCACCGGUCC AUGCUGAACUCUCAGGCCAUCGACAAUCUGAGAGCGA GCCUGGAAACUACUAAUCAGGCAUUGAGGCAUUCAG ACAAGCAGGGCAGGAGAUUAUUGGCUGUUCAGGG UGUCCAAGACUACAUAUAUAUGAGCUGAUACCGUCU AUGAACCAGCUAUCUUGGAUCUAAUCGGUCAGAAGC UCGGGUCUAAAUGCUUAGAUACUUAUCAGAAUCCU GUCAUUAUUUGGCCCCAGCCUACGGGACCCAUUAUCU GCGGAGAUUAUCUUAUCCAGGCUUUGAGUUAUGCACUU GGAGGAGAUUAUAAAGGUGUAGAAAAGCUCGGGA UACAGUGGAGGCGAUUAUCUAGGCAUCUUAAGAGAGC AGAGGAAUAAAGGCUCGGUAACUCACGUCGACACAG AGUCCUACUUAUAGUCCUAGUAUAGCCUAUCCGAC GCUGUCCGAGAUUAAGGGGUGAUUUGCCACCGGCUA GAGGGGUCUCGUACAACAUAAGGCUCUCAAGAGUGG UAUACCACUGGCCAAGUAUGUUGCAACCAAGGGU ACCUUAUCUCGAAUUAUUGAUAGUCUAUUAUGUACUU UCAUGCCAGAGGGGACUGUGGAGCCAAAUGCCUU GUACCCGUAUGAGUCUCUGUCUCCAGAAUUGCCUCCG GGGUCCACCAAGUCUUGUCUCGUACACUCGUUACCG GGUUUUUUGGGAACCGGUUCAUUUAUACCAAGGGA ACCUAAUAGCCAAUUGUGCAUCAUUAUUAUUAAGU GUUACACACAGGUACGAUUAUUAUUAAGACCCUGA CAAGAUCUUAACAUAUAUUGUGGCAUUCGUCGUCGCG GUAGUCGAGGUGAACGGCGUGACCAUCCAGUCGGGA GCAGGAGGUUACAGACGUCUGUAUCUUGCACAGAAU UGACCUCGGUCUCCAUUAUUAUUGGAGGAGGUUGGAC GUAGGGACAAAUUGGGGAUUGCAAUUGCCAAUUAUG GAGGAUCCAGGAUUAUUGGAUUAUUGGACCAAG AUUAUUGAGAAGUAUUAAGGUUAUUAUUGGACUAGC AUAGUCUACAUCUGAUUUGCAGUGUCUUGGAGGG UUGAUAGGGAUCCCAUUUAUUAUUGUCUGCAGG GGGCUUGUAACAAAAGGGAGAACAAUUGGUUAUG	69





TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	UGGUCGAGGUGAAU GGCUGACCAUCCAAGUCGGGA GCAGGAGGUAUCCGGACGUGUACUUGCACAGGAU UGACCUCGGUCCUCCAUAUCUUUGGAGAGGUUGGAC GUAGGGACAAAUCUGGGGAUUGCAAUUGCUAAGUUG GAGGAUGCCAAGGAAUUGUUGGAGUCAUCGGACCAG AUUUGAGGAGUUAUGAAAGGUUUUUCGAGCAUAGU AUAGUUUACAUCUGAUUGCAGUGUGUCUUGGAGGA UUGAUAGGGAUCCCGCUUUAUUGUUGCUGCAGG GGGCGUUGUAACAAGAGGGGAAACAAGUUGGUUUG UCAAGACCAGGCCUAAAGCCUGAUUUACAGGAACA CAAAUCCUAUGUAAGGUCAUCUGAUUAUAGG CUGGAGCCUCGGUGGCCAAGCUUCUUGCCCUUGGGC CUCCCCCAGCCCCUCUCCCCUUCUGCACCCCGUACC CCCGUGGUUUUGAAUAAAGUCUGAGUGGGCGG	
GC_F_MEASLES_D8 ORF Sequence, NT	AUGGGUCUCAAGGUGAACGUCUCUGUCAUUAUUAUG GCAGUACUGUUAACUCUUAACAACCCACCGGUCAAA UCCAUUGGGGCAUUCUCUUAAGAUAGGGGUGGUAG GGGUAGGAAGUGCAAGCUACAAGUUAUGACUCGUU CCAGCCAUCAAUCAUUAAGUCAUAAAGUUAUUGCCAA UUAUAUCUCUCUACAUAUUGCACGAGGUAGGGGAU GCAGAAUACAGGAGACUACUGAGAACAGUUCUGGAA CCAAUUAGAGAUAGCAUUAUGCAAUGACCCAGAAUA UAAGACCGGUUCAGAGUGUAGCUUCAAGUAGGAGAC ACAAGAGAUUUGCGGGAGUUGUCUGGCAGGUGCGG CCCUAGGGCGUUGCCACAGCUGUCUAAAUAACAGCCGG UAUUGCAUUCACAGUCCAUUGCUGAAUCUCUACAGCC AUCGACAUCUGAGAGCGAGCCUAGAAACUACUAAUC AGGCAAUUGAGGCAAUCAAGCAAGCAGGGCAGGAGA UGAUUAUUGGCGUUCAGGGGUGUCCAAGACUACAUC AUAUAGAGCUGAUCCGUCUUAUGAAUACAUCUUCU GUGAUUUAAUCGGCCAGAAGCUAGGGCUCAAUUGC UCAGAUACUAUACAGAAUUCUGUCAUUAUUGGCC CAGCUUACGGGACCCAUUAUCUGCGGAGAUUAUC CAGGCUUUGAGCUAUGCGCUUGGAGGAGAUUAUUA AAGGUGUUGGAAAAGCUCGGAUACAGUGGAGGUGAU CUACUGGGCAUCUUAGAGAGCAGAGGAAUAAAGGCC GGAAUACUCACGUCGACACAGAGUCCUACUUAUUGU ACUCAGUAUAGCUUAUCCGACGCUAUCGAGAUUAAG GGGGUGAUUUGCCACCGGCUAGAGGGGUCUCGUACA ACAUAGGCUCUCAAGAGUGGUUAUACACUGUGCCAA GUAUGUUGCAACCCAGGGUACCUUAUCUGAAUUUU GAUGAGUCAUAGCAUUCUUGCCAGAGGGGACUG UGUGCAGCCAGAAUGCUUUGUACCCGAGAGUCCUCU GCUCCAAGAAUGCCUCGGGGGUCACUAAGUCUUGU GCUCGUACACUCGUUCCGGGCUUUUCGGGAACCGGU UCAUUUUUAUCACAGGGGAACCUAAUAGCCAAUUGUC AUCAAUCUUUGCAAGUUAACAACAAGGAACAUC AUUAUACAAGACCCUGACAAGAUCUUAACUUAUUG CUGCCGAUCAUGCCCGGUGGUCGAGGUAUUGGCGU GACC AUCCAAGUCGGGAGCAGGAGGUAUCCGACGCU GUGUAUCUUGCACAGGAUUGACCUUGGUCUCCCAUUA CUUUGGAGAGGUUGGACGUAGGGACAAUCUGGGGA AUGCAAUUGCUAAGUUGGAGGAUGCCAAGGAUUGU UGGAGUCAUCGGACCAGAUUAUGAGGAGUUAAG GUUUUUCGAGCACUAGUAUAGUUUAUCAUCUGAUUG CAGUGUGUCUUGGAGGAUUGAUAGGGAUCCCGCUU UAAUUAUGUUGCUGCAGGGGCGUUGUAACAAGAAGG GAGAAACAAGUUGGUUAGUCAAGACCAGGCCUAAAGCC UGAUCUUACAGGAAUCAAAAUCUUAUGUAAGGUC ACUCUGA	73
GC_F_MEASLES_D8 mRNA Sequence (assumes T100 tail) Sequence Length: 1925	G*GGGAAUUAAGAGAGAAAAGAAGAGUAAGAAGAAA UUAUAGAGCCACCAUGGGUCUCAAGGUAACGUCUCU GUCAUUAUCAUGGCAGUACUGUUAUCUUAACAACAC CCACCGGUCAAUUCUUAUGGGGCAUUCUUAAGAU AGGGGUGUAGGGGUAAGGUAAGCUACAAAGU UAUGACUCGUUCCAGCCAUCAAUUAUUAUUAAG UUAUUGCCCAAUUAACUCUCCUACAACAAUUGCAG GGUAGGGAUUGCAGAAUACAGGAGACUACUGAGAA CAGUUUGGAACCAAUUAAGAGUACUUAUUGCAA UGACCCAGAAUUAAGACCGGUUCAGAGUGUAGCUUC	74



TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO.
	AUCAGGGAAAGGUGUCAGCUUCCAGCUCGUCAGCUG GGUGUCUGGAAAUCCECAACCGACAUGCAUCCUGGG UCCCUUUAUCAACGGGAUGAUCAGUGGUAGACAGGCU UUACCUUCAUCACAGAGGUGUCAUCGUCGACAAU CAAGCAAAAUGGGCUGUCCEGACAACGAAACAGAUG ACAAGUUGCGAAUGGAGACAUUCUCCAGCAGGCGUG UAAAGGUAAAAUCCAGCACUCUGCGAGAAUCCCGAG UGGGUACCAUUGAAGGAUAACAGGAUCCUUCAUAC GGGGUCCUGUCUGUUAUCUGAGUCUGACGGUUGAG CUUAAAAUCAAAUUGCUUCGGGAUUCGGGCCAUUG AUCACACACGGCUCAGGGAUGGACCUUAUACAAUCCA ACUGCAACAUAUGUUAUUGGCUGACUAUCCGCCAAU GAGAAUUCUAGCCUUAAGGCGUAUACAACAUAUGGA GUGGAUACCGAGAUUCAAGGUUAGUCCCAACCUUC ACUGUCCCAAUUAAGGAAGCAGGCGAAGACUGCCAU CCCCAACAUCCUACCGGAGGUGGACGGUGAUGU CAAACUCAGUCCAAACUGGUGAUUCUACCGGUCAA GAUCUCCAAUAGUUUUGGCAACUACGAUACCUCCA GGGUUGAGCAUGCUGGUGUUUAUACGUUUAACAGCC CAAGCCGCUCAUUUUCUUAUUUUAUCCUUUAGGUU GCCUAUAAGGGGGUCCAAUCGAAACUACAGUGGAA UGCUUCACAUUGGAUAAAAACUCUGGUGCCGUCACU UCUGUGUCUUGCGGACUCAGAAUCCGGUGGACUUAU CACUCACUCUGGGAUGGUGGCAUGGGAGUCAGCUGC ACAGCUACCCGGGAAGAUGGAACAAUCGCAUAUAU GAUAAUAGGCUUGGAGCCUUGGUGCCAAAGCUUCUUG CCUUGGGCCUCCCCAGCCCUCCUCCCUUCUGC ACCCGUACCCCGGGUCUUUGAAUAAAGUCUGAGUG GGCGGC	
GC_H_MEASLES_B3 ORF Sequence, NT	AUGUCACCGCAACGAGACCGGAUAAAUGCCUUCACA AAGAUAACCCUUUAUCCCAAGGGAAGUAGGAUAGUUA UUACAGAGACAUCUUAUGAUUGACAGACCUAUG UUCUGCUGGCGUUCUGUUCGUAUGUUUCUGAGCUU GAUCGGAUUGCUGGCAUUGCAGGCAUUAAGCUUCA UCGGGACGCCAUUCACACCGGAGAUCCAUAAGGAC CUCAGUACCAAUUGGAUGUACUAACUCCAUUGGAGC AUCAGGUCAAGGACGUGCUGACACCACUUAUAAAU CAUCGGGAUGAAGUGGCCCUGAGAACCCUCAGAGA UUCACUGACCUAGUAAAUAUCUCGGAACAAGAUUA AAUUCUUAUCCGGAUAGGGAUACGACUUCAGAG AUCUCACUUGGUGCAUCAAACCGCCAGAGAGGAUCA ACUAGAUAUGAUAUAUCUGUGCAGAUUGGCGUC UGAAGAGCUCUAUAUGAUAUGGUGAACUCAAUCU ACUGGAGACCAGAACCAACUCAGUUCUAGCUGUC UCAAGGGAAACUGCUCAGGCCCAUACAACAGAG GUCAAUUUCAAACAUUGCGCUGUCUUGUUGGACUU GUACUUAGGUCGAGGUUAACAUGUUCUUAUAGU CACUAUGACAUCACAGGAAUGUAUGGGGAACCUAC CUAGUUGAAAAGCCUAAUCUGAACAGCAAAGGGUCA GAGUUGUCACAACUGAGCAUGUACCGAGUUGUUGAA GUAGGUGUAUCAGAAACCCGGUUUGGGGCUCCG GUGUUCUAUUGACAAACUUAUUUGAGCAACAGUCA GUAUUGGUCUGGCAACUGUAUGGUGCUUUGGGGG AGCUCAAACUCGACGCCUUUGUCACGGGGACGAUUC UAUCAUAUUCCCUAUCAGGGAUCAGGAAAGGUGU CAGCUUCAGCUCGUAAGCUGGGUGUCUGGAAUCC CCAACCGACAUGCAAUCUGGGUCCCUUAUCAACGG AUGAUCCAGUGGUAAGACAGGCUUUAACUUCUAUCUA CAGAGGUGUCUUCGUGACAUAACAGCAAAUUGGCU GUCCCGACAACCGAACAGAUGACAAGUUGCGAAUGG AGACAUGCUUCAGCAGGCGUUAAGGUAAAAUCCA AGCACUCUGCGAGAAUCCGAGUGGGUACCAUUGAAG GAUAACAGGAUUCUUAUACGGGUCUGUCUGUUG AUCUGAGUCGACGGUUGAGCUAAAAUCAAAUUG CUUCGGGAUUCGGGCAUUGAUCACACCGGCUACGG GAUGGACCUUAUAAAUCACUACCAACUAGUGUAU UGGUCGACUAUUCCGCAUAGAGAAUUAAGCCUAG GCGUAAUCAACAUAUUGGAGUGGAUACCGAGAUUCA AGGUUAGUCCCAACCUUCUACUGUCCAAUUAAGGA AGCAGGCGAAGACUGCAUGCCCAACAUAACCUACCU CGGAGGUGGACGGUAGUUCAAAUCAGUUCCAACC	76

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	UGGUGAUUCUACCCUGGUCAGAUUCUCCAAUAUGUUU UGGCAACCUACGAUACCCAGGGUUGAGCAUGCUGU GGUUUUAUACGUUUACAGCCCAGCCGUCUAAUUUCU UACUUUUUACUUUAGGUUGCCUAAAAGGGGGUC CCAAUCGAACUACAAGUGGAAUGCUUCACUAGGGUAC AAAAAUCUGGUGCCGUCACUUCUGUGUCUUGCGGA CUCAGAAUCCGGUGACUUUACACUCACUCUGGGUAG GUGGGCAUGGGAGUCAGCUGCACAGCUACCCGGGAAG AUGGAACCAAUCGCAGAUAA	
GC_H_MEASLES_B3 mRNA Sequence (assumes T100 Tail) Sequence Length: 2126	G*GGGAAAUAAGAGAGAAAAGAAGAGUAAGAAGAAA UAUAAAGAGCCACCAUGUCACCCGCAACGAGACCGGAUA AAUGCCUUCUACAAGAUACCCUUUACCCAGGGAA GUAGGAUAGUUAAUAAACAGAGAAACUUCUUAUGAUUG ACAGACCCUUAUGUUCUGCUGGCUGUUCUGUUCGUCAU GUUUCUGAGCUUGAUCGGAUUGCUGGCAAUUGCAGG CAUUAGACUUCAUCGGGAGCCAUUCACACCCGGGAG AUCCAUA AAAAGCCUAGUACCAAUCUGGAUGUGACUA ACUCCAUCGAGCAUCAGGUAAGGACGUGCUGACACC ACUCUUUAAAUAUCGGGGAUGAAGUGGGCCUGAG AACACCUAGAGAUUCACUGACCUAGUAAAUAUCUUC UCGGACAAGAUUAAAUCUUAAUCCGGAUAGGGAG UACGACUUCAGAGAUUCACUUGGUGCAUACCCCGC CAGAGAGGAUCAAACUAGAUUAGAUCAAUACUGUG CAGAUGUGGCUGCUGAAGAGCUCAUGAAUGCAUUGG UGAACUCAACUCUACUGGAGACCAGAAACAACCAUCU GUUCCUAGCUGUCUCAAAGGGAAAUCUGCUCAGGGCCC ACUACAUAUCAGAGGUCAAUUCUCAAACUAGUCGUCUG CCUUGUUUGGACUUGUAUUUAGGUCGAGGUUACAAG UGUCAUUCUUAAGUCACUAUGACAUCCAGGGAAUGUA UGGGGGAACCUAACCUAGUUGAAAAGCCUAAUCUGAAC AGCAAAGGGUCAGAUUGUCACAACUGAGCAUGUAC GAGUGUUUGAAGUAGGUGUGAUCAGAAACCCGGGU UGGGGGCUCGGGUGUUCUUAUGACAAACUAAUUUG AGCAACCAGUCAGUAAUGGUCUCGGCAACUGUAUGGU GGCUUUGGGGAGCUCAAACUCGACAGCCUUUGUCAC GGGGACGAUUCUUAUCAAUUUCCUUAUCAGGGUACAG GGAAAGGUGUCAGCUUCACAGCUCGUAAGCUGGGUGU CUGGAAAUCCCAACCGACAUAGCAUUCUGGGUCCCC UUAUCAACGGAUGAUUCAGUGGUAGACAGGCUUUACC UCUCUUCUACAGAGGUGUUCGUCUGACAAUCAAAGC AAAAUGGGCUGUCCCGACAACAGAACAGUAGACAAG UUGCGAAUGGAGACAUUCUUCAGCAGGCUGUUA GGUAAAUAUCCAAAGCACUCUGCGAGAAUCCGAGUGGG UACCAUUGAAGGAUAAACAGGAUUCUUUAUACCGGG UCCUGUCUGUUGAUUCGAGUCUGACGGUUGAGCUUA AAAUCAAAUUGCUUCGGGAUUCGGGCCAUUGAUCAC ACACGGCUCAGGGAUGGACCUAAUCAAUCCAAUCUGC AACAAUGUGUAUUGGCUGACUUAUCCGCCAAUGAGA AAUCUAGCCUUAAGGCGUAAUCAACAUAUUGGAGUGG AUACCGAGAUUCAAGGUUAGUCCCAACCUUCUACUG UCCCAAUUAAGGAAGCAGGCGAAGACUGCCAUGCCCC AACAUACCUAACUUGCGAGGUGGACGGUGAUGUCAAA CUCAGUCCAAACUGGUGAUUCUACUGGUCAGAUC UCCAAUAUUGUUUGGCAACCUAGUAUCCUCCAGGGU UGAGCAUGCUGUGGUUUAUUAACGUUUUACAGCCAAAGC CGCUCAUUUUUUUAUUUUUACUUUUUAGGUUGCCUA UAAAGGGGGUCCCAAUCGAAUCUACAGUGGAAUGCU UCACAUGGGAUCAAACUUCUGGUGCCGUCACUUCUG UGUGCUUUGCGGACUCAGAAUCCGGUGGACUUAUCACU CACUCUGGGAUGGUGGGCAUGGGAGUCAGCUGCACAG CUACCCGGGAAGAUAGGAACCAAUCGAGAUAAUGAUA AUAGGCGGAGCUCGUGGGCCAAAGCUUCUUGCCCCU UGGGCCUCCCCCAGCCCCUCCUCCUUCUGCACCC GUACCCCGUGGUCUUUGAAUAAAGUCUGAGUGGGCG GCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAUUAU	77

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO.
GC_H_MEASLES_D8 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 2065	UCAAGCUUUUGGACCCUCGUACAGAAAGCUAAUACGAC UCACUUAUAGGGAAAUUAGAGAGAAAAGAGAGUUAAG AAGAAAUUAUAGAGCCACCAUGUCACCACAACGAGAC CGGAUAAAUGCCUUCUACAAGACAACCCCAUCCUA AGGGAAAGUAGGAUAGUUUAUACAGAGAAACUUCUA UGAUUGAUAGACCUUAUGUUUUGCGGCGUUCUUAU UCGUCAUGUUUCUGAGCUUGAUCGGGUUGCUAGCCAU UGCAGGCAUUGAGAUUCUUCGGGACGCAUCUACACC GCAGAGAUCUAAAAGCCUCAGCACCACUUCUGGAUG UAAUCUAAUCUAAUCGAGCAUCAGGUUAAGGACGUCU GACACCACUCUUCAGAUCAUCGUGAUGAGUGGGC UUGAGGACACCUAGAGAUUCUAGACCUAGUGAAGU UCAUCUCUGACAAGAUUAAAUUCUUAUCCGGACAG GGAAUACGACUUCAGAGAUUCACUUGGUGUAUCAC CCGCCAGAGAAUCAAUUGGAUUUAUGAUCAAUAC UGUGCAGAUUGGGCUGCUGAAGAUCUAGAAUGCA UUGGUGAACUCACUCUACUGGAGACCAGGGCAACCA AUCAGUUCUAGCUGUCUCAAAGGGAAACUGCUCAGG GCCACUACAACUAGAGGCCAAUUCUAAAACUAGUCG CUGUCCUGUUGGACUUGUAUUUAAGUCGAGGUUAC AAUGUGUCAUCUUAAGUCACUAGCAUCCAGGGAA UGUACGGGGAAACUUAACUAGUGGAAAAGCCUAAUC UGAGCAGCAAAGGGUCAGAGUUUGCACAAUCGAGCA UGCACCGAGUUGUUAAGUAGGUUUUAUCAGAAAUC CGGUUUUGGGGCUCCGGUAUUCUAUAGCAAACUA UCUUGAGCAACCAGUCAGUAUAGUUUAGCAACUUC AUGGUGGCUUUGGGGAGUCUAGUUCGAGCCUCU GUCACAGGGAAGAUUCUACAACAUUCCUUAUCAGGG AUCAGGGAAAGGUGUCAGCUCUCCAGCUGUCAGCUA GGUGUCUGGAAUCCCAACCGACAUGCAUCCUGGG UCCCCUUAUCAACGGAUGAUCCAGUGAUGACAGGCU UUACCUCUCAUCUCACAGAGGCGUUUACGUCACAA CAAGCAAAUUGGGCUGUCCGACAACCGGACAGUAG ACAAGUUUCGAAUGGAGACAUGCUCAGCAGGCGUG UAAGGGUAAAUCCAAGCACUUUGCGAGAAUCCCGAG UGGACACCAUUGAAGGAUAACAGGAUUCUUAUACG GGUUCUUGUCUGUUUAUCUGAGUCUGACAGUUAGC UUAAAUCAAAUUGUUUCAGGAUUCGGGCCAUUGA UCACACACGGUUCAGGGAUGGACCUUAUCAAUCCAA CCACAACAAUAGUUAUUGGCUAGCUAUCGCGCAAUG AAGAACCUGGCCUUAAGGUGUAUCAAACAUUGGAG UGGAUACCGGAUUCAAGGUUAGUCCCAACCUUUA CUGUUCCAAUUAAGGAAGCAGGCGAGGACUGCCAUG CCCAACAUAUCUACUCGCGGAGGUGGAUGGUGAUGUC AAACUCAGUUCCAAUCUGGUGAUUCUACCGGUCAG AUCUCAAUAUGUUUCUGGCAACCUACGAUACUUCAG AGUUGAACAUUGCUGUAGUUUAUACGUUUACAGCC AAGCCGCUCAUUUUUAUCUUUAUCCUUUAGGUUG CCUGUAAGGGGGUCCCAUUGAAUUAACAAGUGGAA UGCUCACAUGGGACCAAAAACUCUGGUGCCGUCACU UCUGUGUCUUGCGGACUCAGAAUCUGGUGGACUAU UCAUCACUCUGGGAUUGGUGGCAUUGGAGUCAGCUG CACAGCCACUCGGGAAGAUGGAACCAGCCGAGAUAG UGAUAAUAGGCUAGGACCCUGGUGGCCAAGCUCUUG CCCCUUGGGCUCUCCCGAGCCUCCUCCUCCUCCUG CACCCGUAACCCCGUGGUCUUUGAAUAAAGUCUGAGU GGCGGGC	78
GC_H_MEASLES_D8 ORF Sequence, NT	AUGUCACCACAACGAGACCGGAUAAAUGCCUUCACA AAGACAACCCCAUCCUUAAGGGAAGUAGGAUAGUUUA UAACAGAGAAACAUUUUAUGAUUAGACCUUAUGU UUUGCUGGCUUUCUUAUCGUCAUGUUUCUGAGCUU GAUCGGUUGCUAGCAUUGCAGGCAUUAAGAUUCUUA CGGGCAGCCAUUCAACCGCAGAGAUCAUAAAAGCC UCAGCACCAUUCUGAUGUAACUAAUCUUAUCGAGCA UCAGUUUAAGGACGUGCUGACACCAUCUUAAGAU AUCGGUGAUGAAGUGGGCUUGAGGACACCUAGAGA UUCACUGACCUAGUAGAUUAUCUUGACAAAGAUUA AAUUCUUAUUCGGACAGGAAUACGACUUCAGAGA UCUCAUUGGUGUAUCAACCCGACAGAGAAUCAA UUGGAUUAUGAUCAAUACUGGUGAUGGUGGUCU	79



TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	GAAGAACUCAUGAAUGCAUUGGUGAACUCAACUCUAC UGGAGACCAGGGCAACCAAUCAGUUCUAGCUGUCUC AAAGGGAACUGUCAGGGCCACUACAAUCAGAGGC CAAUUCUCAAACAUUGUCGUCUCCUGUUGGACUUGU AUUUAAGUCGAGGUUACAAGUUGUCAUAUAGUCA CUAUGACAUCCAGGGAAUGUACGGGGGAACUUACCU AGUGGAAAAGCCUAUCUGAGCAGCAAAGGGUCAGA GUUGUCAACAUCGAGCAUGCACCGAGUUGUUGAAGU AGGUGUUAUCAGAAAUCGGGUUUGGGGGUCUCCGGU AUUCCAUAUGACAAACUAUCUUGAGCAACCAGUCAGU AAUGAUUUCAGCAACUGCAUGGUGGUUUUGGGGAG CUCAGUUCGACGCCUCUGUCACAGGGAAGAUUCUA UCACAAUUCUUAUCAGGGAUCAGGAAAGGUGUCAG CUUCCAGCUUGUCAAGCUAGGUGUCUGGAAUCCCA ACCGACAUGCAUUCUGGGUCCUUAUCAACGGAUG AUCCAGUGAUGAGCAGGCUUACCUUCUACUCACAG AGGCGUUAUCGUCGACAAUCAGCAAAAUGGGUCUC CCGACAACACGGACAGAUGACAAGUUGCGAAUGGAGA CAUGCUCACAGCAGGCGUGUAAGGGUAAAUCCAAGC ACUUUGCGAGAAUCCGAGUGGACCAAUUGAAGGAU AACAGGAUUCUUCUAUCGGGGUCUUGUCUGUUGAU UGAGUCUGACAGUUGAGCUAAAUCAAAUUGUUU CAGGAUUCGGGCCAUUGAUCACACCGGUUCAGGGAU GGACCUAUAACAAUCCAACCAACAUAUGUAUUGG CUGACUAUCCCGCCAAUGAAGAACCUGGCCUAGGGU UAAUCAACACAUUGGAGUGGAUCCGAGAUUCAAGG UUAGUCCCAACUCUUAUCUGUUCCAAUUAAGGAAGC AGGCGAGGACUGCCAUGCCCAACAUAUCCUACUGCG GAGGUGGAUGGUGAUGUCAAAUCAGUUCCAAUCUG GUGAUUCUACUGGUCAAGAUUCCAAUAUGUUUCUGG CAACCUACGAUAUCUCCAGAGUUGAACUAGCUGUAGU UUUAUACGUUUACAGCCCAAGCCGUCAUUUUUCUAC UUUAUUCUUUAGGUUGCCUGUAAGGGGGUCCCA UUGAAUUAACAAGUGGAAUGUUCACAUUGGGACAAA AACUCUGGUGCCGUCACUUCUGUGUCUUGCGGACUC AGAAUCUGGUGGACAUUAUCUACUCUGGGAGUGU GGGCAUGGGAGUCAGCUGCACAGCCACUCGGGAAGAU GGAAACAGCCGAGAUAG	
GC_H_MEASLES_D8 mRNA Sequence (assumes T100 tail) Sequence Length: 2126	G*GGGAAAUAGAGAGAAAAGAAGUAAGAAGAAA UAUAAGAGCCACCAUGUCACCACAACGAGACCGGAUA AAUGCCUUCUACAAGACAACCCCAUCUUAAGGGAA GUAGGAUAGUUAUUAACAGAGAAACUUCUUAUGAUUG AUAGACCUUAUGUUUUGCUGGCUUUAUUCGUCA UGUUUCUGAGCUUGAUCCGGUUGUCUAGCCAUUGCAG GCAUUAGACUUAUCGGGCAGCCAUUCACACCGCAGA GAUCCAAUAAAAGCCUCAGCACCAAUUCGGAUGUAACU AACUCAUUCGAGCAUCAGGUUAAGGACGUGCUGACAC CACUCUUAAGAUAUCGGUGAUGAAGUGGGCUUGA GGACACCUAGAGAUUACUGACCUAGUGAAGUUCAU CUCUGACAAGAUUAAAUCUUAUCCGGACAGGGAA UACGACUUCAGAGAUUCACUUGGUGUAUACCCCGC CAGAGAGAAUCAAUUGGAUUAUGAUCAAUACUGUG CAGAUUGGCGUGCGAAGAAUCUAUGAAUGCAUUGG UGAACUCAACUCUACUGGAGACCAGGGCAACCAAUCA GUUCCUAGCUGUCUCAAAGGGAAACUGUCAGGGCCC ACUCAAAUCAGAGGCCAAUUCUCAAACAUUGUCUGU CCUGUUGGACUUGUAUUUAAGUCGAGGUUACAUAUG UGUCAUUAUAGUCACUAUGACAUCACAGGAAUGUA CGGGGGAACUUAUCUAGUGGAAAAGCCUUAUCUGAGC AGCAAAGGGUCAGAUUGUCAACAUCAGCAUUGCACC GAGUGUUUGAAGUAAGGUGUUUACAGAAUCCGGGUU UGGGGGUCUCCGUUAUUCUAUUGACAACUAUCUUGA GCAACCAUGACAGUAUUAUUCAGCAUCGCAUGGUG GCUUUGGGGAGCUCAAGUUCGACGCCUCUGUCACA GGGAAGAUAUCACAUAUCCUUAUCAGGGAUCAGG GAAAGGUGUCAGCUUCAGCUUUGUCAAGCUAGGUGUC UGGAAAUCCCCAACCGACAUGCAUCCUGGGUCCCC UAUCAACGGAUGAUCCAGUGAUGACAGGCUUUAUCU CUCAUCUCACAGAGGCGUUAUCGUCACAUAUCAGCA AAAUGGGCUGUCCGACAACCGGACAGAUAGACAAGU UGCGAAUGGAGACAUCUUCAGCAGGCGUGUAAG	80

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	GUAAAAUCCAAGCACUUUGCGAGAAUCCCGAGUGGAC ACCAUUGAAGGAUAACAGGAUUCUUCUAUCGGGGUC UUGUCUGUUGAUUCGAGUCUGACAGUUGAGCUUAAA AUCAAAAUUGUUUCAGGAUUCGGGCCAUUGAUCACAC ACGGUUCAGGGAUGGACCUAUAACAAUCCAACCAAA CAUAUUGUAUUGGCUGACUAUCCCGCCAAUGAAGAAC CUGGCCUUAGGUGUAAUCAACACAUUGGAGUGGAUA CCGAGAUUCAAGGUUAGUCCCAACCUCUUCACUGUUC CAUUUAAGGAGCAGGCGAGGACUGCCAUGCCCAAC AUACCUACCUCGGAGGUGGUAUGGUAUGUCAAAUC AGUUCCAAUCUGGUGAUUCUACCGGUAAGAUCC AAUAUGUUCUGGCAACCUACGAUAUCCAGAGUUGA ACAUGCUGUAGUUUUUACGUUUACAGCCCAAGCCG UCAUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUU AGGGGGGUCCCAUUGAAUUAACAAGUGGAUGCUUC ACAUGGGACCAAAACUCUGGUGCCGUCACUUCUGUG UGCUUGCGGACUCAGAAUCUGGUGGACUAUCACUCA CUCUGGGAUGGUGGCAUGGGAGUCAGUCACAGCC ACUCGGGAAGAUUGGAACAGCCGAGAUAGUAUA UAGGUCUGGAGCCUCGGUGGCAAGCUUCUGCCCUU GGGCCUCCCCCAGCCUCCUCCUCCUCCUCCUCCG UACCCCGUGGUCUUUGAAUAAAGUCUGAGUGGGCG CAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAUUCAG	

TABLE 14

MeV Amino Acid Sequences		
Description	Sequence	SEQ ID NO:
GC_F_MEASLES_B3.1 ORF Sequence, AA	MGLKVNVSVMVAVLLTLQTPAGQIHWGNLSKIGVV GIGSASYKMTRSSHQSLVIKLMPNITLLNNCTRVEIA EYRRLRRTVLEPIRDALNMTQNIQVQSVASSRRHK RFAGVVLAGAALGVATAAQITAGIALHRSMLNSQAID NLRASLETTNQAI EAIRQAGQEMILAVQGVQDYINNE LIPSMNQLSCDLIGQKLGKLLRYYTEILSLFGPSLRDP ISAEISIQALSYALGGDINKVLEKLGYSGGDLLGILES GIKARITHVDTESYFIVLSIAYPTLSEIKGVIHVRLEGVS YNIGSQEWYTTVPKYVATQGYLISNFDSESCTFMPEG TVCSQNALYPMSPLLQECRLRGSTKSCARTLVSGSFGN RFILSQGNLIANCASILCKCYTTGTIINQDPDKILTYIAA DRCPVVEVNGVTIQVGSRRYPDAVYLHRIDLGPPI SLE RLDVGTNLGNAIAKLEDAKELLESDQILRSMKGLSST SIVYILIAVCLGGLIGIPTLI CCCRGRCNKKGEQVGMSP PGLKPDLTGTSKSYVRSI*	47
GC_F_MEASLES_D8 ORF Sequence, AA	MGLKVNVSVMVAVLLTLQTPAGQIHWGNLSKIGVVG VGSASYKMTRSSHQSLVIKLMPNITLLNNCTRVGIAE YRRLRRTVLEPIRDALNMTQNIQVQSVASSRRHKK FAGVVLAGAALGVATAAQITAGIALHRSMLNSQAIDN LRSLETTNQAI EAIRQAGQEMILAVQGVQDYINNELI PSMNQLSCDLIGQKLGKLLRYYTEILSLFGPSLRDPIS AEISIQALSYALGGDINKVLEKLGYSGGDLLGILES KARITHVDTESYFIVLSIAYPTLSEIKGVIHVRLEGVSY NIGSQEWYTTVPKYVATQGYLISNFDSESCTFMPEGT VCSQNALYPMSPLLQECRLRGSTKSCARTLVSGSFGNR FILSQGNLIANCASILCKCYTTGTIINQDPDKILTYIAAD HCPVVEVNGVTIQVGSRRYPDAVYLHRIDLGPPI SLE LDVGTNLGNAIAKLEDAKELLESDQILRSMKGLSSTS IVYILIAVCLGGLIGIPALICCCRGRCNKKGEQVGMSP GLKPDLTGTSKSYVRSI*	48
GC_H_MEASLES_B3 ORF Sequence, AA	MSPQRDRINAFYKDNYPKGSRIVINREHLMIDRPYVL LAVLFVMFLSLIGLLAIAGIRLHRAAIYTAIEIHKSLSTN LDVTNSIEHQVKDVLTPFKIIGDEVGLRTPQRFDTLV KPI SDKIKFLNPDREYDFRDLTWCINPPERIKLDYDQY	49

TABLE 14-continued

MeV Amino Acid Sequences		
Description	Sequence	SEQ ID NO:
	CADVAEELMNALVNSTLLETRTTTQFLAVSKGNCS GPTTIRGQFSNMSLSLDDLVLGRGYNVSSIVTMTSQG MYGGTYLVEKPNLNSKGSLSQLSMYRVFEVGVIRNP GLGAPVFHMTNYFEQPVSNGLGNCMVALGELKLAAL CHGDDSIIPYQSGGKGVSFQLVKGWKSPTDMQSW VPLSTDDPVDRLYLSSHRGVIADNQAKWAVPTTRT DDKLRMETCFQACKGKIQALCENPEWVPLKDNRIPS YGVLSVDLSLTVLKI KIASGFGPLITHGSGMDLYKSN CNNVYWLTIIPMRNLALGVINTLEWIPRFKVSPLFTV PIKEAGEDCHAPTYLPAEVDGDVLSNLVILPGQDL QYVLATYDTSRVEHAVVYVYSPSRSPSYFYPFRLPIK GVP IELQVECFWTWQKLWCRHFCVLADSESGGLI THS GMVGMGVSCTATREDGTNR*	
GC_H_MEASLES_D8 ORF Sequence, AA	MSPQRDRINAFYKDNPHPKGSRIVINREHLMIDRPYVL LAVLFVMFLSLIGLLAIAGIRLHRAAIYTAIEIHKSLSTN LDVTNSIEHQVKDVLTPLFKI IGDEVGLRTPQRFDTLV KFISDKIKFLNPDREYDFRDLTWCINPPERIKLDYDQY CADVAEELMNALVNSTLLETRATNQFLAVSKGNCS GPTTIRGQFSNMSLSLDDLVLGRGYNVSSIVTMTSQGM YGGTYLVEKPNLSSKGSLSQLSMHRVFEVGVIRNPG LGAPVFHMTNYLEQPVSNDFSNMVALGELKFAALC HREDSITIPYQSGGKGVSFQLVKGWKSPTDMQSW VPLSTDDPVIDRLYLSSHRGVIADNQAKWAVPTTRTD DKLRMETCFQACKGKIQALCENPEWVPLKDNRI PSY GVLSVDLSLTVLKI KIVSGFGPLITHGSGMDLYKSNH NNMYWLTIIPMKNLALGVINTLEWIPRFKVSPLFTV PIKEAGEDCHAPTYLPAEVDGDVLSNLVILPGQDL QYVLATYDTSRVEHAVVYVYSPSRSPSYFYPFRLPV RGVPIELQVECFWTWQKLWCRHFCVLADSESGGHITH SGMVGMGVSCTATREDGTSRR*	50

TABLE 15

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
hemagglutinin	hemagglutinin [Measles virus strain Moraten]	AAF85673.1
hemagglutinin	hemagglutinin [Measles virus strain Rubeovax]	AAF85689.1
hemagglutinin	hemagglutinin [Measles virus]	AAF89824.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAA91369.1
hemagglutinin	hemagglutinin [Measles virus]	BAJ23068.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39848.1
hemagglutinin	hemagglutinin [Measles virus]	AAA50551.1
hemagglutinin	RecName: Full = Hemagglutinin glycoprotein	P08362.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63802.1
hemagglutinin	hemagglutinin [Measles virus]	AAA56650.1
hemagglutinin	hemagglutinin [Measles virus]	AAA56642.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74936.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAH56665.1
hemagglutinin	hemagglutinin [Measles virus]	ACC86105.1
hemagglutinin	hemagglutinin [Measles virus strain Edmonston-Zagreb]	AAF85697.1
hemagglutinin	hemagglutinin [Measles virus]	AAR89413.1
hemagglutinin	hemagglutinin [Measles virus]	AAA56653.1
hemagglutinin	RecName: Full = Hemagglutinin glycoprotein	P35971.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94916.1
hemagglutinin	hemagglutinin [Measles virus]	AAC03036.1
hemagglutinin	hemagglutinin [Measles virus]	AAF85681.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94927.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94925.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39835.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94931.1
hemagglutinin	hemagglutinin [Measles virus genotype A]	AFO84712.1
hemagglutinin	hemagglutinin [Measles virus]	AAA56639.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94926.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39836.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94929.1
hemagglutinin	RecName: Full = Hemagglutinin glycoprotein	P06830.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
hemagglutinin	Hemagglutinin [Measles virus]	CAB94928.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39837.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74935.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43780.1
hemagglutinin	hemagglutinin [Measles virus]	BAA09952.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43815.1
hemagglutinin	hemagglutinin [Measles virus]	AAF28390.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94923.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43785.1
hemagglutinin	hemagglutinin [Measles virus]	ABD34001.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43782.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43781.1
hemagglutinin	hemagglutinin [Measles virus]	BAH22353.1
hemagglutinin	hemagglutinin [Measles virus]	AAC35878.2
hemagglutinin	hemagglutinin protein [Measles virus]	AAL86996.1
hemagglutinin	hemagglutinin [Measles virus]	CAA76066.2
hemagglutinin	hemagglutinin [Measles virus]	AAA46428.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43803.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94918.1
hemagglutinin	hemagglutinin [Measles virus]	AAF72162.1
hemagglutinin	hemagglutinin [Measles virus]	AAM70154.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43776.1
hemagglutinin	hemagglutinin [Measles virus genotype D4]	ACT78395.1
hemagglutinin	hemagglutinin [Measles virus genotype D7]	AAL02030.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43789.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43774.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94920.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94922.1
hemagglutinin	hemagglutinin [Measles virus]	ABB59491.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39843.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43804.1
hemagglutinin	hemagglutinin [Measles virus]	AAX52048.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94930.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74526.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43814.1
hemagglutinin	hemagglutinin [Measles virus]	ABB59493.1
hemagglutinin	hemagglutinin [Measles virus genotype D4]	AAL02019.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94919.1
hemagglutinin	hemagglutinin protein [Measles virus]	AAL86997.1
hemagglutinin	hemagglutinin [Measles virus genotype C2]	AAL02017.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43769.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43808.1
hemagglutinin	hemagglutinin [Measles virus]	BAO97032.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43805.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43777.1
hemagglutinin	hemagglutinin [Measles virus]	AAL67793.1
hemagglutinin	hemagglutinin [Measles virus]	AAF89816.1
hemagglutinin	hemagglutinin [Measles virus genotype D4]	AAL02020.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43786.1
hemagglutinin	hemagglutinin protein [Measles virus strain MV1/New Jersey.USA/45.05]	AEP40452.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74531.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63800.1
hemagglutinin	hemagglutinin [Measles virus]	AAO21711.1
hemagglutinin	hemagglutinin [Measles virus genotype D8]	ALE27189.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43810.1
hemagglutinin	hemagglutinin [Measles virus]	AAF89817.1
hemagglutinin	hemagglutinin [Measles virus genotype D6]	AAL02022.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43800.1
hemagglutinin	hemagglutinin protein [Measles virus genotype B3]	AGA17219.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43770.1
hemagglutinin	hemagglutinin protein [Measles virus strain MV1/Texas.USA/4.07]	AEP40444.1
hemagglutinin	hemagglutinin [Measles virus]	AAX52047.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63794.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63796.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74528.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63774.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63795.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74519.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43778.1
fusion protein	fusion protein [Measles virus strain Moraten]	AAF85672.1
fusion protein	fusion protein [Measles virus]	AAA56645.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
fusion protein	fusion protein [Measles virus strain Rubeovax]	AAF85688.1
fusion protein	fusion protein [Measles virus]	AAF85680.1
fusion protein	fusion protein [Measles virus]	AEF30359.1
fusion protein	fusion protein [Measles virus]	BAA09957.1
fusion protein	fusion protein [Measles virus]	AAV84957.1
fusion protein	fusion protein [Measles virus MeV-eGFP_Edm-tag]	AI116636.1
fusion protein	fusion protein [Measles virus]	ABY58018.1
fusion protein	fusion protein [Measles virus]	BAA19838.1
fusion protein	fusion protein [Measles virus]	AAA56641.1
fusion protein	F protein [Measles virus]	ABK40529.1
fusion protein	fusion protein [Measles virus]	AAA56652.1
fusion protein	fusion protein [Measles virus]	ABY58017.1
fusion protein	fusion protein [Measles virus]	ABB71645.1
fusion protein	fusion protein [Measles virus]	NP_056922.1
fusion protein	fusion protein [Measles virus strain AIK-C]	AAF85664.1
fusion protein	fusion protein [Measles virus]	BAB60865.1
fusion protein	fusion protein [Measles virus]	BAA09950.1
fusion protein	fusion protein [Measles virus strain MVi/New York,USA/26.09/3]	AEP40403.1
fusion protein	fusion protein [Measles virus]	AAA74934.1
fusion protein	fusion protein [Measles virus]	CAB38075.1
fusion protein	fusion protein [Measles virus strain MVi/Texas,USA/4.07]	AEP40443.1
fusion protein	fusion protein [Measles virus]	AAF02695.1
fusion protein	fusion protein [Measles virus]	AAF02696.1
fusion protein	fusion protein [Measles virus]	AAT99301.1
fusion protein	fusion protein [Measles virus]	ABB71661.1
fusion protein	fusion protein [Measles virus]	BAK08874.1
fusion protein	fusion protein [Measles virus]	AAF02697.1
fusion protein	fusion protein [Measles virus genotype D4]	AFY12704.1
fusion protein	fusion protein [Measles virus strain MVi/California,USA/16.03]	AEP40467.1
fusion protein	fusion protein [Measles virus genotype D8]	AHN07989.1
fusion protein	fusion protein [Measles virus]	AAA46421.1
fusion protein	fusion protein [Measles virus]	AAA56638.1
fusion protein	fusion protein [Measles virus strain MVi/Virginia,USA/15.09]	AEP40419.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27200.1
fusion protein	fusion protein [Measles virus genotype D8]	AFY12695.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27248.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27224.1
fusion protein	fusion protein [Measles virus]	AAT99300.1
fusion protein	fusion protein [Measles virus]	BAH96592.1
fusion protein	fusion protein [Measles virus strain MVi/California,USA/8.04]	AEP40459.1
fusion protein	fusion protein [Measles virus genotype D8]	AIG94081.1
fusion protein	fusion protein [Measles virus]	BAA09951.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27194.1
fusion protein	fusion protein [Measles virus]	BAA33871.1
fusion protein	fusion protein [Measles virus strain MVi/Washington,USA/18.08/1]	AEP40427.1
fusion protein	fusion protein [Measles virus]	ABY21182.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27284.1
fusion protein	fusion protein [Measles virus]	ACA09725.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27314.1
fusion protein	fusion protein [Measles virus genotype G3]	AFY12712.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27368.1
fusion protein	RecName: Full = Fusion glycoprotein F0; Contains: RecName: Full = Fusion glycoprotein F2; Contains: RecName: Full = Fusion glycoprotein F1; Flags: Precursor	P35973.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53713.1
fusion protein	unnamed protein product [Measles virus]	CAA34588.1
fusion protein	fusion protein [Measles virus]	CAA76888.1
fusion protein	fusion protein [Measles virus genotype B3.1]	AIY55563.1
fusion protein	fusion protein [Measles virus]	ADO17330.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53703.1
fusion protein	fusion protein [Measles virus genotype B3]	AGA17208.1
fusion protein	fusion protein [Measles virus]	AAL29688.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53706.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53701.1
fusion protein	fusion protein [Measles virus genotype B3]	ALE27092.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53714.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53694.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
fusion protein	fusion protein [Measles virus genotype H1]	AIG53668.1
fusion protein	fusion protein [Measles virus]	ACC86094.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53670.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53707.1
fusion protein	fusion protein [Measles virus genotype B3]	AGA17216.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53671.1
fusion protein	fusion protein [Measles virus strain MVi/New Jersey,USA/45.05]	AEP40451.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53684.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53688.1
fusion protein	fusion protein [Measles virus genotype B3]	AGA17214.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53683.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53667.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53686.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53685.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53681.1
	unnamed protein product [Measles virus]	CAA34589.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53678.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53710.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53669.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53664.1
fusion protein	fusion protein [Measles virus]	AAA50547.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53679.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53709.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53672.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53697.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53689.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53676.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53675.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53663.1
fusion protein	fusion protein [Measles virus]	BAA19841.1
fusion protein	fusion protein [Measles virus]	AAF02701.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53680.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53674.1
C protein	C protein [Measles virus strain Moraten]	AAF85670.1
C protein	RecName: Full = Protein C	P03424.1
C protein	C protein [Measles virus]	ACN54404.1
C protein	C protein [Measles virus]	ACN54412.1
C protein	RecName: Full = Protein C	P35977.1
C protein	C protein [Measles virus]	AAF85678.1
C protein	C protein [Measles virus]	ABD33998.1
C protein	unnamed protein product [Measles virus]	CAA34586.1
C protein	C protein [Measles virus]	BAJ51786.1
C protein	C protein [Measles virus]	BAA33869.1
C protein	virulence factor [Measles virus]	ABO69700.1
C protein	C protein [Measles virus]	NP_056920.1
C protein	C protein [Measles virus]	ADO17333.1
C protein	C protein [Measles virus]	ACC86082.1
C protein	C protein [Measles virus]	BAA33875.1
C protein	C protein [Measles virus]	ABY21189.1
C protein	C protein [Measles virus]	BAE98296.1
C protein	C protein [Measles virus]	ADU17782.1
C protein	C protein [Measles virus strain MVi/Virginia,USA/15.09]	AEP40417.1
C protein	C protein [Measles virus]	ADU17814.1
C protein	C protein [Measles virus]	ADU17798.1
C protein	C protein [Measles virus genotype D4]	AFY12700.1
C protein	C protein [Measles virus]	ADU17784.1
C protein	C protein [Measles virus strain MVi/California,USA/16.03]	AEP40465.1
C protein	C protein [Measles virus]	ABB71643.1
C protein	C protein [Measles virus]	AEI91027.1
C protein	C protein [Measles virus]	ADU17874.1
C protein	C protein [Measles virus]	ADU17903.1
C protein	C protein [Measles virus]	CAA34579.1
C protein	C protein [Measles virus]	ADU17790.1
C protein	C protein [Measles virus]	ADU17800.1
C protein	C protein [Measles virus]	ABB71667.1
C protein	unnamed protein product [Measles virus]	CAA34572.1
C protein	C protein [Measles virus strain MVi/Arizona,USA/11.08/2]	AEP40433.1
C protein	C protein [Measles virus]	ADU17830.1
C protein	C protein [Measles virus]	ADU17947.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
C protein	C protein [Measles virus]	ADU17818.1
C protein	C protein [Measles virus strain MVi/New Jersey,USA/45.05]	AEP40449.1
C protein	C protein [Measles virus strain MVi/Texas,USA/4.07]	AEP40441.1
C protein	C protein [Measles virus]	ADU17864.1
C protein	C protein [Measles virus]	ADU17838.1
C protein	C protein [Measles virus]	ADU17881.1
C protein	C protein [Measles virus strain MVi/Washington,USA/18.08/1]	AEP40425.1
C protein	C protein [Measles virus]	ADU17927.1
C protein	C protein [Measles virus]	ADU17953.1
C protein	C protein [Measles virus]	ADU17889.1
C protein	C protein [Measles virus]	ADU17963.1
C protein	C protein [Measles virus]	ADU17893.1
C protein	C protein [Measles virus]	ADU17820.1
C protein	C protein [Measles virus]	ABB71651.1
C protein	C protein [Measles virus]	ADU17786.1
C protein	C protein [Measles virus]	ADU17862.1
C protein	C protein [Measles virus]	ADU17923.1
C protein	C protein [Measles virus]	ADU17959.1
C protein	C protein [Measles virus]	ADU17951.1
C protein	C protein [Measles virus]	ADU17916.1
C protein	C protein [Measles virus]	ADU17957.1
C protein	C protein [Measles virus]	ADU17925.1
C protein	C protein [Measles virus]	ADU17901.1
C protein	C protein [Measles virus]	ADU17887.1
C protein	C protein [Measles virus]	ADU17832.1
C protein	C protein [Measles virus]	ADU17891.1
C protein	C protein [Measles virus]	ADU17961.1
C protein	C protein [Measles virus]	ADU17872.1
C protein	C protein [Measles virus]	ADU17929.1
C protein	C protein [Measles virus]	ADU17908.1
C protein	C protein [Measles virus]	ADU17910.1
C protein	C protein [Measles virus]	ADU17921.1
C protein	C protein [Measles virus]	ADU17824.1
C protein	C protein [Measles virus strain MVi/Pennsylvania,USA/20.09]	AEP40473.1
C protein	C protein [Measles virus]	ADU17828.1
C protein	C protein [Measles virus]	ADU17812.1
C protein	C protein [Measles virus genotype D8]	AFY12692.1
C protein	nonstructural C protein [Measles virus]	ABA59559.1
C protein	RecName: Full = Protein C	Q00794.1
C protein	nonstructural C protein [Measles virus]	ADO17934.1
C protein	nonstructural C protein [Measles virus]	ACJ66773.1
C protein	C protein [Measles virus genotype G3]	AFY12708.1
C protein	RecName: Full = Protein C	P26035.1
C protein	C protein [Measles virus]	BAA84128.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	Q77M43.1
nucleoprotein	nucleocapsid protein [Measles virus strain Rubeovax]	AAF85683.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	Q89933.1
nucleoprotein	nucleocapsid protein [Measles virus strain AIK-C]	AAF85659.1
nucleoprotein	nucleoprotein [Measles virus]	AB154102.1
nucleoprotein	nucleoprotein [Measles virus]	AAA56643.1
nucleoprotein	nucleoprotein [Measles virus]	AAC03050.1
nucleoprotein	nucleoprotein [Measles virus]	AAA18990.1
nucleoprotein	nucleoprotein [Measles virus]	AAA56640.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	P35972.1
nucleoprotein	RecName: Full=Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	P10050.1
nucleoprotein	N protein [Measles virus]	BAB60956.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	B1AAA7.1
nucleoprotein	nucleoprotein [Measles virus]	AAA18991.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46894.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
nucleoprotein	nucleoprotein [Measles virus]	CAB46871.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46872.1
nucleoprotein	nucleoprotein [Measles virus]	ABU49606.1
nucleoprotein	nucleocapsid protein [Measles virus]	AAA75494.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46883.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46892.1
nucleoprotein	unnamed protein product [Measles virus]	CAA34584.1
nucleoprotein	nucleoprotein [Measles virus]	AAA18997.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46863.1
nucleoprotein	nucleoprotein [Measles virus]	AEF30352.1
nucleoprotein	nucleoprotein [Measles virus]	ABI54103.1
nucleoprotein	nucleocapsid protein [Measles virus]	AAA46433.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46902.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46873.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46906.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74547.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74537.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46862.1
nucleoprotein	nucleocapsid protein [Measles virus]	BAA09961.1
nucleoprotein	nucleoprotein [Measles virus]	AAO15875.1
nucleoprotein	nucleoprotein [Measles virus]	AAO15871.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46882.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60124.1
nucleoprotein	nucleoprotein [Measles virus]	ABI54104.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46869.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46880.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74541.1
nucleoprotein	nucleocapsid protein [Measles virus strain MVi/New Jersey.USA/45.05]	AEP40446.1
nucleoprotein	nucleoprotein [Measles virus]	ABI54110.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46903.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46899.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46901.1
nucleoprotein	nucleocapsid protein [Measles virus]	ABB71640.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60113.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60114.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60116.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46895.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60121.1
nucleoprotein	nucleoprotein [Measles virus]	ABI54111.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46889.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46898.1
nucleoprotein	nucleoprotein [Measles virus genotype B3]	ALE27083.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60118.1
nucleoprotein	nucleocapsid protein [Measles virus]	CAA34570.1
nucleoprotein	nucleoprotein [Measles virus]	AAC29443.1
nucleoprotein	nucleocapsid protein [Measles virus strain MVi/Washington.USA/18.08/1]	AEP40422.1
nucleoprotein	nucleoprotein [Measles virus]	AAO15872.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46874.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74550.1
nucleoprotein	nucleocapsid protein [Measles virus]	ABB71648.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46900.1
nucleoprotein	nucleoprotein [Measles virus]	BAH22440.1
nucleoprotein	nucleocapsid protein [Measles virus]	AAA46432.1
nucleoprotein	nucleocapsid protein [Measles virus]	BAA33867.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74539.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60115.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60123.1
nucleoprotein	nucleocapsid protein [Measles virus]	ABB71664.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60125.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74546.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46886.1
nucleoprotein	nucleoprotein [Measles virus]	BAH22350.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46867.1
nucleoprotein	nucleocapsid protein [Measles virus]	BAA09954.1
nucleoprotein	nucleoprotein [Measles virus]	AAO15873.1
nucleoprotein	nucleocapsid protein [Measles virus]	AEP95735.1
nucleoprotein	nucleoprotein [Measles virus]	AAL37726.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74549.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	P26030.1



TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
nucleoprotein	nucleoprotein [Measles virus ETH55/99]	AAK07777.1
nucleoprotein	nucleoprotein [Measles virus genotype B3]	AGA17238.1
nucleoprotein	nucleoprotein [Measles virus]	AEF30351.1
nucleoprotein	nucleoprotein [Measles virus genotype B3]	AGA17242.1
nucleoprotein	nucleoprotein [Measles virus ETH54/98]	AAK07776.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74548.1
nucleoprotein	nucleoprotein [Measles virus]	AAA19221.1
nucleoprotein	nucleoprotein [Measles virus]	AAC03039.1
nucleoprotein	nucleoprotein [Measles virus]	AAA19223.1
nucleoprotein	nucleoprotein [Measles virus genotype B3]	AGA17241.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60122.1
nucleoprotein	nucleoprotein [Measles virus]	CAC34599.1
nucleoprotein	nucleoprotein [Measles virus]	AAC03042.1
nucleoprotein	nucleoprotein [Measles virus]	CAC34604.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74544.1
nucleoprotein	nucleocapsid protein [Measles virus]	NP_056918.1
V Protein	RecName: Full = Non-structural protein V	Q9IC37.1
V Protein	RecName: Full = Non-structural protein V	Q9EMA9.1
V Protein	V protein [Measles virus]	ACN54411.1
V Protein	V protein [Measles virus]	ACN54403.1
V Protein	V protein [Measles virus]	AEP95742.1
V Protein	V protein [Measles virus strain MVi/Virginia.USA/15.09]	AEP40416.1
V Protein	V protein [Measles virus]	ADU17801.1
V Protein	V protein [Measles virus]	ADU17849.1
V Protein	V protein [Measles virus]	ABB71642.1
V Protein	V protein [Measles virus genotype D8]	AFY12693.1
V Protein	V protein [Measles virus]	YP_003873249.2
V Protein	V protein [Measles virus strain MVi/Arizona.USA/11.08/2]	AEP40432.1
V Protein	RecName: Full = Non-structural protein V	P26036.1
V Protein	V protein [Measles virus strain MVi/California.USA/16.03]	AEP40464.1
V Protein	V protein [Measles virus strain MVi/California.USA/8.04]	AEP40456.1
V Protein	V protein [Measles virus]	ABY21188.1
V Protein	V protein [Measles virus strain MVi/Washington.USA/18.08/1]	AEP40424.1
V Protein	V protein [Measles virus]	BAH96581.1
V Protein	V protein [Measles virus]	ABB71666.1
V Protein	RecName: Full = Non-structural protein V	P60168.1
V Protein	V protein [Measles virus]	BAH96589.1
V Protein	V protein [Measles virus]	ADU17954.1
V Protein	V protein [Measles virus strain MVi/New York.USA/26.09/3]	AEP40400.1
V Protein	V protein [Measles virus]	ABY21196.1
V Protein	virulence factor [Measles virus]	ABO69701.1
V Protein	V protein [Measles virus]	ABB71650.1
V Protein	V protein [Measles virus]	ACC86086.1
V Protein	V protein [Measles virus genotype D4]	AFY12702.1
V Protein	V protein [Measles virus strain MVi/New Jersey.USA/45.05]	AEP40448.1
V Protein	V protein [Measles virus]	BAE98295.1
V Protein	V protein [Measles virus]	ACC86083.1
V Protein	V protein [Measles virus]	ACU5139.1
V Protein	V protein [Measles virus]	ADO17334.1
V Protein	V protein [Measles virus]	ADU17930.1
V Protein	V protein [Measles virus genotype G3]	AFY12710.1
V Protein	V protein [Measles virus strain MVi/Pennsylvania.USA/20.09]	AEP40472.1
V Protein	phosphoprotein [Measles virus]	ADU17839.1
V Protein	V protein [Measles virus]	ADU17894.1
V Protein	V protein [Measles virus]	ACN50010.1
V Protein	V protein [Measles virus]	ADU17892.1
V Protein	unnamed protein product [Measles virus]	CAA34585.1
V Protein	V protein [Measles virus]	ABD33997.1

TABLE 16

Name	Sequence	SEQ ID NO:
Flagellin Nucleic Acid Sequences		
NT (5' UTR, ORF, 3' UTR)	<p>TCAAGCTTTTGGACCTCGTACAGAAGCTAATACGACTCACTAT                      AGGGAATTAAGAGAGAAAAGAAGAGTAAGAAGAAATATAAG                      AGCCACCATGGCACAAGTCATTAATACAACAGCCTGTGCGTGTG                      TTGACCCAGAATAACCTGAACAAATCCCAGTCCGCCTGGGCA                      CTGCTATCGAGCGTTTGTCTTCCGGTCTGCGTATCAACAGCGCG                      AAAGACGATGCGGCAGGACAGGCGATTGCTAACCGTTTACCG                      CGAACATCAAAGGTCTGACTCAGGCTTCCCGTAACGCTAACGA                      CGGTATCTCCATTGCGCAGACCCTGAAGGCGCGCTGAACGAA                      ATCAACAACAACCTGCAGCGTGTGCGTGAACCTGGCGGTTGAGT                      CTGCGAATGGTACTAACTCCCAGTCTGACCTCGACTCCATCCAG                      GCTGAAATCACCCAGCGCCTGAACGAAATCGACCGTGTATCCG                      GCCAGACTCAGTTCACCGCGTGAAGTCTGGCGCAGGACAA                      CACCCTGACCATCCAGGTTGGTGCCAACGACGGTGAAATATC                      GATATTGATTTAAAAGAAATCAGCTCTAAAACTGGGACTTG                      ATAAGCTTAATGTCCAAGATGCCTACACCCGAAAGAACTGC                      TGTAAACCGTTGATAAACTACCTATAAAAATGGTACAGATCCT                      ATTACAGCCAGAGCAATACTGATATCCAACTGCAATTGGCG                      GTGGTGCAACGGGGTTACTGGGGCTGATATCAAATTTAAGA                      TGGTCAATACTATTTAGATGTTAAAGGCGGTGCTTCTGCTGGTG                      TTTATAAAGCCACTTATGATGAAACTACAAGAAAGTAAATAT                      TGATACGACTGTATAAATCCGTTGGCACTGCGGAAGCTACA                      GCTATTTCGGGGAACGGCCACTATAACCCACAACCAATTTGCTG                      AAGTAACAAAAGAGGGTGTGATACGACCACAGTTGCGGCTCA                      ACTTGTCTGAGCAGGGTTACTGGCGCCGATAAGGACAACTACT                      AGCCTTGTAAAATATCGTTTGGAGATAAAAACGGTAAGGTTA                      TTGATGGTGGCTATGCAGTGAATAAAGGCGACGATTTCTATGC                      CGCTACATATGATGAGAAAACAGGTGCAATTAAGTCTAAAACC                      ACTACTTATACAGATGGTACTGGCGTGTCTCAAACCTGGAGCTGT                      GAAAATTTGGTGGCGCAATGGTAAATCTGAAGTTGTTACTGCT                      ACCGATGGTAAGACTTACTTAGCAAGCGACTTGACCAACATA                      ACTTCAGAACAGGCGGTGAGCTTAAAGAGGTTAATACAGATAA                      GACTGAAAACCCACTGCAGAAAATGATGCTGCCTTGGCACAG                      GTTGATACACTTCGTTCTGACCTGGGTGCGGTTGAGAACCGTT                      CAACTCCGCTATCACCAACCTGGGCAATACCGTAATAAACCTG                      TCTTCTGCCCGTAGCCGATATCGAAGATTCGACTACGCAACCGA                      AGTCTCCAACATGTCTCGCGCGCAGATTCTGCAGCAGGCGGTT                      ACCTCCGTTCTGGCGCAGGCGAACAGGTTCCGCAAAACGTCC                      TCTCTTACTGCGTTGATAAATAGGCTGGAGCCTCGGTGGCCATG                      CTCTTTGCCCTTGGGCTCCCCCAGCCCTCCTCCCTTCTCTG                      CACCCGTAACCCCGTGGTCTTTGAATAAAGTCTGAGTGGGCGGC</p>	51
ORF Sequence, NT	<p>ATGGCACAAGTCATTAATACAACAGCCTGTGCTGTGACCC                      AGAATAACCTGAACAAATCCCAGTCCGCACTGGGCACTGCTAT                      CGAGCGTTTGTCTTCCGGTCTGCGTATCAACAGCGCAAGAGC                      GATGCGGCAGGACAGGCGATTGCTAACCGTTTACCGCGAACA                      TCAAAGGTCTGACTCAGGCTTCCCGTAACGCTAACGACGGTAT                      CTCCATTGCGCAGACCCTGAAGGCGCGCTGAACGAAATCAAC                      AACCACTGCAGCGTGTGCGTGAACCTGGCGGTTGAGTCTGCGA                      ATGGTACTAATCCAGTCTGACCTCGACTCCATCCAGGCTGAA                      ATCAACCCAGCGCCTGAACGAAATCGACCGTGTATCCGGCCAGA                      CTCAGTTCACCGCGTGAAGTCTGGCGCAGGACAACACCCCT                      GACCATCCAGGTTGGTGCCAACGACGGTGAAACTATCGATATT                      GATTTAAAAGAAATCAGCTCTAAAACACTGGGACTTGATAAGC                      TTAATGTCCAAGATGCCACACCCGAAAGAAACTGCTGTAAC                      CGTTGATAAACTACCTATAAAAATGGTACAGATCCTATTACA                      GCCCAGAGCAATACTGATATCCAACTGCAATTGGCGGTGGTG                      CAACGGGGTTACTGGGGCTGATATCAAATTTAAGATGGTCA                      ATACTATTTAGATGTTAAAGGCGGTGCTTCTGCTGGTGTTTATA                      AAGCCACTTATGATGAAACTACAAGAAAGTTAATATTGATAC                      GACTGATAAACTCCGTGGCAACTGCGGAAGCTACAGCTATT                      CGGGGAACGGCCACTATAACCCACAACCAATTTGCTGAAGTAA                      CAAAAGAGGGTGTGATACGACCAAGTTCGCGCTCAACTTGC                      TGCAGCAGGGTTACTGGCGCCGATAAGGACAATACTAGCCTT                      GTAAAATATCGTTTGGAGATAAAAACGGTAAGGTTATTGATG                      GTGGCTATGCAGTGAATAAAGGCGACGATTTCTATGCGCTAC                      ATATGATGAGAAAACAGGTGCAATTAAGTCTAAAACCACTACT                      TATACAGATGGTACTGGCGTTGCTCAAACCTGGAGCTGTGAAAT                      TTGGTGGCGCAATGGTAAATCTGAAGTGTACTGCTACCGAT                      GGTAAGACTTACTTAGCAAGCGACTTGACAAACATAACTTCA                      GAACAGGCGGTGAGCTTAAAGAGGTTAATACAGATAAGACTG                      AAAACCACTGCAGAAAATTTGATGCTGCCTGGCACAGGTTGA                      TACACTTCGTTCTGACCTGGGTGCGGTTGAGAACCGTTTCAAT</p>	52

TABLE 16-continued

Name	Sequence	SEQ ID NO:
	CCGCTATCACCAACCTGGGCAATACCGTAAATAACCTGTCTTCT GCCCCGTAGCCGTATCGAAGATTCCGACTACGCAACCGAAGTCT CCAACATGTCTCGCGCGAGATTCTGCAGCAGGCCGGTACCTC CGTTCTGGCGCAGGCCGAACCAGGTTCCGCAAAACGTCTCTCTT TACTGCGT	
mRNA Sequence (assumes T100 tail)	G*GGGAAAUAAGAGAGAAAAGAGUAAGAAGAAAUAUA GAGCCACC AUGGCACAAGUCAUUAUACAAACAGCCUGUCG UGUUGACC CAGAAUAACUGAACAAAUC CAGUCCGCACUGG GCACUGCUAUCGAGCGUUUGUCUUC CCGUCUGCGUAUCAACA GCGCGAAAACGAUGCGGCAGGACAGGC GAUUGCUAACCGUU UUACCGCGAACAUCAAAGGUCUGACUCAGGC UUC CCGUAACG CUAACGACGGUAUCUCCAUUGCGCAGACCACUGAAGCGCGC UGAACGAAUCAAACAACCCUGCAGCGUGUGCGUAACUGG CGGUUCAGUCUGCGAAUGGUAUAACUC CAGUCUGACCCUCG ACUCCAUC CAGGCUGAAAUCACCCAGCGCCUGAACGAAUUCG ACCGUGUAUCCGGCCAGACUCAGUUC CACGCGGUAAGGUC UGGCGCAGGACAAACCCUGACCAUC CAGGUUGGUGCCAACG ACGGUGAAACUAUCGAUAUUGAUUAAAAGAAAACAGCUCU AAAAACUCGGGACUUGAUAAAGCUUAAUGUC CAAGAUGCCUAC ACCCCGAAAAGAACUGCUGUAACCGUUAUAAAACUACCUAU AAAAAUGGUACAGAUCCUUAUACAGCCAGAGCAUAUCUGAU AUCCAAACUGCAAUUGGCGGUGGUC CACGCGGUAUCUGG GGCUGAUUCAAAUUAAAAGUUGGUAUAUCUAUUUGAUG UAAAAGGCGGUCUUCUGCUGGUGUUUAAAAGCCACUUUA GAUGAAACUACAAAGAAAGUUAAUUAUGAUACGACUGAUAA AACUCCGUUGGCAACUGCGGAAGCUACAGCUAUUCGGGAAAC GGCCACUAUAAACCACAACCAAUUGCUGAAGUAACAAAGA GGGUGUUGAUACGACCACAGUUGCGGCUCAACUUGCUGCAGC AGGGGUUAUCUGGCGCCGAUAAGGACAUAUCUAGCCUUGUA AACUAUCGUUUAGGAUAAAACCGUAAGGUUAUUGAUGGU GGCUAUGCAGUAAAUGGGCGACGAUUUCUAGCCGCUACA UAUGAUGGAAAACAGGUGCAAUUCUGCUAAAAC CACUAC UUUAACAGAUUGGUAUCUGGCGUUGCUCAAACUGGAGCUGGA AAUUUGGUGGCGCAAUUGGUAUUUCUGAAGUUGUUAUCGCU ACCGAUGGUAAGACUUAUCUAGCAAGCGACC UUGACAAACAU AACUUCAGAACAGGCGGUGAGCUUAAAGAGGUUAUAUCAGA UAAGACUGAAAACCCACUGCAGAAAUAUGAUGCUGCCUUGGC ACAGGUUGAUACAUUCGUUCUGACCCUGGUGCGGUUCAGAA CCGUUUCAAUC CCGCUAUCACCAAACUGGCAUAUCCGUAAA UAACCGUUCUUCUGCCCGUAGCCGUAUCGAGAAUUCGACUA CGCAACCGAAGUCUCAACAUUGUCUGCGCGCAGAUUCUGCA GCAGGCCGUAUCCUCGUUCUGGCGCAGCGAAC CAGGUUCC GCAAAACGUCUCUUCUUAUCUGCGUUGAUUAUAGGCUUGGAGC CUCGGUGGCCAUGCUUCUUGCCCUUGGGCCUCCCCCAGCC CCUCCUCCUUCUGCACCCGUAACCCCGUGGUCUUUGAAU AAAGUCUGAGUGGGCGGCAAAAAAAAAAAAAAAAAAAAAA AA AAAUCUAG	53
	Flagellin mRNA Sequences	
NT (5' UTR, ORF, 3' UTR)	UCAAGCUUUUGGACCCUCGUACAGAAAGCUAAUACGACUCACU AUAGGGAAAUAAGAGAGAAAAGAAAGAUAGAAGAAAUAUA AGAGCCACC AUGGCACAAGUCAUUAUA CAAACAGCCUGUCG CUGUUGACC CAGAUAAC CUGAACAAUCC CAGUCCGCAUCG GGCACUGCUAUCGAGCGUUUGUCUUC CCGUCUGCGUAUCAAC AGCGCGAAAGACGAUGCGGCAGGACAGGCGAUUGCUAACCGU UUUAACCGGAA CAUCAAAAGGUCUGACUCAGGCUUCCCGUAAC GCUAACGACGGUAUCUC CAUUGCGCAGACCACUGAAGCGCG CUGAACGAAAUCAACAACACUCGACGCGUGUGCGUGAACUG GCGGUUCAGUCUGGAAUGGUACUAAUC C CAGUCUGACUCU GACUCCAUCCAGGCGGAAUACCCAGCGCUGAACGAAAUC GACCGUGUAUC CCGCCAGACUCAGUUAACCGGCGUGAAGGUC CUGGCGCAGGACAAACACCCUGACCAUCCAGGUUGGUGCCAAC GACGGUGAAACUAUCGAUAUUGAUUUAAAAGAAAUCAGCUC UAAAACACUGGGA CUUGAUAGCUUAUUGUCCAAGAUGCCU ACACCCCGAAAAGAAACUGCUGUAACCGUUGAUAAAACUACCU AUAAAUAUGGUACAGAUCCUUAUACAGCCAGAGCAUAUCUG AUAUCCAAACUGCAAUUGCGGUGGUGCAACGGGGUUACU GGGGCUGAUUA CAAAUUAAAAGAUAGGUCAAUAUAUUAAGA UGUUAAGGCGGUGUCUUCUGCUGGUGUUUAUAAAAGCCACUU AUGAUGAAACUACAAAAGAAAGUUAAUUAUGAUACGACUGAU AAAAUC CCGUUGGCAACUGCGGAAGCUACAGCUAUUCGGGGA ACGGCCACUAUAAACCACACCAAUUGCUGAAGUAACAAA	81

TABLE 16-continued

Name	Sequence	SEQ ID NO :
	GAGGGUGUUGAUACGACCACAGUUGCGGCUCAACUUGCUGCA GCAGGGGUUACUGGGGCCGAUAAAGGACAAUACUAGCCUUGUA AAACUUAUCGUUUGAGGAUAAAAACGGUAAGGUUUAUUGAUGG UGGCUAUGCAGUGAAAAUUGGGCGCAGAUUUUAUGCCGCUAC AUUAUGAUGAGAAAACAGGUGCAAUUAUCGCUAAAAACCUA CUUAUACAGAUAGGUACUGGGGUUGCUCAACUGGAGCUGUG AAAUUUGUGGGCGCAAUUGGUAAAUCUGAAGUUGUUAUCUGC UACCGAUGGUAAGACUUACUUAAGCAAGCACCUGACAAACA UAAUCUAGAAACAGGGCGUGAGCUUAAAAGAGGUUAAUACAG AUAAGACUGAAAACCCACUGCAGAAAUAUGAUGCUGCCUUGG CACAGGUUGAUACACUUCGUUUGACCCUGGGUGCGGUUCAGA ACCGUUUCAACUCGCUUAACCAACCCUGGGCAAUACCGUAA AUAACCGUUCUUCUGCCCGUAGCCGUUACGAAAGAUUCGACU ACGCAACCGAAGUCUCCAAACAUUGUCUCGCGCGCAGAUUCUGC AGCAGGCCGGUACCUCCGUUCUGGCGCAGGCGAACCGGUUC CGCAAAACGUCUCUUCUUACUGCGUUGAUAAUAGGCUGGAG CCUCGGUGGCCAUGCUUCUUGCCCUUGGGCCUCCCCCAGC CCCUCUCUCCUUCUGCACCCCGUACCCCGGUGUCUUUGAA UAAAGUCUGAGUGGGCGGC	
ORF Sequence, NT	AUGGCACAAGUCAUUAUAACAACAGCCUGUCGUGUUGACC CAGAAUAACCGAACAACAAUCCAGUCCGACUGGGCACUGCU AUCGAGCGUUUGUCUUCGGUUCUGCGUAUCACAGCGCGAAA GACGAUGCGGCAGGACAGGCGAUUGCUAACCGUUUUCGCG AACAUCAAAGGUCUGACUCAGGCUUCCGUAAACGCUAACGAC GGUUUCUCUUAUGCGCAGACCAUGAAGGCGCGCUAAGCAA AUCAACAACAACUCGAGCGUGGCGUGAACUGGCGGUUCAG UCUGCGAAUGGUACUAAUCCAGUCUGACCCGACUCCAUUC CAGGCUGAAAUCAACCAGCGCUGAACGAAUUCGACCGUGUA UCCGGCCAGACUCAGUUCACCGCGUGAAGUCCUGGCGCAG GACAACACCCUGACCAUCCAGGUUGGUGCCAAACGACGGUGAA ACUAUCGAUUAUGAUUUAAAAGAAUACGCUUAAAACACU GGGACUUGAUAAGCUUAAUGUCCAAGAUGCCUACACCCCGAA AGAAACUGCUGUAACCGUUGAUAAAACUACCUAUAUAAAUG GUACAGAUCCUUAUACAGCCAGAGCAUAUCGAUUAUCCAAA CUGCAAUUGGGCGGUGGUGCAACGGGGUUAUCUGGGGUGAU AUCAAAUUAAAAGAUUGGUCAAUACUUAUUAAGAUUUAAGG CGGUGCUUCUGCUGGUGUUUAUAAAGCCACUUAUGAUGAAA CUACAAGAAAGUUAAUUAUGAUACGACUGAUAAAACUCCG UUGGCAACUGCGGAAGCUACAGCUAUUCGGGAACGGCCACU AUAACCCACAACCAAUUGCUGAAGUAAACAAAGAGGGUGU UGAUACGACCCAGUUGCGGCUCAACUUCUGCAGCAGGGGU UACUGGCGCCGAUAAAGGACAAUACUAGCCUUGUAAAACUUC GUUUGAGGAUAAAACGGUAAGGUUAUUGAUGGUGGCUAUG CAGUGAAAUGGGCGAGAUUUUCUUAUGCCGCUACAUAUGAU GAGAAAACAGGUGCAAUUAUCGCUAAAACCAUACUUAUAC GAUGGUACUGGCGUUGCUCAAACUGGAGCUGUGAAAUUUGG UGGCGCAAUGGUAAAUCUGAAGUUGUUAUCUGCUACCGAUG GUAAAGCUUACUUAAGCAAGCGACCUUGAACAACAUAACUUC GAACAGGGCGGUGAGCUUAAAGAGGUUAUAACAGAUAAAGACU GAAAACCCACUGCAGAAAUAUGAUGCUCUUGGCACAGGUU GAUACAUUCGUUCUGACCGGGUGCGGUUCAGAACCGUUUC AACUCGCUUAUCACCAACCGGGCAAUACCGUAAAUAACUG UCUCUGCCCGUAGCCGUUUCGAAAGAUUCGACUACGCAACC GAAGUUCCAAUAUGUCUCGCGCGCAGAUUCUGCAGCAGGCC GGUACCUCCGUUCUGGCGCAGGCGAACAGGUUCCGCAAAAC GUCCUCUUCUUACUGCGU	82
mRNA Sequence (assumes T100 tail)	G*GGGAAUUAAGAGAGAAAAGAGUAAGAAGAAAUAUA GAGCCACCAUGGCACAAGUCAUUAUACAACAGCCUGUCGC UGUUAGCCAGAAUAAACUGAACAACUCCAGUCCGCAUUGG GCACUGCUAUCGAGCGUUUGUCUUCGGUUCUGCGUAUCAACA GCGCGAAAGACGAUGCGGCAGGACAGGCGAUUGCUAACCGUU UUAACCGCAACAUCAAAGGUCUGACUCAGGCUUCCGUAAACG CUAACGACGGUAUCUCCAUUGCGCAGACCAUGAAGGCGCGC UGAACGAAAUCAAACAACCCUGCAGCGUGUGCGUAACUGG CGGUUCAGUCUGCGAAUGGUACUAAUCUCCAGUCUGACUUCG ACUCCAUCAGGCGUAAAUCACCCAGCGCCUGAACGAAAUUCG ACCGUGUAUCCGGCCAGACUCAGUUCACCGGCGUGAAAGUCC UGGCGCAGGACAAACCCUGACCAUCCAGGUUGGUGCAACG ACGGUGAAACUUAUCGAUUAUGAUUAAAAGAAAUCAGCUUC AAAACACUGGGACUUGAUUAGCUUAAUGUCCAAAGUCCUAC ACCCCGAAAGAAAUCGUCUUAACCGUUGAUAAAACUACCUAU AAAAAUGGUACAGAUCCUUAUACAGCCCAGAGCAAUACUGAU	83

TABLE 16-continued

Name	Sequence	SEQ ID NO:
	AUCCAAACUGCAAUUGGCGGUGGUGCAACGGGGUUACUGG GGCUGAUAUCAAAUUUAAAGAUGGUCAAUACUUAUUUAGAUG UUAAGGCGGUGUCUCUGCUGGUGUUUAUAAAGCCACUUAU GAUGAAACUACAAAAGAAAGUUAUAUUGAUACGACUGAUA AACUCCGUUGGCAACUGCGGAAGCUACAGCUAUUCGGGGAAC GGCCACUAUAACCCACAACCAAUUGCUGAAGUAACAAAAGA GGGUGUUGAUAACGACCACAGUUGCGGCUCAACUUGCUGCAGC AGGGUUUAUGGCGCGAUAAAGGACAUAUACUAGCCUUGUA AACUAUCGUUUUGAGGAUAAAAACGGUAAGGUUAUUGAUGGU GGCUAUGCAGUAAAAUGGGCGAGAUUUUCUUAUGCUGCUACA UAUGAUGAAGAAACAGGGUGCAUUAUCUGCUAAAACCAUAC UUAUACAGAUGGUACUGGCGUUCUCAAAACUGGAGCUGUGA AAUUUGGUGGCGCAAUUGGUAAAUCUGAAGUUUGUACUGCU ACCGAUGGUAAAGACUUAUCUUAAGCAAGCGACCUUGACAAACAU AACUUCAGAACAGGCGGUGAGCUAAAGAGGUUAAUACAGA UAAGACUGAAAACCCACUGCAGAAAAUUGAUGCUGCCUUGGC ACAGGUGAUACAUCUUCUUCUGACCUGGGUGCGGUUCAGAA CCGUUUAACUCCGCUAUCACCAACCCUGGGCAAUCCGUAAA UAACUUGUCUUCUGCCCGUAGCCGUAUCGAAGAUUCCGACUA CGCAACCGAAGUCUCCACAAGUCUCGCGCGCAGAUUCUGCA GCAGGCCGGUACCUCCUUCUGGCCGAGGCGAACAGGUUCC GCAAAACGUCUCUUAUCUGCGUUGAAUAGGCGUGGAGC CUCGGUGGCCAUGCUUCUUGCCCCUUGGGCCUCCCCCAGCC CCUCCUCCCCUUCUGCACCCGUACCCCGUGGUCUUUGAAU AAAGUCUGAGUGGGCGGCAAAAAAAAAAAAAAAAAAAAAAA AAA AAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAUCUAG	

TABLE 17

Flagellin Amino Acid Sequences

Name	Sequence	SEQ ID NO:
ORF Sequence, AA	MAQVINTNSLSLLTQNNLNKSQSALGTAIERLSSGLRINSKDDAA GQAIANRFTANI KGLTQASRNANDGIS IAQTTEGALNE INNNLQRV RELAVQSANGTNSQSDLDS IQAEITQRLNEIDRVSGQTQFNGVKVL AQDNTLTI QVGANDGETIDIDLKEI SSKTLGLDKLNVQDAYTPKET AVTVDKTTYKNGTDPITAQSNTDIQT AIGGGATGVTGADI KFKDG QYYLDVKGGASAGVYKATYDETTKKNVINDTKTPLATAEATAI RGTATI THNQIAEVTKEGVDTTVAQAALAAAGVTGADKDNSTSLV KLSFEDKNGKVIDGGYAVKMGDDFYAATYDEKTGAI TAKTTTYT DGTGVAQTGAVKFGGANGKSEVV TATDGTKYLASDLDKHNFR TGGELKEVNTDKTENPLQKIDAAALAQVDTLRSDLGAVQNRFN SAIT NLGNTVNNLSARSRIEDSDYATEVSNMSRAQILQQAGTSVLAQA NQVPQNVLSLLR	54
Flagellin- GS linker- circumsporozoite protein (CSP)	MAQVINTNSLSLLTQNNLNKSQSALGTAIERLSSGLRINSKDDAA GQAIANRFTANI KGLTQASRNANDGIS IAQTTEGALNE INNNLQRV RELAVQSANGTNSQSDLDS IQAEITQRLNEIDRVSGQTQFNGVKVL AQDNTLTI QVGANDGETIDIDLKQINSQTLGLDNLNVQQYKVS D TAAVTGYADTTIALDNSTFKASATGLGGTDQKIDGDLKFD DTTG KYAKVTVTGGTGKDGYYEVSVDKTNGEVTLGAGATSP LTTGGLP ATATEDVKNVQVANADLTEAKAALTAAGVTGTASVVK MSYTDN NGKTI DGLAVKVGDDYYSATQNKDGSISINTTKYT ADDGTSKTA LNKLGGADGKTEVVSIGGKYAASKAEGHNFKAP DLAEAAATTTENPLQKIDAAALAQVDTLRSDLGAVQNRFN SAITNLGNTVNNLTS ARSRIEDSDYATEVSNMSRAQILQQAGT SVLAQANQVPQNVLSLLRGGGGSGGGSMMPDPNANPNANPN ANPNANPNANPNANPNANPNANPNANPNANPNANPNANPNAN PNANPNANPNANPNANPNANPNANPNANPNANPNANPNANPN ANPNANPNKKNQGNQGHNMFPNDPNRNVDENANANNVKNIN NEEPSDKHIEQYLKKIKNSISTEWSPCSVTCGNGIQVRIKPGS ANKPKDELVDYENDIEKKICKMEKCSSVFNVVNS	55
Flagellin- RPVT linker- circumsporozoite protein (CSP)	MMADPNANPNANPNANPNANPNANPNANPNANPNANPNANPN ANPNANPNANPNANPNANPNANPNANPNANPNANPNANPNKKN QGNQGHNMFPNDPNRNVDENANANNVKNINNEEPSDKHIEQY LKKIKNSISTEWSPCSVTCGNGIQVRIKPGSANKPKDELVDYEN DIEKKICKMEKCSSVFNVVNSRPVTMAQVINTNSLSLLTQNNLN KSQSA LGTAIERLSSGLRINSKDDAAGQAIANRFTANI KGLTQAS RNAND	56

TABLE 17-continued

Flagellin Amino Acid Sequences		
Name	Sequence	SEQ ID NO:
	<u>GISIAQTTEGALNEINNNLQVRVRELAVQSANSTNSQSDLDSIQAEIT</u>	
	<u>QRLNEIDRVSGQTQFNGVKVLAQDNTLTIQVGGANDGETIDIDLKQI</u>	
	<u>NSQTLGLDLTLNVQOKYKVSDTAATVTGYADTTIALDNSTFKASAT</u>	
	<u>GLGGTDQKIDGDLKFDDTTGKYYAKVTVTGGTGKDGYYEVSV</u>	
	<u>KTNGEVTLAGGATSPLTGGLPATATEDVKNVQVANADLTEAKAA</u>	
	<u>LTAAGVTGTASVVKMSYTDNNGKTI DGGGLAVKVGDDYYSATQ</u>	
	<u>KDGSISINTTKYTADDGTSKTALNKLGGADGKTEVVSIGGKTYAA</u>	
	<u>SKAEGHNFKAQPDLAEEAAATTENPLQKIDAALAQVDTLRSDLG</u>	
	<u>AVQNRFNSAITNLGNTVMNLTARSRIEDSDYATEVSNMSRAQILQ</u>	
	<u>QAGTSVLAQANQVPPQNVLSLLR</u>	

TABLE 18

Human Metapneumovirus Mutant Amino Acid Sequences		
Strain	Sequence	SEQ ID NO:
HMPV_SC_DSCAV1_4MMV	MSWKVVII FSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVGDVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLGAIALGVAAA AAVTAGVAICTIRLSEVTA INNALKKTNEAVSTLGNQVRLATAVRELKDFVSKNLTRALNKNKCDIDDLKMAVSPSQPNRRFLNVVRQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLMLN RAMVRRKGFGLICGVYSSVIYMQLP IFGV IDTPCWI VKAAPSCSEKKGNYACLLREDQGWY CQNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINISTNYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIIKQLNKGCSYITNQDADTVTIDNTVYQLSKVEGEQHV I KGRPVSSSFDPIKFPEDQFVALDQVFE NIENSQALVDQSNRILSSAEKGTGFIIVII LIAVLGSSMILVSIPIIKKTKKPTGAPPEL SGVTNNGFIPHN	85
HMPV_SC_DSTRIC_4MMV	MSWKVVII FSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVGDVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLGAIALGVAAA AAVTAGVAICTIRLSEVTA INNALKKTNEAVSTLGNQVRLATAVRELKDFVSKNLTRALNKNKCDIDDLKMAVSPSQPNRRFLNVVRQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLMLN RAMVRRKGFGLICGVYSSVIYMQLP IFGV IDTPCWI VKAAPSCSEKKGNYACLLREDQGWY CQNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINISTNYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIIKQLNKGCSYITNQDADTVTIDNTVYQLSKVEGEQHV I KGRPVSSSFDPIKFPEDQFVALDQVFE NIENSQALVDQSNRILSSAEKGTGFIIVII LIAVLGSSMILVSIPIIKKTKKPTGAPPEL SGVTNNGFIPHN	86
HMPV_SC_DM_Krarup_T74LD185P	MSWKVVII FSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVGDVENLTCSDGPSLIKTELDL LKSALRELKTVSADQLAREEQIENPGSGSFVLGAIALGVAAA AAVTAGVAIAKTIRLSEVTA INNALKKTNEAVSTLGNQVRLATAVRELKDFVSKNLTRALNKNKCDIPDLKMAVSPSQPNRRFLNVVRQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLMLN RAMVRRKGFGLIIGVYSSSVIYMQLP IFGV IDTPCWI VKAAPSCSEKKGNYACLLREDQGWY CQNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINISTNYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIIKQLNKGCSYITNQDADTVTIDNTVYQLSKVEGEQHV I KGRPVSSSFDPIKFPEDQFVALDQVFE NIENSQALVDQSNRILSSAEKGTGFIIVII LIAVLGSSMILVSIPIIKKTKKPTGAPPEL SGVTNNGFIPHN	87
HMPV_SC_TM_Krarup_T74LD185PD454N	MSWKVVII FSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVGDVENLTCSDGPSLIKTELDL LKSALRELKTVSADQLAREEQIENPGSGSFVLGAIALGVAAA AAVTAGVAIAKTIRLSEVTA INNALKKTNEAVSTLGNQVRLATAVRELKDFVSKNLTRALNKNKCDIPDLKMAVSPSQPNRRFLNVVRQFSDNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLMLN RAMVRRKGFGLIIGVYSSSVIYMQLP IFGV IDTPCWI VKAAPSCSEKKGNYACLLREDQGWY CQNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINISTNYPCKVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIIKQLNKGCSYITNQDADTVTIDNTVYQLSKVEGEQHV I KGRPVSSSFDPIKFPEDQFVALDQVFE NIENSQALVDQSNRILSSAEKGTGFIIVII LIAVLGSSMILVSIPIIKKTKKPTGAPPEL SGVTNNGFIPHN	88

TABLE 18-continued

Human Metapneumovirus Mutant Amino Acid Sequences		
Strain	Sequence	SEQ ID NO:
HMPV_SC_4M_Krarup_T74LS170LD185P	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVGDVENLTCSDGPSLIKTELDL LK SALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLSEVTAINNALKKTNEAVSTLGNVGRV LATAVRELKDFV LKNLTRA INKNC D I PDLKMAV SFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLMLLENRAMVRRKGFGLI GVGSSVIYMQLP I FGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETR GDHVP CDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCS IGSNRVGI IKQLNKGCSYITNQD ADTVTTIDNTVYQLSKVEGEQHV I KGRPVSSSPDP IKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEK GNTGFI I VI ILLIAVLGSSMILVSIPI I I KTKK P TGAPPELSGVTNNGFIPHN	89
HMPV_SC_5M_Krarup_T74LS170LD185PD454N	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVGDVENLTCSDGPSLIKTELDL LK SALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLSEVTAINNALKKTNEAVSTLGNVGRV LATAVRELKDFV LKNLTRA INKNC D I PDLKMAV SFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLMLLENRAMVRRKGFGLI GVGSSVIYMQLP I FGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETR GDHVP CDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCS IGSNRVGI IKQLNKGCSYITNQD ADTVTTIDNTVYQLSKVEGEQHV I KGRPVSSSPDP IKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEK GNTGFI I VI ILLIAVLGSSMILVSIPI I I KTKK P TGAPPELSGVTNNGFIPHN	90
HMPV_SC_DM_Krarup_E51PT74L	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVGDVENLTCSDGPSLIKTELDL LK SALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLSEVTAINNALKKTNEAVSTLGNVGRV LATAVRELKDFV LKNLTRA INKNC D I PDLKMAV SFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLMLLENRAMVRRKGFGLI GVGSSVIYMQLP I FGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETR GDHVP CDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCS IGSNRVGI IKQLNKGCSYITNQD ADTVTTIDNTVYQLSKVEGEQHV I KGRPVSSSPDP IKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEK GNTGFI I VI ILLIAVLGSSMILVSIPI I I KTKK P TGAPPELSGVTNNGFIPHN	91
HMPV_SC_TM_Krarup_E51PT74LD454N	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVGDVENLTCSDGPSLIKTELDL LK SALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLSEVTAINNALKKTNEAVSTLGNVGRV LATAVRELKDFV LKNLTRA INKNC D I PDLKMAV SFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLMLLENRAMVRRKGFGLI GVGSSVIYMQLP I FGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETR GDHVP CDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCS IGSNRVGI IKQLNKGCSYITNQD ADTVTTIDNTVYQLSKVEGEQHV I KGRPVSSSPDP IKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEK GNTGFI I VI ILLIAVLGSSMILVSIPI I I KTKK P TGAPPELSGVTNNGFIPHN	92
HMPV_SC_StabilizeAlpha_T74L	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVGDVENLTCSDGPSLIKTELDL LK SALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLSEVTAINNALKKTNEAVSTLGNVGRV LATAVRELKDFV LKNLTRA INKNC D I PDLKMAV SFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLMLLENRAMVRRKGFGLI GVGSSVIYMQLP I FGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETR GDHVP CDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCS IGSNRVGI IKQLNKGCSYITNQD ADTVTTIDNTVYQLSKVEGEQHV I KGRPVSSSPDP IKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEK GNTGFI I VI ILLIAVLGSSMILVSIPI I I KTKK P TGAPPELSGVTNNGFIPHN	93
HMPV_SC_StabilizeAlpha_V55L	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVGDVENLTCSDGPSLIKTELDL LK SALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLSEVTAINNALKKTNEAVSTLGNVGRV LATAVRELKDFV LKNLTRA INKNC D I PDLKMAV SFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLMLLENRAMVRRKGFGLI GVGSSVIYMQLP I FGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETR GDHVP CDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCS IGSNRVGI IKQLNKGCSYITNQD ADTVTTIDNTVYQLSKVEGEQHV I KGRPVSSSPDP IKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEK GNTGFI I VI ILLIAVLGSSMILVSIPI I I KTKK P TGAPPELSGVTNNGFIPHN	94

TABLE 18-continued

Human Metapneumovirus Mutant Amino Acid Sequences		
Strain	Sequence	SEQ ID NO:
	ADTVTIDNTVYQLSKVEGEQHVIKGRFVSSSFDPIKFPEDQFQVALDQVFENI ENSOALVDQSNRILSSAEKGTGFIIVIIILIAVLGSSMILVSIPIIIKTKKKP TGAPPELSGVTNNGFIPHN	
HMPV_SC_StabilizeAlpha_S170L	MSWKVVIIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLRTGWYTNVFTLEV DVENLTCSDGPSLIKTELDTLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTRLESEVTAINNALKKTNEAVSTLGNQVVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVVRQFS DNAGITPAISLDMTDAELARAVPNMPTSAQGIKMLLENRAMVRRKGFILIG VYGVSSVIYMQLPPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STTNYPC VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRFVSSSFDPIKFPEDQFQVALDQVFENI ENSOALVDQSNRILSSAEKGTGFIIVIIILIAVLGSSMILVSIPIIIKTKKKP TGAPPELSGVTNNGFIPHN	95
HMPV_SC_StabilizeAlpha_T174W	MSWKVVIIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLRTGWYTNVFTLEV DVENLTCSDGPSLIKTELDTLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTRLESEVTAINNALKKTNEAVSTLGNQVVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVVRQFS DNAGITPAISLDMTDAELARAVPNMPTSAQGIKMLLENRAMVRRKGFILIG VYGVSSVIYMQLPPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STTNYPC VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRFVSSSFDPIKFPEDQFQVALDQVFENI ENSOALVDQSNRILSSAEKGTGFIIVIIILIAVLGSSMILVSIPIIIKTKKKP TGAPPELSGVTNNGFIPHN	96
HMPV_SC_4M_StabilizeAlpha_V55LT74LS170LT174W	MSWKVVIIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLRTGWYTNVFTLEV DLENLTCSDGPSLIKTELDTLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTRLESEVTAINNALKKTNEAVSTLGNQVVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVVRQFS DNAGITPAISLDMTDAELARAVPNMPTSAQGIKMLLENRAMVRRKGFILIG VYGVSSVIYMQLPPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STTNYPC VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRFVSSSFDPIKFPEDQFQVALDQVFENI ENSOALVDQSNRILSSAEKGTGFIIVIIILIAVLGSSMILVSIPIIIKTKKKP TGAPPELSGVTNNGFIPHN	97
HMPV_ProlineStab_E51P	MSWKVVIIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLRTGWYTNVFTLEV DVENLTCSDGPSLIKTELDTLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTRLESEVTAINNALKKTNEAVSTLGNQVVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVVRQFS DNAGITPAISLDMTDAELARAVPNMPTSAQGIKMLLENRAMVRRKGFILIG VYGVSSVIYMQLPPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STTNYPC VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRFVSSSFDPIKFPEDQFQVALDQVFENI ENSOALVDQSNRILSSAEKGTGFIIVIIILIAVLGSSMILVSIPIIIKTKKKP TGAPPELSGVTNNGFIPHN	98
HMPV_ProlineStab_D185P	MSWKVVIIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLRTGWYTNVFTLEV DVENLTCSDGPSLIKTELDTLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTRLESEVTAINNALKKTNEAVSTLGNQVVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVVRQFS DNAGITPAISLDMTDAELARAVPNMPTSAQGIKMLLENRAMVRRKGFILIG VYGVSSVIYMQLPPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STTNYPC VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRFVSSSFDPIKFPEDQFQVALDQVFENI ENSOALVDQSNRILSSAEKGTGFIIVIIILIAVLGSSMILVSIPIIIKTKKKP TGAPPELSGVTNNGFIPHN	99
HMPV_ProlineStab_D183P	MSWKVVIIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLRTGWYTNVFTLEV DVENLTCSDGPSLIKTELDTLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTRLESEVTAINNALKKTNEAVSTLGNQVVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSPSQFNRRFLNVVRQFS DNAGITPAISLDMTDAELARAVPNMPTSAQGIKMLLENRAMVRRKGFILIG VYGVSSVIYMQLPPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETRGDHVFCDTAAGINVAEQSKECNINI STTNYPC VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGIKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRFVSSSFDPIKFPEDQFQVALDQVFENI ENSOALVDQSNRILSSAEKGTGFIIVIIILIAVLGSSMILVSIPIIIKTKKKP TGAPPELSGVTNNGFIPHN	100



TABLE 18-continued

Human Metapneumovirus Mutant Amino Acid Sequences		
Strain	Sequence	SEQ ID NO:
	VSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRFVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGNMGFIIIVIIILIAVLGSSMILVSI FII I K K T K K P TGAPPELSGVTNNGFIPHN	
HMPV_ProlineStab_E131P	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTI RLPSEVTA INNALKKTNEAVSTLGNVGRV LATAVRELKDFVSKNLTRA INKKNKCD IDDLKMAV SFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLML ENRAMVRRKGFGLI GVYSSSVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPCK VSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRFVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGNMGFIIIVIIILIAVLGSSMILVSI FII I K K T K K P TGAPPELSGVTNNGFIPHN	101
HMPV_ProlineStab_D447P	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTI RLESEVTA INNALKKTNEAVSTLGNVGRV LATAVRELKDFVSKNLTRA INKKNKCD IDDLKMAV SFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLML ENRAMVRRKGFGLI GVYSSSVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPCK VSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRFVSSSFPPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGNMGFIIIVIIILIAVLGSSMILVSI FII I K K T K K P TGAPPELSGVTNNGFIPHN	102
HMPV_TrimerRepulsionD454N	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTI RLESEVTA INNALKKTNEAVSTLGNVGRV LATAVRELKDFVSKNLTRA INKKNKCD IDDLKMAV SFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLML ENRAMVRRKGFGLI GVYSSSVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPCK VSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRFVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGNMGFIIIVIIILIAVLGSSMILVSI FII I K K T K K P TGAPPELSGVTNNGFIPHN	103
HMPV_TrimerRepulsionE453N	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTI RLESEVTA INNALKKTNEAVSTLGNVGRV LATAVRELKDFVSKNLTRA INKKNKCD IDDLKMAV SFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLML ENRAMVRRKGFGLI GVYSSSVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPCK VSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRFVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGNMGFIIIVIIILIAVLGSSMILVSI FII I K K T K K P TGAPPELSGVTNNGFIPHN	104
HMPV_StabilizeAlphaF196W	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCSDGPSLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTI RLESEVTA INNALKKTNEAVSTLGNVGRV LATAVRELKDFVSKNLTRA INKKNKCD IDDLKMAV SFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLML ENRAMVRRKGFGLI GVYSSSVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPCK VSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRFVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGNMGFIIIVIIILIAVLGSSMILVSI FII I K K T K K P TGAPPELSGVTNNGFIPHN	105

TABLE 19

Strain	Nucleic Acid Sequence	SEQ ID NO:
Human Metapneumovirus Mutant Nucleic Acid Sequences		
HMPV_SC_DSCAV1_4MMV	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTACACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCTGCAAGACCATCAGACTGGAAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAACG AGGCCCTCAGCACACTCGGCAATGGCGTTAGAGTGCTGGC CTTTGGCGTGCAGGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGCCCTGAACAAGAACAAGTGCGACATCGAC GACCTGAAGATGGCCGTGTCTTTAGCCAGTTCAACCGGC GGTTCCTGAACGTCGTGCGGCAGTTTAGCGACAACGCCGG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCCTGCCTAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAGGGCTTCGGCATTCTGTGTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA TCGACACACCCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTGAGAACCGCCGAGCACCCTG TACTACCTAACGAGAAGGACTGCGAGACAAGAGGCGGAC CACGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAGAGTGCACATCAACATCAGCACCACCA ACTATCCCTGCAAGGTGTCCACCGGCAGGCACCTATTTTC TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCGGATACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGCGAACAGCAGCTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCATCAAGT TCCTGAGGATCAGTTCAACGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATTCAGGCTCTGGTGGACAGTCC AACAGAACTCTGTCTAGCGCCGAGAAGGAAACACCGGC TTCATCATCGTGATCATCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC AAGAAGCCACCGGCGCTCTCCAGAACTGAGCGGAGTG ACCAACAAATGGCTTCATCCCTCACAAC	106
HMPV_SC_DSTRIC_4MMV	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTACACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCTGCAAGACCATCAGACTGGAAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAACG AGGCCCTCAGCACACTCGGCAATGGCGTTAGAGTGCTGGC CACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGCCATTAACAAGAACAAGTGCGACATCGAC GACCTGAAGATGGCCGTGTCTTTAGCCAGTTCAACCGGC GGTTCCTGAACGTCGTGCGGCAGTTTAGCGACAACGCCGG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCCTGCCTAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAGGGCTTCGGCATTCTGTGTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA TCGACACACCCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTGAGAACCGCCGAGCACCCTG TACTACCTAACGAGAAGGACTGCGAGACAAGAGGCGGAC CACGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAGAGTGCACATCAACATCAGCACCACCA ACTATCCCTGCAAGGTGTCCACCGGCAGGCACCTATTTTC TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCGGATACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGCGAACAGCAGCTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCATCAAGT TCCTGAGGATCAGTTCAACGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATTCAGGCTCTGGTGGACAGTCC AACAGAACTCTGTCTAGCGCCGAGAAGGAAACACCGGC TTCATCATCGTGATCATCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC AAGAAGCCACCGGCGCTCTCCAGAACTGAGCGGAGTG ACCAACAAATGGCTTCATCCCTCACAAC	107

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_DM_Krarup_T74LD185P	<p>GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC                      CAACCGGACGCCGATACCGTGACCATCGACAACACCGTG                      TATCAGCTGAGCAAGGTGGAAGGCGAACAGCAGCTGATC                      AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCATCAAGT                      TCCTGAGCACCAGTGGCATGTGGCCCTGGACCAGGTGTT                      CGAGAACATCGAGAATTCCAGGCTCTGGTGGACCAGTCC                      AACAGAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGC                      TTCATCATCGTGATCATCTGATCGCCGTGCTGGCAGCTC                      CATGATCCTGGTGTCCATCTTATCATTATCAAGAAGACC                      AAGAAGCCACCGCGCTCCTCCAGAAGTGGAGCGAGTG                      ACCAACATGGCTTCATCCCTCACAAAC</p>	108
HMPV_SC_TM_Krarup_T74LD185PD454N	<p>ATGAGCTGGAAGGTGGTCAATCTTCAGCCTGCTGATCA                      CACCTCAGCACGGCTGAAAGAGAGCTACCTGGAAAGAGT                      CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG                      AACCGCTGGTACACCAACGTGTTCAACTGGAAGTGGGC                      GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA                      TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA                      ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA                      CAGATCGAGAATCCTGGCAGCGGACGCTTTGTGCTGGGAG                      CCATTGCTCTGGAGTGGCTGTGCTGCAGCTGTTACAGC                      AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCGA                      AGTGACCGCCATCAACAACGCCCTGAAGAAGCAAACGA                      GGCCGTGAGCAGCTCGCAATGGCGTTAGAGTGTGGCC                      ACAGCGTGCAGGAGCTGAAGGACTTCGTGTCCAAGAACC                      TGACACGGGCCATTAACAAGAAACAAGTGCAGCATCCCTGA                      CCTGAAGATGGCCGTGCTTTAGCCAGTTCAACCGCGG                      TTTCTGAACGTGCTGCGGAGTTAGCGACAACCGCGGAA                      TCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTGA                      GCTGGCTAGAGCCGTCCTAACATGCCTACATCTGCCGGC                      CAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGAC                      GAAAGGCTTCGGCATTCGATTTGGCGTGTACGGCAGCAG                      CGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATCG                      ACACACCCTGCTGGATTGTGAAGGCGCTCCTAGCTGTAG                      CGAGAGAAGGGCAATACGCCCTGCCTGCTGAGAGAGGA                      CCAAGGCTGGTATTGTGAGAAGCGCGGACACCGGTGATC                      TACCCTAACGAGAAGGACTGCGAGACAAGGGCGACCAC                      GTGTTCTGTGATACCGCGCTGGAATCAATGTGGCCGAGC                      AGAGCAAAGAGTGCAACATCAACATCAGCACCACCAACT                      ATCCCTGCAAGGTGCTCCACCGGACGACCCCTATTTCTAT                      GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA                      AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT                      CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAAC                      CAGGACGCGGATACCGTGACCATCGACAACACCGTGTATC                      AGCTGAGCAAGGTGGAAGGCGAACAGCAGCAGTGTCAAGG                      GCAGACCTGTGTCAGCAGCTTCGACCCATCAAGTTCCT                      TGAGGATCAGTTCAGGTGGCCCTGGACAGGTGTTTCGAG                      AACATCGAGAATCCAGGCTCTGGTGGACAGTCCAACA                      GAATCCTGTCTAGCGCCGAGAAGGGAAACACCGCTTCAT                      CATCGTGATCATCTGATCGCCGTGCTGGCAGCTCCATG                      ATCCTGGTGTCCATCTTATCATTATCAAGAAGCAAGA                      AGCCACCGCGCTCCTCCAGAAGTGGAGCGAGTGACCAA                      CAATGGCTTCATCCCTCACAAAC</p>	109

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_4M_Krarup_T74LS170LD185P	<p>CGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATCG                      ACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTAG                      CGAGAAGAAGGGCAATTACGCCCTGCCTGTGAGAGAGGA                      CCAAGGCTGGTATGTCAGAACCGCGCAGCACCGTGATC                      TACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCAC                      GTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAGC                      AGAGCAAAGAGTGCAACATCAACATCAGCACCCCAACT                      ATCCCTGCAAGGTGTCCACCGCAGGCACCCTATTTCTAT                      GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA                      AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT                      CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAC                      CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC                      AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG                      GCAGACCTGTGTCAGCAGCTTCGACCCATCAAGTTCCC                      TGAGAACCAGTTCCAGGTGGCCCTGGACCAGGTGTTCCGAG                      AACATCGAGAATCCCAGGCTCTGGTGGACCAGTCCAACA                      GAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGCTTCAT                      CATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTCCATG                      ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA                      AGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTGACCAA                      CAATGGCTTCATCCCTCACAA</p>	110
HMPV_SC_5M_Krarup_T74LS170LD185PD454N	<p>ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA                      CACCTCAGCACCGCCGTAAGAGAGCTACCTGGAAGAGT                      CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG                      AACCGGCTGGTACACCAACGTGTTACACTGGAAGTGGGC                      GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA                      TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA                      ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA                      CAGATCGAGAATCCTGGCAGCGCAGCTTTGTGCTGGGAG                      CCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAGC                      AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCGA                      AGTGACCAGCCATCAACAACGCCCTGAAGAAGACAAACGA                      GGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGCC                      ACAGCCGTGCGCGAGCTGAAGGACTTCGTGCTTAAGAACC                      TGACACGGGCCATTAACAAGAACAAGTGCAGACATCCCTGA                      CCTGAAGATGGCCGTGCTTTAGCCAGTTCAACCGGCGG                      TTTCTGAACGTCGTGCGGCAGTTTAGCGACAACGCGGAA                      TCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTGA                      GCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCGC                      CAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGAC                      GGAAGGCTTCGGCATTCTGATTGGCGGTGACGGCAGCAG                      CGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATCG                      ACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTAG                      CGAGAAGAAGGGCAATTACGCCCTGCCTGTGAGAGAGGA                      CCAAGGCTGGTATGTCAGAACCGCGCAGCACCGTGATC                      TACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCAC                      GTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAGC                      AGAGCAAAGAGTGCAACATCAACATCAGCACCCCAACT                      ATCCCTGCAAGGTGTCCACCGCAGGCACCCTATTTCTAT                      GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA                      AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT                      CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAC                      CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC                      AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG                      GCAGACCTGTGTCAGCAGCTTCGACCCATCAAGTTCCC                      TGAGGATCAGTTCCAGGTGGCCCTGGACCAGGTGTTCCGAG                      AACATCGAGAATCCCAGGCTCTGGTGGACCAGTCCAACA                      GAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGCTTCAT                      CATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTCCATG                      ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA                      AGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTGACCAA                      CAATGGCTTCATCCCTCACAA</p>	111

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_DM_Krarup_E51PT74L	<p>AGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACGA                      GGCCGT CAGCACACTCGGCAATGGCGTTAGAGTGCTGGCC                      ACAGCCGTGCGCGAGCTGAAGGACTTCGTGCTTAAGAACC                      TGACACGGGCCATTAACAAGAACAAGTGGCAGATCCCTGA                      CCTGAGATGGCCGTTCCTTTAGCCAGTTCAACCGGCGG                      TTTCTGAACGTGTCGCGGCAGTTTAGCGACAACGCCGGAA                      TCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTGA                      GCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCGGC                      CAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGAC                      GAAAAGGCTTCGGCATTCGATTGGCGTGTACGGCAGCAG                      CGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATCG                      ACACCCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTAG                      CGAGAAGAAGGGCAATTACGCCCTGCCTGCTGAGAGAGGA                      CCAAGGCTGGTATGTGACAGCCGCCGCGCAGCACCGTGATC                      TACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCAC                      GTGTTCTGTGATACCCGCCGCTGGAATCAATGTGGCCGAGC                      AGAGCAAAGAGTGCAACATCAACATCAGCACCCACCAACT                      ATCCCTGCAAGGTGTCCACCGCAGGCACCCCTATTTCTAT                      GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA                      AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT                      CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAAC                      CAGGACGCCGATAACCGTGACCATCGACAACACCGTGATC                      AGCTGAGCAAGGTGGAAGGCGAACAGCACGCTGATCAAGG                      GCAGACCTGTGTCAGCAGCTTCGACCCATCAAGTTCC                      TGAGAACCAGTTCCAGGTGGCCCTGGACCAGGTGTTTCGAG                      AACATCGAGAATCCAGGCTCTGGTGGACAGTCCAACA                      GAATCCTGTCTAGCCCGAGAAGGGAAACACCGGCTTCAT                      CATCGTGATCATCTGATCGCCGTGCTGGCAGCTCCATG                      ATCCTGGTGTCCATCTCATCATTATCAAGAAGACCAAGA                      AGCCCCACCGCGCTCCTCCAGAACTGAGCGGAGTGACCAA                      CAATGGCTTCATCCCTCACAAAC</p> <p>ATGAGCTGGAAGGTGGTCAATCATCTTCAGCCTGCTGATCA                      CACCTCAGCACCGCCCTGAAAGAGAGCTACCTGGAAGAGT                      CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG                      AACCGGCTGGTACACCAACGTGTTACACTGCCTGTGGGC                      GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA                      TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA                      ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA                      CAGATCGAGAATCCTGGCAGCGCAGCTTGTGCTGGGAG                      CCATTGCTCTTGGAGTGGCTGTGCTGTCAGCTGTACAGC                      AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCGA                      AGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACGA                      GGCCGT CAGCACACTCGGCAATGGCGTTAGAGTGCTGGCC                      ACAGCCGTGCGCGAGCTGAAGGACTTCGTGTC AAGAACC                      TGACACGGGCCATTAACAAGAACAAGTGGCAGATCGACG                      ACCTGAAGATGGCCGTGCTCTTAGCCAGTTCAACCGGCG                      GTTTCTGAACGTGTCGCGCAGTTTAGCGACAACCGCCGA                      ATCACACCAGCCATCAGCCGGACCTGATGACAGATGCTG                      AGCTGGCTAGAGCCGTGCCTAACATGCCATCTGCCCCG                      CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA                      CGGAAAGGCTTCGGCATTCGATTGGCGTGTACGGCAGCA                      GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC                      GACACACCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTA                      GCGAGAAGAAGGGCAATTACGCCCTGCCTGCTGAGAGAGG                      ACCAAGGCTGGTATTGTGAGAAGCGGCGCAGCACCGTGTA                      CTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCA                      CGTGTCTGTGATACCCGCCCTGGAATCAATGTGGCCGAG                      CAGAGCAAAGAGTGCAACATCAACATCAGCACCAACCAAC                      TATCCCTGCAAGGTGTCCACCGCAGGCACCCCTATTTCTAT                      GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA                      AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT                      CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAAC                      CAGGACGCCGATAACCGTGACCATCGACAACACCGTGATC                      AGCTGAGCAAGGTGGAAGGCGAACAGCACGCTGATCAAGG                      GCAGACCTGTGTCAGCAGCTTCGACCCATCAAGTTCC                      TGAGGATCAGTTCCAGGTGGCCCTGGACCAGGTGTTTCGAG                      AACATCGAGAATCCAGGCTCTGGTGGACAGTCCAACA                      GAATCCTGTCTAGCCCGAGAAGGGAAACACCGGCTTCAT                      CATCGTGATCATCTGATCGCCGTGCTGGCAGCTCCATG                      ATCCTGGTGTCCATCTCATCATTATCAAGAAGACCAAGA                      AGCCCCACCGCGCTCCTCCAGAACTGAGCGGAGTGACCAA                      CAATGGCTTCATCCCTCACAAAC</p>	112

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_TM_Krarup_E51PT74LD454N	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCGAAAGAGAGCTACCTGGAAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGCGCTGTGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA CAGATCGAGAATCCTGGCAGCGCAGCTTTGTGCTGGGAG CCATTGCTCTTGAGTGGCTGTGCTGCAGCTGTTACAGC AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCGA AGTGACCGCCATCAACAACGCCCTGAAGAAGCAAACGA GGCCGTGAGCAGCTCGCAATGGCGTTAGAGTGTGGCC ACAGCGTGCAGAGCTGAAGGACTTCGTGTCCAAGAACC TGACACGGGCCATTAACAAGAAACAAGTGCAGCATCGACG ACCTGAAGATGGCCGTGCTCTTAGCCAGTTCAACCGGCG GTTTCTGAACGTCGTGCGGAGTTAGCCGACAACGCCGA ATCACACAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCAATGCTTACATCTGCCGG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATTCGATTGGCGTGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC GACACCCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTA GCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTGAGAAGCGCCGAGCACCCTGTA CTACCCTAACGAGAAGGACTGCGAGACAAGAGCGACCA CGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAG CAGAGCAAAGAGTGCAACATCAACATCAGCACCAAC TATCCCTGCAAGGTGTCACCGCAGGCACCTATTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGACGCTACATCAACCAAC CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG GCAGACCTGTGTCAGCAGCTTCGACCCATCAAGTTCCT TGAGAACAGTTCAGGTGGCCCTGGACAGGTGTTTCGAG AACATCGAGAATCCAGGCTCTGGTGGACAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGAAACACCGCTTCAT CATCGTGATCATCTGATCGCCGCTGCTGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGCAAGA AGCCACCGCGCTCCTCCAGAATGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAAC	113
HMPV_SC_StabilizeAlpha_T74L	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCGAAAGAGAGCTACCTGGAAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA CAGATCGAGAATCCTGGCAGCGCAGCTTTGTGCTGGGAG CCATTGCTCTTGAGTGGCTGTGCTGCAGCTGTTACAGC AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCGA AGTGACCGCCATCAACAACGCCCTGAAGAAGCAAACGA GGCCGTGAGCAGCTCGCAATGGCGTTAGAGTGTGGCC ACAGCGTGCAGAGCTGAAGGACTTCGTGTCCAAGAACC TGACACGGGCCATTAACAAGAAACAAGTGCAGCATCGACG ACCTGAAGATGGCCGTGCTCTTAGCCAGTTCAACCGGCG GTTTCTGAACGTCGTGCGGAGTTAGCCGACAACGCCGA ATCACACAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCAATGCTTACATCTGCCGG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATTCGATTGGCGTGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC GACACCCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTA GCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTGAGAAGCGCCGAGCACCCTGTA CTACCCTAACGAGAAGGACTGCGAGACAAGAGCGACCA CGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAG CAGAGCAAAGAGTGCAACATCAACATCAGCACCAAC TATCCCTGCAAGGTGTCACCGCAGGCACCTATTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGACGCTACATCAACCAAC CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC	114

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_StabilizeAlpha_V55L	<p>AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG                      GCAGACCTGTGTCAGCAGCTTCGACCCATCAAGTCC                      TGAGGATCAGTTCCAGGTGGCCCTGGACCAGGTGTTCCGAG                      AACATCGAGAATTCCAGGCTCTGGTGGACCAGTCCAACA                      GAATCCTGTCTAGCGCCGAGAAGGGAACACCGGCTTCAT                      CATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTCCATG                      ATCCTGGTTCATCTTCATCATTATCAAGAAGACCAAGA                      AGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTGACCAA                      CAATGGCTTCATCCCTCACAAAC</p> <p>ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA                      CACCTCAGCACGGCTGAAAGAGAGCTACCTGGAAGAGT                      CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG                      AACCGGCTGGTACACCAACGTGTTACACTGGAAGTGGGC                      GACCTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA                      TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG                      AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA                      ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGA                      GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG                      CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCG                      AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG                      AGGCCGTCAGCACACTCGGCAATGGCGT TAGAGTGTGGC                      CACAGCCGTGCCGAGCTGAAGGACTTCGTGTCCAAGAAC                      CTGACACGGGCCATTAAACAAGAACAAGTGGCAGATCGAC                      GACCTGAAGATGGCCGTGCTCTTTAGCCAGTTCAACCGGC                      GGTTCGAAACGTCTGCGGCGAGTTTAGCGACAAACGCCGG                      AATCACACCAGCCATCAGCTGGACCTGATGACAGATGCT                      GAGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCG                      GCCAGATCAAGCTGATGCTCGAATAGAGCCATGGTCCG                      ACGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGC                      AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA                      TCGACACACCTGCTGGATTGTGAAGGCCGCTCCTAGCTG                      TAGCGAGAAGAAGGGCAATTACGCCCTGCCCTGCTGAGAGA                      GGACCAAGGCTGGTATTGTGAGAAGCGCCGAGCACCGTG                      TACTACCTTAACGAGAAGGACTGCGAGACAAGAGGGGAC                      CACGTGTTCTGTGATACCGCCGCTGGAAATCAATGTGGCCG                      AGCAGAGCAAGAGTGCAACATCAACATCAGCACCA                      ACTATCCCTGCAAGGTGTCACCGGCAGGCACCTATTTCT                      TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTT                      ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG                      GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC                      CAACCAGGACGCGGATACCGTGACCATCGACAACACCGTG                      TATCAGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATC                      AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCATCAAGT                      TCCTGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT                      CGAGAACATCGAGAATCCAGGCTCTGGTGGACCAGTCC                      AACAGAATCCTGTCTAGCGCCGAGAAGGGAACACCGGC                      TTCATCATCGTGATCATCTGATCGCCGTGCTGGGCAGCTC                      CATGATCCTGGTTCATCTTCATCATTATCAAGAAGACC                      AAGAAGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTG                      ACCAACATGGCTTCATCCCTCACAAAC</p>	115
HMPV_SC_StabilizeAlpha_S170L	<p>ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA                      CACCTCAGCACGGCTGAAAGAGAGCTACCTGGAAGAGT                      CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG                      AACCGGCTGGTACACCAACGTGTTACACTGGAAGTGGGC                      GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA                      TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG                      AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA                      ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGA                      GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG                      CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCG                      AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG                      AGGCCGTCAGCACACTCGGCAATGGCGT TAGAGTGTGGC                      CACAGCCGTGCCGAGCTGAAGGACTTCGTGTCCAAGAAC                      CTGACACGGGCCATTAAACAAGAACAAGTGGCAGATCGAC                      GACCTGAAGATGGCCGTGCTCTTTAGCCAGTTCAACCGGC                      GGTTCGAAACGTCTGCGGCGAGTTTAGCGACAAACGCCGG                      AATCACACCAGCCATCAGCTGGACCTGATGACAGATGCT                      GAGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCG                      GCCAGATCAAGCTGATGCTCGAATAGAGCCATGGTCCG                      ACGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGC                      AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA                      TCGACACACCTGCTGGATTGTGAAGGCCGCTCCTAGCTG</p>	116

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_StabilizeAlpha_T174W	<p>TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA                      GGACCAAGGCTGGTATTGTGAGAACCGCCGAGCACCCTGT                      TACTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGAC                      CACGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCG                      AGCAGAGCAAGAGTGCACATCAACATCAGCACACCA                      ACTATCCCTGCAAGGTGTCACCGGCAGGCACCTATTTTC                      TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT                      ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG                      GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC                      CAACCAGGACGCCGATACCGTGACCATCGACAACACCGTG                      TATCAGCTGAGCAAGGTGGAAGGCGAACAGCAGCTGATC                      AAGGGCAGACCTGTGTCACGAGCTTCGACCCATCAAGT                      TCCCTGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT                      CGAGAACATCGAGAATTCAGGCTCTGGTGGACCAGTCC                      AACAGAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGC                      TTCATCATCGTGATCATCTGATCGCCGTGCTGGGCAGCTC                      CATGATCCTGGTGTCCATCTTCATCATTATCAAGAGACC                      AAGAAGCCCACCGGCCTCTCCAGAACTGAGCGGAGTG                      ACCAACAAATGGCTTCATCCCTCACAAC</p>	117
HMPV_SC_4M_StabilizeAlpha_V55LT74LS170LT174W	<p>ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA                      CACCTCAGCACGGCCCTGAAAGAGAGTACCTGGAAGAGT                      CCTGCAGCACCATCACAGAGGGTACCTGTCTGTGCTGAG                      AACCGGCTGGTACACCAACGTGTTACACTGGAAGTGGGC                      GACCTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA                      TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA                      ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA                      ACAGATCGAGAATCCTGGCAGCGCAGCTTGTGCTGGGA                      GCCATTGCTCTGGAGTGGCTGCTGCTGCAGCTGTTACAG                      CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCG                      AAGTGACCCGCATCAACAACGCCCTGAAGAAGACAACG                      AGGCCCTCAGCACACTCGGCAATGGCGTGTAGAGTGTGGC                      CACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC                      CTGTGGCGGGCATTAAACAAGAACAAGTGCACATCGAC                      GACCTGAAGATGGCCGTGCTCTTAGCCAGTTCAACCGGC                      GGTTCCTGAACGTGCTGCGGAGTTTAGCGACAACGCCGG                      AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT                      GAGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCG                      GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG                      ACGGAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGC                      AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA                      TCGACACACCCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG                      TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA                      GGACCAAGGCTGGTATTGTGAGAACCGCCGAGCACCCTGT                      TACTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGAC                      CACGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCG                      AGCAGAGCAAGAGTGCACATCAACATCAGCACACCA                      ACTATCCCTGCAAGGTGTCACCGGCAGGCACCTATTTTC                      TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT                      ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG                      GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC                      CAACCAGGACGCCGATACCGTGACCATCGACAACACCGTG                      TATCAGCTGAGCAAGGTGGAAGGCGAACAGCAGCTGATC                      AAGGGCAGACCTGTGTCACGAGCTTCGACCCATCAAGT                      TCCCTGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT                      CGAGAACATCGAGAATTCAGGCTCTGGTGGACCAGTCC                      AACAGAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGC                      TTCATCATCGTGATCATCTGATCGCCGTGCTGGGCAGCTC                      CATGATCCTGGTGTCCATCTTCATCATTATCAAGAGACC                      AAGAAGCCCACCGGCCTCTCCAGAACTGAGCGGAGTG                      ACCAACAAATGGCTTCATCCCTCACAAC</p>	118



TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	ACAGCCGTGCGCGAGCTGAAGGACTTCGTGCTTAAGAACC TGTGGCGGGCCATTAAACAAGAACAAAGTGCACATCGACG ACCTGAAGATGGCCGTGTCCTTTAGCCAGTTCAACCGGCG GTTCTGAACGTCGTGCGGCAGTTTAGCCACAACGCCGGA ATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCAATACATGCCTACATCTGCCGG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGGAAGGCTTCGGCATTCGTATTGGCGTGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGAT GACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTA GCGAGAAGAAGGCAATTACGCCTGCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTGAGAACGCCGGCAGCACCGTGTA CTACCCTAACGAGAAGGACTGCGAGACAAGAGGCCACCA CGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAG CAGAGCAAGAGTGCAACATCAACATCAGCACCAACAAC TATCCCTGCAAGGTGTCCACCGCAGGCACCCCTATTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACAAC CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC AGCTGAGCAAGGTGGAAGGCCAAGCAGCACGTGATCAAGG GCAGACCTGTGTCAGCAGCTTCGACCCTATCAAGTTCC TGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTTCCGAG AACATCGAGAATCCCAAGGCTCTGGTGGACAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAACAACCGGCTTCAT CATCGTGATCATCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTCATCATATCAAGAAGACCAAGA AGCCCCACCGCGCTCCTCCAGAACTGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAC	
HMPV_ProlineStab_E51P	ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCAACATGCCTGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGCAGCTTGTGTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCG AAGTGACCGCCATCAACAACCGCCTGAAGAAGACAAACG AGGCCGTACGCACACTCGCAATGGCGTTAGAGTGTGGC CACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCATTAAACAAGAACAAGTGCACATCGAC GACCTGAAGATGGCCGTGCTTTAGCCAGTTCAACCGGC GGTTCTGAACGTCGTGCGGCAGTTTAGCGACAACGCCGG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCCTAACATGCCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA TCGACACACCCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG TAGCGAGAAGAAGGCAATTACGCCTGCCCTGCTGAGAGA GGACCAAGGCTGGTATTGTGAGAACCGCCGAGCACCCTG TACTACCTAACGAGAAGGACTGCGAGACAAGAGGCGAC CACGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAGAGTGCAACATCAACATCAGCACCACCA ACTATCCCTGCAAGGTGTCCACCGCAGGCACCCCTATTTC TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGCCAAGCAGCAGTGATC AAGGCGAGACCTGTGTCAGCAGCTTCGACCCTATCAAGT TCCTGAGGATCAGTTCAGGTGGCCCTGGACAGGTGTT CGAGAACATCGAATAATCCAGGCTCTGGTGGACCAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGGAACAACCGGC TTCATCATCGTGATCATCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTCATCATATCAAGAAGACC AAGAAGCCACCGCGCTCCTCCAGAACTGAGCGGAGTG ACCAACATGGCTTCATCCCTCACAAC	119

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_ProlineStab_D185P	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTACACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGC CACAGCCGTGCCGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCATTAAACAAGAACAAGTGGCAGATCCCTG ACCTGAAGATGGCCGTGTCCTTTAGCCAGTTCAACCGGCG GTTCTGAACGTCGTGCCGAGTTTAGCGACAACGCCGGA ATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCAATGCTTACATCTGCCTGG CCAGATCAAGCTGATGCTCAGAAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATCTGATTGGCGTACGGCAGCA GCCTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTATC GACACCCCTGCTGGATTGTGAAGGCCGCTCTTAGCTGTA GCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTGAGAAGCGCGCAGCACCGTGT CTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCA CGTGTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAG CAGAGCAAGAGTGCACATCAACATCAGCACCAACCAAC TATCCCTGCAAGGTGTCACCGGCAGGCACCCCTATTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAC CAGGACCGCGATACCGTGCATCGACAACACCGTGTATC AGCTGAGCAAGGTGGAAGGCGAACAGCAGCTGATCAAGG GCAGACCTGTGTCCAGCAGCTTCGACCCCTATCAAGTCCC TGAGGATCAGTTCCAGGTGGCCCTGGACAGGTGTTCCAG AACATCGAGAATCCAGGCTCTGGTGGACAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAACACCGGCTTCAT CATCGTATCATCCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCGGCGCTCTCCAGAAGTGAAGGAGTGAACCA CAATGGCTTCATCCCTCACAA	120
HMPV_ProlineStab_D183P	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTACACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGC CACAGCCGTGCCGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCATTAAACAAGAACAAGTGGCCCTATCGAG ACCTGAAGATGGCCGTGTCCTTTAGCCAGTTCAACCGGCG GTTCTGAACGTCGTGCCGAGTTTAGCGACAACGCCGGA ATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCAATGCTTACATCTGCCTGG CCAGATCAAGCTGATGCTCAGAAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATCTGATTGGCGTACGGCAGCA GCCTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTATC GACACCCCTGCTGGATTGTGAAGGCCGCTCTTAGCTGTA GCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTGAGAAGCGCGCAGCACCGTGT CTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCA CGTGTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAG CAGAGCAAGAGTGCACATCAACATCAGCACCAACCAAC TATCCCTGCAAGGTGTCACCGGCAGGCACCCCTATTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAC	121

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_ProlineStab_E131P	<p>CAGGACGCCGATACCGTGACCATCGACAACACCGTGATC                      AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG                      GCAGACCTGTGTCCAGCAGCTTCGACCCTATCAAGTTCC                      TGAGGATCAGTTCCAGGTGGCCCTGGACCAGGTGTTTCGAG                      AACATCGAGAATTCCAGGCTCTGGTGGACCAGTCCAACA                      GAATCCTGTCTAGCGCCGAGAAGGGAACACCGGTTTCAT                      CATCGTGATCATCCTGATCGCCGTGCTGGCAGCTCCATG                      ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA                      AGCCCCACCGCGCTCCTCCAGAACTGAGCGGAGTGACCAA                      CAATGGCTTCATCCCTCACAAAC</p>	122
HMPV_ProlineStab_D447P	<p>ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA                      CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT                      CCTGCAGCACCATCACAGAGGGTACCTGTCTGTGTGAG                      AACCGGCTGGTACACCAACGTGTTACACTGGAAGTGGGC                      GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA                      TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG                      AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA                      ACAGATCGAGAATCCTGGCAGCGCAGCTTTGTGCTGGGA                      GCCATTGCTCTTGGAGTGGCTGCTGTCAGCTGTTACAG                      CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCG                      AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG                      AGGCCGTGAGCACACTCGGCAATGGCGTTAGAGTGCTGGC                      CACAGCCGTGCGGAGCTGAAGGACTTCGTGTCCAAGAAC                      CTGACACGGGCCATTAACAAGAACAAGTGCGACATCGAC                      GACCTGAAGATGGCCGTCTCTTAGCCAGTTCAACCGGC                      GGTTCGTAACCTCGTGGCGAGTTTAGCGACAACGCCGG                      AATCACACAGCCATCAGCCTGGACCTGATGACAGATGCT                      GAGCTGGCTAGAGCCGTGCCTAACATGCCCTACATCTGCCG                      GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG                      ACGGAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGC                      AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA</p>	123

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_TrimersRepulsionD454N	<p>TCGACACACCCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG                      TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA                      GGACCAAGGCTGGTATTGTGAGAACCGCCGAGCACCCTG                      TACTACCTAACGAGAAGGACTGCGAGACAAGAGGCGAC                      CACGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCG                      AGCAGAGCAAGAGTGCAACATCAACATCAGCACCACCA                      ACTATCCTTGAAGGTGTCCACCGGAGGCACCCTATTTT                      TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT                      ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG                      GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC                      CAACCAGGACGCCGATACCGTGACCATCGACAACCCGTG                      TATCAGCTGAGCAAGGTGGAAGGCGAACAGCAGCTGATC                      AAGGGCAGACCTGTGTCCAGCAGCTTCCACCTATCAAGT                      TCCTTGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT                      CGAGAACATCGAGAATTCCAGGCTCTGGTGGACCAGTCC                      AACAGAATCCTGTCTAGCGCCGAGAAGGGAAAACCCGGC                      TTCATCATCGTGATCATCTGATCGCCGTGCTGGGAGCTC                      CATGATCCTGGTGTCCATCTTATCATTATCAAGAAGACC                      AAGAAGCCACCGCGCTCCTCCAGAAGTGAAGCGAGTG                      ACCAACATGGCTTCATCCCTCACAAC</p>	124
HMPV_TrimersRepulsionE453N	<p>ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA                      CACCTCAGCACCGCCGAAAGAGAGCTACCTGGAAGAGT                      CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG                      AACCGCTGGTACACCAACGTGTTCAACTGGAAGTGGGC                      GACGTGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA                      TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG                      AACTCAAGACCGTGTCTGCGATCAGCTGGCCAGAGAGGA                      ACAGATCGAGAATCTGGCAGCGGCAGCTTGTGTGGGA                      GCCATTGCTCTTGGAGTGGCTGTGCTGCAGCTGTTACAG                      CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCG                      AAGTGACCGCCATCAACAAGCCCTGAAGAAGACAAACG                      AGGCGTCAAGCAGCTCGCAATGGCGTTAGAGTGTGCGC                      CACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC                      CTGACACGGCCATTAACAAGAACAAGTGCACATCGAC                      GACCTGAAGATGGCCGTGCTTTAGCCAGTTCAACCGGC                      GGTTCGAAACGTGCTGCGCAGTTTAGCGACAAACCGCG                      AATCACACAGCCATCAGCTGGACCTGATGACAGATGCT                      GAGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCG                      GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG                      ACGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGC                      AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA                      TCGACACACCCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG                      TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA                      GGACCAAGGCTGGTATTGTGAGAACCGCCGAGCACCCTG                      TACTACCTAACGAGAAGGACTGCGAGACAAGAGGCGAC                      CACGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCG                      AGCAGAGCAAGAGTGCAACATCAACATCAGCACCACCA                      ACTATCCTTGAAGGTGTCCACCGGAGGCACCCTATTTT                      TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT                      ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG                      GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC                      CAACCAGGACGCCGATACCGTGACCATCGACAACCCGTG                      TATCAGCTGAGCAAGGTGGAAGGCGAACAGCAGCTGATC                      AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCTATCAAGT                      TCCTTGAGAACAGTTCAGGTGGCCCTGGACCAGGTGTT                      CGAGAACATCGAGAATTCCAGGCTCTGGTGGACCAGTCC                      AACAGAATCCTGTCTAGCGCCGAGAAGGGAAAACCCGGC                      TTCATCATCGTGATCATCTGATCGCCGTGCTGGGAGCTC                      CATGATCCTGGTGTCCATCTTATCATTATCAAGAAGACC                      AAGAAGCCACCGCGCTCCTCCAGAAGTGAAGCGAGTG                      ACCAACATGGCTTCATCCCTCACAAC</p>	125

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_StabilizeAlphaF196W	<p>AGGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGC                      CACAGCCGTGCGGAGCTGAAGGACTTCGTGTCCAAGAAC                      CTGACACGGGCCATTAAACAAGAACAAGTGCACATCGAC                      GACCTGAAGATGGCCGTGTCTTTAGCCAGTTCAACCGGC                      GGTTCGAAAGCTCGTGGCCAGTTTACGACACACGCCGG                      AATCACACCAGCCATCAGCTGGACCTGATGACAGATGCT                      GAGCTGGCTAGAGCCGTGCCTAACATGCCATACATCTGCCG                      GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG                      ACGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGC                      AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA                      TCGACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG                      TAGCGAGAAGAAGGGCAATTACGCCTGCCCTGCTGAGAGA                      GGACCAAGGCTGGTATTGTGAGAAGCCGGCAGCACCCTG                      TACTACCTAACGAGAAGGACTGCGAGACAAGAGGCGAC                      CACGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCG                      AGCAGAGCAAGAGTGAACATCAACATCAGCACCACCA                      ACTATCCTGCAAGGTGTCACCGGCAGGCACCTATTTTC                      TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTT                      ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG                      GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC                      CAACCAGGACGCCGATACCTGACCATCGACAACACCCGTG                      TATCAGCTGAGCAAGGTGGAAGGCGAACAGCAAGTATC                      AAGGGCAGACCTGTGTCACGAGCTTCGACCTATCAAGT                      TCCTCAGGATCAGTTCAGGTGGCCCTGGACAGGTGTT                      CGAGAACATCGAGAATTCACAGGCTCTGGTGGACAGTCC                      AACAGAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGC                      TTCATCATCGTGATCATCTGATCGCCGTGCTGGGCAGCTC                      CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC                      AAGAAGCCACCGCCGCTCCTCCAGAAGTGAAGCGAGTG                      ACCAACATGGCTTCATCCCTCACAAC</p> <p>ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA                      CACCTCAGCACCGCCGAAAGAGAGCTACCTGGAAGAGT                      CCTGCAGCACCATCAGAGGGCTACCTGTCTGTGCTGAG                      AACCGGCTGGTACACCAACGTGTTCACACTGGAAGTGGGC                      GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA                      TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG                      AACTCAAGACCGTGTCTGCGATCAGCTGGCCAGAGAGGA                      ACAGATCGAGAATCTGGCAGCGGCAGCTTTGTGTGGGA                      GCCATTGCTCTGGAGTGGCTGCTGCTGACAGTGTACAG                      CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCG                      AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAACCG                      AGGCCGTACGCACACTCGGCAATGGCGTTAGAGTGTGGC                      CACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC                      CTGACACGGGCCATTAAACAAGAACAAGTGCACATCGAC                      GACCTGAAGATGGCCGTGTCTTTAGCCAGTGGAAACCGGC                      GGTTCGAAAGCTCGTGGCCAGTTTACGACACAACCGCG                      AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT                      GAGCTGGCTAGAGCCGTGCCTAACATGCCATACATCTGCCG                      GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG                      ACGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGC                      AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA                      TCGACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG                      TAGCGAGAAGAAGGGCAATTACGCCTGCCCTGCTGAGAGA                      GGACCAAGGCTGGTATTGTGAGAAGCCGGCAGCACCCTG                      TACTACCTAACGAGAAGGACTGCGAGACAAGAGGCGAC                      CACGTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCG                      AGCAGAGCAAGAGTGAACATCAACATCAGCACCACCA                      ACTATCCTGCAAGGTGTCACCGGCAGGCACCTATTTTC                      TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTT                      ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG                      GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC                      CAACCAGGACGCCGATACCTGACCATCGACAACACCCGTG                      TATCAGCTGAGCAAGGTGGAAGGCGAACAGCAAGTATC                      AAGGGCAGACCTGTGTCACGAGCTTCGACCTATCAAGT                      TCCTCAGGATCAGTTCAGGTGGCCCTGGACAGGTGTT                      CGAGAACATCGAGAATTCACAGGCTCTGGTGGACAGTCC                      AACAGAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGC                      TTCATCATCGTGATCATCTGATCGCCGTGCTGGGCAGCTC                      CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC                      AAGAAGCCACCGCCGCTCCTCCAGAAGTGAAGCGAGTG                      ACCAACATGGCTTCATCCCTCACAAC</p>	126

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
Human Metapneumovirus mRNA Sequences		
HMPV_SC_DSCAV1_4MMV	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU                      CACACCUCAGCACGGCCUGAAAGAGAGCUACCCUGGAAGA                      GUCCUGCAGCACCAUCACAGAGGGCUACCCUGUCUGUGCU                      GAGAACCAGGUCGUAACCAACGUGUUCACACUGGAAGU                      GGGCGACGUCGAGAAUCUGACAUGUCUGAUGGCCUAG                      CCUGAUCAGACCAGCUGGAUCUGACCAAGAGCGCCU                      GAGAGAACUCAAGACCUGUCUGCCGAUCAGCUGGCCAG                      AGAGGAACAGAUCCGAAUCCUGGCAGCGGCAGCUUUG                      UGCUGGGAGCCAUUGUCUUGGAGUGGCUGCUGUGCA                      GCUGUACAGCAGGCGUGGCCAUCUGCAAGACCACUAGA                      CUGGAAGCGAAGUGACCAGCAUCAACAACGCCUGAAG                      AAGACAACGAGGCCGUCAGCACUCGGAUUGGCGUU                      AGAGUGCUGGCCUUGCCGUGCGGAGCUGAAGGACUUC                      GUGUCCAAGAACCUGACACGGGCCUGAACAGAAAG                      UGCGACAUCCAGCAGCUGAAGAUGGCCUGUCUUUAGC                      CAGUUCACCGGGGCUUGAAGCUGCUGCGGAGUUU                      AGCGACAACCGCGAAUCAACAGCAGCUCAGCCUGGAC                      CUGAUGACAGAUCCGAGCUGGCUAGAGCCUGCCUAC                      AUGCCUACAUCGCGGCCAGAUCAAGCUGAUGCUCGAG                      AAUAGAGCCAUUGGUCGACGGAAGGCUUCGGCAUUCU                      GUGUGGCGUACGGCAGCAGCUGAUCUAUUGGUGC                      AGCUGCCUAUCUUGCGGUGAUCGACACACCCUGCUGGA                      UUGUGAAGGCCGCUUCUAGCUGUAGCGAGAAGAGGGC                      AAUUCAGCCUGCCUGUGAGAGAGGACCAAGGCGUGUA                      UUGUCAGAACCGCGCAGCACCGUGUACUACCUAACGA                      GAAGGACUGCGAGACAGAGGGCAGCACGUGUUCUGUG                      AUACCGCCGUGGAUCAAUGUGGCCGAGCAGAGCAAAG                      AGUGCAACAACAUCAGCACCAACUAUCCUGCA                      AGGUGUCCACCGGCAGGCACCUAUUUCUUGGUGGUC                      UGUCUCUCUGGGAGCCUGGGUGGCUUGUUAAGGGC                      GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCA                      AAGCAGCUGAACAGGGCUGCAGCUACAUCACCAACCAG                      GACGCCGAUACCGUGACCAUCGACCAACCGUGUAUCAG                      CUGAGCAAGGUGAAGGCAACAGCAGCUGAUCAGGG                      CAGACCUGUUCAGCAGCUUCGACCCUAUCAAGUCC                      UGAGGAUCAGUCAAUGGUGCCUGGACCAAGGUGUCC                      AGAACAUCCGAGAUCUCCAGGCCUGGUGGACAGUCCA                      ACAGAAUCUGUCUAGCGCCGAGAAGGGAACACCGGCU                      UCAUCAUCGUGAUCUUCGUAUCGCCUGGCGAGCU                      CCAUGAUCUGGUGUCCAUUCUAUCAUAUCAAGAAGA                      CCAAGAAGCCACCGGCGUUCUCCAGAACUGAGCGGAG                      UGACCAACAAGGCUUCAUCCUCACAAAC</p>	127
HMPV_SC_DSURIC_4MMV	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU                      CACACCUCAGCACGGCCUGAAAGAGAGCUACCCUGGAAGA                      GUCCUGCAGCACCAUCACAGAGGGCUACCCUGUCUGUGCU                      GAGAACCAGGUCGUAACCAACGUGUUCACACUGGAAGU                      GGGCGACGUCGAGAAUCUGACAUGUCUGAUGGCCUAG                      CCUGAUCAGACCAGCUGGAUCUGACCAAGAGCGCCU                      GAGAGAACUCAAGACCUGUCUGCCGAUCAGCUGGCCAG                      AGAGGAACAGAUCCGAAUCCUGGCAGCGGCAGCUUUG                      UGCUGGGAGCCAUUGUCUUGGAGUGGCUGCUGUGCA                      GCUGUACAGCAGGCGUGGCCAUCUGCAAGACCACUAGA                      CUGGAAGCGAAGUGACCAGCAUCAACAACGCCUGAAG                      AAGACAACAGAGCCGUCAGCACUCGGAUUGGCGUU                      AGAGUGCUGGCCACAGCCUGCGCAGCUGAAGGACUUC                      GUGUCCAAGAACUGACACGGGCCAUUAACAAGAAACAG                      UGCGACAUCCAGCAGCUGAAGAUGGCCUGUCUUUAGC                      CAGUUCACCGGGGCUUGAAGCUGCUGCGGAGUUU                      AGCGACAACCGCGAAUCAACAGCAGCUCAGCCUGGAC                      CUGAUGACAGAUCCGAGCUGGCUAGAGCCUGGCCUAC                      AUGCCUACAUCGCGGCCAGAUCAAGCUGAUGCUCGAG                      AAUAGAGCCAUUGGUCGACGGAAGGCUUCGGCAUUCU                      GUGUGGCGUACGGCAGCAGCUGAUCUAUUGGUGC                      AGCUGCCUAUCUUGCGGUGAUCGACACACCCUGCUGGA                      UUGUGAAGGCCGCUUCUAGCUGUAGCGAGAAGAGGGC                      AAUUCAGCCUGCCUGUGAGAGAGGACCAAGGCGUGUA                      UUGUCAGAACCGCGCAGCACCGUGUACUACCUAACGA                      GAAGGACUGCGAGACAGAGGGCAGCACGUGUUCUGUG                      AUACCGCCGUGGAUCAUUGGCGGAGCAGAGCAAAG                      AGUGCAACAACAUCAGCACCAACCAUUAUCCUGCA                      AGGUGUCCACCGGCAGGCACCUAUUUCUUGGUGGUC</p>	128

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_DM_Krarpup_U74LD185P	UGUCUCUCUGGGAGCCUGGUGGCUUGUUUAAGGGC GUGUCUCUGAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG CAGACCUUGUCCAGCAGCUUCGACCCUAUCAAGUUC UGAGCACAGUGGCAUGUGCCUGGACAGGUGUUCGA GAACAUCGAGAAUUCAGGCUUCGUGGACAGUCCAA CAGAAUCCUGUCUAGGCCGAGAAGGGAAACACCGGCU CAUCAUCGUAUCAUCUGAUCGCGUGUCUGGCGAGCUC CAUGAUCUGGUGUCAUCUUAUCAUUAACAAGAGAC CAAGAAGCCACCGGCGUCUCCUCCAGAACUGAGCGGAGU GACCAACAAGGCUUCAUCCUCACAAC	129
HMPV_SC_UM_Krarpup_U74LD185PD454N	AUGAGCUGGAAGGUGGUAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCCUGGAAGA GUCCUGCAGCACCAUCAAGAGGGCUACCCUGUCUGUGCU GAGAACCAGGUGGUAACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCGACAUUCUGAUGGCCUUCAG CCUGAUCAGACCGAGCUGAUCUGCUAAGAGCGCCU GAGAGAUCUACAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAUUCGAGAAUCCUGGACGCGGAGCUUUG UGUCGGGAGCCAUUGUCUUGGAGUGGCUUCGUCUGCA GCUGUUCAGCAGGCGUGGCAUCGCUAAGACCAUCAGA CUGGAAGCGAAGUGACCGCAUCAACAACGCCUGAAG AAGACAACAGGCGGUCAGCACACUCCGCAUAGGCGUU AGAGUCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAGAACUGACACGGCCAUUAACAAGAAACAG UGCGACAUCUCCUGACCUAAGAUGGCCGUGUCUUAAGC CAGUUCACCGGCGUUUCUGAACGUCGCGGAGUUU AGCGACAACCGGAAUCAACAGCUCAGCCUGGAC	130

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_4M_Krarup_U74LS170LD185P	CUGAUGACAGAUGCUGAGCUGGCCUAGAGCCGUGCCUAAC AUGCCUACAUCUGCCGGCCAGAUCAGCUGAUGCUCGAG AAUAGAGCCAUUGGUCGACGGAAAGGCUUCGGCAUUCU GAUUGGCGUUAACGGCAGCAGCGUUAUAUUGGUGC AGCUGCCUAUCUUCGGCGUUAUCGACACCCUGCUGGA UUGUGAAGGCCGUCUAGCUGUAGCGAGAAGAAGGGC AAUUACGCCUGCCUGCUGAGAGAGGACCAAGGCUUGUA UUGUCAGAACGCCGGCAGCACCGUUAUCUACCUAACGA GAAGGACUGCGAGACAAGAGGCGACCCGUGUUCUGUG AUACCGCCGUGGAAUCAUUGGCGGAGCAGAGCAAAG AGUGCAACAUAACAUCAGCACCAACAUCUACCCUGCA AGGUGUCCACCGGCGAGCACCUAUUUUCUAGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUUGUUUAAGGGC GUGUCUUGAUCUUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG CAGACCUGUUCAGCAGCUUCGACCCUAUCAAGUUC UGAGAACCAUUCAGGUGGCCUGGACAGGUGUUCGA GAACAUCGAGAAUUCAGGCUUCUGGUGGACAGUCCAA CAGAAUCCUGUCUAGCGCCGAGAAGGGAACACCGGCU CAUCAUCGUAUCAUCUGAUCGCGUGCUGGGCAGCUC CAUGAUCUGGUGUCUUCUUAUCAUUAUCAAGAGAC CAAGAAGCCACCGGCGUCUUCUCCAGAACUGAGCGGAGU GACCAACAAGGCUUCAUCCUCACAAC	131
HMPV_SC_5M_Krarup_U74LS170LD185PD454N	AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCCUGGAAGA GUCCUGCAGCACCAUCACAGAGGGCUACCGUCUGUGCU GAGAACCGGCUGGUAACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAUCUGACAUGCUUGAUGGCCUAG CCUGAUCAGACCCGAGCUGAUCUGUCUAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAUCAAGAAUCCUGGCAGCGGCAUCUUG UGUCGGGAGCCAUUGUCUUCUGGAGUGGCGUCGUCGCA GCUGUUAACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAGCGAAGUGACCGCAUCAACAACGCCUUGAAG AAGACAACGAGGCCGUCAGCACACUCGCAUUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGCUUAAGAACUGACACGGGCCAUUAACAAGAACAA GUGCGACAUCUCUGACCCUGAAGAUUGGCCUGUCCUUAG CCAGUUAACCGGGCGUUUCUGAACGUCGUGCGGCGAGUU UAGCGACAACCGCGAAUCACACAGCCAUACGCUUGGA CCUGAUGACAGAUGCUGAGCUGGCUAGAGCCGUGCCUAA CAUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGA GAUAUAGAGCCAUUGGUCGACGGAAGGCUUCGGCAUUC UGAUUGGCGUGUACGGCAGCAGCGUGAUCUUAUUGGUG CAGCUGCCUAUCUUCGGCGUGAUCGACACCCUGCUGG AUUGUGAAGGCCGCUUCUAGCUGUAGCGAGAAGAAGGG CAAUUAACGCUUCGUCUGAGAGAGGACCAAGGCUUGUA UUGUCAGAACCGCGGACCCGUGUACUACCCUAACGA GAAGGACUGCGAGACAAGAGGCGACCCGUGUUCUGUG AUACCGCCGUGGAAUCAUUGGCGGAGCAGAGCAAAG AGUGCAACAUAACAUCAGCACCAACAUCUACCCUGCA AGGUGUCCACCGGCGAGCACCUAUUUUCUAGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUUGUUUAAGGGC GUGUCUUGAUCUUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGCGUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG CAGACCUGUUCAGCAGCUUCGACCCUAUCAAGUUC UGAGGAUCAGUUCAGGUGGCCUGGACAGGUGUUCG AGAACAUCAAGAAUUCAGGCUUCUGGUGGACAGUCCA ACAGAAUCUGUCUAGCGCCGAGAAGGGAACACCGGCU UCAUCAUCGUGAUCUUCUGAUCGCGGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUUCUUAUCAUUAUCAAGAGA CCAAGAAGCCACCGGCGUCUUCUCCAGAACUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAC	132



TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	CCUGAUC AAGACCGAGCUGGAUCUGCUCAAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAU CGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUUUGGAGUGGCUGCUGCUGCA GCUGUUAACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACAACGCCUCUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGCUUAAGAACCUGACACGGGCCAUUAACAAGAACAA GUGCGACAUC CUGACCUGAAGAUGGCCGUGUCCUUUAG CCAGUUC AACCGCGCGUUUCUGAACGUCGUGCGGAGUU UAGCGACAACCGCGAAUCACACAGCCAUACAGCCUGGA CCUGAUGACAGAUUGCUGAGCUGGCUAGAGCCGUGCCUAA CAUGCCUACAU CUGCCGGCCAGAUCAAGCUGAUGCUCGA GAAUAGAGCCAUUGGUCGACGGAAGGCCUUCGGCAUUC UGAUUGGCGUGUACCGCAGCAGCGUGAUUAUUAUGGUG CAGCUGCCUUAUCUUGCGGUGAUCGACACCCUGCUGG AUUGUGAAGGCCUCUAGCUGUAGCGAGAAGAAGGG CAUUAACGCCUCUGCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACCGCGGAGCACCUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGCCACCGUGUUCUGUG AUACCGCCGUGGAAUCAUUGGCGGAGCAGAGCAAAG AGUGCAACAUAACAUCAGCACCAACAUAUCCUGCA AGGUGUCCACCGCGAGGCACCUAUUUCUUGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUUGUUUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUC AAGGG CAGACCUGUGUCAGCAGCUUCGACCUAUCAAGUUC C UGAGAACCAGUUC CAGGUGGCCUGGACCAAGGUGUUCGA GAACAUCGAGA AUUC CAGGCUUCUGGUGGACCAAGUCCAA CAGAAUCCUGUCUAGCGCCGAGAAGGGAACAACCGGCUU CAUCAUCGUGAUCAUCCUGAUCGCGUGCUGGGCAGCUC CAUGAUCUGGUGUCAUCUUAUCAUUAUCAAGAGAC CAAGAAGCCACCGGCGUCUCCUCCAGAACUGAGCGGAGU GACCAACA AUGGCUUCAUCCUCACAAC	
HMPV_SC_DM_Krarup_E51P74L	AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCCUGGAAGA GUCCUGCAGCACCAUCAAGAGGGCUACUGUCUGUGCU GAGAACC CGCUGGUACACCAACGUGUACACUCGCCUGU GGGCGACGUCGAGAAUCUGACAUGCUUGAUGGCCUAG CCUGAUC AAGACCAGCUGGAUCUGCUC AAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAU CGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUUUGGAGUGGCUGCUGCUGCA GCUGUUAACAGCAGGCGUGGCCAUUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACAACGCCUCUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAACAAAG UGCGACAUCGACGACCUGAAGAUGGCCGUGUCUUAUAGC CAGUUC AACCGCGGUUUCUGAACGUCGUGCGGAGUUU AGCGACAACCGCGAAUCAACACAGCCAUACAGCCUGGAC CUGAUGACAGAUUGCUGAGCUGGCUAGAGCCGUGCCU AAC AUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUUGGUCGACGGAAGGCCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUGC AGCUGCCUAUCUUCGGCGUAUCGACACACCCUGCUGGA UUUGAAGGCCGUCUAGCUGUAGCGAGAAGAAGGGC AAUUAACGCUUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACCGCGGAGCACCUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGCCAGCACGUGUUCUGUG AUACCGCCGUGGAAUCAUUGGCGGAGCAGAGCAAAG AGUGCAACAUCAUCAUCAGCACCAACAUAUCCUGCA AGGUGUCCACCGCGAGGCACCUAUUUCUUGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUUGUUUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUC AAGGG CAGACCUGUUC CAGCAGCUUCGACCUAUCAAGUUC C UGAGGAUCAGUUC CAGGUGGCCUGGACCAAGGUGUUCG	133

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_UM_Krarup_E51PU74LD454N	AGAACAUUCGAGAAUCCAGGCUCUGGUGGACCAGUCCA ACAGAAUCUCUGUCUAGCGCCGAGAAGGGAACACCGGCU UCAUCAUCGUGAUCAUCCUGAUCGCGGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUUCUCAUAUAUCAAGAAGA CCAAGAAGCCACCGCGCUCUCCAGAACUGAGCGGAG UGACCAACAUGGCUUCAUCCUCACAAC	134
HMPV_SC_SUabilizeAlpha_U74L	AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACUCAGCACGGCCUGAAAGAGAGCUACCUUGGAAGA GUCCUGCAGCACCAUCAAGAGGGCUACUCUGUCUGUCU GAGAACCGGUGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGUCUGAUGGCCUAG CCUGAUCAGACCAGCUGAUCUGUCUAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAUCAAGAAUCCUGGCAGCGGACGCUUUG UGUCGGGAGCCAUUGUCUUGGAGUGGCUGCUCUGCA GCUGUACAGCAGGCGUGGCCAUUCGUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCAUCAACAACGCCUUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAUUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAAACAAG UGCGACAUCGACGACUGAAGAUGGCCGUGUCUUAAGC CAGUUCACCGGCGUUUCUGAACGUCGUGCGGAGUUU AGCGACAACCGCGAAUCAACAGCAUCAGCCUGGAC CUGAUGACAGAUUCUGAGCUGGCUAGAGCCGUGCCUAA AUGCUACAUCUGCCGCGAUAAGCUGAUGCUCGAG AAUAGAGCCAUUGGUCGACGGAAGGCUUCGGCAUUCU GAUUGGCGUACGGCAGCAGCGUAUCUAUUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCCUGCUGGA UUGUGAAGGCCGCUUCAGCUGUAGCGAGAAGAAGGC AAUUCAGCCUGCCUGCUGAGAGAGGACCAAGGCUUGUA	135

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_SUabilizeAlpha_V55L	UUGUCAGAACGCCGGCAGCACCGUGUACUACCCUAACGA GAAGGACUGCGAGACAAAGGGCGACACGUGUUCUGUG AUACCCCGCGUGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUCAACAUCAGCACCAACCAUCCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUUGUGGCUC UGUCUCUCUGGGAGCCCGUGGUCUUGUUAUAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAGGGCUGCAGCUACUACCAACCAG GACGCCGAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCAGCACGUGAUCAGGG CAGACUCUGUCCAGCAGCUUCGACCCUAUCAAGUCCC UGAGGAUCAGUCCAGGUGGCCUGGACAGGUGUUCG AGAACAUCCGAGAAUCCAGGCUCUGGUGGACAGUCCA ACAGAAUCUGUCUAGCGCCGAGAAGGGAACACCGGCU UCAUCAUCGUGAUCUCCGUAUCGCCGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUUCUCAUAUUAUCAAGAAGA CCAAGAAGCCACCGGCUCUCUCAGAACUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAC	136
HMPV_SC_SUabilizeAlpha_S170L	AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCCUGGAAGA GUCCUGCAGCACCAUCAAGAGGGCUACUGUCUGUGCU GAGAACCAGGUGUACACCAACGUGUACACUUGAAGU GGGCGACGUCGAGAAUCUGACAUGCUUGAUGGCCUAG CCUGAUCAGAGCCGAGCUGAUCGACCAAGAGCGCCU GAGAGAUCUCAAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAUCCGAGAAUCCUGGCAGCGGACGCUUCG UGUGGGAGCCAUUGUCUUGGAGUGGCUGCUGCUGCA GCUGUACAGCAGGCGUGGCCAUCCGUAAGACCAUCAGA CUGGAAGCGAAGUGACCGCAUCAACAACGCCUUGAAG AAGACAACGAGGCGUCAGCACACUCGGCAAUGGGCU	137

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_SUabilizeAlpha_U174W	<p>AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC  GUGC UUAAGAACCGUGACACGGGCCAUUAACAAGAACAA  GUGC GCAUCGACGACCCUGAAGAUGGCCGUGUCCUUUAG  CCAGUUC AACCGCGGUUUCUGAACGUCGUGCGGCAGUU  UAGCGACAACCGCGGAUCACACCAGCCAU CAGCCUGGA  CCUGAUGACAGAUGCUGAGCUGGCUAGAGCCGUGCCUAA  CAUGCCUACAU CUGCCGGCCAGAUCAAGCUGAUGCUGCA  GAAUAGAGCCAUUGGUCCGACGGAAAGGCUUCGCAUUC  UGAUUGGCGUGUACGGCAGCAGCGUGAUCUAU AUGGUG  CAGCUGCCUAUCUUCGGCGUGAUCGACACCCUGCUGG  AUUGUGAAGGCCGUCUUCAGCUGUAGCGAGAGAAGGG  CAAUUCGCGUGCCUGCUGAGAGAGGACCAAGGCUUGUA  UUGUCAGAACCGCGGAGCACCUGUACUACCCUAACGA  GAAGGACUGCGAGACAAGAGGCGACCCAGUUCUGUG  AUACCGCCGUGGAAUCAUUGUGCCGAGCAGAGCAAAG  AGUGCAACAUCAUCAUCAGCACCAACCUAUCCUGCA  AGGUGUCCACCGCGAGGACCCUAUUUCUAUGGUGGCUC  UGUCUCUCUGGGAGCCUGGUGGCUUGUUAU AAGGGC  GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC  AAGCAGCUGAAC AAGGGCUGCAGCUACUACCAACCAG  GACGCCGAUACCGUGACCAUCGACAACCCGUGUAUCAG  CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUC AAGGG  CAGACCUGUGUCAGCAGCUUCGACCUAUCAAGUUC C  UGAGGAUCAGUUC CAGGUGGCCUGGAC CAGGUGUUCG  AGAACAUCGAGAAUUC CAGGCUCUGGUGGAC CAGUCCA  ACAGAAUC CUGUCUAGCGCCGAGAAGGGAACACCGGCU  UCAUCAUCGUGAUCUCCGUAUCGCGGUGCUGGGCAGCU  CCAUGAUC CUGGUGUCCAUUCUCAUAUUAUCAAGAAGA  CCAAGAAGCCACCGGCGUCUCCAGAACUGAGCGGAG  UGACCAACA AUGGCUUCAUCCUCACAAC</p>	138

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_4M_SUabilizeAlpha_V55LU74LS170LU174W	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU                      CACACCUCAGCACGGCCUGAAAGAGAGCUACCCUGGAAGA                      GUCCUGCAGCACCAUCACAGAGGGCUACCCUGUCUGUCU                      GAGAACCUGGUGGUACACCAACGUGUUCACACUGGAAGU                      GGGCGACCCUGAGAUCUGACAUGCUUGAUGGCCCUAG                      CCUGAUCAGACCGAGCUGGAUCUGCUAAGAGGCCCCU                      GAGAGAACUCAAGACCGUGUCGCGAUCAGCUGGCCAG                      AGAGGAACAGAUCCGAGAUCUGGCCAGCGGACGUUUG                      UGCUGGGAGCCAUGUCUUGGAGUGGCUGCUGCUGCA                      GCUGUACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA                      CUGGAAGCGAAGUGACCGCCAUCACCAACGCCCUAAG                      AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU                      AGAGUCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC                      GUGCUUAGAAACCCUGGGCGGGCCAUUAACAAGAACAA                      GUGCGCAUCGACGACCCUGAAGAUGGCCGUGUCUUUAG                      CCAGUUCACCCGGCGUUUCUGAACGUCUGCGGCGAGUU                      UAGCGACACCGCCGGAUCACACCAGCCAUACGCUUGGA                      CCUGAUGACAGAUCCUGAGCUGGCUAGAGCCGUGCCUAA                      CAUGCCUACAUUCGCGGCCAGAUCAAGCUGAUGCUGCA                      GAUAGAGCCAUUGGUCCGACGGAAGGCUUCGCGAUUC                      UGAUUGGCGUGUACGGCAGCAGCUGAUCUAUAUGGUG                      CAGCUGCCUAUCUUCGGCGUGAUCGACACACCUGCUGG                      AUUGUGAAGGCCGUCUAGCUGUAGCGAGAGAAGGG                      CAUUUACCGCUGCCUGCUGAGAGGACCAAGGCUUGUA                      UUGUCAGAACCGCGGACGACCCGUGUACUACCUAACGA                      GAAGGACUGCGAGACAAAGGGCAGCCACGUGUUCUGUG                      AUACCGCCGUGGAAUCAUUGGGCCGAGCAGAGCAAAG                      AGUGCAACAUCAACAUCAGCACCAACCAUUAUCCUGCA                      AGGUGUCCACCGGACGGCACCCUAUUUCUAUGGUGGUC                      UGUCUCUCUGGGAGCCUGGUGGCUUGUUAUAAGGGC                      GUGUCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC                      AAGCAGCUGAACAAAGGCGUGCAGCUACUACCAACCAG                      GACGCCGAUACCGUGACCAUCGACAAACCCGUGUAUCAG                      CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG                      CAGACCUGUGUCCAGCAGCUUCGACCUAUCAAGUCCC                      UGAGGAUCAGUUCAGGUGGCCUGGACCGGUGUUCG                      AGAACAUUCGAGAAUUCAGGCUUCGUGGACAGUCCA                      ACAGAAUCUGUCUAGCGCCGAGAAGGGAACACCGGCU                      UCAUCAUCGUGAUCUUCGUAUCGCGGUGCUGGGCAGCU                      CCAUGAUCUGGUGUCCAUUCUAUCAUUAUCAAGAAGA                      CCAAGAAGCCACCGGCGUCUCCAGAACUGAGCGGAG                      UGACCAACAAGGCUUCAUCCUCACCAAC</p>	139
HMPV_ProlineSUab_E51P	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU                      CACACCUCAGCACGGCCUGAAAGAGAGCUACCCUGGAAGA                      GUCCUGCAGCACCAUCACAGAGGGCUACCCUGUCUGUCU                      GAGAACCUGGUGGUACACCAACGUGUUCACACUGCCUGU                      GGGCGACGUCGAGAUCUGACAUGCUUGAUGGCCCUAG                      CCUGAUCAGACCGAGCUGGAUCUGACCAAGAGCGCCU                      GAGAGAACUCAAGACCGUGUCGCGAUCAGCUGGCCAG                      AGAGGAACAGAUCCGAGAUCUGGCCAGCGGACGUUUG                      UGCUGGGAGCCAUGUCUUGGAGUGGCUGCUGCUGCA                      GCUGUACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA                      CUGGAAGCGAAGUGACCGCCAUCAACAACGCCCUAAG                      AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU                      AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC                      GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAACAG                      UGCGACAUCCAGCAGCUGAAGAUGGCCGUGUCUUUAGC                      CAGUUCACCCGGCGUUUCUGAACGUCGUGCGGAGUUU                      AGCGACAACCGCGAAUCACACCAGCCAUACAGCCUGGAC                      CUGAUGACAGAUCCUGAGCUGGCUAGAGCCGUGCCUAC                      AUGCCUACAUUCGCGGCCAGAUCAAGCUGAUGCUCGAG                      AAUAGAGCCAUUGGCCGACGGAAGGCUUCGGCAUUCU                      GAUUGGCGUUAACGGCAGCAGCGUGAUCUAUAUGGUGC                      AGCUGCCUAUCUUCGGCGUGAUCGACACACCUCUGGGA                      UUGUGAAGGCCGUCUUCAGCUGUAGCGAGAGAAGGGC                      AAUACGCCUGCCUGCUGAGAGAGGACCAAGGCUUGUA                      UUGUCAGAACCGCGGACGACCCGUGUACUACCUAACGA                      GAAGGACUGCGAGACAAAGGGCAGCCACGUGUUCUGUG                      AUACCGCCGUGGAAUCAUUGGGCCGAGCAGAGCAAAG                      AGUGCAACAUCAACAUCAGCACCAACCAUUAUCCUGCA                      AGGUGUCCACCGGACGGCACCCUAUUUCUAUGGUGGUC                      UGUCUCUCUGGGAGCCUGGUGGCUUGUUAUAAGGGC                      GUGUCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC</p>	140

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_ProlineSUab_D185P	<p>AAGCAGCUGAACAAAGGGCUGCAGCUACAUCACCAACCAG                      GACGCCGAUACCGUGACCAUCGACCAACCCGUGUAUCAG                      CUGAGCAAGGUGGAAAGGCGAACAGCAGCUGAUCAAGG                      CAGACCUGUCCAGCAGCUUCGACCUAUAAGUUC                      UGAGGAUCAGUUCAGGUGGCCUGGACAGGUGUUCG                      AGAACAUUCGAGAAUUCAGGCUUGGUGGACAGUCCA                      ACAGAAUCUGUCUAGCGCCGAGAAGGGAACACCGGCU                      UCAUCAUCGUGAUCAUCUGAUCCGCGUGGUGGACAGCU                      CCAUGAUCUGGUGUCCAUUCUCAUAUAUCAAGAAGA                      CCAAGAAGCCACCGCGCUCUCAGAACUGAGCGGAG                      UGACCAACAAGGCUUCAUCCUCACAAC</p>	141
HMPV_ProlineSUab_D183P	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU                      CACACCUCAGCACGGCCUGAAAGAGAGCUACCCUGGAAGA                      GUCCUCGAGCACCAUCAAGAGGGCUACCUUGUGUCU                      GAGAACCAGGUGGUAACCAACGUGUUCACACUGGAAGU                      GGGCGACGUCGAGAAUCUGACAUUCUGAUGGCCUUG                      CCUGAUCAAGACCGAGCUGAUUCGACCAAGAGCGCCU                      GAGAGAUCUAGACCGGUGUCGCGAUCAAGGCGCCAG                      AGAGGAACGAGUUCGAGAAUUCUGGCGAGCGCAGCUUG                      UGCGGAGGCAUUGUCUUGGAGUGGCGUCGUCUGCA                      GCUGUACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA                      CUGGAAGCGAAGUGACCGCAUCAACAACCGCCUGAAG                      AAGACAAACGAGGCCGUCAGCACUCGGCAAUGGCGUU                      AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC                      GUGUCCAAGAACUGACACGGGCCAUUAACAAGAACAG                      UGCGCAUCUCCUGACUGAAGAUGGCGUGUCUUUAGC                      CAGUUAACCGGCGUUUCUGAACGUCGUGCGGAGUUU                      AGCGACAACCGCGGAUCAACCAAGCAUCAGCCUGGAC                      CUGAUGACAGAUUCGAGCUGGCUAGAGCCGUGCCUAAC                      AUGCCUACAUCUGCCGCCCAGAUCAAGCUGAUGCUCGAG                      AAUAGAGCAUGGUCGACGGAAGGCUUCGGAUUUCU                      GAUUGGCGUACGGCAGCAGCUGAUUAUAUGGUGC                      AGCUGCCUAUCUUCGGCGUGAUCGACACACCCUGCUGGA                      UUGUGAAGGCCGUCUAGCUGUAGCGAAGGAGGGC                      AAUUAACGCCUGCCUGCUGAGAGAGGACCAAGGCUUGUA                      UUGUCAGAACGCGGCGAGCACGUGUACUACCCUAACGA                      GAAGGACUGCGAGACAGAGGCGACACGUGUUCUGUG                      AUACCGCCGUGGAUCAUUGGCGGAGCAGAGCAAAG                      AGUGCAACAUAACAUCAGCACCAACCAUCCUGCA                      AGGUGUCCACCGGCGAGCACCUAUAUUCUAGGUGGUC                      UGUCUCUCUGGAGGCCUGGUGGCUUGUUAUAAGGGC                      GUGUCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC                      AAGCAGCUGAACAAAGGCGUCAGCUACAUCACCAACCAG                      GACGCCGAUACCGUGACCAUCGACAAACCCGUGUAUCAG                      CUGAGCAAGGUGGAAGGCGAACAGCAGUUAUCAAGG                      CAGACCUGUCCAGCAGCUUCGACCUAUAAGUUC                      UGAGGAUCAGUUCAGGUGGCCUGGACAGGUGUUCG                      AGAACAUUCGAGAAUUCAGGCUUGGUGGACAGUCCA                      ACAGAAUCUGUCUAGCGCCGAGAAGGGAACACCGGCU                      UCAUCAUCGUGAUCAUCUGAUCGCGGUGCUGGCGAGCU                      CCAUGAUCUGGUGUCCAUUCUCAUAUAUCAAGAAGA                      CCAAGAAGCCACCGCGCUCUCAGAACUGAGCGGAG                      UGACCAACAAGGCUUCAUCCUCACAAC</p>	142

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_ProlineSUab_E131P	AAUAGGCCAUGGUCGACGGAAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCGUGAUCUAUUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCCUUCUGGA UUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAAGGC AAUACGCCUGCCUGUGAGAGAGGACCAAGGCUUGUA UUGUCAGAACGCCGGCAGCACCGUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGCGACCAGUGUUCUGUG AUACCGCCGUGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUCAACUAGCACCACCAACUACCUUGCA AGGUGUCCACCGGCAGGCACCUAUUUCUAUGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUUGUUAUAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUAC AAGCAGCUGAACAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACCAACCCGUGUAUCAG CUGAGCAAGGUGAAGGCGAACAGCACGUGAUCAGGG CAGACCUUGUCCAGCAGCUUCGACCUAUAAGUUC UGAGGAUCAGUCCAGGUGGCCUGGACAGGUGUUCG AGAACAUUCGAGAAUCCAGGCUCUGGUGGACAGUCCA ACAGAAUCUGUCUAGCGCCGAGAAGGGAACACCGGCU UCAUCAUCGUGAUCUCCUGAUCGCCGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUUCUACAUAUAUCAAGAAGA CCAAGAAGCCACCGGCGUCUCCAGAACUGAGCGGAG UGACCAACAUGGCUUCAUCCUCACAAAC	143
HMPV_ProlineSUab_D447P	AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCUUGGAAGA GUCCUGCAGCACCAUCAAGAGGGCUACCUUGCUGGCU GAGAACCAGGCGUGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAUCUGACAUUCUGAUGGCCUUCAG CCUGAUCAGACCGAGCUGAUCUGACCAAGAGCGCCU GAGAGAUCUCAAGACCGGUGUCUGCCUUAAGACCAUCAGA CUGCCUAGCGAAGUGACCGCAUCAACAACCGCCUGAAG AAGACAAACGAGGCCUGCAGCACUCGCGAAUGGCGUU AGAGUCCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAGAACUGACACGGGCCAUUAACAAGAACAAAG UGCGACAUCGACGACUGAAGAUGGCCGUGUCUUAAGC CAGUUAACCGGCGUUUCUGAACGUCGUGCGGAGUU AGCGACAACCGCGAUAACAACAGCAUCAGCCUGGAC CUGAUGACAGAUCUGAGCUGGCCUAGAGCCGUGCCUAAC AUGCCUACAUCUGCCGCCAGAUAAGCUGAUGCUCGAG AAUAGAGCAUUGGUCGACGGAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCUGAUCUAUUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCCUUCUGGA UUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAAGGC AAUACGCCUGCCUGUGAGAGAGGACCAAGGCUUGUA UUGUCAGAACGCCGGCAGCACCGUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGCGACCAGUGUUCUGUG AUACCGCCGUGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUCAACAUCAGCACCACCAACUACCUUGCA AGGUGUCCACCGGCAGGCACCUAUUUCUAUGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUUGUUAUAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG CAGACCUUGUCCAGCAGCUUCGACCUAUAAGUUC UGAGGAUCAGUCCAGGUGGCCUGGACAGGUGUUCG AGAACAUUCGAGAAUCCAGGCUCUGGUGGACAGUCCA ACAGAAUCUGUCUAGCGCCGAGAAGGGAACACCGGCU UCAUCAUCGUGAUCUCCUGAUCGCCGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUUCUACAUAUAUCAAGAAGA CCAAGAAGCCACCGGCGUCUCCAGAACUGAGCGGAG UGACCAACAUGGCUUCAUCCUCACAAAC	144

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_UrimerRepulsionD454N	<p>AGAGGAACAGAUCGAGAAUCCUGGCAGCGGCAGCUUUG                      UGCUUGGAGCCAUUGUCUUGGAGUGGUCUGCUGCA                      GCUGUUACAGCAGGCGUGGCCAUUCGCUAAGACCAUCAGA                      CUGGAAAGCGAAGUGACCGCCAUAACAACGCCUGAAG                      AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU                      AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC                      GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAACAAG                      UGCGACAUAGCAGCUGAAGAUGGCCGUGUCUUUAGC                      CAGUUC AACCGGCGUUUCUGAACGUCGUGCGGAGUUU                      AGCGACAACCGCGGAUACACACAGC CAUCAGCCUGGAC                      CUGAUGACAGAUCUGAGCUGGCUAGAGCCGUGCCU AAC                      AUGCCUACAUCUGCCGGCCAGAUAAGCUGAUGCUCGAG                      AAUAGAGCCAUUGGUCGACGGAAAGGCUUCGGCAUUCU                      GAUUGGCGUGUACGGCAGCAGCGUGAUCUAUUGGUGC                      AGCUGCCUAUCUUCGGCGUGAUCGACACACCCUGCUGGA                      UUGUGAAGGCCGCUUCUAGCUGUAGCGAGAAGAAGGC                      AAUUACGCCUGCCUGCUGAGAGAGGCCAAGGCGUGUA                      UUGUCAGAACCGCGCAGCACCGUGUACUACCUAACGA                      GAAGGACUGCGAGACAAGAGGCCAGCACGUGUUCUGUG                      AUACCGCCGUGGAUUCUAUUGGCCGAGCAGAGCAAAG                      AGUGCAACAUAACAUCAGCACCAACUAUCCUGCA                      AGGUGUCCACCGGCAGGCACCUAUUUCUAUGGUGGUC                      UGUCUCUCUGGGAGCCUGGUGGCUUGUUUAAGGGC                      GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC                      AAGCAGCUGAACAAAGGCGUGCAGCUACAUCACCAACCAG                      GACGCCGAUACCGUGACCAUCGACAAACCCGUGUAUCAG                      CUGAGCAAGGUGGAAGGCAACAGCACGUGAUCAGGG                      CAGACCUGUUCAGCAGCUUCCACCUAUAAGUUC                      UGAGGAUCAGUUCAGGUGGCCUGGACAGGUGUUCG                      AGAACAUUCGAGAAUUC CAGGCCUGGUGGACAGUCCA                      ACAGAAUCUGUCUAGCGCCGAGAAGGGAACACCGGCU                      UCAUCAUCUGAUCUUCUGAUCGCGGUGUGGGCAGCU                      CCAUGAUCUGGUGUCCAUUCUAUCAUUAACAAGAAGA                      CCAAGAAGCCACCGGCGUUCUCAGAACUGAGCGGAG                      UGACCAACA AUGGCUUCAUCCUCACAAAC</p>	145



TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_UrimerRepulsionE453N	<p>CAUCAUCGUGAUCAUCCUGAUCGCGUGCUGGGCAGCUC                      CAUGAUCUGGUGUCAUCUUAUCAUUAUCAAGAGAC                      CAAGAAGCCACCGGCGUCUCCUCCAGAACUGAGCGGAGU                      GACCAACAUGGCUUCAUCCUCACAAC</p> <p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU                      CACACCUCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA                      GUCCUGCAGCACCAUCAAGAGGGCUACCUUGUCUGUGCU                      GAGAACCAGGUGUACACCAACGUGUUCACACUGGAAGU                      GGGCGACGUCGAGAAUCUGACAUGUCUGAUGGCCUAG                      CCUGAUCAGAGCCGAGCUGGAUCUGACCAAGAGCGCCU                      GAGAGAACUCAAGACCGGUCUGCCGUAUCAGCUGGCCAG                      AGAGGAACAGAUCAAGAAUCCUGGCAGCGGCAGCUUUG                      UGUCUGGAGCCAUUGUCUUGGAGUGGCGUCUGCUGCA                      GCUGUACAGCAGGCGUGGCAUCGCUAAGACCAUCAGA                      CUGGAAGCGAAGUGACCGCAUCAACAACGCCUUGAAG                      AAGACAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU                      AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC                      GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAAAG                      UGCGACAUCGACGACCUAGAAGUGGCGUGUCUUUAGC                      CAGUUCACCGGCGUUUCUGAACGUCGUGCGGAGUUU                      AGCGACAACCGCGAAUCAACAGCAGCAUCAGCCUGGAC                      CUGAUGACAGAUUCGAGCUGGCUAGAGCCGUGCCUAC                      AUGCCUACAUCUGCCGGCCAGAUAAGCUGAUGCUCGAG                      AAUAGAGCCAUUGGUCGACGGAAGGCUUCGGCAUUCU                      GAUUGGCGUGUACGGCAGCAGCGUGAUCUAUUGGUGC                      AGCUGCCUAUCUUCGGCGUGAUCGACACACCCUGCUGGA                      UUGUGAAGGCCGCUUCUAGCUGUAGCGAGAAGAAGGC                      AAUUAACGCGUCGUCUGAGAGAGGACCAGGCGUGUA                      UUGUCAGAACCGCGCAGCACCGUGUACUACCUAACGA                      GAAGGACUGCGAGACAAGAGGCGACCAGUUCUGUG                      AUACCGCCGUGGAUCAAUUGGGCGAGCAGAGCAAAG                      AGUGCAACAUCAACUAGCACCACCAACUACCCUGCA                      AGGUGUCCACCGGCAGGCACCUAUUUCUUGGUGGUC                      UGUCUCUCUGGGAGCCUGGUGGCUUGUUAUAGGGC                      GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC                      AAGCAGCUGAACAGGGCUGCAGCUACAUCACCAACCAG                      GACGCCGAUACCGUGACCAUCGACAACCCGUGUAUCAG                      CUGAGCAAGGUGAAGGCGAACAGCAGCUGAUCAGGG                      CAGACCUGUUCAGCAGCUUCGACCUAUCAAGUUCUCC                      UCAGGAUCAGUUCAGGUGGCCUGGACAGGUGUUCGA                      GAACAUCGAGAAUCCAGGCUUCUGGUGGACCAGUCCAA                      CAGAAUCCUGUCUAGCGCCGAGAAGGGAACAACCGGCU                      CAUCAUCGUGAUCAUCCUGAUCGCGGUGCUGGGCAGCUC                      CAUGAUCUGGUGUCAUCUUAUCAUUAUCAAGAAGAC                      CAAGAAGCCACCGGCGUCUCCAGAACUGAGCGGAGU                      GACCAACAUGGCUUCAUCCUCACAAC</p>	146
HMPV_SUabilizeAlphaF196W	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU                      CACACCUCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA                      GUCCUGCAGCACCAUCAAGAGGGCUACCUUGUCUGUGCU                      GAGAACCAGGUGGUAACCAACGUGUUCACACUGGAAGU                      GGGCGACGUCGAGAAUCUGACAUGUCUGAUGGCCUAG                      CCUGAUCAGAGCCGAGCUGGAUCUGACCAAGAGCGCCU                      GAGAGAACUCAAGACCGGUCUGCCGUAUCAGCUGGCCAG                      AGAGGAACAGAUCAAGAAUCCUGGCAGCGGCAGCUUUG                      UGUCUGGAGCCAUUGUCUUGGAGUGGCGUCUGCUGCA                      GCUGUACAGCAGGCGUGGCAUCGCUAAGACCAUCAGA                      CUGGAAGCGAAGUGACCGCAUCAACAACGCCUUGAAG                      AAGACAACAGAGGCCGUCAGCACACUCGGCAAUGGCGUU                      AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC                      GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAAAG                      UGCGACAUCGACGACCUAGAAGUGGCGUGUCUUUAGC                      CAGUGGAACCGGCGUUUCUGAACGUCGUGCGGAGUU                      UAGCGACAACCGCGAAUCAACAGCCAUACAGCCUGGA                      CCUGAUGACAGAUUCGAGCUGGCUAGAGCCGUGCCUAA                      CAUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGA                      GAAUAGAGCCAUUGGUCGACGGAAGGCUUCGGCAUUC                      UGAUUGGCGUGUACGGCAGCAGCUGAUCUAUUGGUG                      CAGCUGCCUAUCUUCGGCGUGAUCGACACACCCUGCUG                      AUUGUGAAGGCCGUCUCCUAGCUGUAGCGAGAAGAAGG                      CAAUUAACCGCUGCUGCUGAGAGGACCAAGGCUUGUA                      UUGUCAGAACCGCGCAGCACCGUGAUCUACCUAACGA                      GAAGGACUGCGAGACAAGAGGCGACCAGUUCUGUG</p>	147

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	AUACCGCCGUGGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUCAACUAGCACCACCAACUAUCCUGCA AGGUGUCCACCCGAGGCAACCUAUUUUAUGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUUGUUUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACCCGUGUAUCAG CUGAGCAAGGUGGAAAGGCGAACGACGUGAUCAGGG CAGACCUUGUCCAGCAGCUUCGACCCUAUCAAGUUCG UGAGGAUCAGUUCAGGUGGCCUGGACCAGGUGUUCG AGAACAUCGAGAAUUCACGGCUCUGGUGGACAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGGAACACCGGCU UCAUCAUCGUGAUCUUCGUAUCGCCGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUUCUACAUAUAUCAAGAGA CCAAGAAGCCACCGGCGUCCUCCAGAACUGAGCGGAG UGACCAACAUGGCUUCAUCCUCACAAC	

Equivalents

[0931] Those skilled in the art will recognize, or be able to ascertain using no more than routine experimentation, many equivalents to the specific embodiments of the disclosure

described herein. Such equivalents are intended to be encompassed by the following claims.

[0932] All references, including patent documents, disclosed herein are incorporated by reference in their entirety.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 147

<210> SEQ ID NO 1

<211> LENGTH: 1620

<212> TYPE: DNA

<213> ORGANISM: Human metapneumovirus

<400> SEQUENCE: 1

```

atgagctgga aggtggtgat tatcttcagc ctgctgatta cacctcaaca eggcctgaag      60
gagagctacc tggaagagag ctgctccacc atcaccgagg gctacctgag cgtgctgceg      120
accggctggt acaccaacgt gttcaccctg gaggtgggcg acgtggagaa cctgacctgc      180
agcgacggcc ctagcctgat caagaccgag ctggacctga ccaagagcgc tctgagagag      240
ctgaagaccg tgtccgcega ccagctggcc agagaggaac agatcgagaa ccctcggcag      300
agcagattcg tgtctgggcg catcgctctg ggagtcgccc ctgccgctgc agtgacagct      360
ggagtggcca ttgctaagac catcagactg gaaagcgagg tgacagccat caacaatgcc      420
ctgaagaaga ccaacgagcg cgtgagcacc ctgggcaatg gagtgagagt gctggccaca      480
gccgtgctgg agctgaagga cttcgtgagc aagaacctga ccagagccat caacaagaac      540
aagtgcgaca tcgatgacct gaagatggcc gtgagcttct cccagttcaa cagacggttc      600
ctgaacgtgg tgagacagtt ctccgacaac gctggaatca cacctgccat tagcctggac      660
ctgatgaccg acgccgagct ggctagagcc gtgccaaca tgcccaccag cgctggccag      720
atcaagctga tgotggagaa cagagccatg gtgcggagaa agggcttcgg catcctgatt      780
ggggtgtatg gaagctccgt gatctacatg gtgcagctgc ccatcttcgg cgtgatcgac      840
acaccctgct ggatcgtgaa ggccgctcct agctgctccc agaagaaagg aaactatgcc      900
tgtctgctga gagaggacca gggctggtac tgccagaacg ccggaagcac agtgtactat      960
cccaacgaga aggactgcga gaccagagcg gaccacgtgt tctgcgacac cgctgccgga     1020
atcaacgtgg ccgagcagag caaggagtgc aacatcaaca tcagcacaac caactacccc     1080
    
```

-continued

---

tgcaaggatga gcaccggacg gcaccccatc agcatggtgg ctctgagccc tctgggogct	1140
ctggtggcct gctataaggg cgtgtcctgt agcatcgga gcaatcgggt gggcatcacc	1200
aagcagctga acaagggatg ctctacatc accaaccagg acgcccagac cgtgaccatc	1260
gacaacaccg tgtaccagct gagcaagggt gagggcgagc agcacgtgat caagggcaga	1320
cccgtgagct ccagcttoga ccccatcaag ttccctgagg accagttcaa cgtggcctg	1380
gaccagggtg ttgagaacat cgagaacagc caggccctgg tggaccagag caacagaatc	1440
ctgtccagcg ctgagaaggg caacaccggc ttcattcattg tgatcattct gatcgccgtg	1500
ctgggcagct ccatgatcct ggtgagcacc ttcattcatta tcaagaagac caagaaacc	1560
accggagccc ctctgagct gagcggcgtg accaacaatg gcttcattcc ccacaactga	1620

&lt;210&gt; SEQ ID NO 2

&lt;211&gt; LENGTH: 1620

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Human metapneumovirus

&lt;400&gt; SEQUENCE: 2

atgtcttggg aagtgatgat catcatttcg ttactcataa caccocagca cgggctaaag	60
gagagtattt tggaagaatc atgtagtact ataactgagg gatacctcag tgttttaaga	120
acaggctggg aactaatgt cttcacatta gaagttgggt atgttgaaaa tcttacctgt	180
actgatggac ctagcttaat caaacagaa cttgatctaa caaaaagtgc ttaagggaa	240
ctcaaacag tctctgtgga tcagttggcg agagaggagc aaattgaaaa tcccagacaa	300
tcaagatttg tcttaggtgc gatagctctc ggagttgcta cagcagcagc agtcacagca	360
ggcattgcaa tagccaaaac cataaggctt gagagtgagg tgaatgcaat taaaggtgct	420
ctcaaaaaa ctaatgaagc agtatccaca ttagggaatg gtgtgcccgt cctagccact	480
gcagtgagag agctaaaaga atttgtgagc aaaaacctga ctagtgcaat caacaggaac	540
aaatgtgaca ttgctgatct gaagatggct gtcagcttca gtcaattcaa cagaagattt	600
ctaaatgttg tgcggcagtt ttccagacaat gcagggataa caccagcaat atcattggac	660
ctgatgactg atgctgagtt ggcagagct gtatcataca tgccaacatc tgcagggcag	720
ataaaactga tgttgagaa ccgcgcaatg gtaaggagaa aaggatttgg aatcctgata	780
ggggtctacg gaagctctgt gatttacctg gttcaattgc cgatccttgg tgtcatagat	840
acacctgttt ggatcatcaa ggcagctccc tcttctcag aaaaaaacgg gaattatgct	900
tgcctcctaa gagaggatca aggggtggtat tgtaaaatg caggatctac tgtttactac	960
ccaaatgaaa aagactgcga aacaagaggt gatcatgttt tttgtgacac agcagcaggg	1020
atcaatgttg ctgagcaatc aagagaatgc aacatcaaca tatctactac caactaccca	1080
tgcaaagtca gcacaggaag acaccctata agcatggttg cactatcacc tctcgggtgct	1140
ttggtggcct gctataaagg ggtaaagctgc tcgattggca gcaattgggt tggaatcacc	1200
aaacaattac ccaaaggctg ctcatacata accaaccagg atgcagacac tgtaacaatt	1260
gacaataccg tgtatcaact aagcaaagt ttgaaggtgaac agcatgtaat aaaagggaga	1320
ccagtttcaa gcagttttga tccaatcaag ttctctgagg atcagttcaa tgttgcgctt	1380
gatcaagtct tcgaaagcat tgagaacagt caggcactag tggaccagtc aaacaaaatt	1440
ctaaacagtg cagaaaaagg aaactcgggt ttcattatcg tagtaatttt ggttgcgtgt	1500

---

-continued

---

cttggcttaa ccatgatttc agtgagcadc atcatcataa tcaagaaaac aaggaagccc 1560

acaggagcac ctccagagct gaatggtgtc accaacggcg gtttcatacc acatagttag 1620

<210> SEQ ID NO 3

<211> LENGTH: 1620

<212> TYPE: DNA

<213> ORGANISM: Human metapneumovirus

<400> SEQUENCE: 3

atgtcttggg aagtgatgat tatcatttcg ttactcataa cacctcagca tggactaaaa 60

gaaagtatt tagaagaatc atgtagtact ataactgaag gatattctcag tgttttaaga 120

acaggttggt acaccaatgt ctttacatta gaagttggtg atgttgaaaa tcttacatgt 180

actgatggac ctagcttaat caaaacagaa cttgacctaa ccaaaagtgc ttttaagagaa 240

ctcaaaacag tttctgctga tcagttagcg agagaagaac aaattgaaaa tcccagacaa 300

tcaaggtttg tcctaggtgc aatagctctt ggagttgcca cagcagcagc agtcacagca 360

ggcattgcaa tagccaaaac tataaggctt gagagtgaag tgaatgcaat caaaggtgct 420

ctcaaaacaa ccaatgaggc agtatcaaca ctaggaaatg gagtgcgggt cctagccact 480

gcagtaagag agctgaaaga atttgtgagc aaaaacctga ctagtgcgat caacaagaac 540

aagtgtagca ttgctgattt gaagatggct gtcagcttca gtcagttcaa cagaagattc 600

ctaaatgttg tgcggcagtt ttcagacaat gcagggataa caccagcaat atcattggac 660

ctgatgaatg atgctgagct ggccagagct gtatcataca tgccaacatc tgcaggacag 720

ataaaactaa tgtagagaa cctgcaatg gtgaggagaa aaggatttgg aatcttgata 780

ggggtctacg gaagctctgt gatttacatg gtccagctgc cgatctttgg tgtcataaat 840

acacctgtt ggataatcaa ggcagctccc tcttgttcag aaaaagatgg aaattatgct 900

tgcctcctaa gagaggatca aggggtggtat tgtaaaaatg caggatccac tgtttactac 960

ccaaatgaaa aagactgcga aacaagaggt gatcatgttt tttgtgacac agcagcaggg 1020

atcaatgttg ctgagcaatc aagagaatgc aacatcaaca tatctaccac caactaccca 1080

tgcaaagtca gcacaggaag acacctatc agcatggttg cactatcacc tctcggtgct 1140

ttggtagctt gctacaaagg ggttagctgc tcgactggca gtaatcaggt tggaaataatc 1200

aaacaactac ctaaaaggctg ctcatacata actaaccagg acgcagacac tgtaacaatt 1260

gacaacactg tgtatcaact aagcaaaagt gaggggtgaac agcatgtaat aaaagggaga 1320

ccagtttcaa gcagttttga tccaatcagg tttcctgagg atcagttcaa tgttgcgctt 1380

gatcaagtct ttgaaagcat tgaaaacagt caagcactag tggaccagtc aaacaaaatt 1440

ctgaacagtg cagaaaaagg aaacactggt ttcattattg taataatttt gattgctggt 1500

cttgggttaa ccatgatttc agtgagcadc atcatcataa tcaaaaaaac aaggaagccc 1560

acaggggcac ctccggagct gaatggtggt accaacggcg gtttcatacc gcatagttag 1620

<210> SEQ ID NO 4

<211> LENGTH: 1725

<212> TYPE: DNA

<213> ORGANISM: Human respiratory syncytial virus

<400> SEQUENCE: 4

atggagttgc caatcctcaa aacaaatgca attaccacaa tccttgetgc agtcacactc 60

-continued

---

```

tgtttcgctt ccagtcacaaa catcactgaa gaattttatc aatcaacatg cagtgcagtt 120
agcaaagcct atcttagtgc tctaagaact ggttggtata ctagtgttat aactatagaa 180
ttaagtaata tcaaggaaaa taagtgtaat ggaacagatg ctaaggtaaa attgataaaa 240
caagaattag ataaatataa aaatgctgta acagaattgc agttgctcat gcaaagcaca 300
ccagcagcca acaatcgagc cagaagagaa ctaccaaggt ttatgaatta tacaactcaat 360
aataccaaaa ataccaatgt aacattaagc aagaaaagga aaagaagatt tcttggtctt 420
ttgttaggtg ttggatctgc aatcgccagt ggcattgctg tatctaaggt cctgcaccta 480
gaaggggaag tgaacaaaat caaaagtgtc ctactatcca caaacaaggc tgtagtcagc 540
ttatcaaatg gagttagtgt cttaaccagc aaagtgttag acctcaaaaa ctatatagat 600
aaacagttgt tacctattgt gaacaagcaa agctgcagca tatcaaacat tgaactgtg 660
atagagttcc aacaaaagaa caacagacta ctagagatta ccagggaatt tagtgtaaat 720
gcaggtgtaa ctacacctgt aagcacttat atgttaacta atagtgaatt attatcatta 780
atcaatgata tgcctataac aaatgatcag aaaaagttaa tgtccaacaa tgttcaata 840
gttagacagc aaagttaact tatcatgtcc ataataaagg aggaagtctt agcatatgta 900
gtacaattac cactatatgg tgtaatagat acaccctgtt ggaaactgca cacatcccct 960
ctatgtacaa ccaacacaaa ggaaggggtcc aacatctgct taacaagaac cgacagagga 1020
tggtattgtg acaatgcagg atcagtatct ttcttccac aagctgaaac atgtaaagtt 1080
caatcgaatc gggttatttg tgacacaatg aacagtttaa cattaccaag tgaagtaaat 1140
ctctgcaaca ttgacatatt caaccccaaa tatgattgca aaattatgac ttcaaaaaca 1200
gatgtaagca gctccgttat cacatctcta ggagccattg tgtcatgcta tggcaaaact 1260
aaatgtacag catccaataa aaatcgtggg atcataaaga cattttctaa cgggtgtgat 1320
tatgtatcaa ataagggggt ggatactgtg tctgtaggta atacattata ttatgtaaat 1380
aagcaagaag gcaaaagtct ctatgtaaaa ggtgaaccaa taataaattt ctatgacca 1440
ttagtgttcc cctctgatga atttgatgca tcaatatctc aagtcaatga gaagattaac 1500
cagagcctag catttattcg taaatccgat gaattattac ataatgtaaa tgctggtaaa 1560
tccaccacaa atatcatgat aactactata attatagtga ttatagtaat attgttatca 1620
ttaattgcag ttggactgct cctatactgc aaggccagaa gcacaccagt cacactaagt 1680
aaggatcaac tgagtgggat aaataatatt gcatttagta actga 1725

```

```

<210> SEQ ID NO 5
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Human metapneumovirus isolate

```

```

<400> SEQUENCE: 5

```

```

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1           5           10          15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
                20           25           30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
                35           40           45
Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
50           55           60

```

-continued

---

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu  
 65 70 75 80  
 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu  
 85 90 95  
 Asn Pro Arg Gln Ser Arg Phe Val Leu Gly Ala Ile Ala Leu Gly Val  
 100 105 110  
 Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile  
 115 120 125  
 Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr  
 130 135 140  
 Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr  
 145 150 155 160  
 Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala  
 165 170 175  
 Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser  
 180 185 190  
 Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser  
 195 200 205  
 Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp  
 210 215 220  
 Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln  
 225 230 235 240  
 Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe  
 245 250 255  
 Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln  
 260 265 270  
 Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala  
 275 280 285  
 Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg  
 290 295 300  
 Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr  
 305 310 315 320  
 Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp  
 325 330 335  
 Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile  
 340 345 350  
 Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His  
 355 360 365  
 Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys  
 370 375 380  
 Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile  
 385 390 395 400  
 Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp  
 405 410 415  
 Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly  
 420 425 430  
 Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro  
 435 440 445  
 Ile Lys Phe Pro Glu Asp Gln Phe Asn Val Ala Leu Asp Gln Val Phe  
 450 455 460

-continued

---

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile  
 465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile  
 485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile  
 500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser  
 515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn  
 530 535

<210> SEQ ID NO 6  
 <211> LENGTH: 539  
 <212> TYPE: PRT  
 <213> ORGANISM: Human metapneumovirus

<400> SEQUENCE: 6

Met Ser Trp Lys Val Met Ile Ile Ile Ser Leu Leu Ile Thr Pro Gln  
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr  
 20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe  
 35 40 45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Thr Asp Gly Pro  
 50 55 60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu  
 65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu  
 85 90 95

Asn Pro Arg Gln Ser Arg Phe Val Leu Gly Ala Ile Ala Leu Gly Val  
 100 105 110

Ala Thr Ala Ala Ala Val Thr Ala Gly Ile Ala Ile Ala Lys Thr Ile  
 115 120 125

Arg Leu Glu Ser Glu Val Asn Ala Ile Lys Gly Ala Leu Lys Gln Thr  
 130 135 140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr  
 145 150 155 160

Ala Val Arg Glu Leu Lys Glu Phe Val Ser Lys Asn Leu Thr Ser Ala  
 165 170 175

Ile Asn Arg Asn Lys Cys Asp Ile Ala Asp Leu Lys Met Ala Val Ser  
 180 185 190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser  
 195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp  
 210 215 220

Ala Glu Leu Ala Arg Ala Val Ser Tyr Met Pro Thr Ser Ala Gly Gln  
 225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe  
 245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln  
 260 265 270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Ile Lys Ala  
 275 280 285

-continued

---

Ala Pro Ser Cys Ser Glu Lys Asn Gly Asn Tyr Ala Cys Leu Leu Arg  
 290 295 300

Glu Asp Gln Gly Trp Tyr Cys Lys Asn Ala Gly Ser Thr Val Tyr Tyr  
 305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp  
 325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Arg Glu Cys Asn Ile  
 340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His  
 355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys  
 370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Trp Val Gly Ile Ile  
 385 390 395 400

Lys Gln Leu Pro Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp  
 405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly  
 420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro  
 435 440 445

Ile Lys Phe Pro Glu Asp Gln Phe Asn Val Ala Leu Asp Gln Val Phe  
 450 455 460

Glu Ser Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Lys Ile  
 465 470 475 480

Leu Asn Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Val Ile  
 485 490 495

Leu Val Ala Val Leu Gly Leu Thr Met Ile Ser Val Ser Ile Ile Ile  
 500 505 510

Ile Ile Lys Lys Thr Arg Lys Pro Thr Gly Ala Pro Pro Glu Leu Asn  
 515 520 525

Gly Val Thr Asn Gly Gly Phe Ile Pro His Ser  
 530 535

&lt;210&gt; SEQ ID NO 7

&lt;211&gt; LENGTH: 539

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Human metapneumovirus

&lt;400&gt; SEQUENCE: 7

Met Ser Trp Lys Val Met Ile Ile Ile Ser Leu Leu Ile Thr Pro Gln  
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr  
 20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe  
 35 40 45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Thr Asp Gly Pro  
 50 55 60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu  
 65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu  
 85 90 95

Asn Pro Arg Gln Ser Arg Phe Val Leu Gly Ala Ile Ala Leu Gly Val



-continued

100					105					110					
Ala	Thr	Ala	Ala	Ala	Val	Thr	Ala	Gly	Ile	Ala	Ile	Ala	Lys	Thr	Ile
		115					120					125			
Arg	Leu	Glu	Ser	Glu	Val	Asn	Ala	Ile	Lys	Gly	Ala	Leu	Lys	Thr	Thr
	130					135					140				
Asn	Glu	Ala	Val	Ser	Thr	Leu	Gly	Asn	Gly	Val	Arg	Val	Leu	Ala	Thr
	145					150					155				160
Ala	Val	Arg	Glu	Leu	Lys	Glu	Phe	Val	Ser	Lys	Asn	Leu	Thr	Ser	Ala
			165								170				175
Ile	Asn	Lys	Asn	Lys	Cys	Asp	Ile	Ala	Asp	Leu	Lys	Met	Ala	Val	Ser
			180					185					190		
Phe	Ser	Gln	Phe	Asn	Arg	Arg	Phe	Leu	Asn	Val	Val	Arg	Gln	Phe	Ser
		195					200					205			
Asp	Asn	Ala	Gly	Ile	Thr	Pro	Ala	Ile	Ser	Leu	Asp	Leu	Met	Asn	Asp
	210					215					220				
Ala	Glu	Leu	Ala	Arg	Ala	Val	Ser	Tyr	Met	Pro	Thr	Ser	Ala	Gly	Gln
	225					230					235				240
Ile	Lys	Leu	Met	Leu	Glu	Asn	Arg	Ala	Met	Val	Arg	Arg	Lys	Gly	Phe
			245						250					255	
Gly	Ile	Leu	Ile	Gly	Val	Tyr	Gly	Ser	Ser	Val	Ile	Tyr	Met	Val	Gln
		260					265					270			
Leu	Pro	Ile	Phe	Gly	Val	Ile	Asn	Thr	Pro	Cys	Trp	Ile	Ile	Lys	Ala
		275					280					285			
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Asp	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg
	290					295					300				
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Lys	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr
	305					310					315				320
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp
			325						330					335	
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Arg	Glu	Cys	Asn	Ile
			340					345					350		
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
		355					360					365			
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
	370					375					380				
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Thr	Gly	Ser	Asn	Gln	Val	Gly	Ile	Ile
	385					390					395				400
Lys	Gln	Leu	Pro	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
			405						410					415	
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420					425					430		
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro
		435					440						445		
Ile	Arg	Phe	Pro	Glu	Asp	Gln	Phe	Asn	Val	Ala	Leu	Asp	Gln	Val	Phe
	450					455					460				
Glu	Ser	Ile	Glu	Asn	Ser	Gln	Ala	Leu	Val	Asp	Gln	Ser	Asn	Lys	Ile
	465					470					475			480	
Leu	Asn	Ser	Ala	Glu	Lys	Gly	Asn	Thr	Gly	Phe	Ile	Ile	Val	Ile	Ile
			485						490					495	
Leu	Ile	Ala	Val	Leu	Gly	Leu	Thr	Met	Ile	Ser	Val	Ser	Ile	Ile	Ile
			500					505					510		

-continued

---

Ile Ile Lys Lys Thr Arg Lys Pro Thr Gly Ala Pro Pro Glu Leu Asn  
 515 520 525

Gly Val Thr Asn Gly Gly Phe Ile Pro His Ser  
 530 535

<210> SEQ ID NO 8  
 <211> LENGTH: 574  
 <212> TYPE: PRT  
 <213> ORGANISM: Human respiratory syncytial virus

<400> SEQUENCE: 8

Met Glu Leu Pro Ile Leu Lys Thr Asn Ala Ile Thr Thr Ile Leu Ala  
 1 5 10 15

Ala Val Thr Leu Cys Phe Ala Ser Ser Gln Asn Ile Thr Glu Glu Phe  
 20 25 30

Tyr Gln Ser Thr Cys Ser Ala Val Ser Lys Gly Tyr Leu Ser Ala Leu  
 35 40 45

Arg Thr Gly Trp Tyr Thr Ser Val Ile Thr Ile Glu Leu Ser Asn Ile  
 50 55 60

Lys Glu Asn Lys Cys Asn Gly Thr Asp Ala Lys Val Lys Leu Ile Lys  
 65 70 75 80

Gln Glu Leu Asp Lys Tyr Lys Asn Ala Val Thr Glu Leu Gln Leu Leu  
 85 90 95

Met Gln Ser Thr Pro Ala Ala Asn Asn Arg Ala Arg Arg Glu Leu Pro  
 100 105 110

Arg Phe Met Asn Tyr Thr Leu Asn Asn Thr Lys Asn Thr Asn Val Thr  
 115 120 125

Leu Ser Lys Lys Arg Lys Arg Arg Phe Leu Gly Phe Leu Leu Gly Val  
 130 135 140

Gly Ser Ala Ile Ala Ser Gly Ile Ala Val Ser Lys Val Leu His Leu  
 145 150 155 160

Glu Gly Glu Val Asn Lys Ile Lys Ser Ala Leu Leu Ser Thr Asn Lys  
 165 170 175

Ala Val Val Ser Leu Ser Asn Gly Val Ser Val Leu Thr Ser Lys Val  
 180 185 190

Leu Asp Leu Lys Asn Tyr Ile Asp Lys Gln Leu Leu Pro Ile Val Asn  
 195 200 205

Lys Gln Ser Cys Ser Ile Ser Asn Ile Glu Thr Val Ile Glu Phe Gln  
 210 215 220

Gln Lys Asn Asn Arg Leu Leu Glu Ile Thr Arg Glu Phe Ser Val Asn  
 225 230 235 240

Ala Gly Val Thr Thr Pro Val Ser Thr Tyr Met Leu Thr Asn Ser Glu  
 245 250 255

Leu Leu Ser Leu Ile Asn Asp Met Pro Ile Thr Asn Asp Gln Lys Lys  
 260 265 270

Leu Met Ser Asn Asn Val Gln Ile Val Arg Gln Gln Ser Tyr Ser Ile  
 275 280 285

Met Ser Ile Ile Lys Glu Glu Val Leu Ala Tyr Val Val Gln Leu Pro  
 290 295 300

Leu Tyr Gly Val Ile Asp Thr Pro Cys Trp Lys Leu His Thr Ser Pro  
 305 310 315 320

Leu Cys Thr Thr Asn Thr Lys Glu Gly Ser Asn Ile Cys Leu Thr Arg



-continued

---

```

ttacaagaaa aaggaataaa attacaaggt atagcatcat tataccgtac aaatatcaca 720
gaaatattca caacatcaac agttgacaaa tatgatattt atgatctatt atttacagaa 780
tcaataaagg tgagagtatt agatgttgat ttgaatgatt actcaataac cctccaagtc 840
agactccctt tattgaccag actgctgaac actcaaatct acaaagtaga ttccatatca 900
tacaatatcc aaaatagaga atggtatatc cctcttccca gccatatcat gacgaaaggg 960
gcatttctag gtggagcaga tgcaaaagaa tgcatagaag cattcagcag ttatatatgc 1020
ccttctgac caggatttgt actaaacat gaaatggaga gctgtctatc aggaaacata 1080
tcccaatgtc caagaaccac agtcacatca gacatagttc ctaggatgac atttgtcaat 1140
ggaggagtgg ttgcgaattg tataacaact acatgtacat gcaatggat cggtaataga 1200
atcaaccaac cacctgatca aggagtcaaa attataacac ataaagaatg taatacaata 1260
ggatcaacg gaatgctatt caacacaaac aaagaaggaa ctcttgcat ctacacacca 1320
gacgacataa cattaacaa ttctgttgca cttgatccga ttgacatc aatcgagctc 1380
aacaaggcca aatcagatct tgaggatca aaagaatgga taagaaggtc aatcaaaaag 1440
ctagattcta ttggaagttg gcatcaatct agcactacaa tcatagttat tttgataatg 1500
atgattatat tgtttataat taatataaca ataattacaa ttgcaattaa gtattacaga 1560
attcaaaaaga gaaatcgagt ggatcaaaat gataagccgt atgtattaac aaacaag 1617

```

&lt;210&gt; SEQ ID NO 10

&lt;211&gt; LENGTH: 1716

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Human parainfluenza virus 3

&lt;400&gt; SEQUENCE: 10

```

atggaatact ggaagcacac caaccacgga aaggatgctg gtaatgagct ggagacatcc 60
acagccactc atggcaacaa gctcaccaac aagataacat atatattgtg gacgataacc 120
ctggtgttat tatcaatagt cttcatcata gtgctaacta attccatcaa aagtgaaaag 180
gcccgcgaat cattgctaca agacataaat aatgagttaa tggaagtac agaaaagatc 240
caagtggcat cggataatac taatgatcta atacagtcag gagtgaatac aaggcttctt 300
acaattcaga gtcatgtcca gaattatata ccaatatcat tgacacaaca aatatcggat 360
cttaggaaat tcattagtga aattacaatt agaaatgata atcaagaagt gccaccacaa 420
agaataacac atgatgtggg tataaaacct ttaaatccag atgatttctg gagatgcacg 480
tctggtcttc catctttgat gaaaactcca aaaataagat taatgccggg accaggatta 540
ttagctatgc caacgactgt tgatggctgt gtcagaacct cgctcctagt gataaatgat 600
ctgatttatg cttacacctc aatctaat actcgaggtt gccaggatat agggaaatca 660
tatcaagtat tacagatagg gataataact gtaaactcag acttggtacc tgacttaaat 720
cctaggatct ctcatacctt caacataaat gacaatagaa agtcatgttc tctagcactc 780
ctaaatacag atgtatatca actgtgttca acccctaaag ttgatgaaag atcagattat 840
gcatcatcag gcatagaaga tattgtactt gatattgtca attatgatgg ctcaatctcg 900
acaacaagat ttaagaataa taatataagt tttgatcaac catatgccgc attataacca 960
tctgttgac cagggatata ctacaaaggc aaaataatat ttctcgggta tggaggtctt 1020
gaacatccaa taaatgagaa tgcaatctgc aacacaactg ggtgtcctgg gaaaacacag 1080

```

-continued

---

```

agagactgta atcaagcadc tcatagtcca tggttttcag atagaaggat ggtcaactct 1140
ataattgttg ttgacaaggg cttgaactca gttccaaaaa tgaaggatg gacgatatct 1200
atgagacaaa attactgggg gtcagaagga agattacttc tactaggtaa caagatctac 1260
atatacacia gatctacaag ttggcacagc aagttacaat taggaataat tgacattact 1320
gactacagtg atataaggat aaaatggaca tggcataatg tgctatcaag accaggaaac 1380
aatgaatgtc catggggaca ttcatgtccg gatggatgta taacgggagt atataccgat 1440
gcataatccac tcaatccccc aggaagcatt gtatcatctg tcatattgga ctcacaaaaa 1500
tcgagagtca acccagtcac aacttactca acagcaaccg aaagggtaaa cgagctggct 1560
atccgaaaca aaacactctc agctgggtac acaacaacaa gctgcattac aactataac 1620
aaagggtatt gttttcatat agtagaataa aatcataaaa gcttaaacac atttcaacce 1680
atgttgttca aaacagagat tccaaaaagc tgcagt 1716

```

&lt;210&gt; SEQ ID NO 11

&lt;211&gt; LENGTH: 1716

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 11

```

atggaatact ggaagcacac caaccacggc aaggacgccc gcaacgagct ggaaccacgc 60
acagccacac acggcaacaa gctgaccaac aagatcacct acatcctgtg gaccatcacc 120
ctggtgctgc tgagcatcgt gttcatcadc gtgctgacca atagcatcaa gagcgagaag 180
gccagagaga gcctgctgca ggacatcaac aacgagttca tggaaagtgc cgagaagatc 240
caggtggcca gcgacaacac caacgacctg atccagagcg gcgtgaacac ccggtgctg 300
accatccaga gccacgtgca gaactacadc cccatcagcc tgaccacgca gatcagcgac 360
ctgcggaagt tcatcagcga gatcaccadc cggaaacgaca accaggaagt gccccccag 420
agaatcacc acgacgtggg catcaagccc ctgaacccc acgatttctg gcggtgtaca 480
agcggcctgc ccagcctgat gaagaccccc aagatccggc tgatgcctgg ccctggactg 540
ctggccatgc ctaccacagt ggatggctgt gtgcggaccc ccagcctcgt gatcaacgat 600
ctgatctacg cctacaccag caacctgadc acccggggct gccaggatat cggcaagagc 660
taccaggtgc tgcagatcgg catcadcacc gtgaactccg acctggtgcc cgacctgaac 720
cctcggatca gccacacctt caacatcaac gacaacagaa agagctgcag cctggctctg 780
ctgaacaccg acgtgtacca gctgtgcagc acccccagg tggacgagag aagcgactac 840
gccagcagcg gcacgcagga tatcgtgctg gacatcgtga actacgacgg cagcatcagc 900
accaccgggt tcaagaacaa caacatcagc ttcgaccagc cctacgccgc cctgtaccct 960
tctgtgggoc ctggcatcta ctacaagggc aagatcatct tcctgggcta cgggggctg 1020
gaacacccca tcaacgagaa cgccatctgc aacaccaccg gctgccctgg caagaccag 1080
agagactgca atcaggccag ccacagcccc tggttcagcg accgcagaat ggtcaactct 1140
atcatcgtgg tggacaaggg cctgaacagc gtgcccaagc tgaagtggtg gacaatcagc 1200
atgcgccaga actactgggg cagcgagggc agacttctgc tgctgggaaa caagatctac 1260
atctacacc cgtccaccag ctggcacagc aaactgcagc tgggaatcat cgacatcacc 1320

```

-continued

---

```

gactacagcg acatccggat caagtggacc tggcacaacg tgctgagcag acccggaac 1380
aatgagtgcc cttggggcca cagctgcccc gatggatgta tcaccggcgt gtacaccgac 1440
gectaccccc tgaatcctac cggctccatc gtgtccagcg tgatcctgga cagccagaaa 1500
agcagagtga accccgtgat cacatacagc accgccacgg agagagtgaa cgaactggcc 1560
atcagaaaaca agaccctgag cgccggctac accaccacaa gctgcatcac aactataaac 1620
aagggtact gctccacat cgtggaatc aaccacaagt ccctgaacac cttccagccc 1680
atgctgttca agaccgagat cccaagagc tgctcc 1716

```

```

<210> SEQ ID NO 12
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 12

```

```

atgccatca gcctcctgct gatcatcacc acaatgatca tggccagcca ctgccagatc 60
gacatcacca agctgcagca cgtggggcgtg ctctggaaca gccccaggcg catgaagatc 120
agccagaact tcgagacacg ctacctgatc ctgagcctga tccccagat cgaggacagc 180
aacagctgcg gcgaccagca gatcaagcag tacaagcggc tgctggacag actgatcacc 240
cccctgtaag acggcctgcg gctgcagaaa gacgtgatcg tgaccaacca ggaaagcaac 300
gagaacacgg acccccggac cgagagatc ttcggcggcg tgatcggcac aatcgccctg 360
ggagtggcca caagcggcca gattacagcc gctgtggccc tgggtggaagc caagcaggcc 420
agaagcgaca tcgagaagct gaaagaggcc atccgggaca ccaacaaggc cgtgcagagc 480
gtgcagtcca gcctgggcaa tctgatcgtg gccatcaagt ccgtgcagga ctactgtaac 540
aaagaaatcg tgccctctat cgcccggctg ggctgtgaag ctgcccggact gcagctgggc 600
attgccctga cacagcacta cagcagctg accaacatct tcggcgacaa catcggcagc 660
ctgcaggaaa agggcattaa gctgcaggga atcgccagcc tgtaccgcac caacatcacc 720
gagatcttca ccaccagcac cgtggataag tacgacatct acgacctgct gttcaccgag 780
agcatcaaag tgcgctgat cgacgtggac ctgaacgact acagcatcac cctgcaagtg 840
cggctgcccc tgctgaccag actgctgaac acccagatct acaagggtga cagcatctcc 900
tacaacatcc agaaccggca gtggtacatc cctctgcccc gccacattat gaccaagggc 960
gcctttctgg gcgagccga cgtgaaagag tgcacgagg ccttcagcag ctacatctgc 1020
cccagcgacc ctggtctcgt gctgaaccac gagatggaaa gctgcctgag cggcaacatc 1080
agccagtgcc ccagaaccac cgtgacctcc gacatcgtgc ccagatacgc cttcgtgaat 1140
ggcggcgtgg tggccaactg catcaccacc acctgtacct gcaacggcat cggcaaccgg 1200
atcaaccagc cccccgatca gggcgtgaag attatcacc acaagagtg taacaccatc 1260
ggcatcaacg gcatgctggt caataccaac aaagagggca ccctggcctt ctacaccccc 1320
gacgatatca ccctgaacaa ctccgtggct ctggacccca tcgacatctc catcgagctg 1380
aacaaggcca agagcgacct ggaagagtcc aaagagtgga tccggcggag caaccagaag 1440
ctggactcta tcggcagctg gcaccagagc agcaccacca tcacgtgat cctgattatg 1500
atgattatcc tgttcatcat caacattacc atcatcacta tcgccattaa gtactaccgg 1560

```

-continued

---

 atccagaaac ggaaccgggt ggaccagaat gacaagccct acgtgctgac aaacaag 1617

&lt;210&gt; SEQ ID NO 13

&lt;211&gt; LENGTH: 539

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Human parainfluenza virus 3

&lt;400&gt; SEQUENCE: 13

Met Pro Ile Ser Ile Leu Leu Ile Ile Thr Thr Met Ile Met Ala Ser  
 1 5 10 15  
 His Cys Gln Ile Asp Ile Thr Lys Leu Gln His Val Gly Val Leu Val  
 20 25 30  
 Asn Ser Pro Lys Gly Met Lys Ile Ser Gln Asn Phe Glu Thr Arg Tyr  
 35 40 45  
 Leu Ile Leu Ser Leu Ile Pro Lys Ile Glu Asp Ser Asn Ser Cys Gly  
 50 55 60  
 Asp Gln Gln Ile Lys Gln Tyr Lys Arg Leu Leu Asp Arg Leu Ile Ile  
 65 70 75 80  
 Pro Leu Tyr Asp Gly Leu Arg Leu Gln Lys Asp Val Ile Val Thr Asn  
 85 90 95  
 Gln Glu Ser Asn Glu Asn Thr Asp Pro Arg Thr Glu Arg Phe Phe Gly  
 100 105 110  
 Gly Val Ile Gly Thr Ile Ala Leu Gly Val Ala Thr Ser Ala Gln Ile  
 115 120 125  
 Thr Ala Ala Val Ala Leu Val Glu Ala Lys Gln Ala Arg Ser Asp Ile  
 130 135 140  
 Glu Lys Leu Lys Glu Ala Ile Arg Asp Thr Asn Lys Ala Val Gln Ser  
 145 150 155 160  
 Val Gln Ser Ser Val Gly Asn Leu Ile Val Ala Ile Lys Ser Val Gln  
 165 170 175  
 Asp Tyr Val Asn Lys Glu Ile Val Pro Ser Ile Ala Arg Leu Gly Cys  
 180 185 190  
 Glu Ala Ala Gly Leu Gln Leu Gly Ile Ala Leu Thr Gln His Tyr Ser  
 195 200 205  
 Glu Leu Thr Asn Ile Phe Gly Asp Asn Ile Gly Ser Leu Gln Glu Lys  
 210 215 220  
 Gly Ile Lys Leu Gln Gly Ile Ala Ser Leu Tyr Arg Thr Asn Ile Thr  
 225 230 235 240  
 Glu Ile Phe Thr Thr Ser Thr Val Asp Lys Tyr Asp Ile Tyr Asp Leu  
 245 250 255  
 Leu Phe Thr Glu Ser Ile Lys Val Arg Val Ile Asp Val Asp Leu Asn  
 260 265 270  
 Asp Tyr Ser Ile Thr Leu Gln Val Arg Leu Pro Leu Leu Thr Arg Leu  
 275 280 285  
 Leu Asn Thr Gln Ile Tyr Lys Val Asp Ser Ile Ser Tyr Asn Ile Gln  
 290 295 300  
 Asn Arg Glu Trp Tyr Ile Pro Leu Pro Ser His Ile Met Thr Lys Gly  
 305 310 315 320  
 Ala Phe Leu Gly Gly Ala Asp Val Lys Glu Cys Ile Glu Ala Phe Ser  
 325 330 335  
 Ser Tyr Ile Cys Pro Ser Asp Pro Gly Phe Val Leu Asn His Glu Met  
 340 345 350





-continued

---

165				170				175							
Gly	Pro	Gly	Leu	Leu	Ala	Met	Pro	Thr	Thr	Val	Asp	Gly	Cys	Val	Arg
			180							185				190	
Thr	Pro	Ser	Leu	Val	Ile	Asn	Asp	Leu	Ile	Tyr	Ala	Tyr	Thr	Ser	Asn
			195				200							205	
Leu	Ile	Thr	Arg	Gly	Cys	Gln	Asp	Ile	Gly	Lys	Ser	Tyr	Gln	Val	Leu
			210				215				220				
Gln	Ile	Gly	Ile	Ile	Thr	Val	Asn	Ser	Asp	Leu	Val	Pro	Asp	Leu	Asn
			225			230				235				240	
Pro	Arg	Ile	Ser	His	Thr	Phe	Asn	Ile	Asn	Asp	Asn	Arg	Lys	Ser	Cys
			245							250				255	
Ser	Leu	Ala	Leu	Leu	Asn	Thr	Asp	Val	Tyr	Gln	Leu	Cys	Ser	Thr	Pro
			260							265				270	
Lys	Val	Asp	Glu	Arg	Ser	Asp	Tyr	Ala	Ser	Ser	Gly	Ile	Glu	Asp	Ile
			275				280							285	
Val	Leu	Asp	Ile	Val	Asn	Tyr	Asp	Gly	Ser	Ile	Ser	Thr	Thr	Arg	Phe
			290			295					300				
Lys	Asn	Asn	Asn	Ile	Ser	Phe	Asp	Gln	Pro	Tyr	Ala	Ala	Leu	Tyr	Pro
			305			310					315				320
Ser	Val	Gly	Pro	Gly	Ile	Tyr	Tyr	Lys	Gly	Lys	Ile	Ile	Phe	Leu	Gly
			325							330				335	
Tyr	Gly	Gly	Leu	Glu	His	Pro	Ile	Asn	Glu	Asn	Ala	Ile	Cys	Asn	Thr
			340							345				350	
Thr	Gly	Cys	Pro	Gly	Lys	Thr	Gln	Arg	Asp	Cys	Asn	Gln	Ala	Ser	His
			355				360							365	
Ser	Pro	Trp	Phe	Ser	Asp	Arg	Arg	Met	Val	Asn	Ser	Ile	Ile	Val	Val
			370			375					380				
Asp	Lys	Gly	Leu	Asn	Ser	Val	Pro	Lys	Leu	Lys	Val	Trp	Thr	Ile	Ser
			385			390				395				400	
Met	Arg	Gln	Asn	Tyr	Trp	Gly	Ser	Glu	Gly	Arg	Leu	Leu	Leu	Leu	Gly
			405							410				415	
Asn	Lys	Ile	Tyr	Ile	Tyr	Thr	Arg	Ser	Thr	Ser	Trp	His	Ser	Lys	Leu
			420							425				430	
Gln	Leu	Gly	Ile	Ile	Asp	Ile	Thr	Asp	Tyr	Ser	Asp	Ile	Arg	Ile	Lys
			435				440							445	
Trp	Thr	Trp	His	Asn	Val	Leu	Ser	Arg	Pro	Gly	Asn	Asn	Glu	Cys	Pro
			450			455					460				
Trp	Gly	His	Ser	Cys	Pro	Asp	Gly	Cys	Ile	Thr	Gly	Val	Tyr	Thr	Asp
			465			470				475				480	
Ala	Tyr	Pro	Leu	Asn	Pro	Thr	Gly	Ser	Ile	Val	Ser	Ser	Val	Ile	Leu
			485							490				495	
Asp	Ser	Gln	Lys	Ser	Arg	Val	Asn	Pro	Val	Ile	Thr	Tyr	Ser	Thr	Ala
			500							505				510	
Thr	Glu	Arg	Val	Asn	Glu	Leu	Ala	Ile	Arg	Asn	Lys	Thr	Leu	Ser	Ala
			515				520							525	
Gly	Tyr	Thr	Thr	Thr	Ser	Cys	Ile	Thr	His	Tyr	Asn	Lys	Gly	Tyr	Cys
			530			535					540				
Phe	His	Ile	Val	Glu	Ile	Asn	His	Lys	Ser	Leu	Asn	Thr	Phe	Gln	Pro
			545			550				555					560
Met	Leu	Phe	Lys	Thr	Glu	Ile	Pro	Lys	Ser	Cys	Ser				
			565							570					

-continued

---

<210> SEQ ID NO 15  
<211> LENGTH: 20  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 15

Met Glu Thr Pro Ala Gln Leu Leu Phe Leu Leu Leu Trp Leu Pro  
1           5                   10                   15

Asp Thr Thr Gly  
          20

<210> SEQ ID NO 16  
<211> LENGTH: 18  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 16

Met Asp Trp Thr Trp Ile Leu Phe Leu Val Ala Ala Ala Thr Arg Val  
1           5                   10                   15

His Ser

<210> SEQ ID NO 17  
<211> LENGTH: 24  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 17

Met Leu Gly Ser Asn Ser Gly Gln Arg Val Val Phe Thr Ile Leu Leu  
1           5                   10                   15

Leu Leu Val Ala Pro Ala Tyr Ser  
          20

<210> SEQ ID NO 18  
<211> LENGTH: 17  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 18

Met Lys Cys Leu Leu Tyr Leu Ala Phe Leu Phe Ile Gly Val Asn Cys  
1           5                   10                   15

Ala

<210> SEQ ID NO 19  
<211> LENGTH: 15  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 19

Met Trp Leu Val Ser Leu Ala Ile Val Thr Ala Cys Ala Gly Ala  
1           5                   10                   15

-continued

---

```

<210> SEQ ID NO 20
<211> LENGTH: 4062
<212> TYPE: DNA
<213> ORGANISM: Middle East respiratory syndrome coronavirus

<400> SEQUENCE: 20
atgatacact cagtgtttct actgatgttc ttgttaacac ctacagaaag ttacgttgat      60
gtagggccag attctgttaa gtctgcttgt attgaggttg atatacaaca gaccttcttt      120
gataaaactt ggcctaggcc aattgatgtt tctaaggctg acgggtattat atacctcaa      180
ggccgtacat attctaacat aactatcact tatcaaggtc tttttcccta tcagggagac      240
catggtgata tgtatgttta ctctgcagga catgctacag gcacaactcc aaaaagttg      300
ttttagtcta actattctca ggacgtcaaa cagtttgcta atgggtttgt cgtccgtata      360
ggagcagctg ccaattccac tggcactgtt attattagcc catctaccag cgtaactata      420
cgaaaaatth acctgctttt tatgctgggt tcttcagttg gtaatttctc agatggtaaa      480
atgggccgct tcttcaatca tactctagtt cttttgcccg atggatgtgg cactttactt      540
agagcttttt attgtattct agagcctcgc tctggaaatc attgtcctgc tggcaattcc      600
tatactttct ttgccactta tcacactcct gcaacagatt gttctgatgg caattacaat      660
cgtaatgcca gtctgaactc ttttaaggag tattttaatt tacgtaactg cacctttatg      720
tacacttata acattacoga agatgagatt ttagagtggg ttggcattac aaaaactgct      780
caagtggttc acctcttctc atctcgggat gttgatttgt acggcggcaa tatgtttcaa      840
tttgccacct tgcctgttta tgatactatt aagtattatt ctatcattcc tcacagtatt      900
cgttctatcc aaagtgatag aaaagcttgg gctgccttct acgtatataa acttcaaccg      960
ttaactttcc tgttggattt ttctgttgat ggttatatac gcagagctat agactgtggg      1020
tttaatgatt tgtcacaact ccactgctca tatgaatcct tcgatgttga atctggagtt      1080
tattcagttt cgtctttoga agcaaaacct tctggctcag ttgtggaaca ggctgaagggt      1140
gttgaatgtg atttttcacc tctctgtctt ggcacacctc ctcaggttta taatttcaag      1200
cgtttggttt ttaccaatgg caattataat cttaccaaat tgctttcact tttttctgtg      1260
aatgatttta cttgtagtca aatatctcca gcagcaattg ctagcaactg ttattcttca      1320
ctgattttgg attatttttc ataccactt agtatgaaat ccgatctcag tgttagttct      1380
gctggtccaa tatcccagtt taattataaa cagtcctttt ctaatcccac atgtttgatc      1440
ttagcgcagc ttctctcaaa ccttactact attactaagc ctcttaagta cagctatatt      1500
aacaagtgtc ctctcttctt ttctgatgat cgtactgaag tacctcagtt agtgaacgct      1560
aatcaatact cacctctgtg atccattgtc ccatccactg tgtgggaaga cggtgattat      1620
tataggaaac aactatctcc acttgaagggt ggtggctggc ttgttgetag tggctcaact      1680
gttgccatga ctgagcaatt acagatgggc tttggtatta cagttcaata tggtagacag      1740
accaatagtg tttgccccaa gcttgaattt gctaatgaca caaaaattgc ctctcaatta      1800
ggcaattgag tggaatatcc cctctatggg gtttcggggc gtggtgtttt tcagaattgc      1860
acagctgtag gtgttcgaca gcagcgtttt gtttatgatg cgtaccagaa tttagttggc      1920
tattattctg atgatggcaa ctactactgt ctgctgtgctt gtgttagtgt tcctgtttct      1980
gctatctatg ataaagaaac taaaaccac gctactctat ttggtagtgt tgcagtgtgaa      2040

```

---

-continued

---

cacatttctt ctaccatgtc tcaatactcc cgttctacgc gatcaatgct taaacggcga	2100
gattctacat atggcccctc tcagacacct gttggttgtg tccataggact tgttaattcc	2160
tctttgttgc tagaggactg caagttgcct ctcggtcaat ctctctgtgc tcttctgac	2220
acacctagta ctctcacacc tcgcagtgtg cgctctgtgc caggtgaaat gcgcttgga	2280
tccattgctt ttaatcatcc cattcagggt gatcaactta atagtagtta ttttaaatta	2340
agtataccca ctaatttttc ctttgggtg actcaggagt acattcagac aaccattcag	2400
aaagttactg ttgattgtaa acagtaogtt tgcaatggtt tccagaagtg tgagcaatta	2460
ctgcgcgagt atggccaggt ttgttccaaa ataaaccagg ctctccatgg tgccaattta	2520
cgccaggatg attctgtacg taatttgttt gcgagcgtga aaagctctca atcatctcct	2580
atcataccag gtttggagg tgactttaat ttgacacttc tagaacctgt ttctatatct	2640
actggcagtc gtagtgacg tagtgctatt gaggatttgc tatttgaca agtcaactata	2700
gctgacctg gttatagca aggttacgat gattgtatgc agcaaggctc agcatcagct	2760
cgtgatctta tttgtgctca atatgtggtt ggttataaag tattacctcc tcttatggat	2820
gttaatatgg aagccgcgta tacttcatct ttgcttgga ccatagcagg tgttggtggtg	2880
actgctggct tatectcctt tgetgctatt ccatttgca agagtatytt ttataggtta	2940
aacggtgttg gcattactca acaggttctt tcagagaacc aaaagcttat tgccaataag	3000
tttaatacagg ctctgggagc tatgcaaaaca ggcttcaact caactaatga agcttttcgg	3060
aaggttcagg atgctgtgaa caacaatgca caggtctctat ccaaattagc tagcggagct	3120
tctaatactt ttggtgctat ttccgcctct attggagaca tcatacaacg tcttgatggt	3180
ctcgaacagg acgcccgaat agacagactt ataatggcc gtttgacaac actaaatgct	3240
tttgttgca agcagcttgt tcttccgaa tcagctgctc tttccgctca attggctaaa	3300
gataaagtca atgagtggtt caaggcaca tccaagcgtt ctggattttg cggccaaggc	3360
acacatatag tgcctttgt tgtaaatgcc cctaattggcc tttactttat gcatgttgg	3420
tattacccta gcaaccacat tgaggttgg tctgcttatg gtctttgcga tgcagctaac	3480
cctaactaatt gtatagcccc tgtaaatggc tactttatta aaactaataa cactaggatt	3540
gttgatgagt ggctatatac tggctcgtcc ttctatgca ctgagcccat cacctctct	3600
aatactaagt atgttgacc acaggtgaca taccaaaaca tttctactaa cctccctcct	3660
cctcttctcg gcaattccac cgggattgac ttccaagatg agttggatga gtttttcaaa	3720
aatgttagca ccagtatacc taattttggt tctctaacc agattaatac tacattactc	3780
gatcttacct acgagatggt gtctcttcaa caagttgta aagcccttaa tgagtcttac	3840
atagacctta aagagcttgg caattatact tattacaaca aatggccgtg gtacatttgg	3900
cttggttca ttgctgggct tgttgacctt gctctatgag tcttcttcat actgtgctgc	3960
actggttgtg gcacaaaactg tatgggaaaa cttaagtgtg atcgttgttg tgatagatac	4020
gaggaatacg acctcgagcc gcataagggt catgttcaact aa	4062

<210> SEQ ID NO 21

<211> LENGTH: 4062

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

---

-continued

---

<400> SEQUENCE: 21

atgatacact cagtgtttct actgatgttc ttgttaacac ctacagaaag ttacgttgat	60
gtagggccag attctgttaa gtctgcttgt attgaggttg atatacaaca gactttcttt	120
gataaaactt ggccctagggc aattgatgtt tctaaggctg acgggtattat atacctcaa	180
ggccgtacat attctaacat aactatcact tatcaaggtc tttttcccta tcagggagac	240
catggtgata tgtatgttta ctctgcagga catgctacag gcacaactcc aaaaagttg	300
ttttagtcta actattctca ggacgtcaaa cagtttgcta atgggtttgt cgctcgtata	360
ggagcagctg ccaattccac tggcactgtt attattagcc catctaccag cgctactata	420
cgaaaaatth accctgcttt tatgctgggt tcttcagttg gtaatttctc agatggtaaa	480
atgggccgct tcttcaatca tactctagtt cttttgcccg atggatgtgg cactttactt	540
agagcttttt attgtattct ggagcctcgc tctggaatc attgtcctgc tggcaattcc	600
tatacttctt ttgccactta tcacactcct gcaacagatt gttctgatgg caattacaat	660
cgtaatgcca gtctgaactc ttttaaggag tattttaatt tacgtaactg cacctttatg	720
tacacttata acattaccga agatgagatt ttagagtggg ttggcattac aaaaactgct	780
caaggtgttc acctcttctc atctcgggtat gttgatttgt acggcggcaa tatgtttcaa	840
tttgccacct tgcctgttta tgatactatt aagtattatt ctatcattcc tcacagtatt	900
cgttctatcc aaagtgatag aaaagcttgg gctgccttct acgtatataa acttcaaccg	960
ttaactttcc tgttggattt ttctgttgat ggttatatac gcagagctat agactgtggg	1020
tttaatgatt tgtcacaact ccactgctca tatgaatcct tcgatgttga atctggagtt	1080
tattcagttt cgtctttoga agcaaaacct tctggctcag ttgtggaaca ggctgaagg	1140
gttgaatgtg atttttcacc tctctgtctc ggcacacctc ctcaggttta taattcaag	1200
cgtttggttt ttaccaatg caattataat cttaccaaat tgctttcact tttttctgtg	1260
aatgatttta cttgtagtca aatatctcca gcagcaattg ctagcaactg ttattcttca	1320
ctgattttgg attacttttc ataccactt agtatgaaat ccgatctcag tgttagttct	1380
gctggtccaa tatcccagtt taattataaa cagtcctttt ctaatcccac atgtttgatt	1440
ttagecagctg ttctctataa ccttactact attactaagc ctcttaagta cagctatatt	1500
aacaagtgtc ctctctctct ttctgatgat cgtactgaag tacctcagtt agtgaacgct	1560
aatcaatact cacctgtgtt atccattgtc ccatccactg tgtgggaaga cggtgattat	1620
tataggaaac aactatctcc acttgaaggt ggtggctggc ttgttgctag tggctcaact	1680
gttgccatga ctgagcaatt acagatgggc tttggtatta cagttcaata tggtagacag	1740
accaatagtg tttgccccaa gcttgaattt gctaatagaca caaaaattgc ctctcaatta	1800
ggcaattgag tggaaatctc cctctatggt gtttcgggcc gtggtgtttt tcagaattgc	1860
acagctgtag gtgttcgaca gcagcgcttt gtttatgatg cgtaccagaa tttagttggc	1920
tattattctg atgatggcaa ctactactgt ttgcgtgctt gtgttagtgt tctgtttct	1980
gtcatctatg ataagaagaa taaaaccac gctactctat ttggtagtgt tgcagtgtgaa	2040
cacatttctt ctaccatgtc tcaatactcc cgttctacgc gatcaatgct taaacggcga	2100
gattctacat atggccccct tcagacacct gttggttgtg tccctaggact tgttaattcc	2160
tctttgttgc tagaggactg caagttgcct cttggtcaat ctctctgtgc tcttctgac	2220

-continued

---

```

acacctagta ctctcacacc tcgcagtggt cgctctgttc caggtgaaat gcgcttgga 2280
tccattgctt ttaatcatcc tattcagggt gatcaactta atagtagtta ttttaaatta 2340
agtataccca ctaatttttc ctttggtgtg actcaggagt acattcagac aaccattcag 2400
aaagttactg ttgattgtaa acagtaogtt tgcaatggtt tccagaagtg tgagcaatta 2460
ctgcgcgagt atggccagtt ttgttcocaa ataaaccagg ctctocatgg tgccaattta 2520
cgccaggatg attctgtacg taatttggtt gcgagcgtga aaagctctca atcatctcct 2580
atcataccag gttttggagg tgactttaat ttgacacttc tggaacctgt ttctatatct 2640
actggcagtc gtagtgcaag tagtgctatt gaggatttgc tatttgacaa agtcaactata 2700
gctgatcctg gttatatgca aggttacgat gattgcatgc agcaaggctc agcatcagct 2760
cgtgatctta tttgtgctca atatgtggtt ggttacaaag tattacctcc tcttatggat 2820
gttaatatgg aagccgcgta tacttcatct ttgcttgga gcatagcagg tgttggtctg 2880
actgctggct tatectcctt tgetgetatt ccatttgca agagtatctt ttataggtta 2940
aacggtgttg gcattactca acaggttctt tcagagaacc aaaagcttat tgccaataag 3000
tttaatacag ctctgggagc tatgcaaaaca ggcttcaact caactaatga agcttttcag 3060
aaggttcagg atgctgtgaa caacaatgca caggctctat ccaaattagc tagcgagcta 3120
tctaatactt ttggtgctat ttccgcctct attggagaca tcatacaacg tcttgatggt 3180
ctcgaacagg acgcccgaat agacagactt attaatggcc gtttgacaac actaaatgct 3240
tttgttgca agcagcttgt tcgttccgaa tcagctgctc tttccgctca attggctaaa 3300
gataaagtca atgagtggtt caaggcacia tccaagcgtt ctggattttg cggccaaggc 3360
acacatatag tgcctttgtt tgtaaatgcc cctaattggcc tttacttcat gcatgttgg 3420
tattacccta gcaaccacat tgaggttggt tctgcttatg gtctttgoga tgcagctaac 3480
cctaactaatt gtatagcccc tgttaatggc tactttatta aaactaataa cactaggatt 3540
gttgatgagt ggtcatatac tggctcgtcc ttctatgca ctgagcccat tacctccctt 3600
aatactaagt atgttgcaac acaggtgaca taccaaaaca tttctactaa cctccctcct 3660
cctcttctcg gcaattccac cgggattgac ttccaagatg agttggatga gtttttcaa 3720
aatgttagca ccagtatacc taattttggt tccctaacac agattaatac tacattactc 3780
gatcttacct acgagatggt gtctcttcaa caagttgta aagcccttaa tgagtcttac 3840
atagacctta aagagcttgg caattatact tattacaaca aatggccgtg gtacatttgg 3900
cttggtttca ttgctgggct tgttgacctt gctctatgag tcttcttcat actgtgctgc 3960
actggttgtg gcacaaaactg tatgggaaaa cttaagtgta atcgttgttg tgatagatac 4020
gaggaatacg acctcgagcc gcataaggtt catgttcaact aa 4062

```

&lt;210&gt; SEQ ID NO 22

&lt;211&gt; LENGTH: 1845

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 22

```

atgatccact ccgtgttccct cctcatgttc ctggtgacct ccaactgagtc agactgcaag 60
ctcccgtgg gacagtcctt gtgtgcgctg cctgacaact ctagcaactct gaccccacgc 120

```

-continued

---

tccgtgcggt	cggtgcctgg	cgaaatgceg	ctggcctcca	tcgccttcaa	tcaccaate	180
caagtggatc	agctgaatag	ctcgtatttc	aagctgtcca	tccccacgaa	cttctcgttc	240
ggggtcacc	aggagtacat	ccagaccaca	atcagaagg	tcaccgtoga	ttgcaagcaa	300
tacgtgtgca	acggcttcca	gaagtgcgag	cagctgctga	gagaatacgg	gcagttttgc	360
agcaagatca	accaggcgct	gcatggagct	aacttgccgc	aggacgactc	cgtgcccgaac	420
ctctttgcct	ctgtgaagtc	atcccagtcc	tcccacatca	tcccgggatt	cggaggggac	480
ttcaacctga	ccctcctgga	gcccggtgct	atcagcaccg	gtagcagatc	ggcgcgctca	540
gccattgaag	atcttctggt	cgacaaggtc	accatcgccg	atccgggcta	catgcagggg	600
tacgacgact	gtatgcagca	gggaccagcc	tccgcgaggg	acctcatctg	cgcgcaatac	660
gtggccgggt	acaaagtgct	gcctcctctg	atggatgtga	acatggaggc	cgcttatact	720
tcgtccctgc	tcggtcttat	cgccggcgct	gggtggaccg	ccggcctgtc	ctccttcgcc	780
gctatcccct	ttgcacaate	cattttctac	cggtcaacg	gcgtgggcat	tactcaacaa	840
gtcctgtcgg	agaaccagaa	ggtgatcgca	aacaagttca	atcaggccct	gggggccaatg	900
cagactggat	tcactacgac	taacgaagcg	ttccagaagg	tccaggacgc	tgtgaacaac	960
aacgcccagg	cgctctcaaa	gctggcctcc	gaactcagca	acaccttcgg	agccatcagc	1020
gcatcgatcg	gtgacataat	tcagcggctg	gacgtgctgg	agcaggacgc	ccagatcgac	1080
cgccctcatca	acggacggct	gaccaccttg	aatgccttcg	tggcacaaca	gctggtcocg	1140
agcgaatcag	cggcactttc	cgcccactc	gccaaggaca	aagtcaacga	atgcgtgaag	1200
gcccagtcca	agaggtccgg	tttctgoggt	caaggaaccc	atattgtgtc	cttcgctgtg	1260
aacgcgccca	acggtctgta	ctttatgcac	gtcggctact	acccgagcaa	tcatatcgaa	1320
gtggtgtcgg	cctacggcct	gtgcgatgcc	gctaacccca	ctaactgtat	tgcccctgtg	1380
aacggatatt	ttattaagac	caacaacacc	cgcattgtgg	acgaatggtc	atacaccggt	1440
tcgtcctctc	acgcgcccca	gcccataact	tcaactgaaca	ccaaatacgt	ggctccgcaa	1500
gtgacctacc	agaacatctc	caccaatttg	ccgccgccgc	tgctcggaag	cagcaccgga	1560
attgatattc	aagatgaact	ggacgaattc	ttcaagaacg	tgtccacttc	cattcccac	1620
ttcgaagcc	tgacacagat	caacaccacc	cttctcgacc	tgacctacga	gatgctgagc	1680
cttcaacaag	tggtcaaggg	cctgaacgag	agctacatcg	acctgaagga	gctgggcaac	1740
tatacctact	acaacaagtg	gccggacaag	attgaggaga	ttctgtcgaa	aatctaccac	1800
attgaaaacg	agatcgccag	aatcaagaag	cttatcgcg	aagcc		1845

&lt;210&gt; SEQ ID NO 23

&lt;211&gt; LENGTH: 4071

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 23

atggaacccc	ctgcccagct	gctgttctctg	ctgctgctgt	ggctgcctga	taccaccggc	60
agctatgtgg	acgtgggccc	cgatagcgtg	aagtcgcct	gtatcgaagt	ggacatccag	120
cagacctttt	tcgacaagac	ctggcccaga	cccatcgacg	tgtccaaggg	cgacggcatc	180
atctatccac	aaggccggac	ctacagcaac	atcaccatta	cctaccaggg	cctgttccca	240

-continued

---

tatcaaggcg accacggcga tatgtacgtg tactctgccg gccacgccac cggcaccaca	300
ccccagaaac tgttcgtggc caactacagc caggacgtga agcagttcgc caacggcttc	360
gtcgtgcgga ttggcgccgc tgccaatagc accggcacag tgatcatcag ccccagcacc	420
agcgccacca tccggaagat ctaccccgcc ttcattgctgg gcagctccgt gggcaatttc	480
agcgacggca agatgggccc gttcttcaac cacaccctgg tgctgctgcc cgatggctgt	540
ggcacactgc tgagagcctt ctactgcata ctggaaccca gaagcggcaa ccaactgccct	600
gccggcaata gctacaccag cttcgccacc taccacacac ccgccaccga ttgetccgac	660
ggcaactaca accggaacgc cagcctgaac agcttcaaag agtacttcaa cctgcggaac	720
tgacacttca tgtacaccta caatatcacc gaggacgaga tcctggaatg gttcggcatc	780
accagacccg cccagggcgt gcacctgttc agcagcagat acgtggacct gtacggcggc	840
aacatgttcc agtttgccac cctgccctgt tacgacacca tcaagtacta cagcatcatc	900
ccccacagca tccgggtccat ccagagcgc acgaaaagcct gggccgcctt ctacgtgtac	960
aagctgcagc ccctgacctt cctgctggac ttcagcgtgg acggctacat cagacgggcc	1020
atcgactcgc gcttcaacga cctgagccag ctgcactgct cctacgagag cttcgcagctg	1080
gaaagcggcg tgtacagcgt gtcacgcttc gaggccaagc ctagcggcag cgtggtgga	1140
caggctgagg gcgtggaatg cgacttcagc cctctgctga gcggcaccct tcccaggtg	1200
tacaacttca agcggctggt gttcaccaac tgcaattaca acctgaccaa gctgctgagc	1260
ctgttctccg tgaacgactt cacctgtagc cagatcagcc ctgcccctat tgccagcaac	1320
tgctacagca gcctgatcct ggactacttc agctaccccc tgagcatgaa gtccgatctg	1380
agcgtgtcct ccgcccggacc catcagccag ttcaactaca agcagagctt cagcaaccct	1440
acctgcctga ttctggccac cgtgccccac aatctgacca ccatcaccaa gccctggaag	1500
tacagctaca tcaacaagtg cagcagactg ctgtccgacg accggaccga agtgccccag	1560
ctcgtgaacg ccaaccagta cagcccctgc gtgtccatcg tgcccagcac cgtgtgggag	1620
gacggcgact actacagaaa gcagctgagc cccctggaag gcggcggatg gctggtggct	1680
tctggaagca cagtggccat gaccgagcag ctgcagatgg gctttggcat cacogtgca	1740
tacggcaccg acaccaacag cgtgtgcccc aagctggaat tcgccaatga caccaagatc	1800
gccagccagc tgggaaaactg cgtggaatac tccctgtatg gcgtgtccgg acggggcgtg	1860
ttccagaatt gcacagcagt gggagtgcgg cagcagagat tcgtgtacga tgccctaccag	1920
aacctcgtgg gctactacag cgacgacggc aattactact gcctgcgggc ctgtgtgtcc	1980
gtgccctgt cctgatcta cgacaaagag acaaagacc cgcaccact gttcggctcc	2040
gtggcctcgc agcacatcag ctccaccatg agccagtact cccgctccac ccggtccatg	2100
ctgaagcggg gagatagcac ctacggcccc ctgcagacac ctgtgggatg tgtgctgggc	2160
ctcgtgaaca gctccctggt tgtggaagat tgcaagctgc ccctgggcca gagcctgtgt	2220
gccctgccag atacccttag caccctgacc cctagaagcg tgcgctctgt gccggcgaa	2280
atggcgctgg cctctatcgc cttcaatcac cccatccagg tggaccagct gaactccagc	2340
tacttcaagc tgagcatccc caccaacttc agcttcggcg tgacccagga gtacatccag	2400
accacaatcc agaaagtgc cgtggactgc aagcagtagc tgtgcaacgg ctttcagaag	2460
tgcaaacagc tgctgcgcga gtacggccag ttctgcagca agatcaacca gccctgcac	2520



-continued

---

```

ggcgccaacc tgagacagga tgacagcgtg cggaaacctgt tcgccagcgt gaaaagcagc 2580
cagtccagcc ccatcatccc tggcttcggc ggcgacttta acctgacct gctggaacct 2640
gtgtccatca gcaccggctc cagaagcgcc agatccgcca tcgaggacct gctgttcgac 2700
aaagtgacca ttgccgacct cggtacatg cagggtacg acgattgcat gcagcagggc 2760
ccagccagcg ccagggatct gatctgtgcc cagtatgtgg ccggctacaa ggtgtgtccc 2820
cccctgatgg acgtgaacat ggaagccgcc tacacctcca gcctgtgtgg ctctattgct 2880
ggcgtgggat ggacagcgg cctgtctagc ttgcccgcca tccctttcgc ccagagcatc 2940
ttctaccggc tgaacggcgt gggcatcaca caacagggtc tgagcgagaa ccagaagctg 3000
atcgccaaca agttaaacca ggcactgggc gccatgcaga ccggcttcac caccaccaac 3060
gaggccttca gaaaggtgca ggacgcgctg aacaacaacg cccaggctct gagcaagctg 3120
gcctccgagc tgagcaatac cttcggcgcc atcagcgctt ccatcggcga catcatccag 3180
cggctggaag tgctggaaca ggacgcccag atcgaccggc tgatcaacgg cagactgacc 3240
accctgaaag ccttcgtggc acagcagctc gtgcccggcg aatctgccgc tctgtctgct 3300
cagctggcca aggacaaagt gaacgagtg cgtgaaggccc agtccaagcg gagcggcttt 3360
tgtggccagg gcacccacat cgtgtccttc gtcgtgaatg cccccaacgg cctgtacttt 3420
atgcacgtgg gctattacc cagcaaccac atcgaggtgg tgtccgccta tggcctgtgc 3480
gacgcccgca atcctaccaa ctgtatcgcc cccgtgaacg gctacttcat caagaccaac 3540
aacacccgga tcgtggaaga gtggtcctac acaggcagca gcttctacgc ccccagagcc 3600
atcacctccc tgaacaccaa atacgtggcc cccaagtga cataccagaa catctccacc 3660
aacctgcccc ctccactgct gggaaattcc accggcatcg acttocagga cgagctggac 3720
gagttcttca agaacgtgtc cacctccatc cccaacttcg gcagcctgac ccagatcaac 3780
accactctgc tggacctgac ctacgagatg ctgtccctgc aacaggtcgt gaaagccctg 3840
aacgagagct acatcgacct gaaagagctg gggaaactaca cctactacaa caagtggcct 3900
tgggtacattt ggtgtgggctt tatcgccggc ctggtggccc tggccctgtg cgtgttcttc 3960
atcctgtgct gcaccggtg cggcaccaat tgcattggca agctgaaatg caaccggtgc 4020
tgcgacagat acgaggaata cgacctggaa cctcacaag tgcatgtgca c 4071

```

```

<210> SEQ ID NO 24
<211> LENGTH: 1353
<212> TYPE: PRT
<213> ORGANISM: Middle East respiratory syndrome coronavirus

```

<400> SEQUENCE: 24

```

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu
1             5             10             15
Ser Tyr Val Asp Val Gly Pro Asp Ser Val Lys Ser Ala Cys Ile Glu
20           25           30
Val Asp Ile Gln Gln Thr Phe Phe Asp Lys Thr Trp Pro Arg Pro Ile
35           40           45
Asp Val Ser Lys Ala Asp Gly Ile Ile Tyr Pro Gln Gly Arg Thr Tyr
50           55           60
Ser Asn Ile Thr Ile Thr Tyr Gln Gly Leu Phe Pro Tyr Gln Gly Asp
65           70           75           80
His Gly Asp Met Tyr Val Tyr Ser Ala Gly His Ala Thr Gly Thr Thr

```

-continued

85					90					95					
Pro	Gln	Lys	Leu	Phe	Val	Ala	Asn	Tyr	Ser	Gln	Asp	Val	Lys	Gln	Phe
			100					105					110		
Ala	Asn	Gly	Phe	Val	Val	Arg	Ile	Gly	Ala	Ala	Ala	Asn	Ser	Thr	Gly
		115					120					125			
Thr	Val	Ile	Ile	Ser	Pro	Ser	Thr	Ser	Ala	Thr	Ile	Arg	Lys	Ile	Tyr
	130					135					140				
Pro	Ala	Phe	Met	Leu	Gly	Ser	Ser	Val	Gly	Asn	Phe	Ser	Asp	Gly	Lys
145				150					155					160	
Met	Gly	Arg	Phe	Phe	Asn	His	Thr	Leu	Val	Leu	Leu	Pro	Asp	Gly	Cys
			165					170						175	
Gly	Thr	Leu	Leu	Arg	Ala	Phe	Tyr	Cys	Ile	Leu	Glu	Pro	Arg	Ser	Gly
		180						185					190		
Asn	His	Cys	Pro	Ala	Gly	Asn	Ser	Tyr	Thr	Ser	Phe	Ala	Thr	Tyr	His
		195					200					205			
Thr	Pro	Ala	Thr	Asp	Cys	Ser	Asp	Gly	Asn	Tyr	Asn	Arg	Asn	Ala	Ser
	210					215					220				
Leu	Asn	Ser	Phe	Lys	Glu	Tyr	Phe	Asn	Leu	Arg	Asn	Cys	Thr	Phe	Met
225				230						235				240	
Tyr	Thr	Tyr	Asn	Ile	Thr	Glu	Asp	Glu	Ile	Leu	Glu	Trp	Phe	Gly	Ile
			245						250					255	
Thr	Gln	Thr	Ala	Gln	Gly	Val	His	Leu	Phe	Ser	Ser	Arg	Tyr	Val	Asp
			260					265						270	
Leu	Tyr	Gly	Gly	Asn	Met	Phe	Gln	Phe	Ala	Thr	Leu	Pro	Val	Tyr	Asp
		275					280					285			
Thr	Ile	Lys	Tyr	Tyr	Ser	Ile	Ile	Pro	His	Ser	Ile	Arg	Ser	Ile	Gln
	290					295					300				
Ser	Asp	Arg	Lys	Ala	Trp	Ala	Ala	Phe	Tyr	Val	Tyr	Lys	Leu	Gln	Pro
305				310						315				320	
Leu	Thr	Phe	Leu	Leu	Asp	Phe	Ser	Val	Asp	Gly	Tyr	Ile	Arg	Arg	Ala
			325						330					335	
Ile	Asp	Cys	Gly	Phe	Asn	Asp	Leu	Ser	Gln	Leu	His	Cys	Ser	Tyr	Glu
			340					345					350		
Ser	Phe	Asp	Val	Glu	Ser	Gly	Val	Tyr	Ser	Val	Ser	Ser	Phe	Glu	Ala
		355					360						365		
Lys	Pro	Ser	Gly	Ser	Val	Val	Glu	Gln	Ala	Glu	Gly	Val	Glu	Cys	Asp
	370					375					380				
Phe	Ser	Pro	Leu	Leu	Ser	Gly	Thr	Pro	Pro	Gln	Val	Tyr	Asn	Phe	Lys
385				390						395				400	
Arg	Leu	Val	Phe	Thr	Asn	Cys	Asn	Tyr	Asn	Leu	Thr	Lys	Leu	Leu	Ser
			405						410					415	
Leu	Phe	Ser	Val	Asn	Asp	Phe	Thr	Cys	Ser	Gln	Ile	Ser	Pro	Ala	Ala
			420					425					430		
Ile	Ala	Ser	Asn	Cys	Tyr	Ser	Ser	Leu	Ile	Leu	Asp	Tyr	Phe	Ser	Tyr
	435							440				445			
Pro	Leu	Ser	Met	Lys	Ser	Asp	Leu	Ser	Val	Ser	Ser	Ala	Gly	Pro	Ile
	450					455						460			
Ser	Gln	Phe	Asn	Tyr	Lys	Gln	Ser	Phe	Ser	Asn	Pro	Thr	Cys	Leu	Ile
465				470						475				480	
Leu	Ala	Thr	Val	Pro	His	Asn	Leu	Thr	Thr	Ile	Thr	Lys	Pro	Leu	Lys
			485					490						495	



-continued

---

Lys Val Thr Ile Ala Asp Pro Gly Tyr Met Gln Gly Tyr Asp Asp Cys  
                   900                                  905                  910

Met Gln Gln Gly Pro Ala Ser Ala Arg Asp Leu Ile Cys Ala Gln Tyr  
           915                                  920                  925

Val Ala Gly Tyr Lys Val Leu Pro Pro Leu Met Asp Val Asn Met Glu  
       930                                  935                  940

Ala Ala Tyr Thr Ser Ser Leu Leu Gly Ser Ile Ala Gly Val Gly Trp  
   945                                  950                  955                  960

Thr Ala Gly Leu Ser Ser Phe Ala Ala Ile Pro Phe Ala Gln Ser Ile  
                   965                                  970                  975

Phe Tyr Arg Leu Asn Gly Val Gly Ile Thr Gln Gln Val Leu Ser Glu  
                   980                                  985                  990

Asn Gln Lys Leu Ile Ala Asn Lys Phe Asn Gln Ala Leu Gly Ala Met  
           995                                  1000                  1005

Gln Thr Gly Phe Thr Thr Thr Asn Glu Ala Phe Arg Lys Val Gln  
   1010                                  1015                  1020

Asp Ala Val Asn Asn Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser  
   1025                                  1030                  1035

Glu Leu Ser Asn Thr Phe Gly Ala Ile Ser Ala Ser Ile Gly Asp  
   1040                                  1045                  1050

Ile Ile Gln Arg Leu Asp Val Leu Glu Gln Asp Ala Gln Ile Asp  
   1055                                  1060                  1065

Arg Leu Ile Asn Gly Arg Leu Thr Thr Leu Asn Ala Phe Val Ala  
   1070                                  1075                  1080

Gln Gln Leu Val Arg Ser Glu Ser Ala Ala Leu Ser Ala Gln Leu  
   1085                                  1090                  1095

Ala Lys Asp Lys Val Asn Glu Cys Val Lys Ala Gln Ser Lys Arg  
   1100                                  1105                  1110

Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val Ser Phe Val Val  
   1115                                  1120                  1125

Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly Tyr Tyr Pro  
   1130                                  1135                  1140

Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys Asp Ala  
   1145                                  1150                  1155

Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe Ile  
   1160                                  1165                  1170

Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly  
   1175                                  1180                  1185

Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys  
   1190                                  1195                  1200

Tyr Val Ala Pro Gln Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu  
   1205                                  1210                  1215

Pro Pro Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp  
   1220                                  1225                  1230

Glu Leu Asp Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn  
   1235                                  1240                  1245

Phe Gly Ser Leu Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr  
   1250                                  1255                  1260

Tyr Glu Met Leu Ser Leu Gln Gln Val Val Lys Ala Leu Asn Glu  
   1265                                  1270                  1275

Ser Tyr Ile Asp Leu Lys Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn

-continued

---

1280	1285	1290
Lys Trp Pro Trp Tyr Ile Trp Leu Gly Phe Ile Ala Gly Leu Val		
1295	1300	1305
Ala Leu Ala Leu Cys Val Phe Phe Ile Leu Cys Cys Thr Gly Cys		
1310	1315	1320
Gly Thr Asn Cys Met Gly Lys Leu Lys Cys Asn Arg Cys Cys Asp		
1325	1330	1335
Arg Tyr Glu Glu Tyr Asp Leu Glu Pro His Lys Val His Val His		
1340	1345	1350

<210> SEQ ID NO 25  
 <211> LENGTH: 1353  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 25

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu
1 5 10 15
Ser Tyr Val Asp Val Gly Pro Asp Ser Val Lys Ser Ala Cys Ile Glu
20 25 30
Val Asp Ile Gln Gln Thr Phe Phe Asp Lys Thr Trp Pro Arg Pro Ile
35 40 45
Asp Val Ser Lys Ala Asp Gly Ile Ile Tyr Pro Gln Gly Arg Thr Tyr
50 55 60
Ser Asn Ile Thr Ile Thr Tyr Gln Gly Leu Phe Pro Tyr Gln Gly Asp
65 70 75 80
His Gly Asp Met Tyr Val Tyr Ser Ala Gly His Ala Thr Gly Thr Thr
85 90 95
Pro Gln Lys Leu Phe Val Ala Asn Tyr Ser Gln Asp Val Lys Gln Phe
100 105 110
Ala Asn Gly Phe Val Val Arg Ile Gly Ala Ala Ala Asn Ser Thr Gly
115 120 125
Thr Val Ile Ile Ser Pro Ser Thr Ser Ala Thr Ile Arg Lys Ile Tyr
130 135 140
Pro Ala Phe Met Leu Gly Ser Ser Val Gly Asn Phe Ser Asp Gly Lys
145 150 155 160
Met Gly Arg Phe Phe Asn His Thr Leu Val Leu Leu Pro Asp Gly Cys
165 170 175
Gly Thr Leu Leu Arg Ala Phe Tyr Cys Ile Leu Glu Pro Arg Ser Gly
180 185 190
Asn His Cys Pro Ala Gly Asn Ser Tyr Thr Ser Phe Ala Thr Tyr His
195 200 205
Thr Pro Ala Thr Asp Cys Ser Asp Gly Asn Tyr Asn Arg Asn Ala Ser
210 215 220
Leu Asn Ser Phe Lys Glu Tyr Phe Asn Leu Arg Asn Cys Thr Phe Met
225 230 235 240
Tyr Thr Tyr Asn Ile Thr Glu Asp Glu Ile Leu Glu Trp Phe Gly Ile
245 250 255
Thr Gln Thr Ala Gln Gly Val His Leu Phe Ser Ser Arg Tyr Val Asp
260 265 270
Leu Tyr Gly Gly Asn Met Phe Gln Phe Ala Thr Leu Pro Val Tyr Asp

-continued

275				280				285							
Thr	Ile	Lys	Tyr	Tyr	Ser	Ile	Ile	Pro	His	Ser	Ile	Arg	Ser	Ile	Gln
290						295					300				
Ser	Asp	Arg	Lys	Ala	Trp	Ala	Ala	Phe	Tyr	Val	Tyr	Lys	Leu	Gln	Pro
305					310					315				320	
Leu	Thr	Phe	Leu	Leu	Asp	Phe	Ser	Val	Asp	Gly	Tyr	Ile	Arg	Arg	Ala
				325					330					335	
Ile	Asp	Cys	Gly	Phe	Asn	Asp	Leu	Ser	Gln	Leu	His	Cys	Ser	Tyr	Glu
			340						345					350	
Ser	Phe	Asp	Val	Glu	Ser	Gly	Val	Tyr	Ser	Val	Ser	Ser	Phe	Glu	Ala
		355					360							365	
Lys	Pro	Ser	Gly	Ser	Val	Val	Glu	Gln	Ala	Glu	Gly	Val	Glu	Cys	Asp
370						375					380				
Phe	Ser	Pro	Leu	Leu	Ser	Gly	Thr	Pro	Pro	Gln	Val	Tyr	Asn	Phe	Lys
385					390					395					400
Arg	Leu	Val	Phe	Thr	Asn	Cys	Asn	Tyr	Asn	Leu	Thr	Lys	Leu	Leu	Ser
				405						410					415
Leu	Phe	Ser	Val	Asn	Asp	Phe	Thr	Cys	Ser	Gln	Ile	Ser	Pro	Ala	Ala
				420						425				430	
Ile	Ala	Ser	Asn	Cys	Tyr	Ser	Ser	Leu	Ile	Leu	Asp	Tyr	Phe	Ser	Tyr
			435				440							445	
Pro	Leu	Ser	Met	Lys	Ser	Asp	Leu	Ser	Val	Ser	Ser	Ala	Gly	Pro	Ile
450						455								460	
Ser	Gln	Phe	Asn	Tyr	Lys	Gln	Ser	Phe	Ser	Asn	Pro	Thr	Cys	Leu	Ile
465					470					475					480
Leu	Ala	Thr	Val	Pro	His	Asn	Leu	Thr	Thr	Ile	Thr	Lys	Pro	Leu	Lys
				485						490					495
Tyr	Ser	Tyr	Ile	Asn	Lys	Cys	Ser	Arg	Leu	Leu	Ser	Asp	Asp	Arg	Thr
			500						505					510	
Glu	Val	Pro	Gln	Leu	Val	Asn	Ala	Asn	Gln	Tyr	Ser	Pro	Cys	Val	Ser
			515				520							525	
Ile	Val	Pro	Ser	Thr	Val	Trp	Glu	Asp	Gly	Asp	Tyr	Tyr	Arg	Lys	Gln
530						535					540				
Leu	Ser	Pro	Leu	Glu	Gly	Gly	Gly	Trp	Leu	Val	Ala	Ser	Gly	Ser	Thr
545					550					555					560
Val	Ala	Met	Thr	Glu	Gln	Leu	Gln	Met	Gly	Phe	Gly	Ile	Thr	Val	Gln
				565						570					575
Tyr	Gly	Thr	Asp	Thr	Asn	Ser	Val	Cys	Pro	Lys	Leu	Glu	Phe	Ala	Asn
			580						585					590	
Asp	Thr	Lys	Ile	Ala	Ser	Gln	Leu	Gly	Asn	Cys	Val	Glu	Tyr	Ser	Leu
		595					600							605	
Tyr	Gly	Val	Ser	Gly	Arg	Gly	Val	Phe	Gln	Asn	Cys	Thr	Ala	Val	Gly
			610			615								620	
Val	Arg	Gln	Gln	Arg	Phe	Val	Tyr	Asp	Ala	Tyr	Gln	Asn	Leu	Val	Gly
625					630					635					640
Tyr	Tyr	Ser	Asp	Asp	Gly	Asn	Tyr	Tyr	Cys	Leu	Arg	Ala	Cys	Val	Ser
				645						650					655
Val	Pro	Val	Ser	Val	Ile	Tyr	Asp	Lys	Glu	Thr	Lys	Thr	His	Ala	Thr
				660						665				670	
Leu	Phe	Gly	Ser	Val	Ala	Cys	Glu	His	Ile	Ser	Ser	Thr	Met	Ser	Gln
				675						680					685

-continued

---

Tyr Ser Arg Ser Thr Arg Ser Met Leu Lys Arg Arg Asp Ser Thr Tyr  
690 695 700  
Gly Pro Leu Gln Thr Pro Val Gly Cys Val Leu Gly Leu Val Asn Ser  
705 710 715 720  
Ser Leu Phe Val Glu Asp Cys Lys Leu Pro Leu Gly Gln Ser Leu Cys  
725 730 735  
Ala Leu Pro Asp Thr Pro Ser Thr Leu Thr Pro Arg Ser Val Arg Ser  
740 745 750  
Val Pro Gly Glu Met Arg Leu Ala Ser Ile Ala Phe Asn His Pro Ile  
755 760 765  
Gln Val Asp Gln Leu Asn Ser Ser Tyr Phe Lys Leu Ser Ile Pro Thr  
770 775 780  
Asn Phe Ser Phe Gly Val Thr Gln Glu Tyr Ile Gln Thr Thr Ile Gln  
785 790 795 800  
Lys Val Thr Val Asp Cys Lys Gln Tyr Val Cys Asn Gly Phe Gln Lys  
805 810 815  
Cys Glu Gln Leu Leu Arg Glu Tyr Gly Gln Phe Cys Ser Lys Ile Asn  
820 825 830  
Gln Ala Leu His Gly Ala Asn Leu Arg Gln Asp Asp Ser Val Arg Asn  
835 840 845  
Leu Phe Ala Ser Val Lys Ser Ser Gln Ser Ser Pro Ile Ile Pro Gly  
850 855 860  
Phe Gly Gly Asp Phe Asn Leu Thr Leu Leu Glu Pro Val Ser Ile Ser  
865 870 875 880  
Thr Gly Ser Arg Ser Ala Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp  
885 890 895  
Lys Val Thr Ile Ala Asp Pro Gly Tyr Met Gln Gly Tyr Asp Asp Cys  
900 905 910  
Met Gln Gln Gly Pro Ala Ser Ala Arg Asp Leu Ile Cys Ala Gln Tyr  
915 920 925  
Val Ala Gly Tyr Lys Val Leu Pro Pro Leu Met Asp Val Asn Met Glu  
930 935 940  
Ala Ala Tyr Thr Ser Ser Leu Leu Gly Ser Ile Ala Gly Val Gly Trp  
945 950 955 960  
Thr Ala Gly Leu Ser Ser Phe Ala Ala Ile Pro Phe Ala Gln Ser Ile  
965 970 975  
Phe Tyr Arg Leu Asn Gly Val Gly Ile Thr Gln Gln Val Leu Ser Glu  
980 985 990  
Asn Gln Lys Leu Ile Ala Asn Lys Phe Asn Gln Ala Leu Gly Ala Met  
995 1000 1005  
Gln Thr Gly Phe Thr Thr Thr Asn Glu Ala Phe Gln Lys Val Gln  
1010 1015 1020  
Asp Ala Val Asn Asn Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser  
1025 1030 1035  
Glu Leu Ser Asn Thr Phe Gly Ala Ile Ser Ala Ser Ile Gly Asp  
1040 1045 1050  
Ile Ile Gln Arg Leu Asp Val Leu Glu Gln Asp Ala Gln Ile Asp  
1055 1060 1065  
Arg Leu Ile Asn Gly Arg Leu Thr Thr Leu Asn Ala Phe Val Ala  
1070 1075 1080

-continued

---

Gln Gln Leu Val Arg Ser Glu Ser Ala Ala Leu Ser Ala Gln Leu  
 1085 1090 1095

Ala Lys Asp Lys Val Asn Glu Cys Val Lys Ala Gln Ser Lys Arg  
 1100 1105 1110

Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val Ser Phe Val Val  
 1115 1120 1125

Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly Tyr Tyr Pro  
 1130 1135 1140

Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys Asp Ala  
 1145 1150 1155

Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe Ile  
 1160 1165 1170

Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly  
 1175 1180 1185

Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys  
 1190 1195 1200

Tyr Val Ala Pro Gln Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu  
 1205 1210 1215

Pro Pro Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp  
 1220 1225 1230

Glu Leu Asp Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn  
 1235 1240 1245

Phe Gly Ser Leu Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr  
 1250 1255 1260

Tyr Glu Met Leu Ser Leu Gln Gln Val Val Lys Ala Leu Asn Glu  
 1265 1270 1275

Ser Tyr Ile Asp Leu Lys Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn  
 1280 1285 1290

Lys Trp Pro Trp Tyr Ile Trp Leu Gly Phe Ile Ala Gly Leu Val  
 1295 1300 1305

Ala Leu Ala Leu Cys Val Phe Phe Ile Leu Cys Cys Thr Gly Cys  
 1310 1315 1320

Gly Thr Asn Cys Met Gly Lys Leu Lys Cys Asn Arg Cys Cys Asp  
 1325 1330 1335

Arg Tyr Glu Glu Tyr Asp Leu Glu Pro His Lys Val His Val His  
 1340 1345 1350

<210> SEQ ID NO 26  
 <211> LENGTH: 615  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 26

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu  
 1 5 10 15

Ser Asp Cys Lys Leu Pro Leu Gly Gln Ser Leu Cys Ala Leu Pro Asp  
 20 25 30

Thr Pro Ser Thr Leu Thr Pro Arg Ser Val Arg Ser Val Pro Gly Glu  
 35 40 45

Met Arg Leu Ala Ser Ile Ala Phe Asn His Pro Ile Gln Val Asp Gln  
 50 55 60



-continued

---

Leu Asn Ser Ser Tyr Phe Lys Leu Ser Ile Pro Thr Asn Phe Ser Phe  
 65 70 75 80

Gly Val Thr Gln Glu Tyr Ile Gln Thr Thr Ile Gln Lys Val Thr Val  
 85 90 95

Asp Cys Lys Gln Tyr Val Cys Asn Gly Phe Gln Lys Cys Glu Gln Leu  
 100 105 110

Leu Arg Glu Tyr Gly Gln Phe Cys Ser Lys Ile Asn Gln Ala Leu His  
 115 120 125

Gly Ala Asn Leu Arg Gln Asp Asp Ser Val Arg Asn Leu Phe Ala Ser  
 130 135 140

Val Lys Ser Ser Gln Ser Ser Pro Ile Ile Pro Gly Phe Gly Gly Asp  
 145 150 155 160

Phe Asn Leu Thr Leu Leu Glu Pro Val Ser Ile Ser Thr Gly Ser Arg  
 165 170 175

Ser Ala Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp Lys Val Thr Ile  
 180 185 190

Ala Asp Pro Gly Tyr Met Gln Gly Tyr Asp Asp Cys Met Gln Gln Gly  
 195 200 205

Pro Ala Ser Ala Arg Asp Leu Ile Cys Ala Gln Tyr Val Ala Gly Tyr  
 210 215 220

Lys Val Leu Pro Pro Leu Met Asp Val Asn Met Glu Ala Ala Tyr Thr  
 225 230 235 240

Ser Ser Leu Leu Gly Ser Ile Ala Gly Val Gly Trp Thr Ala Gly Leu  
 245 250 255

Ser Ser Phe Ala Ala Ile Pro Phe Ala Gln Ser Ile Phe Tyr Arg Leu  
 260 265 270

Asn Gly Val Gly Ile Thr Gln Gln Val Leu Ser Glu Asn Gln Lys Leu  
 275 280 285

Ile Ala Asn Lys Phe Asn Gln Ala Leu Gly Ala Met Gln Thr Gly Phe  
 290 295 300

Thr Thr Thr Asn Glu Ala Phe Gln Lys Val Gln Asp Ala Val Asn Asn  
 305 310 315 320

Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser Glu Leu Ser Asn Thr Phe  
 325 330 335

Gly Ala Ile Ser Ala Ser Ile Gly Asp Ile Ile Gln Arg Leu Asp Val  
 340 345 350

Leu Glu Gln Asp Ala Gln Ile Asp Arg Leu Ile Asn Gly Arg Leu Thr  
 355 360 365

Thr Leu Asn Ala Phe Val Ala Gln Gln Leu Val Arg Ser Glu Ser Ala  
 370 375 380

Ala Leu Ser Ala Gln Leu Ala Lys Asp Lys Val Asn Glu Cys Val Lys  
 385 390 395 400

Ala Gln Ser Lys Arg Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val  
 405 410 415

Ser Phe Val Val Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly  
 420 425 430

Tyr Tyr Pro Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys  
 435 440 445

Asp Ala Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe  
 450 455 460

Ile Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly

-continued

---

465		470		475		480									
Ser	Ser	Phe	Tyr	Ala	Pro	Glu	Pro	Ile	Thr	Ser	Leu	Asn	Thr	Lys	Tyr
				485					490					495	
Val	Ala	Pro	Gln	Val	Thr	Tyr	Gln	Asn	Ile	Ser	Thr	Asn	Leu	Pro	Pro
			500					505					510		
Pro	Leu	Leu	Gly	Asn	Ser	Thr	Gly	Ile	Asp	Phe	Gln	Asp	Glu	Leu	Asp
		515					520					525			
Glu	Phe	Phe	Lys	Asn	Val	Ser	Thr	Ser	Ile	Pro	Asn	Phe	Gly	Ser	Leu
	530					535					540				
Thr	Gln	Ile	Asn	Thr	Thr	Leu	Leu	Asp	Leu	Thr	Tyr	Glu	Met	Leu	Ser
	545				550					555					560
Leu	Gln	Gln	Val	Val	Lys	Ala	Leu	Asn	Glu	Ser	Tyr	Ile	Asp	Leu	Lys
				565					570					575	
Glu	Leu	Gly	Asn	Tyr	Thr	Tyr	Tyr	Asn	Lys	Trp	Pro	Asp	Lys	Ile	Glu
			580					585					590		
Glu	Ile	Leu	Ser	Lys	Ile	Tyr	His	Ile	Glu	Asn	Glu	Ile	Ala	Arg	Ile
		595					600						605		
Lys	Lys	Leu	Ile	Gly	Glu	Ala									
	610					615									

<210> SEQ ID NO 27  
 <211> LENGTH: 1353  
 <212> TYPE: PRT  
 <213> ORGANISM: Middle East respiratory syndrome coronavirus

<400> SEQUENCE: 27

Met	Ile	His	Ser	Val	Phe	Leu	Leu	Met	Phe	Leu	Leu	Thr	Pro	Thr	Glu
1				5					10					15	
Ser	Tyr	Val	Asp	Val	Gly	Pro	Asp	Ser	Val	Lys	Ser	Ala	Cys	Ile	Glu
			20					25					30		
Val	Asp	Ile	Gln	Gln	Thr	Phe	Phe	Asp	Lys	Thr	Trp	Pro	Arg	Pro	Ile
		35				40						45			
Asp	Val	Ser	Lys	Ala	Asp	Gly	Ile	Ile	Tyr	Pro	Gln	Gly	Arg	Thr	Tyr
	50				55						60				
Ser	Asn	Ile	Thr	Ile	Thr	Tyr	Gln	Gly	Leu	Phe	Pro	Tyr	Gln	Gly	Asp
	65				70					75				80	
His	Gly	Asp	Met	Tyr	Val	Tyr	Ser	Ala	Gly	His	Ala	Thr	Gly	Thr	Thr
			85						90					95	
Pro	Gln	Lys	Leu	Phe	Val	Ala	Asn	Tyr	Ser	Gln	Asp	Val	Lys	Gln	Phe
		100						105					110		
Ala	Asn	Gly	Phe	Val	Val	Arg	Ile	Gly	Ala	Ala	Ala	Asn	Ser	Thr	Gly
		115					120					125			
Thr	Val	Ile	Ile	Ser	Pro	Ser	Thr	Ser	Ala	Thr	Ile	Arg	Lys	Ile	Tyr
	130					135					140				
Pro	Ala	Phe	Met	Leu	Gly	Ser	Ser	Val	Gly	Asn	Phe	Ser	Asp	Gly	Lys
	145				150					155					160
Met	Gly	Arg	Phe	Phe	Asn	His	Thr	Leu	Val	Leu	Leu	Pro	Asp	Gly	Cys
			165					170						175	
Gly	Thr	Leu	Leu	Arg	Ala	Phe	Tyr	Cys	Ile	Leu	Glu	Pro	Arg	Ser	Gly
		180						185					190		
Asn	His	Cys	Pro	Ala	Gly	Asn	Ser	Tyr	Thr	Ser	Phe	Ala	Thr	Tyr	His
		195					200					205			

-continued

---

Thr Pro Ala Thr Asp Cys Ser Asp Gly Asn Tyr Asn Arg Asn Ala Ser  
 210 215 220  
 Leu Asn Ser Phe Lys Glu Tyr Phe Asn Leu Arg Asn Cys Thr Phe Met  
 225 230 235 240  
 Tyr Thr Tyr Asn Ile Thr Glu Asp Glu Ile Leu Glu Trp Phe Gly Ile  
 245 250 255  
 Thr Gln Thr Ala Gln Gly Val His Leu Phe Ser Ser Arg Tyr Val Asp  
 260 265 270  
 Leu Tyr Gly Gly Asn Met Phe Gln Phe Ala Thr Leu Pro Val Tyr Asp  
 275 280 285  
 Thr Ile Lys Tyr Tyr Ser Ile Ile Pro His Ser Ile Arg Ser Ile Gln  
 290 295 300  
 Ser Asp Arg Lys Ala Trp Ala Ala Phe Tyr Val Tyr Lys Leu Gln Pro  
 305 310 315 320  
 Leu Thr Phe Leu Leu Asp Phe Ser Val Asp Gly Tyr Ile Arg Arg Ala  
 325 330 335  
 Ile Asp Cys Gly Phe Asn Asp Leu Ser Gln Leu His Cys Ser Tyr Glu  
 340 345 350  
 Ser Phe Asp Val Glu Ser Gly Val Tyr Ser Val Ser Ser Phe Glu Ala  
 355 360 365  
 Lys Pro Ser Gly Ser Val Val Glu Gln Ala Glu Gly Val Glu Cys Asp  
 370 375 380  
 Phe Ser Pro Leu Leu Ser Gly Thr Pro Pro Gln Val Tyr Asn Phe Lys  
 385 390 395 400  
 Arg Leu Val Phe Thr Asn Cys Asn Tyr Asn Leu Thr Lys Leu Leu Ser  
 405 410 415  
 Leu Phe Ser Val Asn Asp Phe Thr Cys Ser Gln Ile Ser Pro Ala Ala  
 420 425 430  
 Ile Ala Ser Asn Cys Tyr Ser Ser Leu Ile Leu Asp Tyr Phe Ser Tyr  
 435 440 445  
 Pro Leu Ser Met Lys Ser Asp Leu Ser Val Ser Ser Ala Gly Pro Ile  
 450 455 460  
 Ser Gln Phe Asn Tyr Lys Gln Ser Phe Ser Asn Pro Thr Cys Leu Ile  
 465 470 475 480  
 Leu Ala Thr Val Pro His Asn Leu Thr Thr Ile Thr Lys Pro Leu Lys  
 485 490 495  
 Tyr Ser Tyr Ile Asn Lys Cys Ser Arg Leu Leu Ser Asp Asp Arg Thr  
 500 505 510  
 Glu Val Pro Gln Leu Val Asn Ala Asn Gln Tyr Ser Pro Cys Val Ser  
 515 520 525  
 Ile Val Pro Ser Thr Val Trp Glu Asp Gly Asp Tyr Tyr Arg Lys Gln  
 530 535 540  
 Leu Ser Pro Leu Glu Gly Gly Gly Trp Leu Val Ala Ser Gly Ser Thr  
 545 550 555 560  
 Val Ala Met Thr Glu Gln Leu Gln Met Gly Phe Gly Ile Thr Val Gln  
 565 570 575  
 Tyr Gly Thr Asp Thr Asn Ser Val Cys Pro Lys Leu Glu Phe Ala Asn  
 580 585 590  
 Asp Thr Lys Ile Ala Ser Gln Leu Gly Asn Cys Val Glu Tyr Ser Leu  
 595 600 605  
 Tyr Gly Val Ser Gly Arg Gly Val Phe Gln Asn Cys Thr Ala Val Gly

-continued

610					615					620					
Val	Arg	Gln	Gln	Arg	Phe	Val	Tyr	Asp	Ala	Tyr	Gln	Asn	Leu	Val	Gly
625					630					635					640
Tyr	Tyr	Ser	Asp	Asp	Gly	Asn	Tyr	Tyr	Cys	Leu	Arg	Ala	Cys	Val	Ser
				645					650					655	
Val	Pro	Val	Ser	Val	Ile	Tyr	Asp	Lys	Glu	Thr	Lys	Thr	His	Ala	Thr
			660					665					670		
Leu	Phe	Gly	Ser	Val	Ala	Cys	Glu	His	Ile	Ser	Ser	Thr	Met	Ser	Gln
		675					680					685			
Tyr	Ser	Arg	Ser	Thr	Arg	Ser	Met	Leu	Lys	Arg	Arg	Asp	Ser	Thr	Tyr
	690					695					700				
Gly	Pro	Leu	Gln	Thr	Pro	Val	Gly	Cys	Val	Leu	Gly	Leu	Val	Asn	Ser
	705					710					715				720
Ser	Leu	Phe	Val	Glu	Asp	Cys	Lys	Leu	Pro	Leu	Gly	Gln	Ser	Leu	Cys
				725					730					735	
Ala	Leu	Pro	Asp	Thr	Pro	Ser	Thr	Leu	Thr	Pro	Arg	Ser	Val	Arg	Ser
			740					745					750		
Val	Pro	Gly	Glu	Met	Arg	Leu	Ala	Ser	Ile	Ala	Phe	Asn	His	Pro	Ile
		755					760					765			
Gln	Val	Asp	Gln	Leu	Asn	Ser	Ser	Tyr	Phe	Lys	Leu	Ser	Ile	Pro	Thr
	770					775					780				
Asn	Phe	Ser	Phe	Gly	Val	Thr	Gln	Glu	Tyr	Ile	Gln	Thr	Thr	Ile	Gln
	785					790					795				800
Lys	Val	Thr	Val	Asp	Cys	Lys	Gln	Tyr	Val	Cys	Asn	Gly	Phe	Gln	Lys
				805					810					815	
Cys	Glu	Gln	Leu	Leu	Arg	Glu	Tyr	Gly	Gln	Phe	Cys	Ser	Lys	Ile	Asn
			820					825					830		
Gln	Ala	Leu	His	Gly	Ala	Asn	Leu	Arg	Gln	Asp	Asp	Ser	Val	Arg	Asn
		835					840					845			
Leu	Phe	Ala	Ser	Val	Lys	Ser	Ser	Gln	Ser	Ser	Pro	Ile	Ile	Pro	Gly
	850					855					860				
Phe	Gly	Gly	Asp	Phe	Asn	Leu	Thr	Leu	Leu	Glu	Pro	Val	Ser	Ile	Ser
	865					870					875				880
Thr	Gly	Ser	Arg	Ser	Ala	Arg	Ser	Ala	Ile	Glu	Asp	Leu	Leu	Phe	Asp
				885					890					895	
Lys	Val	Thr	Ile	Ala	Asp	Pro	Gly	Tyr	Met	Gln	Gly	Tyr	Asp	Asp	Cys
			900					905					910		
Met	Gln	Gln	Gly	Pro	Ala	Ser	Ala	Arg	Asp	Leu	Ile	Cys	Ala	Gln	Tyr
			915				920					925			
Val	Ala	Gly	Tyr	Lys	Val	Leu	Pro	Pro	Leu	Met	Asp	Val	Asn	Met	Glu
	930					935					940				
Ala	Ala	Tyr	Thr	Ser	Ser	Leu	Leu	Gly	Ser	Ile	Ala	Gly	Val	Gly	Trp
	945					950					955				960
Thr	Ala	Gly	Leu	Ser	Ser	Phe	Ala	Ala	Ile	Pro	Phe	Ala	Gln	Ser	Ile
				965					970					975	
Phe	Tyr	Arg	Leu	Asn	Gly	Val	Gly	Ile	Thr	Gln	Gln	Val	Leu	Ser	Glu
			980					985					990		
Asn	Gln	Lys	Leu	Ile	Ala	Asn	Lys	Phe	Asn	Gln	Ala	Leu	Gly	Ala	Met
		995					1000					1005			
Gln	Thr	Gly	Phe	Thr	Thr	Thr	Asn	Glu	Ala	Phe	Arg	Lys	Val	Gln	
	1010						1015					1020			

-continued

---

Asp Ala Val Asn Asn Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser  
 1025 1030 1035  
 Glu Leu Ser Asn Thr Phe Gly Ala Ile Ser Ala Ser Ile Gly Asp  
 1040 1045 1050  
 Ile Ile Gln Arg Leu Asp Val Leu Glu Gln Asp Ala Gln Ile Asp  
 1055 1060 1065  
 Arg Leu Ile Asn Gly Arg Leu Thr Thr Leu Asn Ala Phe Val Ala  
 1070 1075 1080  
 Gln Gln Leu Val Arg Ser Glu Ser Ala Ala Leu Ser Ala Gln Leu  
 1085 1090 1095  
 Ala Lys Asp Lys Val Asn Glu Cys Val Lys Ala Gln Ser Lys Arg  
 1100 1105 1110  
 Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val Ser Phe Val Val  
 1115 1120 1125  
 Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly Tyr Tyr Pro  
 1130 1135 1140  
 Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys Asp Ala  
 1145 1150 1155  
 Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe Ile  
 1160 1165 1170  
 Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly  
 1175 1180 1185  
 Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys  
 1190 1195 1200  
 Tyr Val Ala Pro His Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu  
 1205 1210 1215  
 Pro Pro Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp  
 1220 1225 1230  
 Glu Leu Asp Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn  
 1235 1240 1245  
 Phe Gly Ser Leu Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr  
 1250 1255 1260  
 Tyr Glu Met Leu Ser Leu Gln Gln Val Val Lys Ala Leu Asn Glu  
 1265 1270 1275  
 Ser Tyr Ile Asp Leu Lys Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn  
 1280 1285 1290  
 Lys Trp Pro Trp Tyr Ile Trp Leu Gly Phe Ile Ala Gly Leu Val  
 1295 1300 1305  
 Ala Leu Ala Leu Cys Val Phe Phe Ile Leu Cys Cys Thr Gly Cys  
 1310 1315 1320  
 Gly Thr Asn Cys Met Gly Lys Leu Lys Cys Asn Arg Cys Cys Asp  
 1325 1330 1335  
 Arg Tyr Glu Glu Tyr Asp Leu Glu Pro His Lys Val His Val His  
 1340 1345 1350

&lt;210&gt; SEQ ID NO 28

&lt;211&gt; LENGTH: 1353

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Middle East respiratory syndrome coronavirus

&lt;400&gt; SEQUENCE: 28

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu

-continued

1	5	10	15
Ser Tyr Val Asp Val Gly Pro Asp Ser Val Lys Ser Ala Cys Ile Glu 20 25 30			
Val Asp Ile Gln Gln Thr Phe Phe Asp Lys Thr Trp Pro Arg Pro Ile 35 40 45			
Asp Val Ser Lys Ala Asp Gly Ile Ile Tyr Pro Gln Gly Arg Thr Tyr 50 55 60			
Ser Asn Ile Thr Ile Thr Tyr Gln Gly Leu Phe Pro Tyr Gln Gly Asp 65 70 75 80			
His Gly Asp Met Tyr Val Tyr Ser Ala Gly His Ala Thr Gly Thr Thr 85 90 95			
Pro Gln Lys Leu Phe Val Ala Asn Tyr Ser Gln Asp Val Lys Gln Phe 100 105 110			
Ala Asn Gly Phe Val Val Arg Ile Gly Ala Ala Ala Asn Ser Thr Gly 115 120 125			
Thr Val Ile Ile Ser Pro Ser Thr Ser Ala Thr Ile Arg Lys Ile Tyr 130 135 140			
Pro Ala Phe Met Leu Gly Ser Ser Val Gly Asn Phe Ser Asp Gly Lys 145 150 155 160			
Met Gly Arg Phe Phe Asn His Thr Leu Val Leu Leu Pro Asp Gly Cys 165 170 175			
Gly Thr Leu Leu Arg Ala Phe Tyr Cys Ile Leu Glu Pro Arg Ser Gly 180 185 190			
Asn His Cys Pro Ala Gly Asn Ser Tyr Thr Ser Phe Ala Thr Tyr His 195 200 205			
Thr Pro Ala Thr Asp Cys Ser Asp Gly Asn Tyr Asn Arg Asn Ala Ser 210 215 220			
Leu Asn Ser Phe Lys Glu Tyr Phe Asn Leu Arg Asn Cys Thr Phe Met 225 230 235 240			
Tyr Thr Tyr Asn Ile Thr Glu Asp Glu Ile Leu Glu Trp Phe Gly Ile 245 250 255			
Thr Gln Thr Ala Gln Gly Val His Leu Phe Ser Ser Arg Tyr Val Asp 260 265 270			
Leu Tyr Gly Gly Asn Met Phe Gln Phe Ala Thr Leu Pro Val Tyr Asp 275 280 285			
Thr Ile Lys Tyr Tyr Ser Ile Ile Pro His Ser Ile Arg Ser Ile Gln 290 295 300			
Ser Asp Arg Lys Ala Trp Ala Ala Phe Tyr Val Tyr Lys Leu Gln Pro 305 310 315 320			
Leu Thr Phe Leu Leu Asp Phe Ser Val Asp Gly Tyr Ile Arg Arg Ala 325 330 335			
Ile Asp Cys Gly Phe Asn Asp Leu Ser Gln Leu His Cys Ser Tyr Glu 340 345 350			
Ser Phe Asp Val Glu Ser Gly Val Tyr Ser Val Ser Ser Phe Glu Ala 355 360 365			
Lys Pro Ser Gly Ser Val Val Glu Gln Ala Glu Gly Val Glu Cys Asp 370 375 380			
Phe Ser Pro Leu Leu Ser Gly Thr Pro Pro Gln Val Tyr Asn Phe Lys 385 390 395 400			
Arg Leu Val Phe Thr Asn Cys Asn Tyr Asn Leu Thr Lys Leu Leu Ser 405 410 415			

-continued

---

Leu Phe Ser Val Asn Asp Phe Thr Cys Ser Gln Ile Ser Pro Ala Ala  
                   420                                  425                                  430

Ile Ala Ser Asn Cys Tyr Ser Ser Leu Ile Leu Asp Tyr Phe Ser Tyr  
                   435                                  440                                  445

Pro Leu Ser Met Lys Ser Asp Leu Ser Val Ser Ser Ala Gly Pro Ile  
                   450                                  455                                  460

Ser Gln Phe Asn Tyr Lys Gln Ser Phe Ser Asn Pro Thr Cys Leu Ile  
 465                                  470                                  475                                  480

Leu Ala Thr Val Pro His Asn Leu Thr Thr Ile Thr Lys Pro Leu Lys  
                                   485                                  490                                  495

Tyr Ser Tyr Ile Asn Lys Cys Ser Arg Leu Leu Ser Asp Asp Arg Thr  
                                   500                                  505                                  510

Glu Val Pro Gln Leu Val Asn Ala Asn Gln Tyr Ser Pro Cys Val Ser  
                   515                                  520                                  525

Ile Val Pro Ser Thr Val Trp Glu Asp Gly Asp Tyr Tyr Arg Lys Gln  
                   530                                  535                                  540

Leu Ser Pro Leu Glu Gly Gly Gly Trp Leu Val Ala Ser Gly Ser Thr  
 545                                  550                                  555                                  560

Val Ala Met Thr Glu Gln Leu Gln Met Gly Phe Gly Ile Thr Val Gln  
                                   565                                  570                                  575

Tyr Gly Thr Asp Thr Asn Ser Val Cys Pro Lys Leu Glu Phe Ala Asn  
                                   580                                  585                                  590

Asp Thr Lys Ile Ala Ser Gln Leu Gly Asn Cys Val Glu Tyr Ser Leu  
                   595                                  600                                  605

Tyr Gly Val Ser Gly Arg Gly Val Phe Gln Asn Cys Thr Ala Val Gly  
                   610                                  615                                  620

Val Arg Gln Gln Arg Phe Val Tyr Asp Ala Tyr Gln Asn Leu Val Gly  
 625                                  630                                  635                                  640

Tyr Tyr Ser Asp Asp Gly Asn Tyr Tyr Cys Leu Arg Ala Cys Val Ser  
                                   645                                  650                                  655

Val Pro Val Ser Val Ile Tyr Asp Lys Glu Thr Lys Thr His Ala Thr  
                   660                                  665                                  670

Leu Phe Gly Ser Val Ala Cys Glu His Ile Ser Ser Thr Met Ser Gln  
                   675                                  680                                  685

Tyr Ser Arg Ser Thr Arg Ser Met Leu Lys Arg Arg Asp Ser Thr Tyr  
                   690                                  695                                  700

Gly Pro Leu Gln Thr Pro Val Gly Cys Val Leu Gly Leu Val Asn Ser  
 705                                  710                                  715                                  720

Ser Leu Phe Val Glu Asp Cys Lys Leu Pro Leu Gly Gln Ser Leu Cys  
                   725                                  730                                  735

Ala Leu Pro Asp Thr Pro Ser Thr Leu Thr Pro Arg Ser Val Arg Ser  
                   740                                  745                                  750

Val Pro Gly Glu Met Arg Leu Ala Ser Ile Ala Phe Asn His Pro Ile  
                   755                                  760                                  765

Gln Val Asp Gln Leu Asn Ser Ser Tyr Phe Lys Leu Ser Ile Pro Thr  
                   770                                  775                                  780

Asn Phe Ser Phe Gly Val Thr Gln Glu Tyr Ile Gln Thr Thr Ile Gln  
 785                                  790                                  795                                  800

Lys Val Thr Val Asp Cys Lys Gln Tyr Val Cys Asn Gly Phe Gln Lys  
                   805                                  810                                  815







-continued

---

Leu Pro Ser Gly Phe Asn Thr Leu Lys Pro Ile Phe Lys Leu Pro Leu  
 210 215 220  
 Gly Ile Asn Ile Thr Asn Phe Arg Ala Ile Leu Thr Ala Phe Ser Pro  
 225 230 235 240  
 Ala Gln Asp Ile Trp Gly Thr Ser Ala Ala Ala Tyr Phe Val Gly Tyr  
 245 250 255  
 Leu Lys Pro Thr Thr Phe Met Leu Lys Tyr Asp Glu Asn Gly Thr Ile  
 260 265 270  
 Thr Asp Ala Val Asp Cys Ser Gln Asn Pro Leu Ala Glu Leu Lys Cys  
 275 280 285  
 Ser Val Lys Ser Phe Glu Ile Asp Lys Gly Ile Tyr Gln Thr Ser Asn  
 290 295 300  
 Phe Arg Val Val Pro Ser Gly Asp Val Val Arg Phe Pro Asn Ile Thr  
 305 310 315 320  
 Asn Leu Cys Pro Phe Gly Glu Val Phe Asn Ala Thr Lys Phe Pro Ser  
 325 330 335  
 Val Tyr Ala Trp Glu Arg Lys Lys Ile Ser Asn Cys Val Ala Asp Tyr  
 340 345 350  
 Ser Val Leu Tyr Asn Ser Thr Phe Phe Ser Thr Phe Lys Cys Tyr Gly  
 355 360 365  
 Val Ser Ala Thr Lys Leu Asn Asp Leu Cys Phe Ser Asn Val Tyr Ala  
 370 375 380  
 Asp Ser Phe Val Val Lys Gly Asp Asp Val Arg Gln Ile Ala Pro Gly  
 385 390 395 400  
 Gln Thr Gly Val Ile Ala Asp Tyr Asn Tyr Lys Leu Pro Asp Asp Phe  
 405 410 415  
 Met Gly Cys Val Leu Ala Trp Asn Thr Arg Asn Ile Asp Ala Thr Ser  
 420 425 430  
 Thr Gly Asn Tyr Asn Tyr Lys Tyr Arg Tyr Leu Arg His Gly Lys Leu  
 435 440 445  
 Arg Pro Phe Glu Arg Asp Ile Ser Asn Val Pro Phe Ser Pro Asp Gly  
 450 455 460  
 Lys Pro Cys Thr Pro Pro Ala Leu Asn Cys Tyr Trp Pro Leu Asn Asp  
 465 470 475 480  
 Tyr Gly Phe Tyr Thr Thr Thr Gly Ile Gly Tyr Gln Pro Tyr Arg Val  
 485 490 495  
 Val Val Leu Ser Phe Glu Leu Leu Asn Ala Pro Ala Thr Val Cys Gly  
 500 505 510  
 Pro Lys Leu Ser Thr Asp Leu Ile Lys Asn Gln Cys Val Asn Phe Asn  
 515 520 525  
 Phe Asn Gly Leu Thr Gly Thr Gly Val Leu Thr Pro Ser Ser Lys Arg  
 530 535 540  
 Phe Gln Pro Phe Gln Gln Phe Gly Arg Asp Val Ser Asp Phe Thr Asp  
 545 550 555 560  
 Ser Val Arg Asp Pro Lys Thr Ser Glu Ile Leu Asp Ile Ser Pro Cys  
 565 570 575  
 Ser Phe Gly Gly Val Ser Val Ile Thr Pro Gly Thr Asn Ala Ser Ser  
 580 585 590  
 Glu Val Ala Val Leu Tyr Gln Asp Val Asn Cys Thr Asp Val Ser Thr  
 595 600 605  
 Ala Ile His Ala Asp Gln Leu Thr Pro Ala Trp Arg Ile Tyr Ser Thr

-continued

610					615					620					
Gly	Asn	Asn	Val	Phe	Gln	Thr	Gln	Ala	Gly	Cys	Leu	Ile	Gly	Ala	Glu
625					630					635					640
His	Val	Asp	Thr	Ser	Tyr	Glu	Cys	Asp	Ile	Pro	Ile	Gly	Ala	Gly	Ile
				645					650					655	
Cys	Ala	Ser	Tyr	His	Thr	Val	Ser	Leu	Leu	Arg	Ser	Thr	Ser	Gln	Lys
			660					665					670		
Ser	Ile	Val	Ala	Tyr	Thr	Met	Ser	Leu	Gly	Ala	Asp	Ser	Ser	Ile	Ala
		675					680					685			
Tyr	Ser	Asn	Asn	Thr	Ile	Ala	Ile	Pro	Thr	Asn	Phe	Ser	Ile	Ser	Ile
690					695					700					
Thr	Thr	Glu	Val	Met	Pro	Val	Ser	Met	Ala	Lys	Thr	Ser	Val	Asp	Cys
705					710					715					720
Asn	Met	Tyr	Ile	Cys	Gly	Asp	Ser	Thr	Glu	Cys	Ala	Asn	Leu	Leu	Leu
				725					730					735	
Gln	Tyr	Gly	Ser	Phe	Cys	Thr	Gln	Leu	Asn	Arg	Ala	Leu	Ser	Gly	Ile
			740					745					750		
Ala	Ala	Glu	Gln	Asp	Arg	Asn	Thr	Arg	Glu	Val	Phe	Ala	Gln	Val	Lys
		755					760					765			
Gln	Met	Tyr	Lys	Thr	Pro	Thr	Leu	Lys	Tyr	Phe	Gly	Gly	Phe	Asn	Phe
770					775					780					
Ser	Gln	Ile	Leu	Pro	Asp	Pro	Leu	Lys	Pro	Thr	Lys	Arg	Ser	Phe	Ile
785					790					795					800
Glu	Asp	Leu	Leu	Phe	Asn	Lys	Val	Thr	Leu	Ala	Asp	Ala	Gly	Phe	Met
				805					810					815	
Lys	Gln	Tyr	Gly	Glu	Cys	Leu	Gly	Asp	Ile	Asn	Ala	Arg	Asp	Leu	Ile
			820					825					830		
Cys	Ala	Gln	Lys	Phe	Asn	Gly	Leu	Thr	Val	Leu	Pro	Pro	Leu	Leu	Thr
		835					840					845			
Asp	Asp	Met	Ile	Ala	Ala	Tyr	Thr	Ala	Ala	Leu	Val	Ser	Gly	Thr	Ala
850					855					860					
Thr	Ala	Gly	Trp	Thr	Phe	Gly	Ala	Gly	Ala	Ala	Leu	Gln	Ile	Pro	Phe
865					870					875					880
Ala	Met	Gln	Met	Ala	Tyr	Arg	Phe	Asn	Gly	Ile	Gly	Val	Thr	Gln	Asn
				885					890					895	
Val	Leu	Tyr	Glu	Asn	Gln	Lys	Gln	Ile	Ala	Asn	Gln	Phe	Asn	Lys	Ala
			900					905					910		
Ile	Ser	Gln	Ile	Gln	Glu	Ser	Leu	Thr	Thr	Thr	Ser	Thr	Ala	Leu	Gly
		915					920					925			
Lys	Leu	Gln	Asp	Val	Val	Asn	Gln	Asn	Ala	Gln	Ala	Leu	Asn	Thr	Leu
930					935					940					
Val	Lys	Gln	Leu	Ser	Ser	Asn	Phe	Gly	Ala	Ile	Ser	Ser	Val	Leu	Asn
945					950					955					960
Asp	Ile	Leu	Ser	Arg	Leu	Asp	Lys	Val	Glu	Ala	Glu	Val	Gln	Ile	Asp
				965					970					975	
Arg	Leu	Ile	Thr	Gly	Arg	Leu	Gln	Ser	Leu	Gln	Thr	Tyr	Val	Thr	Gln
			980					985					990		
Gln	Leu	Ile	Arg	Ala	Ala	Glu	Ile	Arg	Ala	Ser	Ala	Asn	Leu	Ala	Ala
			995				1000					1005			
Thr	Lys	Met	Ser	Glu	Cys	Val	Leu	Gly	Gln	Ser	Lys	Arg	Val	Asp	
1010						1015						1020			

-continued

---

Phe Cys Gly Lys Gly Tyr His Leu Met Ser Phe Pro Gln Ala Ala  
 1025 1030 1035

Pro His Gly Val Val Phe Leu His Val Thr Tyr Val Pro Ser Gln  
 1040 1045 1050

Glu Arg Asn Phe Thr Thr Ala Pro Ala Ile Cys His Glu Gly Lys  
 1055 1060 1065

Ala Tyr Phe Pro Arg Glu Gly Val Phe Val Phe Asn Gly Thr Ser  
 1070 1075 1080

Trp Phe Ile Thr Gln Arg Asn Phe Phe Ser Pro Gln Ile Ile Thr  
 1085 1090 1095

Thr Asp Asn Thr Phe Val Ser Gly Asn Cys Asp Val Val Ile Gly  
 1100 1105 1110

Ile Ile Asn Asn Thr Val Tyr Asp Pro Leu Gln Pro Glu Leu Asp  
 1115 1120 1125

Ser Phe Lys Glu Glu Leu Asp Lys Tyr Phe Lys Asn His Thr Ser  
 1130 1135 1140

Pro Asp Val Asp Leu Gly Asp Ile Ser Gly Ile Asn Ala Ser Val  
 1145 1150 1155

Val Asn Ile Gln Lys Glu Ile Asp Arg Leu Asn Glu Val Ala Lys  
 1160 1165 1170

Asn Leu Asn Glu Ser Leu Ile Asp Leu Gln Glu Leu Gly Lys Tyr  
 1175 1180 1185

Glu Gln Tyr Ile Lys Trp Pro Trp Tyr Val Trp Leu Gly Phe Ile  
 1190 1195 1200

Ala Gly Leu Ile Ala Ile Val Met Val Thr Ile Leu Leu Cys Cys  
 1205 1210 1215

Met Thr Ser Cys Cys Ser Cys Leu Lys Gly Ala Cys Ser Cys Gly  
 1220 1225 1230

Ser Cys Cys Lys Phe Asp Glu Asp Asp Ser Glu Pro Val Leu Lys  
 1235 1240 1245

Gly Val Lys Leu His Tyr Thr  
 1250 1255

<210> SEQ ID NO 30  
 <211> LENGTH: 1353  
 <212> TYPE: PRT  
 <213> ORGANISM: Human coronavirus

<400> SEQUENCE: 30

Met Phe Leu Ile Leu Leu Ile Ser Leu Pro Thr Ala Phe Ala Val Ile  
 1 5 10 15

Gly Asp Leu Lys Cys Thr Ser Asp Asn Ile Asn Asp Lys Asp Thr Gly  
 20 25 30

Pro Pro Pro Ile Ser Thr Asp Thr Val Asp Val Thr Asn Gly Leu Gly  
 35 40 45

Thr Tyr Tyr Val Leu Asp Arg Val Tyr Leu Asn Thr Thr Leu Phe Leu  
 50 55 60

Asn Gly Tyr Tyr Pro Thr Ser Gly Ser Thr Tyr Arg Asn Met Ala Leu  
 65 70 75 80

Lys Gly Ser Val Leu Leu Ser Arg Leu Trp Phe Lys Pro Pro Phe Leu  
 85 90 95

Ser Asp Phe Ile Asn Gly Ile Phe Ala Lys Val Lys Asn Thr Lys Val

-continued

100					105					110					
Ile	Lys	Asp	Arg	Val	Met	Tyr	Ser	Glu	Phe	Pro	Ala	Ile	Thr	Ile	Gly
	115						120					125			
Ser	Thr	Phe	Val	Asn	Thr	Ser	Tyr	Ser	Val	Val	Val	Gln	Pro	Arg	Thr
	130					135					140				
Ile	Asn	Ser	Thr	Gln	Asp	Gly	Asp	Asn	Lys	Leu	Gln	Gly	Leu	Leu	Glu
145					150					155					160
Val	Ser	Val	Cys	Gln	Tyr	Asn	Met	Cys	Glu	Tyr	Pro	Gln	Thr	Ile	Cys
				165					170						175
His	Pro	Asn	Leu	Gly	Asn	His	Arg	Lys	Glu	Leu	Trp	His	Leu	Asp	Thr
			180					185					190		
Gly	Val	Val	Ser	Cys	Leu	Tyr	Lys	Arg	Asn	Phe	Thr	Tyr	Asp	Val	Asn
	195						200					205			
Ala	Asp	Tyr	Leu	Tyr	Phe	His	Phe	Tyr	Gln	Glu	Gly	Gly	Thr	Phe	Tyr
210						215					220				
Ala	Tyr	Phe	Thr	Asp	Thr	Gly	Val	Val	Thr	Lys	Phe	Leu	Phe	Asn	Val
225					230					235					240
Tyr	Leu	Gly	Met	Ala	Leu	Ser	His	Tyr	Tyr	Val	Met	Pro	Leu	Thr	Cys
				245					250						255
Asn	Ser	Lys	Leu	Thr	Leu	Glu	Tyr	Trp	Val	Thr	Pro	Leu	Thr	Ser	Arg
			260					265					270		
Gln	Tyr	Leu	Leu	Ala	Phe	Asn	Gln	Asp	Gly	Ile	Ile	Phe	Asn	Ala	Glu
		275					280					285			
Asp	Cys	Met	Ser	Asp	Phe	Met	Ser	Glu	Ile	Lys	Cys	Lys	Thr	Gln	Ser
290						295					300				
Ile	Ala	Pro	Pro	Thr	Gly	Val	Tyr	Glu	Leu	Asn	Gly	Tyr	Thr	Val	Gln
305					310						315				320
Pro	Ile	Ala	Asp	Val	Tyr	Arg	Arg	Lys	Pro	Asn	Leu	Pro	Asn	Cys	Asn
				325					330						335
Ile	Glu	Ala	Trp	Leu	Asn	Asp	Lys	Ser	Val	Pro	Ser	Pro	Leu	Asn	Trp
			340					345					350		
Glu	Arg	Lys	Thr	Phe	Ser	Asn	Cys	Asn	Phe	Asn	Met	Ser	Ser	Leu	Met
		355					360					365			
Ser	Phe	Ile	Gln	Ala	Asp	Ser	Phe	Thr	Cys	Asn	Asn	Ile	Asp	Ala	Ala
370						375					380				
Lys	Ile	Tyr	Gly	Met	Cys	Phe	Ser	Ser	Ile	Thr	Ile	Asp	Lys	Phe	Ala
385					390					395					400
Ile	Pro	Asn	Gly	Arg	Lys	Val	Asp	Leu	Gln	Leu	Gly	Asn	Leu	Gly	Tyr
				405					410						415
Leu	Gln	Ser	Phe	Asn	Tyr	Arg	Ile	Asp	Thr	Thr	Ala	Thr	Ser	Cys	Gln
			420					425					430		
Leu	Tyr	Tyr	Asn	Leu	Pro	Ala	Ala	Asn	Val	Ser	Val	Ser	Arg	Phe	Asn
			435				440					445			
Pro	Ser	Thr	Trp	Asn	Lys	Arg	Phe	Gly	Phe	Ile	Glu	Asp	Ser	Val	Phe
450						455					460				
Lys	Pro	Arg	Pro	Ala	Gly	Val	Leu	Thr	Asn	His	Asp	Val	Val	Tyr	Ala
465					470					475					480
Gln	His	Cys	Phe	Lys	Ala	Pro	Lys	Asn	Phe	Cys	Pro	Cys	Lys	Leu	Asn
				485					490					495	
Gly	Ser	Cys	Val	Gly	Ser	Gly	Pro	Gly	Lys	Asn	Asn	Gly	Ile	Gly	Thr
			500					505					510		

-continued

---

Cys Pro Ala Gly Thr Asn Tyr Leu Thr Cys Asp Asn Leu Cys Thr Pro  
 515 520 525  
 Asp Pro Ile Thr Phe Thr Gly Thr Tyr Lys Cys Pro Gln Thr Lys Ser  
 530 535 540  
 Leu Val Gly Ile Gly Glu His Cys Ser Gly Leu Ala Val Lys Ser Asp  
 545 550 555 560  
 Tyr Cys Gly Gly Asn Ser Cys Thr Cys Arg Pro Gln Ala Phe Leu Gly  
 565 570 575  
 Trp Ser Ala Asp Ser Cys Leu Gln Gly Asp Lys Cys Asn Ile Phe Ala  
 580 585 590  
 Asn Phe Ile Leu His Asp Val Asn Ser Gly Leu Thr Cys Ser Thr Asp  
 595 600 605  
 Leu Gln Lys Ala Asn Thr Asp Ile Ile Leu Gly Val Cys Val Asn Tyr  
 610 615 620  
 Asp Leu Tyr Gly Ile Leu Gly Gln Gly Ile Phe Val Glu Val Asn Ala  
 625 630 635 640  
 Thr Tyr Tyr Asn Ser Trp Gln Asn Leu Leu Tyr Asp Ser Asn Gly Asn  
 645 650 655  
 Leu Tyr Gly Phe Arg Asp Tyr Ile Ile Asn Arg Thr Phe Met Ile Arg  
 660 665 670  
 Ser Cys Tyr Ser Gly Arg Val Ser Ala Ala Phe His Ala Asn Ser Ser  
 675 680 685  
 Glu Pro Ala Leu Leu Phe Arg Asn Ile Lys Cys Asn Tyr Val Phe Asn  
 690 695 700  
 Asn Ser Leu Thr Arg Gln Leu Gln Pro Ile Asn Tyr Phe Asp Ser Tyr  
 705 710 715 720  
 Leu Gly Cys Val Val Asn Ala Tyr Asn Ser Thr Ala Ile Ser Val Gln  
 725 730 735  
 Thr Cys Asp Leu Thr Val Gly Ser Gly Tyr Cys Val Asp Tyr Ser Lys  
 740 745 750  
 Asn Arg Arg Ser Arg Gly Ala Ile Thr Thr Gly Tyr Arg Phe Thr Asn  
 755 760 765  
 Phe Glu Pro Phe Thr Val Asn Ser Val Asn Asp Ser Leu Glu Pro Val  
 770 775 780  
 Gly Gly Leu Tyr Glu Ile Gln Ile Pro Ser Glu Phe Thr Ile Gly Asn  
 785 790 795 800  
 Met Val Glu Phe Ile Gln Thr Ser Ser Pro Lys Val Thr Ile Asp Cys  
 805 810 815  
 Ala Ala Phe Val Cys Gly Asp Tyr Ala Ala Cys Lys Ser Gln Leu Val  
 820 825 830  
 Glu Tyr Gly Ser Phe Cys Asp Asn Ile Asn Ala Ile Leu Thr Glu Val  
 835 840 845  
 Asn Glu Leu Leu Asp Thr Thr Gln Leu Gln Val Ala Asn Ser Leu Met  
 850 855 860  
 Asn Gly Val Thr Leu Ser Thr Lys Leu Lys Asp Gly Val Asn Phe Asn  
 865 870 875 880  
 Val Asp Asp Ile Asn Phe Ser Pro Val Leu Gly Cys Leu Gly Ser Glu  
 885 890 895  
 Cys Ser Lys Ala Ser Ser Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp  
 900 905 910

-continued

---

Lys Val Lys Leu Ser Asp Val Gly Phe Val Glu Ala Tyr Asn Asn Cys  
           915                                  920                                  925

Thr Gly Gly Ala Glu Ile Arg Asp Leu Ile Cys Val Gln Ser Tyr Lys  
       930                                  935                                  940

Gly Ile Lys Val Leu Pro Pro Leu Leu Ser Glu Asn Gln Ile Ser Gly  
   945                                  950                                  955                                  960

Tyr Thr Leu Ala Ala Thr Ser Ala Ser Leu Phe Pro Pro Trp Thr Ala  
                                   965                                  970                                  975

Ala Ala Gly Val Pro Phe Tyr Leu Asn Val Gln Tyr Arg Ile Asn Gly  
                                   980                                  985                                  990

Leu Gly Val Thr Met Asp Val Leu Ser Gln Asn Gln Lys Leu Ile Ala  
                                   995                                  1000                                  1005

Asn Ala Phe Asn Asn Ala Leu Tyr Ala Ile Gln Glu Gly Phe Asp  
   1010                                  1015                                  1020

Ala Thr Asn Ser Ala Leu Val Lys Ile Gln Ala Val Val Asn Ala  
   1025                                  1030                                  1035

Asn Ala Glu Ala Leu Asn Asn Leu Leu Gln Gln Leu Ser Asn Arg  
   1040                                  1045                                  1050

Phe Gly Ala Ile Ser Ala Ser Leu Gln Glu Ile Leu Ser Arg Leu  
   1055                                  1060                                  1065

Asp Ala Leu Glu Ala Glu Ala Gln Ile Asp Arg Leu Ile Asn Gly  
   1070                                  1075                                  1080

Arg Leu Thr Ala Leu Asn Ala Tyr Val Ser Gln Gln Leu Ser Asp  
   1085                                  1090                                  1095

Ser Thr Leu Val Lys Phe Ser Ala Ala Gln Ala Met Glu Lys Val  
   1100                                  1105                                  1110

Asn Glu Cys Val Lys Ser Gln Ser Ser Arg Ile Asn Phe Cys Gly  
   1115                                  1120                                  1125

Asn Gly Asn His Ile Ile Ser Leu Val Gln Asn Ala Pro Tyr Gly  
   1130                                  1135                                  1140

Leu Tyr Phe Ile His Phe Ser Tyr Val Pro Thr Lys Tyr Val Thr  
   1145                                  1150                                  1155

Ala Arg Val Ser Pro Gly Leu Cys Ile Ala Gly Asp Arg Gly Ile  
   1160                                  1165                                  1170

Ala Pro Lys Ser Gly Tyr Phe Val Asn Val Asn Asn Thr Trp Met  
   1175                                  1180                                  1185

Tyr Thr Gly Ser Gly Tyr Tyr Tyr Pro Glu Pro Ile Thr Glu Asn  
   1190                                  1195                                  1200

Asn Val Val Val Met Ser Thr Cys Ala Val Asn Tyr Thr Lys Ala  
   1205                                  1210                                  1215

Pro Tyr Val Met Leu Asn Thr Ser Ile Pro Asn Leu Pro Asp Phe  
   1220                                  1225                                  1230

Lys Glu Glu Leu Asp Gln Trp Phe Lys Asn Gln Thr Ser Val Ala  
   1235                                  1240                                  1245

Pro Asp Leu Ser Leu Asp Tyr Ile Asn Val Thr Phe Leu Asp Leu  
   1250                                  1255                                  1260

Gln Val Glu Met Asn Arg Leu Gln Glu Ala Ile Lys Val Leu Asn  
   1265                                  1270                                  1275

Gln Ser Tyr Ile Asn Leu Lys Asp Ile Gly Thr Tyr Glu Tyr Tyr  
   1280                                  1285                                  1290

Val Lys Trp Pro Trp Tyr Val Trp Leu Leu Ile Cys Leu Ala Gly

-continued

---

1295	1300	1305
Val Ala Met Leu Val Leu Leu Phe Phe Ile Cys Cys Cys Thr Gly		
1310	1315	1320
Cys Gly Thr Ser Cys Phe Lys Lys Cys Gly Gly Cys Cys Asp Asp		
1325	1330	1335
Tyr Thr Gly Tyr Gln Glu Leu Val Ile Lys Thr Ser His Asp Asp		
1340	1345	1350

<210> SEQ ID NO 31  
 <211> LENGTH: 1351  
 <212> TYPE: PRT  
 <213> ORGANISM: Human coronavirus

<400> SEQUENCE: 31

Met Phe Leu Ile Ile Phe Ile Leu Pro Thr Thr Leu Ala Val Ile Gly		
1	5	10 15
Asp Phe Asn Cys Thr Asn Ser Phe Ile Asn Asp Tyr Asn Lys Thr Ile		
	20	25 30
Pro Arg Ile Ser Glu Asp Val Val Asp Val Ser Leu Gly Leu Gly Thr		
	35	40 45
Tyr Tyr Val Leu Asn Arg Val Tyr Leu Asn Thr Thr Leu Leu Phe Thr		
	50	55 60
Gly Tyr Phe Pro Lys Ser Gly Ala Asn Phe Arg Asp Leu Ala Leu Lys		
65	70	75 80
Gly Ser Ile Tyr Leu Ser Thr Leu Trp Tyr Lys Pro Pro Phe Leu Ser		
	85	90 95
Asp Phe Asn Asn Gly Ile Phe Ser Lys Val Lys Asn Thr Lys Leu Tyr		
	100	105 110
Val Asn Asn Thr Leu Tyr Ser Glu Phe Ser Thr Ile Val Ile Gly Ser		
	115	120 125
Val Phe Val Asn Thr Ser Tyr Thr Ile Val Val Gln Pro His Asn Gly		
	130	135 140
Ile Leu Glu Ile Thr Ala Cys Gln Tyr Thr Met Cys Glu Tyr Pro His		
145	150	155 160
Thr Val Cys Lys Ser Lys Gly Ser Ile Arg Asn Glu Ser Trp His Ile		
	165	170 175
Asp Ser Ser Glu Pro Leu Cys Leu Phe Lys Lys Asn Phe Thr Tyr Asn		
	180	185 190
Val Ser Ala Asp Trp Leu Tyr Phe His Phe Tyr Gln Glu Arg Gly Val		
	195	200 205
Phe Tyr Ala Tyr Tyr Ala Asp Val Gly Met Pro Thr Thr Phe Leu Phe		
	210	215 220
Ser Leu Tyr Leu Gly Thr Ile Leu Ser His Tyr Tyr Val Met Pro Leu		
225	230	235 240
Thr Cys Asn Ala Ile Ser Ser Asn Thr Asp Asn Glu Thr Leu Glu Tyr		
	245	250 255
Trp Val Thr Pro Leu Ser Arg Arg Gln Tyr Leu Leu Asn Phe Asp Glu		
	260	265 270
His Gly Val Ile Thr Asn Ala Val Asp Cys Ser Ser Ser Phe Leu Ser		
	275	280 285
Glu Ile Gln Cys Lys Thr Gln Ser Phe Ala Pro Asn Thr Gly Val Tyr		
	290	295 300



-continued

---

Asp	Leu	Ser	Gly	Phe	Thr	Val	Lys	Pro	Val	Ala	Thr	Val	Tyr	Arg	Arg	320
305					310					315						
Ile	Pro	Asn	Leu	Pro	Asp	Cys	Asp	Ile	Asp	Asn	Trp	Leu	Asn	Asn	Val	
			325						330					335		
Ser	Val	Pro	Ser	Pro	Leu	Asn	Trp	Glu	Arg	Arg	Ile	Phe	Ser	Asn	Cys	
		340						345					350			
Asn	Phe	Asn	Leu	Ser	Thr	Leu	Leu	Arg	Leu	Val	His	Val	Asp	Ser	Phe	
		355					360					365				
Ser	Cys	Asn	Asn	Leu	Asp	Lys	Ser	Lys	Ile	Phe	Gly	Ser	Cys	Phe	Asn	
	370					375					380					
Ser	Ile	Thr	Val	Asp	Lys	Phe	Ala	Ile	Pro	Asn	Arg	Arg	Arg	Asp	Asp	
385					390					395					400	
Leu	Gln	Leu	Gly	Ser	Ser	Gly	Phe	Leu	Gln	Ser	Ser	Asn	Tyr	Lys	Ile	
			405						410					415		
Asp	Ile	Ser	Ser	Ser	Ser	Cys	Gln	Leu	Tyr	Tyr	Ser	Leu	Pro	Leu	Val	
		420						425					430			
Asn	Val	Thr	Ile	Asn	Asn	Phe	Asn	Pro	Ser	Ser	Trp	Asn	Arg	Arg	Tyr	
		435					440					445				
Gly	Phe	Gly	Ser	Phe	Asn	Leu	Ser	Ser	Tyr	Asp	Val	Val	Tyr	Ser	Asp	
	450					455					460					
His	Cys	Phe	Ser	Val	Asn	Ser	Asp	Phe	Cys	Pro	Cys	Ala	Asp	Pro	Ser	
465					470					475					480	
Val	Val	Asn	Ser	Cys	Ala	Lys	Ser	Lys	Pro	Pro	Ser	Ala	Ile	Cys	Pro	
			485						490					495		
Ala	Gly	Thr	Lys	Tyr	Arg	His	Cys	Asp	Leu	Asp	Thr	Thr	Leu	Tyr	Val	
			500					505					510			
Lys	Asn	Trp	Cys	Arg	Cys	Ser	Cys	Leu	Pro	Asp	Pro	Ile	Ser	Thr	Tyr	
		515						520				525				
Ser	Pro	Asn	Thr	Cys	Pro	Gln	Lys	Lys	Val	Val	Val	Gly	Ile	Gly	Glu	
	530					535					540					
His	Cys	Pro	Gly	Leu	Gly	Ile	Asn	Glu	Glu	Lys	Cys	Gly	Thr	Gln	Leu	
545					550					555					560	
Asn	His	Ser	Ser	Cys	Phe	Cys	Ser	Pro	Asp	Ala	Phe	Leu	Gly	Trp	Ser	
			565						570					575		
Phe	Asp	Ser	Cys	Ile	Ser	Asn	Asn	Arg	Cys	Asn	Ile	Phe	Ser	Asn	Phe	
			580					585					590			
Ile	Phe	Asn	Gly	Ile	Asn	Ser	Gly	Thr	Thr	Cys	Ser	Asn	Asp	Leu	Leu	
		595					600					605				
Tyr	Ser	Asn	Thr	Glu	Ile	Ser	Thr	Gly	Val	Cys	Val	Asn	Tyr	Asp	Leu	
	610					615						620				
Tyr	Gly	Ile	Thr	Gly	Gln	Gly	Ile	Phe	Lys	Glu	Val	Ser	Ala	Ala	Tyr	
	625				630					635					640	
Tyr	Asn	Asn	Trp	Gln	Asn	Leu	Leu	Tyr	Asp	Ser	Asn	Gly	Asn	Ile	Ile	
			645						650					655		
Gly	Phe	Lys	Asp	Phe	Leu	Thr	Asn	Lys	Thr	Tyr	Thr	Ile	Leu	Pro	Cys	
			660					665					670			
Tyr	Ser	Gly	Arg	Val	Ser	Ala	Ala	Phe	Tyr	Gln	Asn	Ser	Ser	Ser	Pro	
		675					680					685				
Ala	Leu	Leu	Tyr	Arg	Asn	Leu	Lys	Cys	Ser	Tyr	Val	Leu	Asn	Asn	Ile	
	690					695					700					
Ser	Phe	Ile	Ser	Gln	Pro	Phe	Tyr	Phe	Asp	Ser	Tyr	Leu	Gly	Cys	Val	

-continued

705		710		715		720
Leu	Asn	Ala	Val	Asn	Leu	Thr
			725			
				Ser	Tyr	Ser
					730	
				Ser	Val	Ser
				Ser	Ser	Cys
						Asp
						Leu
735						
Arg	Met	Gly	Ser	Gly	Phe	Cys
			740			
				Ile	Asp	Tyr
					745	
				Ala	Leu	Pro
				Ser	Ser	Ser
						Arg
						750
Arg	Lys	Arg	Arg	Gly	Ile	Ser
						760
				Ser	Ser	Pro
						Tyr
						Arg
						Phe
						Val
						Thr
						Phe
						Glu
						765
Pro	Phe	Asn	Val	Ser	Phe	Val
						775
				Asn	Asp	Ser
						Val
						Glu
						Thr
						Val
						Gly
						Gly
						780
Leu	Phe	Glu	Ile	Gln	Ile	Pro
						Thr
						Asn
						Phe
						Thr
						Ile
						Ala
						Gly
						His
						Glu
						800
Glu	Phe	Ile	Gln	Thr	Ser	Ser
						Pro
						Lys
						Val
						Thr
						Ile
						Asp
						Cys
						Ser
						Ala
						815
Phe	Val	Cys	Ser	Asn	Tyr	Ala
						Ala
						Cys
						His
						Asp
						Leu
						Leu
						Ser
						Glu
						Tyr
						830
Gly	Thr	Phe	Cys	Asp	Asn	Ile
						Asn
						Ser
						Ile
						Leu
						Asn
						Glu
						Val
						Asn
						Asp
						845
Leu	Leu	Asp	Ile	Thr	Gln	Leu
						Gln
						Val
						Ala
						Asn
						Ala
						Leu
						Met
						Gln
						Gly
						855
Val	Thr	Leu	Ser	Ser	Asn	Leu
						Asn
						Thr
						Asn
						Leu
						His
						Ser
						Asp
						Val
						Asp
						880
Asn	Ile	Asp	Phe	Lys	Ser	Leu
						Leu
						Gly
						Cys
						Leu
						Gly
						Cys
						Gly
						895
Ser	Ser	Ser	Arg	Ser	Leu	Leu
						Glu
						Asp
						Leu
						Leu
						Phe
						Asn
						Lys
						Val
						Lys
						910
Leu	Ser	Asp	Val	Gly	Phe	Val
						Glu
						Ala
						Tyr
						Asn
						Asn
						Cys
						Thr
						Gly
						Gly
						915
Ser	Glu	Ile	Arg	Asp	Leu	Leu
						Cys
						Val
						Gln
						Ser
						Phe
						Asn
						Gly
						Ile
						Lys
						935
Val	Leu	Pro	Pro	Ile	Leu	Ser
						Glu
						Thr
						Gln
						Ile
						Ser
						Gly
						Tyr
						Thr
						Thr
						945
Ala	Ala	Thr	Val	Ala	Ala	Met
						Phe
						Pro
						Pro
						Trp
						Ser
						Ala
						Ala
						Ala
						Gly
						965
Val	Pro	Phe	Ser	Leu	Asn	Val
						Gln
						Tyr
						Arg
						Ile
						Asn
						Gly
						Leu
						Gly
						Val
						980
Thr	Met	Asp	Val	Leu	Asn	Lys
						Asn
						Gln
						Lys
						Leu
						Ile
						Ala
						Asn
						Ala
						Phe
						1005
Asn	Lys	Ala	Leu	Leu	Ser	Ile
						Gln
						Asn
						Gly
						Phe
						Thr
						Ala
						Thr
						Asn
						1010
Ser	Ala	Leu	Ala	Lys	Ile	Gln
						Ser
						Val
						Val
						Asn
						Ala
						Asn
						Ala
						Gln
						1025
Ala	Leu	Asn	Ser	Leu	Leu	Gln
						Gln
						Leu
						Phe
						Asn
						Lys
						Phe
						Gly
						Ala
						1040
Ile	Ser	Ser	Ser	Leu	Gln	Glu
						Ile
						Leu
						Ser
						Arg
						Leu
						Asp
						Asn
						Leu
						1055
Glu	Ala	Gln	Val	Gln	Ile	Asp
						Arg
						Leu
						Ile
						Asn
						Gly
						Arg
						Leu
						Thr
						1070
Ala	Leu	Asn	Ala	Tyr	Val	Ser
						Gln
						Gln
						Leu
						Ser
						Asp
						Ile
						Thr
						Leu
						1085
Ile	Lys	Ala	Gly	Ala	Ser	Arg
						Ala
						Ile
						Glu
						Lys
						Val
						Asn
						Glu
						Cys
						1100
						1105
						1110

-continued

---

Val Lys Ser Gln Ser Pro Arg Ile Asn Phe Cys Gly Asn Gly Asn  
 1115 1120 1125

His Ile Leu Ser Leu Val Gln Asn Ala Pro Tyr Gly Leu Leu Phe  
 1130 1135 1140

Ile His Phe Ser Tyr Lys Pro Thr Ser Phe Lys Thr Val Leu Val  
 1145 1150 1155

Ser Pro Gly Leu Cys Leu Ser Gly Asp Arg Gly Ile Ala Pro Lys  
 1160 1165 1170

Gln Gly Tyr Phe Ile Lys Gln Asn Asp Ser Trp Met Phe Thr Gly  
 1175 1180 1185

Ser Ser Tyr Tyr Tyr Pro Glu Pro Ile Ser Asp Lys Asn Val Val  
 1190 1195 1200

Phe Met Asn Ser Cys Ser Val Asn Phe Thr Lys Ala Pro Phe Ile  
 1205 1210 1215

Tyr Leu Asn Asn Ser Ile Pro Asn Leu Ser Asp Phe Glu Ala Glu  
 1220 1225 1230

Leu Ser Leu Trp Phe Lys Asn His Thr Ser Ile Ala Pro Asn Leu  
 1235 1240 1245

Thr Phe Asn Ser His Ile Asn Ala Thr Phe Leu Asp Leu Tyr Tyr  
 1250 1255 1260

Glu Met Asn Val Ile Gln Glu Ser Ile Lys Ser Leu Asn Ser Ser  
 1265 1270 1275

Phe Ile Asn Leu Lys Glu Ile Gly Thr Tyr Glu Met Tyr Val Lys  
 1280 1285 1290

Trp Pro Trp Tyr Ile Trp Leu Leu Ile Val Ile Leu Phe Ile Ile  
 1295 1300 1305

Phe Leu Met Ile Leu Phe Phe Ile Cys Cys Cys Thr Gly Cys Gly  
 1310 1315 1320

Ser Ala Cys Phe Ser Lys Cys His Asn Cys Cys Asp Glu Tyr Gly  
 1325 1330 1335

Gly His Asn Asp Phe Val Ile Lys Ala Ser His Asp Asp  
 1340 1345 1350

<210> SEQ ID NO 32  
 <211> LENGTH: 526  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 32

Met Phe Ile Phe Leu Leu Phe Leu Thr Leu Thr Ser Gly Ser Asp Leu  
 1 5 10 15

Asp Arg Ala Leu Ser Gly Ile Ala Ala Glu Gln Asp Arg Asn Thr Arg  
 20 25 30

Glu Val Phe Ala Gln Val Lys Gln Met Tyr Lys Thr Pro Thr Leu Lys  
 35 40 45

Tyr Phe Gly Gly Phe Asn Phe Ser Gln Ile Leu Pro Asp Pro Leu Lys  
 50 55 60

Pro Thr Lys Arg Ser Phe Ile Glu Asp Leu Leu Phe Asn Lys Val Thr  
 65 70 75 80

Leu Ala Asp Ala Gly Phe Met Lys Gln Tyr Gly Glu Cys Leu Gly Asp  
 85 90 95

-continued

---

Ile Asn Ala Arg Asp Leu Ile Cys Ala Gln Lys Phe Asn Gly Leu Thr  
 100 105 110  
 Val Leu Pro Pro Leu Leu Thr Asp Asp Met Ile Ala Ala Tyr Thr Ala  
 115 120 125  
 Ala Leu Val Ser Gly Thr Ala Thr Ala Gly Trp Thr Phe Gly Ala Gly  
 130 135 140  
 Ala Ala Leu Gln Ile Pro Phe Ala Met Gln Met Ala Tyr Arg Phe Asn  
 145 150 155 160  
 Gly Ile Gly Val Thr Gln Asn Val Leu Tyr Glu Asn Gln Lys Gln Ile  
 165 170 175  
 Ala Asn Gln Phe Asn Lys Ala Ile Ser Gln Ile Gln Glu Ser Leu Thr  
 180 185 190  
 Thr Thr Ser Thr Ala Leu Gly Lys Leu Gln Asp Val Val Asn Gln Asn  
 195 200 205  
 Ala Gln Ala Leu Asn Thr Leu Val Lys Gln Leu Ser Ser Asn Phe Gly  
 210 215 220  
 Ala Ile Ser Ser Val Leu Asn Asp Ile Leu Ser Arg Leu Asp Lys Val  
 225 230 235 240  
 Glu Ala Glu Val Gln Ile Asp Arg Leu Ile Thr Gly Arg Leu Gln Ser  
 245 250 255  
 Leu Gln Thr Tyr Val Thr Gln Gln Leu Ile Arg Ala Ala Glu Ile Arg  
 260 265 270  
 Ala Ser Ala Asn Leu Ala Ala Thr Lys Met Ser Glu Cys Val Leu Gly  
 275 280 285  
 Gln Ser Lys Arg Val Asp Phe Cys Gly Lys Gly Tyr His Leu Met Ser  
 290 295 300  
 Phe Pro Gln Ala Ala Pro His Gly Val Val Phe Leu His Val Thr Tyr  
 305 310 315 320  
 Val Pro Ser Gln Glu Arg Asn Phe Thr Thr Ala Pro Ala Ile Cys His  
 325 330 335  
 Glu Gly Lys Ala Tyr Phe Pro Arg Glu Gly Val Phe Val Phe Asn Gly  
 340 345 350  
 Thr Ser Trp Phe Ile Thr Gln Arg Asn Phe Phe Ser Pro Gln Ile Ile  
 355 360 365  
 Thr Thr Asp Asn Thr Phe Val Ser Gly Asn Cys Asp Val Val Ile Gly  
 370 375 380  
 Ile Ile Asn Asn Thr Val Tyr Asp Pro Leu Gln Pro Glu Leu Asp Ser  
 385 390 395 400  
 Phe Lys Glu Glu Leu Asp Lys Tyr Phe Lys Asn His Thr Ser Pro Asp  
 405 410 415  
 Val Asp Leu Gly Asp Ile Ser Gly Ile Asn Ala Ser Val Val Asn Ile  
 420 425 430  
 Gln Lys Glu Ile Asp Arg Leu Asn Glu Val Ala Lys Asn Leu Asn Glu  
 435 440 445  
 Ser Leu Ile Asp Leu Gln Glu Leu Gly Lys Tyr Glu Gln Tyr Ile Lys  
 450 455 460  
 Trp Pro Trp Tyr Val Trp Leu Gly Phe Ile Ala Gly Leu Ile Ala Ile  
 465 470 475 480  
 Val Met Val Thr Ile Leu Leu Cys Cys Met Thr Ser Cys Cys Ser Cys  
 485 490 495

-continued

---

Leu Lys Gly Ala Cys Ser Cys Gly Ser Cys Cys Lys Phe Asp Glu Asp  
500 505 510

Asp Ser Glu Pro Val Leu Lys Gly Val Lys Leu His Tyr Thr  
515 520 525

<210> SEQ ID NO 33  
 <211> LENGTH: 588  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 33

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu  
1 5 10 15  
 Ser Asp Cys Lys Leu Pro Leu Gly Gln Ser Leu Cys Ala Leu Pro Asp  
20 25 30  
 Thr Pro Ser Thr Leu Thr Pro Arg Ser Val Arg Ser Val Pro Gly Glu  
35 40 45  
 Met Arg Leu Ala Ser Ile Ala Phe Asn His Pro Ile Gln Val Asp Gln  
50 55 60  
 Leu Asn Ser Ser Tyr Phe Lys Leu Ser Ile Pro Thr Asn Phe Ser Phe  
65 70 75 80  
 Gly Val Thr Gln Glu Tyr Ile Gln Thr Thr Ile Gln Lys Val Thr Val  
85 90 95  
 Asp Cys Lys Gln Tyr Val Cys Asn Gly Phe Gln Lys Cys Glu Gln Leu  
100 105 110  
 Leu Arg Glu Tyr Gly Gln Phe Cys Ser Lys Ile Asn Gln Ala Leu His  
115 120 125  
 Gly Ala Asn Leu Arg Gln Asp Asp Ser Val Arg Asn Leu Phe Ala Ser  
130 135 140  
 Val Lys Ser Ser Gln Ser Ser Pro Ile Ile Pro Gly Phe Gly Gly Asp  
145 150 155 160  
 Phe Asn Leu Thr Leu Leu Glu Pro Val Ser Ile Ser Thr Gly Ser Arg  
165 170 175  
 Ser Ala Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp Lys Val Thr Ile  
180 185 190  
 Ala Asp Pro Gly Tyr Met Gln Gly Tyr Asp Asp Cys Met Gln Gln Gly  
195 200 205  
 Pro Ala Ser Ala Arg Asp Leu Ile Cys Ala Gln Tyr Val Ala Gly Tyr  
210 215 220  
 Lys Val Leu Pro Pro Leu Met Asp Val Asn Met Glu Ala Ala Tyr Thr  
225 230 235 240  
 Ser Ser Leu Leu Gly Ser Ile Ala Gly Val Gly Trp Thr Ala Gly Leu  
245 250 255  
 Ser Ser Phe Ala Ala Ile Pro Phe Ala Gln Ser Ile Phe Tyr Arg Leu  
260 265 270  
 Asn Gly Val Gly Ile Thr Gln Gln Val Leu Ser Glu Asn Gln Lys Leu  
275 280 285  
 Ile Ala Asn Lys Phe Asn Gln Ala Leu Gly Ala Met Gln Thr Gly Phe  
290 295 300  
 Thr Thr Thr Asn Glu Ala Phe Gln Lys Val Gln Asp Ala Val Asn Asn  
305 310 315 320

-continued

---

Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser Glu Leu Ser Asn Thr Phe  
 325 330 335

Gly Ala Ile Ser Ala Ser Ile Gly Asp Ile Ile Gln Arg Leu Asp Val  
 340 345 350

Leu Glu Gln Asp Ala Gln Ile Asp Arg Leu Ile Asn Gly Arg Leu Thr  
 355 360 365

Thr Leu Asn Ala Phe Val Ala Gln Gln Leu Val Arg Ser Glu Ser Ala  
 370 375 380

Ala Leu Ser Ala Gln Leu Ala Lys Asp Lys Val Asn Glu Cys Val Lys  
 385 390 395 400

Ala Gln Ser Lys Arg Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val  
 405 410 415

Ser Phe Val Val Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly  
 420 425 430

Tyr Tyr Pro Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys  
 435 440 445

Asp Ala Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe  
 450 455 460

Ile Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly  
 465 470 475 480

Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys Tyr  
 485 490 495

Val Ala Pro Gln Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu Pro Pro  
 500 505 510

Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp Glu Leu Asp  
 515 520 525

Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn Phe Gly Ser Leu  
 530 535 540

Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr Tyr Glu Met Leu Ser  
 545 550 555 560

Leu Gln Gln Val Val Lys Ala Leu Asn Glu Ser Tyr Ile Asp Leu Lys  
 565 570 575

Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn Lys Trp Pro  
 580 585

<210> SEQ ID NO 34  
 <211> LENGTH: 526  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 34

Met Phe Ile Phe Leu Leu Phe Leu Thr Leu Thr Ser Gly Ser Asp Leu  
 1 5 10 15

Asp Arg Ala Leu Ser Gly Ile Ala Ala Glu Gln Asp Arg Asn Thr Arg  
 20 25 30

Glu Val Phe Ala Gln Val Lys Gln Met Tyr Lys Thr Pro Thr Leu Lys  
 35 40 45

Tyr Phe Gly Gly Phe Asn Phe Ser Gln Ile Leu Pro Asp Pro Leu Lys  
 50 55 60

Pro Thr Lys Arg Ser Phe Ile Glu Asp Leu Leu Phe Asn Lys Val Thr  
 65 70 75 80



-continued

---

	485		490		495	
Leu Lys Gly Ala Cys Ser Cys Gly Ser Cys Cys Lys Phe Asp Glu Asp						
	500		505		510	
Asp Ser Glu Pro Val Leu Lys Gly Val Lys Leu His Tyr Thr						
	515		520		525	

```

<210> SEQ ID NO 35
<211> LENGTH: 1864
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 35
tcaagctttt ggaccctcgt acagaagcta atacgactca ctatagggaa ataagagaga    60
aaagaagagt aagaagaat ataagagcca ccatgggtct caagggtgaac gtctctgccg    120
tattcatggc agtactgtta actctccaaa caccgcgccg tcaaattcat tggggcaatc    180
tctctaagat aggggtagta ggaatagtaa gtgcaagcta caaagttatg actcgttcca    240
gccatcaatc attagtcata aaattaatgc ccaatataac tctcctcaat aactgcacga    300
gggtagagat tgcagaatac aggagactac taagaacagt tttggaacca attaggggatg    360
cacttaatgc aatgaccocag aacataaggc cggttcagag cgtagcttca agtaggagac    420
acaagagatt tgcgggagta gtccctggcag gtgcccgcct aggtggtgcc acagctgctc    480
agataaacagc cggcattgca cttcacccgt ccatgctgaa ctctcaggcc atcgacaatc    540
tgagagcgag cctggaaact actaatcagg caattgaggc aatcagacaa gcagggcagg    600
agatgatatt ggctgttcag ggtgtccaag actacatcaa taatgagctg ataccgtcta    660
tgaaccagct atcttgtgat ctaatcggtc agaagctcgg gctcaaattg cttagatact    720
atacagaaat cctgtcatta tttggcccca gcctacggga ccccatatct gcggagatat    780
ctatccaggc tttgagttat gcacttgag gagatatcaa taagggtgta gaaaagctcg    840
gatacagtgg aggcgattta ctaggcatct tagagagcag aggaataaag gctcggataa    900
ctcacgtcga cacagagtcc tacttcatag tcctcagtat agcctatccg acgctgtccg    960
agattaaggg ggtgatgtgc caccggctag agggggctct gtacaacata ggctctcaag   1020
agtggtatac cactgtgccc aagtatgttg caaccocagg gtaccttate tgaattttg   1080
atgagtcatc atgtactttc atgccagagg ggactgtgtg cagccocaaat gccttgtacc   1140
cgatgagtcc tctgctccaa gaatgcctcc gggggctccac caagtccctgt gctcgtacac   1200
tcgtatccgg gtcttttggg aaccggttca ttttatcaca agggaaccta atagccaatt   1260
gtgcatcaat tctttgtaag tgttacacaa caggtacgat tattaatcaa gaccctgaca   1320
agatccctaac atacattgct gccgatcgtc gcccggtagt cgagggtgaac ggcgtgacca   1380
tccaagtcgg gagcaggagg tatccagacg ctgtgtactt gcacagaatt gacctcggtc   1440
ctcccatatc attggagagg ttggacgtag ggacaaatct ggggaatgca attgccaat   1500
tggaggatgc caaggaattg ttggaatcat cggaccagat attgagaagt atgaaaggtt   1560
tatcgagcac tagcatagtc tacatcctga ttgcagtgtg tcttggaggg ttgatagga   1620
tccccacttt aatatgttgc tgcagggggc gttgtaacaa aaaggagaa caagttggta   1680
tgtcaagacc aggcctaaag cctgacctta caggaacatc aaaatcctat gtaagatcgc   1740
    
```



-continued

---

tttgatgata ataggctgga gcctcgggtg ccaagcttct tgccccttgg gcctccccc	1800
agcccctcct ccccttctctg caccggtacc cccgtggtct ttgaataaag tctgagtggg	1860
cggc	1864

<210> SEQ ID NO 36  
 <211> LENGTH: 1653  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 36

atgggtctca aggtgaaagt ctctgccgta ttcattggcag tactgttaac tctccaaaca	60
cccgccggtc aaattcattg gggcaatctc tctaagatag gggtagtagg aataggaagt	120
gcaagctaca aagttatgac tcgttccagc catcaatcat tagtcataaa attaatgccc	180
aatataactc tcctcaataa ctgcacgagg gtagagattg cagaatacag gagactacta	240
agaacagttt tggaaccaat tagggatgca cttaatgcaa tgaccagaa cataaggccg	300
gttcagagcg tagcttcaag taggagacac aagagatttg cgggagtagt cctggcaggt	360
ggggccctag gtgttgccac agctgctcag ataacagccg gcattgcact tcaccggtcc	420
atgctgaaact ctcaggccat cgacaatctg agagcgagcc tggaaactac taatcaggca	480
attgagggcaa tcagacaagc agggcaggag atgatattgg ctgttcaggg tgtccaagac	540
tacatcaata atgagctgat accgtctatg aaccagctat cttgtgatct aatcggtcag	600
aagctcgggc tcaaattgct tagatactat acagaaatcc tgtcattatt tggcccagc	660
ctacgggacc ccatatctgc ggagatatct atccaggctt tgagttatgc acttgaggga	720
gatatcaata aggtgttaga aaagctcgga tacagtggag gcgatttact aggcatttta	780
gagagcagag gaataaaggc tcggataact cacgtcgaca cagagtccta ctccatagtc	840
ctcagtatag cctatccgac gctgtccgag attaaggggg tgattgtcca ccggctagag	900
ggggctctctg acaacatagg ctctcaagag tggatatacca ctgtgcccga gtatgttgca	960
acccaagggt acctatctc gaattttgat gagtcacat gtactttcat gccagagggg	1020
actgtgtgca gccaaaatgc cttgtaccgg atgagtcctc tgctccaaga atgcctccgg	1080
gggtccacca agtctgtgac tcgtacactc gtatccgggt cttttgggaa ccgggttcatt	1140
ttatcacaag ggaacctaat agccaattgt gcatcaattc tttgtaagtg ttacacaaca	1200
ggtacgatta ttaatcaaga ccctgacaag atcctaacct acattgtgac cgatcgctgc	1260
ccggtagtcg aggtgaaagg cgtgaccatc caagtccgga gcaggaggta tccagacgct	1320
gtgtacttgc acagaattga cctcggtcct cccatatacat tggagaggtt ggacgtaggg	1380
acaaatctgg ggaatgcaat tgccaaattg gaggatgcca aggaattggt ggaatcatcg	1440
gaccagatat tgagaagtat gaaaggttta tcgagcacta gcatagtcta catcctgatt	1500
gcagtggtgc ttggagggtt gatagggatc cccactttaa tatgttgctg cagggggcgt	1560
tgtaacaaaa agggagaaca agttggtatg tcaagaccag gcctaaagcc tgacctaca	1620
ggaacatcaa aatcctatgt aagatcgctt tga	1653

<210> SEQ ID NO 37  
 <211> LENGTH: 1925  
 <212> TYPE: DNA

-continued

---

```

<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 37
ggggaataa gagagaaaag aagagtaaga agaaataaa gagccacat gggctcctcaag    60
gtgaacgtct ctgccgtatt catggcagta ctgttaactc tccaaacacc cgccgggtcaa    120
attcattggg gcaatctctc taagataggg gtagtaggaa taggaagtgc aagctacaaa    180
gttatgactc gttccagcca tcaatcatta gtcataaaat taatgccaa tataactctc    240
ctcaataact gcacgagggg agagattgca gaatacagga gactactaag aacagttttg    300
gaaccaatta gggatgcact taatgcaatg acccagaaca taaggccggg tcagagcgta    360
gcttcaagta ggagacacaa gagatttgcg ggagtagtcc tggcaggtgc ggccttaggt    420
gttgccacag ctgctcagat aacagccggc attgcacttc accgggccat gctgaactct    480
caggccatcg acaatctgag agcgagcctg gaaactacta atcaggcaat tgaggcaatc    540
agacaagcag ggcaggagat gatattggct gttcagggtg tccaagacta catcaataat    600
gagctgatac cgtctatgaa ccagctatct tgtgatctaa tcggtcagaa gctcgggctc    660
aaattgctta gatactatac agaaatctctg tcattatttg gccccagcct acggggacccc    720
atatctgcgg agatatctat ccaggctttg agttatgcac ttggaggaga tatcaataag    780
gtgttagaaa agctcgggata cagtggaggc gatttactag gcatcttaga gagcagagga    840
ataaaggctc ggataactca cgtcgacaca gagtctact tcatagctct cagtatagcc    900
tatccgacgc tgtccgagat taaggggggtg attgtccacc ggctagaggg ggtctcgtac    960
aacataggct ctcaagagtg gtataccact gtgcccgaat atgttgcaac ccaagggtag    1020
cttatctcga attttgatga gtcacatgt actttcatgc cagaggggac tgtgtgcagc    1080
caaaatgcct tgtaccgat gagtctctctg ctccaagaat gcctccgggg gtcocccaag    1140
tcctgtgctc gtacactcgt atccgggtct tttgggaacc gggtcatttt atcacaaggg    1200
aacctaatag ccaattgtgc atcaattctt tgtaagtgtt acacaacagg tacgattatt    1260
aatcaagacc ctgacaagat cctaacatac attgctgccg atcgtgcccc ggtagtcgag    1320
gtgaacggcg tgaccatcca agtcgggagc aggaggatc cagacgctgt gtacttgcac    1380
agaattgacc tcggctctcc catatcattg gagagggttg acgtagggac aaatctgggg    1440
aatgcaattg ccaaattgga ggatgccaag gaattgttg aatcatcgga ccagatattg    1500
agaagtatga aaggtttatc gagcactagc atagtctaca tcctgattgc agtgtgtctt    1560
ggaggggttg tagggatccc cactttaata tgttgctgca gggggcggtg taacaaaaag    1620
ggagaacaag ttggtatgtc aagaccaggc ctaaagcctg accttacagg aacatcaaaa    1680
tcctatgtaa gatcgctttg atgataatag gctggagcct cgggtggccaa gcttcttgcc    1740
ccttgggct cccccagcc cctcctcccc ttctgcacc cgtacccccg tggcttttga    1800
ataaagtctg agtggggcgc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa    1860
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa    1920
tctag                                             1925

```

&lt;210&gt; SEQ ID NO 38

&lt;211&gt; LENGTH: 1864

&lt;212&gt; TYPE: DNA

-continued

---

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 38

tcaagctttt ggaccctcgt acagaagcta atacgactca ctatagggaa ataagagaga 60  
aaagaagagt aagaagaat ataagagcca ccatgggtct caagggtgaac gtctctgtca 120  
tattcatggc agtactgtta actcttcaaa caccaccgg tcaaatccat tggggcaatc 180  
tctctaagat aggggtggta ggggtaggaa gtgcaagcta caaagttatg actcgttcca 240  
gccatcaatc attagtcata aagttaatgc ccaatataac tctcctcaac aattgcacga 300  
gggtagggat tgcagaatac aggagactac tgagaacagt tctggaacca attagagatg 360  
cacttaatgc aatgaccocag aatataagac cggttcagag tgtagcttca agtaggagac 420  
acaagagatt tgcgggagtt gtctcggcag gtgcgccct aggcggtgcc acagctgctc 480  
aaataacagc cggattgtca cttcaccagt ccatgctgaa ctctcaagcc atcgacaatc 540  
tgagagcgag cctagaaact actaatcagg caattgaggc aatcagacaa gcagggcagg 600  
agatgatatt ggctgttcag ggtgtccaag actacatcaa taatgagctg ataccgtcta 660  
tgaatcaact atcttgtgat ttaatcggcc agaagctagg gctcaaattg ctcagatact 720  
atacagaaat cctgtcatta tttggcccca gcttacggga ccccatatct gcggagatat 780  
ctaccaggc tttgagctat gcgcttgag gagatatcaa taagggttg gaaaagctcg 840  
gatacagtgg aggtgatcta ctgggcatct tagagagcag aggaataaag gcccgataa 900  
ctcacgtcga cacagagtcc tacttcattg tactcagtat agcctatccg acgctatccg 960  
agattaaggg ggtgatgtc caccggctag agggggtctc gtacaacata ggctctcaag 1020  
agtgtatac cactgtgccc aagtatgtg caaccocagg gtaccttate tgaattttg 1080  
atgagtcac atgcactttc atgccagagg ggactgtgtg cagccagaat gccttgatcc 1140  
cgatgagtc tctgctccaa gaatgcctcc gggggtccac taagtccgtg gctcgtacac 1200  
tcgtatccgg gtctttcggg aaccggttca ttttatcaca ggggaaccta atagccaatt 1260  
gtgcatcaat cctttgcaag tgttacacaa caggaacaat cattaatcaa gaccctgaca 1320  
agatcctaac atacattgct gccgatcaact gcccggtggt cgagggtgaat ggcgtgacca 1380  
tccaagtcgg gagcaggagg tatccggagc ctgtgtactt gcacaggatt gacctcggtc 1440  
ctcccatatc tttggagagg ttggacgtag ggacaaatct ggggaatgca attgctaagt 1500  
tggaggatgc caaggaattg ttggagtcac cggaccagat attgaggagt atgaaaggtt 1560  
tatcgagcac tagtatagtt tacatcctga ttgcagtggt tcttgaggga ttgatagga 1620  
tccccgcttt aatatgttgc tgcagggggc gttgtaacaa gaaggagaa caagttggta 1680  
tgtcaagacc aggccaaag cctgatctta caggaacatc aaaatcctat gtaaggtcac 1740  
tctgatgata ataggctgga gctcgggtgg ccaagcttct tgeccctgg gectcccccc 1800  
agccctcct ccccttctg caccctgacc cccgtggtct ttgaataaag tctgagtggt 1860  
cggc 1864

<210> SEQ ID NO 39

<211> LENGTH: 1653

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 39

atgggtctca aggtgaacgt ctctgtcata ttcattggcag tactgttaac ttttcaaaca 60  
cccaccggtc aaatccattg gggcaatctc tctaagatag ggggtgtagg ggttaggaagt 120  
gcaagctaca aagttatgac tcgttccagc catcaatcat tagtcataaa gttaatgccc 180  
aatataactc tcctcaacaa ttgcacgagg gttagggattg cagaatacag gagactactg 240  
agaacagttc tggaaccaat tagagatgca cttaatgcaa tgaccagaa tataagaccg 300  
gttcagagtg tagcttcaag taggagacac aagagatttg cgggagtgtg cctggcaggt 360  
gcgcccttag gcgttgccac agctgtcaa ataacagccg gtattgcaact tcaccagtcc 420  
atgctgaact ctcaagccat cgacaatctg agagcgagcc tagaaactac taatcaggca 480  
attgaggcaa tcagacaagc agggcaggag atgatattgg ctgttcaggg tgtccaagac 540  
tacatcaata atgagctgat accgtctatg aatcaactat cttgtgattt aatcgccag 600  
aagctagggc tcaaattgct cagatactat acagaaatcc tgcattattt tggccccagc 660  
ttacgggacc ccatactctg ggagatatct atccaggctt tgagctatgc gcttggagga 720  
gatatcaata aggtgttggg aaagctcgga tacagtggag gtgatctact gggcatctta 780  
gagagcagag gaataaaggc ccggataact cacgtcgaca cagagtccta cttcattgta 840  
ctcagtatag cctatccgac gctatccgag attaaggggg tgattgtcca ccggctagag 900  
ggggtctctg acaacatagg ctctcaagag tggatatacca ctgtgcccga gtatgttgca 960  
acccaagggt acctatctc gaattttgat gagtcacat gcactttcat gccagagggg 1020  
actgtgtgca gccagaatgc cttgtaccgg atgagtcctc tgctccaaga atgcctccgg 1080  
gggtccacta agtctctgtg tcgtacactc gtatccgggt ctttcgggaa ccgggttcatt 1140  
ttatcacagg ggaacctaat agccaattgt gcatcaatcc tttgcaagtg ttacacaaca 1200  
ggaacaatca ttaatcaaga ccttgacaag atcctaacat acattgtctg cgatcactgc 1260  
ccgggtggtg aggtgaatgg cgtgaccatc caagtgggga gcaggaggta tccggacgct 1320  
gtgtacttgc acaggattga cctcggctct cccatattct tggagaggtt ggaagtaggg 1380  
acaaatctgg ggaatgcaat tgctaagttg gaggatgcca aggaattgtt ggagtcactg 1440  
gaccagatat tgaggagtat gaaaggttta tcgagcacta gtatagttta catcctgatt 1500  
gcagtgtgtc ttggaggatt gatagggatc cccgctttaa tatgttctg cagggggcgt 1560  
tgtaacaaga agggagaaca agttggtatg tcaagaccag gcctaaagcc tgatcttaca 1620  
ggaacatcaa aatctctatg aaggctcactc tga 1653

<210> SEQ ID NO 40

<211> LENGTH: 1925

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 40

ggggaaataa gagagaaaag aagagtaaga agaaatataa gagccacat gggctctcaag 60  
gtgaacgtct ctgtcatatt catggcagta ctgttaactc ttcaaacacc caccggctcaa 120  
atccattggg gcaatctctc taagataggg gtggtagggg taggaagtgc aagctacaaa 180

-continued

---

gttatgactc gttccagcca tcaatcatta gtcataaagt taatgcccaa tataactctc	240
ctcaacaatt gcacgagggg agggattgca gaatacagga gactactgag aacagttctg	300
gaaccaatta gagatgcaact taatgcaatg acccagaata taagaccggg tcagagtgtg	360
gcttcaagta ggagacacaa gagatttgcg ggagttgtcc tggcaggtgc ggccttaggc	420
gttgccacag ctgctcaaat aacagccggg attgcacttc accagtccat gctgaactct	480
caagccatcg acaatctgag agcgagccta gaaactacta atcaggcaat tgaggcaatc	540
agacaagcag ggcaggagat gatattggct gttcaggggtg tccaagacta catcaataat	600
gagctgatac cgtctatgaa tcaactatct tgtgatttaa tcggccagaa gctagggctc	660
aaattgctca gatactatac agaaatctcg tcattatttg gccccagctt acgggacccc	720
atatctgcgg agatatctat ccaggctttg agctatgcgc ttggaggaga tatcaataag	780
gtgttgaaa agctcgggata cagtggaggt gatctactgg gcatcttaga gagcagagga	840
ataaaggccc ggataactca cgtcgacaca gagtcctact tcattgtact cagtatagcc	900
tatccgacgc tatccgagat taaggggggtg attgtccacc ggctagaggg ggtctcgtac	960
aacataggct ctcaagagtg gtataccact gtgcccagg atgttgcaac ccaagggtag	1020
cttatctcga attttgatga gtcacatgc actttcatgc cagaggggac tgtgtgcage	1080
cagaatgcct tgtaccgat gagtcctctg ctccaagaat gcctccgggg gtccactaag	1140
tcctgtgctc gtacactcgt atccgggtct ttcgggaacc ggttcatctt atcacagggg	1200
aacctaatag ccaattgtgc atcaatcctt tgcaagtgtt acacaacagg aacaatcatt	1260
aatcaagacc ctgacaagat cctaacatac attgctgccg atcaactgcc ggtggtcgag	1320
gtgaatggcg tgaccatcca agtcgggagc aggaggatc cggacgctgt gtacttgac	1380
aggattgacc tcggctctcc catatctttg gagaggttgg acgtagggac aaatctgggg	1440
aatgcaattg ctaagttgga ggatgccaag gaattgttgg agtcatcgga ccagatattg	1500
aggagtatga aaggtttatc gagcactagt atagtttaca tcctgattgc agtgtgtctt	1560
ggaggattga tagggatccc cgttttaata tgttctgca gggggcggtg taacaagaag	1620
ggagaacaag ttggtatgtc aagaccaggc ctaaagcctg atcttacagg aacatcaaaa	1680
tcctatgtaa ggtcactctg atgataatag gctggagcct cggtaggcaa gcttcttgcc	1740
ccttgggct ccccccagcc cctcctccc ttcctgcacc cgtacccccg tggcttttga	1800
ataaagtctg agtgggccc aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa	1860
aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa	1920
tctag	1925

&lt;210&gt; SEQ ID NO 41

&lt;211&gt; LENGTH: 2065

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 41

tcaagctttt ggaccctcgt acagaagcta atacgactca ctatagggaa ataagagaga	60
aaagaagagt aagaagaat ataagagcca ccatgtcacc gcaacgagac cggataaatg	120
ccttctacaa agataaccct tatccaagg gaagtaggat agttattaac agagaacatc	180

-continued

---

ttatgattga cagaccctat gttctgctgg ctggtctggt cgtcagttt ctgagcttga	240
tcggattgct ggcaattgca ggcattagac ttcacogggc agccatctac accgcggaga	300
tccataaaag cctcagtagc aatctggatg tgactaactc catcgagcat caggcaagc	360
acgtgctgac accactcttt aaaatcatcg gggatgaagt gggcctgaga acacctcaga	420
gattcactga cctagtgaat ttcacctcgg acaagattaa attccttaac ccggataggc	480
agtaagcatt cagagatctc acttggtgca tcaaccgcc agagaggatc aaactagatt	540
atgatcaata ctgtgcagat gtggctgctg aagagctcat gaatgattg gtgaactcaa	600
ctctactgga gaccagaaca accactcagt tcttagctgt ctcaaaggga aactgctcag	660
ggcccactac aatcagaggt caattctcaa acatgctgct gtccttgttg gacttgact	720
taggtcgagg ttacaatgtg tcatctatag tcaactatgac atcccaggga atgtatggg	780
gaacctactc agttgaaaag cctaactctga acagcaaagg gtcagagttg tcacaactga	840
gcatgtaccg agtgttttaa gtaggtgtga tcagaaaccg gggtttggg gctccggtgt	900
tccatattgc aaactatttt gagcaaccag tcagtaattg tctcggcaac tgtatggtgg	960
ctttggggga gctcaaacct gcagcccttt gtcacgggga cgattctatc ataattccct	1020
atcagggatc agggaaaagg gtcagcttcc agctcgtcaa gctgggtgct tggaaatccc	1080
caaccgacat gcaatcctgg gtccccttat caacggatga tccagtggtg gacagcttt	1140
acctctcacc tcacagaggt gtcacgctg acaatcaagc aaaatgggct gtcccgacaa	1200
cacgaacaga tgacaagtgt cgaatggaga catgcttcca gcaggcgtgt aaaggtaaaa	1260
tccaagcact ctgagagaat cccagtggtg taccattgaa ggataacagg attccttcat	1320
acggggctct gtctgttgat ctgagctctga cgggtgagct taaaatcaaa attgcttcg	1380
gattcgggac attgatcaca cacggctcag ggatggacct atacaaatcc aactgcaaca	1440
atgtgtattg gctgactatt ccgccaatga gaaatctagc cttaggcgta atcaacacat	1500
tggagtggat accgagatc aagggttagc ccaacctctt cactgtccca attaaggag	1560
caggcgaaga ctgccatgcc ccaacatacc tacctgcgga ggtggacggt gatgtcaaac	1620
tcagttccaa cctggtgatt ctacctggtc aagatctcca atatgtttg gcaacctacg	1680
atactccag ggttgagcat gctgtggttt attacgttta cagcccaagc cgctcatttt	1740
cttactttta tccttttagg ttgcctataa agggggctcc aatcgaacta caagtggat	1800
gcttcacatg ggatcaaaaa ctctggtgcc gtcacttctg tgtgcttgcg gactcagaat	1860
ccggtggact taccactcac tctgggatgg tgggcattgg agtcagctgc acagctacc	1920
gggaagatgg aaccaatgc agataatgat aatagctgg agcctcgggt gccaaagctc	1980
ttgcccttg ggctccccc cagccctcc tccccttct gcacccgtac ccccggtgc	2040
tttgaataaa gtctgagtg gcgcc	2065

&lt;210&gt; SEQ ID NO 42

&lt;211&gt; LENGTH: 1854

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 42

atgtcaccgc aacgagaccg gataaatgcc ttctacaaag ataaccetta tcccaaggga 60

-continued

---

```

agtaggatag ttattaacag agaacatctt atgattgaca gaccctatgt tctgctggct 120
gttctgttccg tcatgtttct gagcttgatc ggattgctgg caattgcagg cattagactt 180
catcgggcag ccatctacac cgcggagatc cataaaagcc tcagtaccaa tctggatgtg 240
actaactcca tcgagcatca ggtcaaggac gtgctgacac cactctttaa aatcatcggg 300
gatgaagtgg gcctgagaac acctcagaga ttcactgacc tagtgaatt catctcggac 360
aagattaat tccttaatcc ggatagggag tacgacttca gagatctcac ttgggtgcatc 420
aaccgccag agaggatcaa actagattat gatcaatact gtgcagatgt ggctgctgaa 480
gagctcatga atgcattggg gaactcaact ctactggaga ccagaacaac cactcagttc 540
ctagctgtct caaagggaaa ctgctcaggg cccactacaa tcagaggtea attctcaaac 600
atgtcgtgt ccttgttga cttgtactta ggtcgaggtt acaatgtgtc atctatagtc 660
actatgacat cccagggaaat gtatggggga acctacctag ttgaaaagcc taatctgaac 720
agcaaaggg cagagtgtgc acaactgagc atgtaccgag tgtttgaagt aggtgtgatc 780
agaaaccgg gtttgggggc tccggtgttc catatgacaa actatttga gcaaccagtc 840
agtaatggtc tcggcaactg tatggtggct ttgggggagc tcaaactcgc agccctttgt 900
cacggggagc attctatcat aattccctat cagggatcag ggaaaggtgt cagcttcag 960
ctcgtcaagc tgggtgtctg gaaatcccca accgacatgc aatcctgggt ccccttatca 1020
acggatgatc cagtggtaga caggctttac ctctcatctc acagagggtg catcgtgac 1080
aatcaagcaa aatgggctgt cccgacaaca cgaacagatg acaagttgag aatggagaca 1140
tgcttcagc aggcgtgtaa aggtaaaatc caagcactct gcgagaatcc cgagtgggta 1200
ccattgaagg ataacaggat tccttcatac ggggtcctgt ctgttgatct gagtctgacg 1260
gttgagctta aaatcaaaat tgettcggga ttcgggcat tgatcacaca cggctcaggg 1320
atggacctat acaaatccaa ctgcaacaat gtgtattggc tgactattcc gccaatgaga 1380
aatctagcct taggcgtaat caacacattg gagtggatc cgagattcaa ggtagtccc 1440
aacctcttca ctgtcccaat taaggaagca ggccaagact gccatgcccc aacataccta 1500
cctgcggagg tggacggtga tgtcaaaact agttccaacc tgggtgattct acctggtcaa 1560
gatctccaat atgttttggc aaacctacgat acctccaggg ttgagcatgc tgtggtttat 1620
tacgtttaca gcccagcgc ctcattttct tacttttacc cttttagggt gcctataaag 1680
ggggtcccaa tcgaactaca agtggaaatgc ttcacatggg atcaaaaact ctggtgccgt 1740
cactctgtg tgcttgcgga ctcagaatcc ggtggactta tcactcactc tgggtaggtg 1800
ggcatgggag tcagctgcac agctaccggg gaagatggaa ccaatcgcag ataa 1854

```

&lt;210&gt; SEQ ID NO 43

&lt;211&gt; LENGTH: 2126

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 43

```

ggggaaataa gagagaaaag aagagtaaga agaaatataa gagccaccat gtcaccgcaa 60
cgagaccgga taaatgcctt ctcaaaagat aacccttacc ccaagggaaag taggatagtt 120
attaacagag aacatcttat gattgacaga ccctatgttc tgctggtgtg tctgttcgtc 180

```

-continued

---

atgtttctga gcttgatcgg attgctggca attgcaggca ttagacttca tggggcagcc	240
atctacaccg cggagatcca taaaagcctc agtaccaatc tggatgtgac taactccatc	300
gagcatcagg tcaaggacgt gctgacacca ctctttaaaa tcatcgggga tgaagtgggc	360
ctgagaacac ctcagagatt cactgacctg gtgaaattca tctcggacaa gattaaattc	420
cttaatccgg ataggggagta cgacttcaga gatctcactt ggtgcatcaa cccgccagag	480
aggatcaaac tagattatga tcaatactgt gcagatgtgg ctgctgaaga gctcatgaat	540
gcattggtga actcaactct actggagacc agaacaacca ctcagttcct agctgtctca	600
aagggaaact gctcagggcc cactacaatc agaggtcaat tctcaaacat gtcgctgtcc	660
ttggtggact tgtacttagg tcgaggttac aatgtgtcat ctatagtcaac tatgacatcc	720
cagggaatgt atgggggaac ctacctagt taaaagccta atctgaacag caaagggtca	780
gagttgtcac aactgagcat gtaccgagtg tttgaagtag gtgtgatcag aaacccgggt	840
ttgggggctc cggtgttoca tatgacaaac tattttgagc aaccagtcag taatggtctc	900
ggcaactgta tgggtggcttt gggggagctc aaactcgag ccctttgtca cggggacgat	960
tctatcataa ttccctatca gggatcaggg aaaggtgtca gcttocagct cgtcaagctg	1020
ggtgtctgga aatccccaac cgacatgcaa tctctgggtcc ccttatcaac ggatgatcca	1080
gtggtagaca ggctttacct ctcactcac agaggtgtca tcgctgacaa tcaagcaaaa	1140
tgggctgtcc cgacaacacg aacagatgac aagttgcgaa tggagacatg cttccagcag	1200
gcgtgtaaag gtaaaatcca agcactctgc gagaatccc agtgggtacc attgaaggat	1260
aacaggattc cttcatacgg ggtcctgtct gttgatctga gtctgacggg tgagcttaaa	1320
atcaaaaattg cttcgggatt cgggccattg atcacacacg gctcagggat ggacctatac	1380
aaatccaact gcaacaatgt gtattggctg actattccgc caatgagaaa tctagcctta	1440
ggcgtaatca acacattgga gtggataccg agattcaagg ttagtcccaa cctcttact	1500
gtcccaatta aggaagcagg cgaagactgc catgcccaca catacctacc tgcggaggtg	1560
gacggtgatg tcaaaactcag ttccaacctg gtgattctac ctggtcaaga tctccaatat	1620
gttttgga cctacgatac ctccaggggt gagcatgctg tggtttatta cgtttacagc	1680
ccaagcgcct cattttctta cttttatcct tttagggtgc ctataaaggg ggtcccaatc	1740
gaactacaag tggaatgctt cacatgggat caaaaactct ggtgccgtca cttctgtgtg	1800
cttgccgact cagaatccgg tggacttatc actcactctg ggatggtggg catgggagtc	1860
agctgcacag ctaccgccga agatggaacc aatcgcagat aatgataata ggctggagcc	1920
tgggtggcca agcttcttgc cccttgggcc tccccccagc ccctcctccc cttcctgcac	1980
ccgtaccccc gtggtctttg aataaagtct gagtgggccc caaaaaaaaa aaaaaaaaaa	2040
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	2100
aaaaaaaaaa aaaaaaaaaa atctag	2126

&lt;210&gt; SEQ ID NO 44

&lt;211&gt; LENGTH: 2065

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 44



-continued

---

tcaagctttt	ggaccctcgt	acagaageta	atacgactca	ctatagggaa	ataagagaga	60
aaagaagagt	aagaagaat	ataagagcca	ccatgtcacc	acaacgagac	cggataaatg	120
ccttctacaa	agacaacccc	catcctaagg	gaagtaggat	agttattaac	agagaacatc	180
ttatgattga	tagaccttat	gttttgetgg	ctgttctatt	cgtcatgttt	ctgagcttga	240
tcggttgct	agccattgca	ggcattagac	ttcatcgggc	agccatctac	accgcagaga	300
tccataaaag	cctcagcacc	aatctggatg	taactaactc	aatcgagcat	caggttaaag	360
acgtgctgac	accactcttc	aagatcatcg	gtgatgaagt	gggcttgagg	acacctcaga	420
gattcactga	cctagtgaag	ttcatctctg	acaagattaa	attccttaat	ccggacaggg	480
aatacgactt	cagagatctc	acttggtgta	tcaaccgcc	agagagaatc	aaattggatt	540
atgatcaata	ctgtgcagat	gtggctgctg	aagaactcat	gaatgcattg	gtgaactcaa	600
ctctactgga	gaccagggca	accaatcagt	tcttagctgt	ctcaaaggga	aactgctcag	660
ggcccactac	aatcagaggc	caattctcaa	acatgtcgtc	gtccctgttg	gacttgtatt	720
taagtcgagg	ttacaatgtg	tcactctatg	tcactatgac	atcccaggga	atgtacgggg	780
gaacttacct	agtggaagg	cctaactctga	gcagcaaagg	gtcagagtgg	tcacaactga	840
gcctgcaccg	agtgtttgaa	gtaggtgta	tcagaaatcc	gggtttgggg	gctccgggat	900
tccatgatgac	aaactatctt	gagcaaccag	tcagttaatg	tttcagcaac	tgcattggtg	960
ctttggggga	gctcaagttc	gcagccctct	gtcacagggg	agattctatc	acaattccct	1020
atcagggatc	agggaaagg	gtcagcttcc	agcttgtaaa	gctaggtgtc	tggaaatccc	1080
caaccgacat	gcaatcctgg	gtccccctat	caacggatga	tccagtgata	gacaggcttt	1140
acctctcatc	tcacagaggc	gttatcgctg	acaatcaagc	aaaatgggct	gtcccagaaa	1200
cacggacaga	tgacaagttg	cgaatggaga	catgcttcca	gcaggcgtgt	aagggtaaaa	1260
tccaagcact	ttgcgagaat	cccagtgga	caccattgaa	ggataacagg	attccttcat	1320
acggggtctt	gtctgttgat	ctgagctctga	cagttgagct	taaaatcaaa	attgtttcag	1380
gattcggggc	attgatcaca	cacggttcag	ggatggacct	atacaaatcc	aaccacaaca	1440
atatgtattg	gctgactatc	ccgccaatga	agaacctggc	cttaggtgta	atcaacacat	1500
tggagtggat	accgagatcc	aaggttagtc	ccaacctctt	cactgttcca	attaaggaag	1560
caggcgagga	ctgccatgcc	ccaacatacc	tacctgcgga	gggtggatgg	gatgtcaaac	1620
tcagttccaa	tctggtgatt	ctacctggtc	aagatctcca	atatgttctg	gcaacctacg	1680
atacttccag	agttgaacat	gctgtagttt	attacgttta	cagcccaagc	cgctcatttt	1740
cttactttta	tccttttagg	ttgcctgtaa	gggggggtccc	cattgaatta	caagtggaa	1800
gcttcacatg	ggaccaaaaa	ctctggtgcc	gtcacttctg	tgtgcttgcg	gactcagaat	1860
ctggtggaca	tactactcac	tctgggatgg	tgggcattgg	agtcagctgc	acagccactc	1920
gggaagatgg	aaccagccgc	agatagtgat	aataggctgg	agcctcggtg	gccaagcttc	1980
ttgccccttg	ggcctccccc	cagcccctcc	tccccttctc	gcacccgtac	ccccgtggtc	2040
tttgaataaa	gtctgagtgg	gcggc				2065

&lt;210&gt; SEQ ID NO 45

&lt;211&gt; LENGTH: 1854

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 45

atgtcaccac aacgagaccg gataaatgcc ttctacaaag acaaccccca tectaaggga	60
agtaggatag ttattaacag agaacatctt atgattgata gaccttatgt tttgctggct	120
gttctattcg tcattgttct gagcttgatc ggggtgctag ccattgcagg cattagactt	180
catcgggcag ccattctacac cgcagagatc cataaaagcc tcagcaccaa tctggatgta	240
actaactcaa tcgagcatca ggtaaggac gtgctgacac cactcttcaa gatcatcggt	300
gatgaagtgg gcttgaggac acctcagaga ttactgacc tagtgaagtt catctctgac	360
aagattaat tccttaatcc ggacagggaa tacgacttca gagatctcac ttgggtgatc	420
aaccgccag agagaatcaa attggattat gatcaatact gtgcagatgt ggctgctgaa	480
gaactcatga atgcattggg gaactcaact ctactggaga ccagggcaac caatcagttc	540
ctagctgtct caaagggaaa ctgctcaggg cccactacaa tcagaggcca attctcaaac	600
atgtcgctgt ccctgttga cttgtattta agtcgaggtt acaatgtgtc atctatagtc	660
actatgacat cccagggaaat gtacggggga acttacctag tggaaaagcc taatctgagc	720
agcaaagggg cagagttgtc acaactgagc atgcaccgag tgtttgaagt aggtgttatc	780
agaaatccgg gtttgggggc tccggtattc catatgacaa actatcttga gcaaccagtc	840
agtaatgatt tcagcaactg catggtggct ttgggggagc tcaagttcgc agccctctgt	900
cacaggggag attctatcac aattccctat cagggatcag ggaaaggtgt cagcttcag	960
cttgtcaagc taggtgtctg gaaatcccca accgacatgc aatcctgggt cccctatca	1020
acggatgac cagtgataga caggctttac ctctcatctc acagaggcgt tctcgtgac	1080
aatcaagcaa aatgggctgt cccgacaaca cggacagatg acaagttgag aatggagaca	1140
tgcttccagc aggcgtgtaa gggtaaaatc caagcacttt gcgagaatcc cgagtggaca	1200
ccattgaagg ataacaggat tccttcatac ggggtcttgt ctgttgatct gagtctgaca	1260
gttgagctta aaatcaaaat tgtttcagga ttccggccat tgatcacaca cggttcaggg	1320
atggacctat acaaatccaa ccacaacaat atgtattggc tgactatccc gccaatgaag	1380
aacctggcct taggtgtaat caacacattg gagtggatac cgagattcaa ggtagtccc	1440
aacctcttca ctgttccaat taaggaagca ggcgaggact gccatgcccc aacataccta	1500
cctgcggagg tggatggtga tgtcaaaact agttccaatc tggatgattct acctggtcaa	1560
gatctccaat atgttctggc aaacctacgat acttccagag ttgaacatgc ttagtattat	1620
tacgtttaca gcccagccg ctcatcttct tacttttacc cttttaggtt gcctgtaagg	1680
ggggtcccca ttgaattaca agtggaaatgc ttcacatggg accaaaaact ctggtgccgt	1740
cacttctgtg tgcttgcgga ctcagaatct ggtggacata tcaactctc tgggatgggt	1800
ggcatgggag tcagctgcac agccactcgg gaagatggaa ccagccgcag atag	1854

<210> SEQ ID NO 46

<211> LENGTH: 2126

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 46

-continued

---

ggggaataa gagagaaaag aagagtaaga agaaataaa gagccaccat gtcaccacaa	60
cgagaccgga taaatgcctt ctacaaagac aacccccatc ctaaggggaag taggatagtt	120
attaacagag aacatcttat gattgataga ccttatgttt tgctggctgt tctattogtc	180
atgtttctga gcttgatcgg gttgctagcc attgcaggca ttagacttca tcgggcagcc	240
atctacaccg cagagatcca taaaagcctc agcaccaatc tggatgtaac taactcaatc	300
gagcatcagg ttaaggacgt gctgacacca ctcttcaaga tcatcggtga tgaagtgggc	360
ttgaggacac ctacagagatt cactgaocct gtgaagtcca tctctgacaa gattaaattc	420
cttaatccgg acaggggaata cgacttcaga gatctcactt ggtgtatcaa cccgccagag	480
agaatcaaat tggattatga tcaatactgt gcagatgtgg ctgctgaaga actcatgaat	540
gcattggtga actcaactct actggagacc agggcaacca atcagttcct agctgtctca	600
aagggaact gctcagggcc cactacaatc agaggccaat tctcaaacat gtcgctgtcc	660
ctgttggaact tgtatttaag tcgaggttac aatgtgtcat ctatagtcaac tatgacatcc	720
cagggaatgt acgggggaac ttacctagtg gaaaagccta atctgagcag caaagggcca	780
gagttgtcac aactgagcat gcaccgagtg tttgaagtag gtgttatcag aaatccgggt	840
ttgggggctc cggtattcca tatgacaaac tatcttgagc aaccagtcag taatgatttc	900
agcaactgca tgggtggcttt gggggagctc aagttcgcag ccctctgtca caggggaagat	960
tctatcaciaa ttccctatca gggatcaggg aaaggtgtca gcttccagct tgtcaagcta	1020
ggtgtctgga aatccccaac cgacatgcaa tccctgggtcc ccctatcaac ggatgatcca	1080
gtgatagaca ggctttacct ctcatctcac agaggcgtta tcgctgacaa tcaagcaaaa	1140
tgggctgtcc cgacaacacg gacagatgac aagttgcgaa tggagacatg cttccagcag	1200
gogtgtaagg gtaaaatcca agcaacttgc gagaatccc agtggacacc attgaaggat	1260
aacaggattc cttcatacgg ggtcttctct gttgatctga gtctgacagt tgagcttaaa	1320
atcaaaattg tttcaggatt cgggccattg atcacacacg gttcagggat ggacctatac	1380
aaatccaacc acaacaatat gtattggctg actatcccgc caatgaagaa cctggcctta	1440
ggtgtaatca acacattgga gtggataccg agattcaagg ttagtcccaa cctcttccact	1500
gttccaatta aggaagcagg cgaggactgc catgccccaa catacctacc tgcggagggtg	1560
gatggtgatg tcaaaactcag ttccaatctg gtgattctac ctggtcaaga tctccaatat	1620
gttctggcaa cctacgatac ttccagagtt gaacatgctg tagtttatta cgtttacagc	1680
ccaagccgct cattttctta cttttatcct tttagggtgc ctgtaagggg ggtccccatt	1740
gaattacaag tggaatgctt cacatgggac caaaaactct ggtgccgtca cttctgtgtg	1800
cttgccgact cagaatctgg tggacatata actcactctg ggatggtggg catgggagtc	1860
agctgcacag ccactcggga agatggaacc agccgcagat agtgataata ggctggagcc	1920
tcggtggcca agcttcttgc ccttggggcc tccccccagc ccctcctccc cttcctgca	1980
ccgtaccccc gtggtctttg aataaagtct gagtgggctg caaaaaaaaaa aaaaaaaaaa	2040
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	2100
aaaaaaaaaa aaaaaaaaaa atctag	2126

&lt;210&gt; SEQ ID NO 47

&lt;211&gt; LENGTH: 550

&lt;212&gt; TYPE: PRT

-continued

---

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 47

Met Gly Leu Lys Val Asn Val Ser Ala Val Phe Met Ala Val Leu Leu  
 1 5 10 15

Thr Leu Gln Thr Pro Ala Gly Gln Ile His Trp Gly Asn Leu Ser Lys  
 20 25 30

Ile Gly Val Val Gly Ile Gly Ser Ala Ser Tyr Lys Val Met Thr Arg  
 35 40 45

Ser Ser His Gln Ser Leu Val Ile Lys Leu Met Pro Asn Ile Thr Leu  
 50 55 60

Leu Asn Asn Cys Thr Arg Val Glu Ile Ala Glu Tyr Arg Arg Leu Leu  
 65 70 75 80

Arg Thr Val Leu Glu Pro Ile Arg Asp Ala Leu Asn Ala Met Thr Gln  
 85 90 95

Asn Ile Arg Pro Val Gln Ser Val Ala Ser Ser Arg Arg His Lys Arg  
 100 105 110

Phe Ala Gly Val Val Leu Ala Gly Ala Ala Leu Gly Val Ala Thr Ala  
 115 120 125

Ala Gln Ile Thr Ala Gly Ile Ala Leu His Arg Ser Met Leu Asn Ser  
 130 135 140

Gln Ala Ile Asp Asn Leu Arg Ala Ser Leu Glu Thr Thr Asn Gln Ala  
 145 150 155 160

Ile Glu Ala Ile Arg Gln Ala Gly Gln Glu Met Ile Leu Ala Val Gln  
 165 170 175

Gly Val Gln Asp Tyr Ile Asn Asn Glu Leu Ile Pro Ser Met Asn Gln  
 180 185 190

Leu Ser Cys Asp Leu Ile Gly Gln Lys Leu Gly Leu Lys Leu Leu Arg  
 195 200 205

Tyr Tyr Thr Glu Ile Leu Ser Leu Phe Gly Pro Ser Leu Arg Asp Pro  
 210 215 220

Ile Ser Ala Glu Ile Ser Ile Gln Ala Leu Ser Tyr Ala Leu Gly Gly  
 225 230 235 240

Asp Ile Asn Lys Val Leu Glu Lys Leu Gly Tyr Ser Gly Gly Asp Leu  
 245 250 255

Leu Gly Ile Leu Glu Ser Arg Gly Ile Lys Ala Arg Ile Thr His Val  
 260 265 270

Asp Thr Glu Ser Tyr Phe Ile Val Leu Ser Ile Ala Tyr Pro Thr Leu  
 275 280 285

Ser Glu Ile Lys Gly Val Ile Val His Arg Leu Glu Gly Val Ser Tyr  
 290 295 300

Asn Ile Gly Ser Gln Glu Trp Tyr Thr Thr Val Pro Lys Tyr Val Ala  
 305 310 315 320

Thr Gln Gly Tyr Leu Ile Ser Asn Phe Asp Glu Ser Ser Cys Thr Phe  
 325 330 335

Met Pro Glu Gly Thr Val Cys Ser Gln Asn Ala Leu Tyr Pro Met Ser  
 340 345 350

Pro Leu Leu Gln Glu Cys Leu Arg Gly Ser Thr Lys Ser Cys Ala Arg  
 355 360 365

Thr Leu Val Ser Gly Ser Phe Gly Asn Arg Phe Ile Leu Ser Gln Gly

-continued

370				375				380							
Asn	Leu	Ile	Ala	Asn	Cys	Ala	Ser	Ile	Leu	Cys	Lys	Cys	Tyr	Thr	Thr
385					390					395					400
Gly	Thr	Ile	Ile	Asn	Gln	Asp	Pro	Asp	Lys	Ile	Leu	Thr	Tyr	Ile	Ala
				405					410					415	
Ala	Asp	Arg	Cys	Pro	Val	Val	Glu	Val	Asn	Gly	Val	Thr	Ile	Gln	Val
			420				425							430	
Gly	Ser	Arg	Arg	Tyr	Pro	Asp	Ala	Val	Tyr	Leu	His	Arg	Ile	Asp	Leu
			435				440							445	
Gly	Pro	Pro	Ile	Ser	Leu	Glu	Arg	Leu	Asp	Val	Gly	Thr	Asn	Leu	Gly
	450				455						460				
Asn	Ala	Ile	Ala	Lys	Leu	Glu	Asp	Ala	Lys	Glu	Leu	Leu	Glu	Ser	Ser
465					470					475					480
Asp	Gln	Ile	Leu	Arg	Ser	Met	Lys	Gly	Leu	Ser	Ser	Thr	Ser	Ile	Val
			485						490					495	
Tyr	Ile	Leu	Ile	Ala	Val	Cys	Leu	Gly	Gly	Leu	Ile	Gly	Ile	Pro	Thr
		500							505					510	
Leu	Ile	Cys	Cys	Cys	Arg	Gly	Arg	Cys	Asn	Lys	Lys	Gly	Glu	Gln	Val
		515					520							525	
Gly	Met	Ser	Arg	Pro	Gly	Leu	Lys	Pro	Asp	Leu	Thr	Gly	Thr	Ser	Lys
	530					535					540				
Ser	Tyr	Val	Arg	Ser	Leu										
545					550										

&lt;210&gt; SEQ ID NO 48

&lt;211&gt; LENGTH: 550

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polypeptide

&lt;400&gt; SEQUENCE: 48

Met	Gly	Leu	Lys	Val	Asn	Val	Ser	Val	Ile	Phe	Met	Ala	Val	Leu	Leu
1				5					10					15	
Thr	Leu	Gln	Thr	Pro	Thr	Gly	Gln	Ile	His	Trp	Gly	Asn	Leu	Ser	Lys
			20					25					30		
Ile	Gly	Val	Val	Gly	Val	Gly	Ser	Ala	Ser	Tyr	Lys	Val	Met	Thr	Arg
		35					40					45			
Ser	Ser	His	Gln	Ser	Leu	Val	Ile	Lys	Leu	Met	Pro	Asn	Ile	Thr	Leu
		50				55					60				
Leu	Asn	Asn	Cys	Thr	Arg	Val	Gly	Ile	Ala	Glu	Tyr	Arg	Arg	Leu	Leu
65					70					75					80
Arg	Thr	Val	Leu	Glu	Pro	Ile	Arg	Asp	Ala	Leu	Asn	Ala	Met	Thr	Gln
			85						90					95	
Asn	Ile	Arg	Pro	Val	Gln	Ser	Val	Ala	Ser	Ser	Arg	Arg	His	Lys	Arg
			100					105						110	
Phe	Ala	Gly	Val	Val	Leu	Ala	Gly	Ala	Ala	Leu	Gly	Val	Ala	Thr	Ala
		115					120					125			
Ala	Gln	Ile	Thr	Ala	Gly	Ile	Ala	Leu	His	Gln	Ser	Met	Leu	Asn	Ser
	130					135						140			
Gln	Ala	Ile	Asp	Asn	Leu	Arg	Ala	Ser	Leu	Glu	Thr	Thr	Asn	Gln	Ala
145				150						155					160
Ile	Glu	Ala	Ile	Arg	Gln	Ala	Gly	Gln	Glu	Met	Ile	Leu	Ala	Val	Gln

-continued

165					170					175					
Gly	Val	Gln	Asp	Tyr	Ile	Asn	Asn	Glu	Leu	Ile	Pro	Ser	Met	Asn	Gln
		180						185					190		
Leu	Ser	Cys	Asp	Leu	Ile	Gly	Gln	Lys	Leu	Gly	Leu	Lys	Leu	Leu	Arg
		195					200					205			
Tyr	Tyr	Thr	Glu	Ile	Leu	Ser	Leu	Phe	Gly	Pro	Ser	Leu	Arg	Asp	Pro
	210					215					220				
Ile	Ser	Ala	Glu	Ile	Ser	Ile	Gln	Ala	Leu	Ser	Tyr	Ala	Leu	Gly	Gly
	225					230					235				240
Asp	Ile	Asn	Lys	Val	Leu	Glu	Lys	Leu	Gly	Tyr	Ser	Gly	Gly	Asp	Leu
			245						250					255	
Leu	Gly	Ile	Leu	Glu	Ser	Arg	Gly	Ile	Lys	Ala	Arg	Ile	Thr	His	Val
			260					265						270	
Asp	Thr	Glu	Ser	Tyr	Phe	Ile	Val	Leu	Ser	Ile	Ala	Tyr	Pro	Thr	Leu
		275					280					285			
Ser	Glu	Ile	Lys	Gly	Val	Ile	Val	His	Arg	Leu	Glu	Gly	Val	Ser	Tyr
	290					295					300				
Asn	Ile	Gly	Ser	Gln	Glu	Trp	Tyr	Thr	Thr	Val	Pro	Lys	Tyr	Val	Ala
	305					310					315				320
Thr	Gln	Gly	Tyr	Leu	Ile	Ser	Asn	Phe	Asp	Glu	Ser	Ser	Cys	Thr	Phe
			325						330					335	
Met	Pro	Glu	Gly	Thr	Val	Cys	Ser	Gln	Asn	Ala	Leu	Tyr	Pro	Met	Ser
		340						345					350		
Pro	Leu	Leu	Gln	Glu	Cys	Leu	Arg	Gly	Ser	Thr	Lys	Ser	Cys	Ala	Arg
		355					360					365			
Thr	Leu	Val	Ser	Gly	Ser	Phe	Gly	Asn	Arg	Phe	Ile	Leu	Ser	Gln	Gly
	370					375					380				
Asn	Leu	Ile	Ala	Asn	Cys	Ala	Ser	Ile	Leu	Cys	Lys	Cys	Tyr	Thr	Thr
	385					390					395				400
Gly	Thr	Ile	Ile	Asn	Gln	Asp	Pro	Asp	Lys	Ile	Leu	Thr	Tyr	Ile	Ala
				405					410					415	
Ala	Asp	His	Cys	Pro	Val	Val	Glu	Val	Asn	Gly	Val	Thr	Ile	Gln	Val
			420					425						430	
Gly	Ser	Arg	Arg	Tyr	Pro	Asp	Ala	Val	Tyr	Leu	His	Arg	Ile	Asp	Leu
		435					440					445			
Gly	Pro	Pro	Ile	Ser	Leu	Glu	Arg	Leu	Asp	Val	Gly	Thr	Asn	Leu	Gly
	450					455					460				
Asn	Ala	Ile	Ala	Lys	Leu	Glu	Asp	Ala	Lys	Glu	Leu	Leu	Glu	Ser	Ser
	465					470					475				480
Asp	Gln	Ile	Leu	Arg	Ser	Met	Lys	Gly	Leu	Ser	Ser	Thr	Ser	Ile	Val
			485						490					495	
Tyr	Ile	Leu	Ile	Ala	Val	Cys	Leu	Gly	Gly	Leu	Ile	Gly	Ile	Pro	Ala
			500					505					510		
Leu	Ile	Cys	Cys	Cys	Arg	Gly	Arg	Cys	Asn	Lys	Lys	Gly	Glu	Gln	Val
		515					520					525			
Gly	Met	Ser	Arg	Pro	Gly	Leu	Lys	Pro	Asp	Leu	Thr	Gly	Thr	Ser	Lys
	530					535					540				
Ser	Tyr	Val	Arg	Ser	Leu										
	545					550									

-continued

---

```

<211> LENGTH: 617
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 49

Met Ser Pro Gln Arg Asp Arg Ile Asn Ala Phe Tyr Lys Asp Asn Pro
1          5          10          15

Tyr Pro Lys Gly Ser Arg Ile Val Ile Asn Arg Glu His Leu Met Ile
20          25          30

Asp Arg Pro Tyr Val Leu Leu Ala Val Leu Phe Val Met Phe Leu Ser
35          40          45

Leu Ile Gly Leu Leu Ala Ile Ala Gly Ile Arg Leu His Arg Ala Ala
50          55          60

Ile Tyr Thr Ala Glu Ile His Lys Ser Leu Ser Thr Asn Leu Asp Val
65          70          75          80

Thr Asn Ser Ile Glu His Gln Val Lys Asp Val Leu Thr Pro Leu Phe
85          90          95

Lys Ile Ile Gly Asp Glu Val Gly Leu Arg Thr Pro Gln Arg Phe Thr
100         105         110

Asp Leu Val Lys Phe Ile Ser Asp Lys Ile Lys Phe Leu Asn Pro Asp
115         120         125

Arg Glu Tyr Asp Phe Arg Asp Leu Thr Trp Cys Ile Asn Pro Pro Glu
130         135         140

Arg Ile Lys Leu Asp Tyr Asp Gln Tyr Cys Ala Asp Val Ala Ala Glu
145         150         155         160

Glu Leu Met Asn Ala Leu Val Asn Ser Thr Leu Leu Glu Thr Arg Thr
165         170         175

Thr Thr Gln Phe Leu Ala Val Ser Lys Gly Asn Cys Ser Gly Pro Thr
180         185         190

Thr Ile Arg Gly Gln Phe Ser Asn Met Ser Leu Ser Leu Leu Asp Leu
195         200         205

Tyr Leu Gly Arg Gly Tyr Asn Val Ser Ser Ile Val Thr Met Thr Ser
210         215         220

Gln Gly Met Tyr Gly Gly Thr Tyr Leu Val Glu Lys Pro Asn Leu Asn
225         230         235         240

Ser Lys Gly Ser Glu Leu Ser Gln Leu Ser Met Tyr Arg Val Phe Glu
245         250         255

Val Gly Val Ile Arg Asn Pro Gly Leu Gly Ala Pro Val Phe His Met
260         265         270

Thr Asn Tyr Phe Glu Gln Pro Val Ser Asn Gly Leu Gly Asn Cys Met
275         280         285

Val Ala Leu Gly Glu Leu Lys Leu Ala Ala Leu Cys His Gly Asp Asp
290         295         300

Ser Ile Ile Ile Pro Tyr Gln Gly Ser Gly Lys Gly Val Ser Phe Gln
305         310         315         320

Leu Val Lys Leu Gly Val Trp Lys Ser Pro Thr Asp Met Gln Ser Trp
325         330         335

Val Pro Leu Ser Thr Asp Asp Pro Val Val Asp Arg Leu Tyr Leu Ser
340         345         350

Ser His Arg Gly Val Ile Ala Asp Asn Gln Ala Lys Trp Ala Val Pro
355         360         365

```





-continued

---

Lys Ile Ile Gly Asp Glu Val Gly Leu Arg Thr Pro Gln Arg Phe Thr  
 100 105 110  
 Asp Leu Val Lys Phe Ile Ser Asp Lys Ile Lys Phe Leu Asn Pro Asp  
 115 120 125  
 Arg Glu Tyr Asp Phe Arg Asp Leu Thr Trp Cys Ile Asn Pro Pro Glu  
 130 135 140  
 Arg Ile Lys Leu Asp Tyr Asp Gln Tyr Cys Ala Asp Val Ala Ala Glu  
 145 150 155 160  
 Glu Leu Met Asn Ala Leu Val Asn Ser Thr Leu Leu Glu Thr Arg Ala  
 165 170 175  
 Thr Asn Gln Phe Leu Ala Val Ser Lys Gly Asn Cys Ser Gly Pro Thr  
 180 185 190  
 Thr Ile Arg Gly Gln Phe Ser Asn Met Ser Leu Ser Leu Leu Asp Leu  
 195 200 205  
 Tyr Leu Ser Arg Gly Tyr Asn Val Ser Ser Ile Val Thr Met Thr Ser  
 210 215 220  
 Gln Gly Met Tyr Gly Gly Thr Tyr Leu Val Glu Lys Pro Asn Leu Ser  
 225 230 235 240  
 Ser Lys Gly Ser Glu Leu Ser Gln Leu Ser Met His Arg Val Phe Glu  
 245 250 255  
 Val Gly Val Ile Arg Asn Pro Gly Leu Gly Ala Pro Val Phe His Met  
 260 265 270  
 Thr Asn Tyr Leu Glu Gln Pro Val Ser Asn Asp Phe Ser Asn Cys Met  
 275 280 285  
 Val Ala Leu Gly Glu Leu Lys Phe Ala Ala Leu Cys His Arg Glu Asp  
 290 295 300  
 Ser Ile Thr Ile Pro Tyr Gln Gly Ser Gly Lys Gly Val Ser Phe Gln  
 305 310 315 320  
 Leu Val Lys Leu Gly Val Trp Lys Ser Pro Thr Asp Met Gln Ser Trp  
 325 330 335  
 Val Pro Leu Ser Thr Asp Asp Pro Val Ile Asp Arg Leu Tyr Leu Ser  
 340 345 350  
 Ser His Arg Gly Val Ile Ala Asp Asn Gln Ala Lys Trp Ala Val Pro  
 355 360 365  
 Thr Thr Arg Thr Asp Asp Lys Leu Arg Met Glu Thr Cys Phe Gln Gln  
 370 375 380  
 Ala Cys Lys Gly Lys Ile Gln Ala Leu Cys Glu Asn Pro Glu Trp Thr  
 385 390 395 400  
 Pro Leu Lys Asp Asn Arg Ile Pro Ser Tyr Gly Val Leu Ser Val Asp  
 405 410 415  
 Leu Ser Leu Thr Val Glu Leu Lys Ile Lys Ile Val Ser Gly Phe Gly  
 420 425 430  
 Pro Leu Ile Thr His Gly Ser Gly Met Asp Leu Tyr Lys Ser Asn His  
 435 440 445  
 Asn Asn Met Tyr Trp Leu Thr Ile Pro Pro Met Lys Asn Leu Ala Leu  
 450 455 460  
 Gly Val Ile Asn Thr Leu Glu Trp Ile Pro Arg Phe Lys Val Ser Pro  
 465 470 475 480  
 Asn Leu Phe Thr Val Pro Ile Lys Glu Ala Gly Glu Asp Cys His Ala  
 485 490 495

-continued

---

Pro Thr Tyr Leu Pro Ala Glu Val Asp Gly Asp Val Lys Leu Ser Ser  
 500 505 510

Asn Leu Val Ile Leu Pro Gly Gln Asp Leu Gln Tyr Val Leu Ala Thr  
 515 520 525

Tyr Asp Thr Ser Arg Val Glu His Ala Val Val Tyr Tyr Val Tyr Ser  
 530 535 540

Pro Ser Arg Ser Phe Ser Tyr Phe Tyr Pro Phe Arg Leu Pro Val Arg  
 545 550 555 560

Gly Val Pro Ile Glu Leu Gln Val Glu Cys Phe Thr Trp Asp Gln Lys  
 565 570 575

Leu Trp Cys Arg His Phe Cys Val Leu Ala Asp Ser Glu Ser Gly Gly  
 580 585 590

His Ile Thr His Ser Gly Met Val Gly Met Gly Val Ser Cys Thr Ala  
 595 600 605

Thr Arg Glu Asp Gly Thr Ser Arg Arg  
 610 615

<210> SEQ ID NO 51  
 <211> LENGTH: 1729  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 51

```

tcaagctttt ggaccctcgt acagaagcta atacgactca ctatagggaa ataagagaga    60
aaagaagagt aagaagaaat ataagagcca ccatggcaca agtcattaat acaaacagcc    120
tgtcgctggt gaccagaat aacctgaaca aatcccagtc cgcactgggc actgctatcg    180
agcgtttgtc ttccggctcg cgtatcaaca gcgcgaaaga cgatgcggca ggacaggcga    240
ttgctaaccg ttttaccgcg aacatcaaag gtctgactca ggcttcccg t aacgctaacg    300
acggtatctc cattgcgcag accactgaag gcgcgctgaa cgaaatcaac aacaacctgc    360
agcggtgtcg tgaactggcg gttcagtctg cgaatggtac taactcccag tctgacctcg    420
actccatcca ggctgaaatc acccagcgcc tgaacgaaat cgaccgtgta tccggccaga    480
ctcagttcaa cggcggtgaaa gtccctggcgc aggacaacac cctgaccatc cagggttggtg    540
ccaacgcagc tgaaactatc gatattgatt taaaagaaat cagctctaaa aactggggac    600
ttgataagct taatgtccaa gatgcctaca ccccgaaaga aactgctgta accgttgata    660
aaactaccta taaaaatggt acagatccta ttacagccca gagcaatact gatatccaaa    720
ctgcaattgg cgggtggtgca acggggggtta ctggggctga tatcaaattt aaagatggtc    780
aatactatth agatgttaaa ggcggtgctt ctgctggtgt ttataaagcc acttatgatg    840
aaactacaaa gaaagttaat attgatacga ctgataaaac tccggtggca actgcggaag    900
ctacagctat tcggggaacg gccactataa cccacaacca aattgctgaa gtaacaaaag    960
aggggtgtga tacgaccaca gttgcggctc aacttgcctc agcagggggt actggcgccg    1020
ataaggacaa tactagcctt gtaaaactat cgtttgagga taaaaacggt aaggttattg    1080
atggtggcta tgcagtgaaa atgggcgacg atttctatgc cgctacatat gatgagaaaa    1140
caggtgcaat tactgctaaa accactactt atacagatgg tactggcggt gctcaaactg    1200
gagctgtgaa atttggtggc gcaaatggta aatctgaagt tgttactgct accgatggta    1260
    
```

-continued

---

```

agacttactt agcaagcgac cttgacaaac ataacttcag aacaggcggg gagcttaaag 1320
aggttaatac agataagact gaaaacccac tgcagaaaat tgatgctgcc ttggcacag 1380
ttgatacact tcgttctgac ctgggtgagg ttcagaacgg tttcaactcc gctatcacca 1440
acctgggcaa taccgtaaat aacctgtctt ctgcccgtag ccgtatcgaa gattccgact 1500
acgcaaccga agtctccaac atgtctcggc cgcagattct gcagcaggcc ggtacctccg 1560
ttctggcgca ggcgaaccag gttccgcaaa acgtctcttc tttactgctg tgataatagg 1620
ctggagcttc ggtggccatg cttcttgcct cttgggcttc cccccagccc ctctccct 1680
tctctgaccc gtacccccgt ggtctttgaa taaagtctga gtgggcggc 1729

```

&lt;210&gt; SEQ ID NO 52

&lt;211&gt; LENGTH: 1518

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 52

```

atggcacaag tcattaatac aaacagcctg tcgctgttga cccagaataa cctgaacaaa 60
tcccagtcgg cactggggcag tctatcgag cgtttgtctt ccggtctgag tatcaacagc 120
gcgaagacg atgcggcagg acaggcgatt gctaaccgtt ttaccgcgaa catcaaaggt 180
ctgactcagg cttcccgtaa cgtaacgac ggtatctcca ttgcgcagac cactgaaggc 240
gcgctgaaag aaatcaacaa caacctgcag cgtgtgctgt aactggcggg tcagtctgag 300
aatggtacta actcccagtc tgacctgac tccatccagg ctgaaatcac ccagcgcctg 360
aacgaaatcg accgtgtatc cggccagact cagttcaacg gcgtgaaagt cctggcgagc 420
gacaacaccc tgaccatoca ggttggtgcc aacgacggtg aaactatcga tattgattta 480
aaagaaatca gctctaaaac actgggactt gataagctta atgtccaaga tgcoctaccc 540
ccgaaagaaa ctgctgtaac cgttgataaa actacctata aaaatggtac agatccctatt 600
acagcccaga gcaatactga tatccaaact gcaattggcg gtggtgcaac ggggggttact 660
ggggctgata tcaaatttaa agatgggtaa tactatntag atgttaaagg cggtgcttct 720
gctggtgttt ataaagccac ttatgatgaa actacaaga aagttaatat tgatacgact 780
gataaaaact cgttggcaac tgcggaagct acagctatcc ggggaacggc cactataacc 840
cacaacccaa ttgctgaagt aacaaaagag ggtgttgata cgaccacagt tgcggctcaa 900
cttctgagc caggggttac tggcgcggat aaggacaata ctagccttgt aaaactatcg 960
tttgaggata aaaacggtaa ggttattgat ggtggctatg cagtgaaat gggcgacgat 1020
ttctatgccc ctacatatga tgagaaaaca ggtgcaatta ctgctaaaac cactacttat 1080
acagatggta ctggcgttgc tcaaaactgga gctgtgaaat ttggtggcgc aaatggtaaa 1140
tctgaagtgg ttactgctac cgatggtaag acttacttag caagcgacct tgacaaacat 1200
aacttcagaa caggcgggtg gcttaagag gtaatacag ataagactga aaaccactg 1260
cagaaaattg atgctgcctt ggcacagggt gatacacttc gttctgacct ggggtgcgggt 1320
cagaaccgtt tcaactccgc tatcaccac ctgggcaata ccgtaataaa cctgtcttct 1380
gcccgtagcc gtatcgaaga tccgactac gcaaccgaag tctccaacat gtctcggcgg 1440
cagattctgc agcaggccgg tacctccgtt ctggcgcagg cgaaccagggt tccgcaaac 1500

```

-continued

gtcctctctt tactgcgt 1518

&lt;210&gt; SEQ ID NO 53

&lt;211&gt; LENGTH: 1790

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 53

```

ggggaaaaua gagagaaaag aagaguaaga agaaaauuaa gagccaccau ggcacaaguc   60
auaaauacaa acagccuguc gcuguugacc cagaauaacc ugaacaaauc ccaguccgca   120
cugggcacug cuaucgagcg uuugucuucc ggucugcgua ucaacagcgc gaaagacgau   180
gcggcaggac aggcgauugc uaaccguuuu accgcgaaca ucaaaggucu gacucaggcu   240
ucccguaacg cuaacgacgg uaucuccauu gcgcagacca cugaaggcgc gcugaacgaa   300
aucaacaaca accugcagcg ugugcgugaa cuggcgguuc agucugcgaa ugguacuaac   360
ucccagucug accucgacuc cauccaggcu gaaaucaccc agcgcugaa cgaaaucgac   420
cguguauccg gccagacuca guucaacggc gugaagucc uggcgagga caacaccug   480
accauccagg uuggugccaa cgacggugaa acuaucgaa uugauuuuaa agaaaucagc   540
ucuaaacac  ugggacuuga uaagcuuaau guccaagaug ccuacacccc gaaagaaacu   600
gcuguaaccg uuguaaaaac uaccuuaaaa aaugguacag auccuauuac agcccagagc   660
aaucuguaa  uccaacugc  aauggcggu ggugcaacgg ggguuacugg ggcugauauc   720
aaauuuuag  auggucaaua cuuuuagau guuaaaggcg gugcuucugc ugguguuuau   780
aaagccacu  augaugaaac  uacaaagaaa guuaauuug auacgacuga uaaaacuccg   840
uuggcaacug cggagacuac agcuauucgg ggaacggcca cuuaaccca caacaaaau   900
gcugaaguaa caaaagagg  uguugauacg accacaguug cggcucaacu ugcugcagca   960
gggguuacug gcgccgaaa  ggacaauacu agccuuguaa aacuaucguu ugaggauaaa  1020
aacgguaagg uuuuugaugg uggucaugca gugaauuagg gcgacgauu  cuaugccgcu  1080
acauaugaug agaaaacagg ugcauuuacu gcuaaaacca cuacuauuac agaugguacu  1140
ggcguuugc  aaacuggagc ugugaaaauu gguggcgcaa augguaaauc ugaaguuguu  1200
acugcuaccg augguaagac uuacuuagca agcgaccuug acaaacuaa cuucagaaca  1260
ggcgugagc  uuaaagaggu uaaucagau aagacugaaa acccacugca gaaaauugau  1320
gcugccuugg cacagguuga uacacuucgu ucugaccugg gugcgguuca gaaccguuuc  1380
aacuccgcu  ucaccaaccu gggcaauacc guaaaauacc ugucuucugc ccguagccgu  1440
aucgaagau  ccgacuacgc aaccgaaguc uccaacaugu cucgcgcgca gauucugcag  1500
caggccggu  ccuccguuuc ggcgcaggcg aaccagguuc cgcaaacgcu ccucucuuu  1560
cugcgugau  aaaggcugg  agccucggug gccaugcuuc uugcccuug  ggcuccccc  1620
cagccccucc ucccuuucc  gcaccguac  ccccgugguc uuugaauaaa gucugagugg  1680
gcggcaaaaa aaaaaaaaa  aaaaaaaaa  aaaaaaaaa  aaaaaaaaa  aaaaaaaaa  1740
aaaaaaaaa  aaaaaaaaa  aaaaaaaaa  aaaaaaaaa  aaaaaucug  1790

```

&lt;210&gt; SEQ ID NO 54

&lt;211&gt; LENGTH: 506

&lt;212&gt; TYPE: PRT

-continued

---

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 54

Met Ala Gln Val Ile Asn Thr Asn Ser Leu Ser Leu Leu Thr Gln Asn  
 1 5 10 15

Asn Leu Asn Lys Ser Gln Ser Ala Leu Gly Thr Ala Ile Glu Arg Leu  
 20 25 30

Ser Ser Gly Leu Arg Ile Asn Ser Ala Lys Asp Asp Ala Ala Gly Gln  
 35 40 45

Ala Ile Ala Asn Arg Phe Thr Ala Asn Ile Lys Gly Leu Thr Gln Ala  
 50 55 60

Ser Arg Asn Ala Asn Asp Gly Ile Ser Ile Ala Gln Thr Thr Glu Gly  
 65 70 75 80

Ala Leu Asn Glu Ile Asn Asn Asn Leu Gln Arg Val Arg Glu Leu Ala  
 85 90 95

Val Gln Ser Ala Asn Gly Thr Asn Ser Gln Ser Asp Leu Asp Ser Ile  
 100 105 110

Gln Ala Glu Ile Thr Gln Arg Leu Asn Glu Ile Asp Arg Val Ser Gly  
 115 120 125

Gln Thr Gln Phe Asn Gly Val Lys Val Leu Ala Gln Asp Asn Thr Leu  
 130 135 140

Thr Ile Gln Val Gly Ala Asn Asp Gly Glu Thr Ile Asp Ile Asp Leu  
 145 150 155 160

Lys Glu Ile Ser Ser Lys Thr Leu Gly Leu Asp Lys Leu Asn Val Gln  
 165 170 175

Asp Ala Tyr Thr Pro Lys Glu Thr Ala Val Thr Val Asp Lys Thr Thr  
 180 185 190

Tyr Lys Asn Gly Thr Asp Pro Ile Thr Ala Gln Ser Asn Thr Asp Ile  
 195 200 205

Gln Thr Ala Ile Gly Gly Gly Ala Thr Gly Val Thr Gly Ala Asp Ile  
 210 215 220

Lys Phe Lys Asp Gly Gln Tyr Tyr Leu Asp Val Lys Gly Gly Ala Ser  
 225 230 235 240

Ala Gly Val Tyr Lys Ala Thr Tyr Asp Glu Thr Thr Lys Lys Val Asn  
 245 250 255

Ile Asp Thr Thr Asp Lys Thr Pro Leu Ala Thr Ala Glu Ala Thr Ala  
 260 265 270

Ile Arg Gly Thr Ala Thr Ile Thr His Asn Gln Ile Ala Glu Val Thr  
 275 280 285

Lys Glu Gly Val Asp Thr Thr Thr Val Ala Ala Gln Leu Ala Ala Ala  
 290 295 300

Gly Val Thr Gly Ala Asp Lys Asp Asn Thr Ser Leu Val Lys Leu Ser  
 305 310 315 320

Phe Glu Asp Lys Asn Gly Lys Val Ile Asp Gly Gly Tyr Ala Val Lys  
 325 330 335

Met Gly Asp Asp Phe Tyr Ala Ala Thr Tyr Asp Glu Lys Thr Gly Ala  
 340 345 350

Ile Thr Ala Lys Thr Thr Thr Tyr Thr Asp Gly Thr Gly Val Ala Gln  
 355 360 365

Thr Gly Ala Val Lys Phe Gly Gly Ala Asn Gly Lys Ser Glu Val Val



-continued

210			215			220									
Asp	Thr	Thr	Gly	Lys	Tyr	Tyr	Ala	Lys	Val	Thr	Val	Thr	Gly	Gly	Thr
225					230					235					240
Gly	Lys	Asp	Gly	Tyr	Tyr	Glu	Val	Ser	Val	Asp	Lys	Thr	Asn	Gly	Glu
			245					250						255	
Val	Thr	Leu	Ala	Gly	Gly	Ala	Thr	Ser	Pro	Leu	Thr	Gly	Gly	Leu	Pro
			260					265						270	
Ala	Thr	Ala	Thr	Glu	Asp	Val	Lys	Asn	Val	Gln	Val	Ala	Asn	Ala	Asp
			275					280						285	
Leu	Thr	Glu	Ala	Lys	Ala	Ala	Leu	Thr	Ala	Ala	Gly	Val	Thr	Gly	Thr
			290				295				300				
Ala	Ser	Val	Val	Lys	Met	Ser	Tyr	Thr	Asp	Asn	Asn	Gly	Lys	Thr	Ile
305					310					315					320
Asp	Gly	Gly	Leu	Ala	Val	Lys	Val	Gly	Asp	Asp	Tyr	Tyr	Ser	Ala	Thr
			325						330					335	
Gln	Asn	Lys	Asp	Gly	Ser	Ile	Ser	Ile	Asn	Thr	Thr	Lys	Tyr	Thr	Ala
			340					345						350	
Asp	Asp	Gly	Thr	Ser	Lys	Thr	Ala	Leu	Asn	Lys	Leu	Gly	Gly	Ala	Asp
			355					360						365	
Gly	Lys	Thr	Glu	Val	Val	Ser	Ile	Gly	Gly	Lys	Thr	Tyr	Ala	Ala	Ser
			370				375				380				
Lys	Ala	Glu	Gly	His	Asn	Phe	Lys	Ala	Gln	Pro	Asp	Leu	Ala	Glu	Ala
385					390					395					400
Ala	Ala	Thr	Thr	Thr	Glu	Asn	Pro	Leu	Gln	Lys	Ile	Asp	Ala	Ala	Leu
				405					410					415	
Ala	Gln	Val	Asp	Thr	Leu	Arg	Ser	Asp	Leu	Gly	Ala	Val	Gln	Asn	Arg
			420					425						430	
Phe	Asn	Ser	Ala	Ile	Thr	Asn	Leu	Gly	Asn	Thr	Val	Asn	Asn	Leu	Thr
			435				440							445	
Ser	Ala	Arg	Ser	Arg	Ile	Glu	Asp	Ser	Asp	Tyr	Ala	Thr	Glu	Val	Ser
			450				455				460				
Asn	Met	Ser	Arg	Ala	Gln	Ile	Leu	Gln	Gln	Ala	Gly	Thr	Ser	Val	Leu
465					470					475					480
Ala	Gln	Ala	Asn	Gln	Val	Pro	Gln	Asn	Val	Leu	Ser	Leu	Leu	Arg	Gly
				485					490					495	
Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Met	Met	Ala	Pro	Asp	Pro	Asn
			500					505						510	
Ala	Asn	Pro	Asn	Ala	Asn	Pro	Asn	Ala	Asn	Pro	Asn	Ala	Asn	Pro	Asn
			515				520							525	
Ala	Asn	Pro	Asn	Ala	Asn	Pro	Asn	Ala	Asn	Pro	Asn	Ala	Asn	Pro	Asn
			530				535							540	
Ala	Asn	Pro	Asn	Ala	Asn	Pro	Asn	Ala	Asn	Pro	Asn	Ala	Asn	Pro	Asn
			545				550				555				560
Ala	Asn	Pro	Asn	Ala	Asn	Pro	Asn	Ala	Asn	Pro	Asn	Ala	Asn	Pro	Asn
				565					570					575	
Ala	Asn	Pro	Asn	Ala	Asn	Pro	Asn	Ala	Asn	Pro	Asn	Lys	Asn	Asn	Gln
				580					585					590	
Gly	Asn	Gly	Gln	Gly	His	Asn	Met	Pro	Asn	Asp	Pro	Asn	Arg	Asn	Val
			595					600						605	
Asp	Glu	Asn	Ala	Asn	Ala	Asn	Asn	Ala	Val	Lys	Asn	Asn	Asn	Asn	Glu
			610					615							620

-continued

---

Glu Pro Ser Asp Lys His Ile Glu Gln Tyr Leu Lys Lys Ile Lys Asn  
625 630 635 640

Ser Ile Ser Thr Glu Trp Ser Pro Cys Ser Val Thr Cys Gly Asn Gly  
645 650 655

Ile Gln Val Arg Ile Lys Pro Gly Ser Ala Asn Lys Pro Lys Asp Glu  
660 665 670

Leu Asp Tyr Glu Asn Asp Ile Glu Lys Lys Ile Cys Lys Met Glu Lys  
675 680 685

Cys Ser Ser Val Phe Asn Val Val Asn Ser  
690 695

<210> SEQ ID NO 56  
 <211> LENGTH: 692  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 56

Met Met Ala Pro Asp Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala  
1 5 10 15

Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala  
20 25 30

Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala  
35 40 45

Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala  
50 55 60

Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala  
65 70 75 80

Asn Pro Asn Lys Asn Asn Gln Gly Asn Gly Gln Gly His Asn Met Pro  
85 90 95

Asn Asp Pro Asn Arg Asn Val Asp Glu Asn Ala Asn Ala Asn Asn Ala  
100 105 110

Val Lys Asn Asn Asn Asn Glu Glu Pro Ser Asp Lys His Ile Glu Gln  
115 120 125

Tyr Leu Lys Lys Ile Lys Asn Ser Ile Ser Thr Glu Trp Ser Pro Cys  
130 135 140

Ser Val Thr Cys Gly Asn Gly Ile Gln Val Arg Ile Lys Pro Gly Ser  
145 150 155 160

Ala Asn Lys Pro Lys Asp Glu Leu Asp Tyr Glu Asn Asp Ile Glu Lys  
165 170 175

Lys Ile Cys Lys Met Glu Lys Cys Ser Ser Val Phe Asn Val Val Asn  
180 185 190

Ser Arg Pro Val Thr Met Ala Gln Val Ile Asn Thr Asn Ser Leu Ser  
195 200 205

Leu Leu Thr Gln Asn Asn Leu Asn Lys Ser Gln Ser Ala Leu Gly Thr  
210 215 220

Ala Ile Glu Arg Leu Ser Ser Gly Leu Arg Ile Asn Ser Ala Lys Asp  
225 230 235 240

Asp Ala Ala Gly Gln Ala Ile Ala Asn Arg Phe Thr Ala Asn Ile Lys  
245 250 255

Gly Leu Thr Gln Ala Ser Arg Asn Ala Asn Asp Gly Ile Ser Ile Ala  
260 265 270





-continued

---

Gly Thr Ser Val Leu Ala Gln Ala Asn Gln Val Pro Gln Asn Val Leu  
 675 680 685

Ser Leu Leu Arg  
 690

<210> SEQ ID NO 57  
 <211> LENGTH: 1620  
 <212> TYPE: RNA  
 <213> ORGANISM: Human metapneumovirus

<400> SEQUENCE: 57

```

augagcugga aggguggau uaucuucagc cugcugauua caccucaaca cggccugaag    60
gagagcuacc uggaagagag cugcuccacc aucaccgagg gcuaccugag cgugcugcgg    120
accggcuggu acaccaacgu guucacccug gaggugggcg acguggagaa ccugaccugc    180
agcgacggcc cuagccugau caagaccgag cuggaccuga ccaagagcgc ucugagagag    240
cugaagaccg uguccgccga ccagcuggcc agagaggaac agaucgagaa ccucggcgag    300
agcagauucg ugcuggggcg caucgcucug ggagucgccc cugccgcugc agugacagcu    360
ggaguggcca uugcuaagac caucagacug gaaagcgagg ugacagccau caacaagcc    420
cugaagaaga ccaacgaggc cgugagcacc cugggcaaug gagugagagu gcuggccaca    480
gccgucgggg agcugaagga cuucgugagc aagaaccuga ccagagccau caacaagaac    540
aagugcgaca ucgaugaccu gaagauggcc gugagcuucu ccaguucaa cagacgguuc    600
cugaacgugg ugagacaguu cuccgacaac gcuggaauca caccugccau uagccuggac    660
cugaugaccg acgccgagcu ggcuagagcc gugcccaaca ugcccaccag cgcuggccag    720
aucaagcuga ugcuggagaa cagagccaug gugcggagaa agggcuucgg cauccugauu    780
gggguguauug gaagcuccgu gaucuacaug gugcagcugc ccaucuucgg cgugaucgac    840
acaccucgcu ggauvcugaa ggccgucucc agcugcuccg agaagaaagg aaacuaugcc    900
ugucugcuga gagaggacca gggcugguac ugccagaacg ccggaagcac aguguacuau    960
cccaacgaga aggacugcga gaccagaggc gaccacgugu ucugcgacac cgcugccgga   1020
aucaacgugg ccgagcagag caaggagugc aacaucaaca ucagcacaac caacuacccc   1080
ugcaagguga gcaccggacg gcaccccauc agcauggugg cucugagccc ucuggggcgu   1140
cuggugggccu gcuauaaggg cguguccugu agcaucggca gcaaucgggu gggcaucauc   1200
aagcagcuga acaagggauug cuccuacauc accaaccagg acgccgacac cgugaccauc   1260
gacaacaccg uguaccagcu gagcaaggug gaggcgagc agcacgugau caagggcaga   1320
cccugagcgu ccagcuucga ccccaucaag ucccugagg accaguucaa cguggcccug   1380
gaccaggugu uugagaacau cgagaacagc caggcccugg uggaccagag caacagaauc   1440
cuguccagcg cugagaaggg caacaccggc uucaucauug ugaucuuucg gaucgcccug   1500
cugggcagcu ccaugauccu ggugagcauc uucaucauuu ucaagaagac caagaaaccc   1560
accggagccc cuccugagcu gagcggcgug accaacaauug gcuucauucc ccacaacuga   1620
    
```

<210> SEQ ID NO 58  
 <211> LENGTH: 1620  
 <212> TYPE: RNA  
 <213> ORGANISM: Human metapneumovirus

<400> SEQUENCE: 58

-continued

---

augucuugga aagugaugau caucauuucg uuacucauaa caccuccagca cgggcuaaaag	60
gagaguuaau uggaagaauac auguaguacu auaacugagg gauaccucag uguuuuaaga	120
acaggcuggu acacuaaangu cuucacauua gaaguuggug auguugaaaa ucuuacaugu	180
acugauggac cuagcuuaau caaaacagaa cuugaucuaa caaaaagugc uuuuagggaa	240
cucaaaacag ucucugcuga ucaguuggcg agagaggagc aaauugaaaa ucccagacaa	300
ucaagauuug ucuuaggugc gauagcucuc ggaguugcua cagcagcagc agucacagca	360
ggcauugcaa uagccaaaac cauuaaggcu gagagugagg ugaauugcau uaaaggugcu	420
cucaaaacaa cuaauagaag aguaucaca uuagggaug gugugcgggu ccuagccacu	480
gcagugagag agcuaaaaga auuugugagc aaaaaccuga cuagugcau caacaggaac	540
aaauugaca uugcugaucu gaagauggcu gucagcuca gucaauuca cagaagauuu	600
cuaaauguug ugcggcaguu uucagacaau gcagggaaua caccagcau aucuuggac	660
cugaugacug augcugagu ggccagagcu guaucuaca ugccaacauc ugcagggcag	720
auaaaacuga uguuggagaa ccgcgcaaug guaaaggagaa aaggauuugg aaucugaua	780
ggggucucg gaagcucugu gauuuacaug guucaauugc cgaucuuugg ugcuaugau	840
acaccuuguu ggaucaucaa ggcagucucc ucuugcucag aaaaaacgg gaauuugcu	900
ugccuccuaa gagaggauca agggugguau uguaaaaaug caggaucau uguuuacuac	960
ccaaugaaa aagacugcga aacaagaggu gaucauguuu uuugugcac agcagcaggg	1020
aucaauguug cugagcauac aagagaauac aacaucaca uaucuacuac caacuacca	1080
ugcaauguca gcacaggaag acaccuuaa agcaugguug cacuaucacc ucucggugcu	1140
uugguggcuu gcuuaaaagg gguaaugcuc ucgaauuggca gcaauugggu uggaaucau	1200
aaacaauuac ccaaggcug cucauacaua accaaccagg augcagacac uguaacaauu	1260
gacaauaccg uguaucaacu aagcaaguu gaaggugaac agcauguauu aaaagggaga	1320
ccaguucuaa gcaguuuga uccaaucaag uuuccugagg aucaguucua uguugcguu	1380
gaucaagucu ucgaaagcau ugagaacagu caggcacuag uggaccaguc aaacaaaau	1440
cuaaacagug cagaaaaagg aaacacuggu uucauuucg uaguauuuu gguugcuguu	1500
cuuggucuaa ccaugauuuc agugagcau aucaucaua ucaagaaaac aaggaagccc	1560
acaggagcac cuccagagcu gaaugguguc accaacggcg guuucuuacc acauaguua	1620

&lt;210&gt; SEQ ID NO 59

&lt;211&gt; LENGTH: 1620

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Human metapneumovirus

&lt;400&gt; SEQUENCE: 59

augucuugga aagugaugau uaucauuucg uuacucauaa caccucagca uggacuaaaa	60
gaaaguuaau uagaagaauac auguaguacu auaacugaag gauaucucag uguuuuaaga	120
acaggguuggu acaccaangu cuuuacauua gaaguuggug auguugaaaa ucuuacaugu	180
acugauggac cuagcuuaau caaaacagaa cuugaccuaa ccaaaaagugc uuuuagagaa	240
cucaaaacag uuucugcuga ucaguuagcg agagaagaac aaauugaaaa ucccagacaa	300
ucaagguuug uccuaggugc aaugcucuu ggaguugcca cagcagcagc agucacagca	360
ggcauugcaa uagccaaaac uauaaggcu gagagugaag ugaauugcau caaaggugcu	420

-continued

---

cucaaaacaa ccaaugaggc aguaucaaca cuaggaaaug gagugcgggu ccuagccacu	480
gcaguaagag agcugaaaga auuugugagc aaaaaccuga cuagugcgau caacaagaac	540
aagugugaca uugcugauuu gaagauggcu gucagcuuca gucaguucca cagaagauuc	600
cuaaauguug ugcggcaguu uucagacaau gcagggauaa caccagcaau aucauuggac	660
cugaugaaug augcugagcu ggccagagcu guaucuauaca ugccaacauc ugcaggacag	720
auaaaaauaa uguuagagaa ccgugcaaug gugaggagaa aaggauuugg aaucugaua	780
ggggucuaag gaagcucugu gauuuacaug guccagcugc cgauuuuugg ugucauaaa	840
acaccuuguu ggauaaucuaa ggccagcucc ucuuguucag aaaaagaugg aaauaugcu	900
ugccuccuaa gagaggauca agggugguau uguaaaaaug caggauccac uguuuacuac	960
cctaaugaaa aagacugcga aacaagaggu gaucauguuu uuugugacac agcagcaggg	1020
aucaauguug cugagcaauc aagagaauuc aacaucuaaca uaucuaccac caacuacc	1080
ugcaagguca gcacaggaag acaccuauac agcaugguug cacuauacc ucucggugcu	1140
uugguagcuu gcuacaaagg gguuagcugc ucgacuggca guaaucaggu uggaauaauc	1200
aaacaacuac cuaaaggcug cucauacuaa acuaaccagg acgcagacac uguacaauu	1260
gacaacacug uguaucaacu aagcaaugu gagggugaac agcauguaau aaaagggaga	1320
ccaguuucaa gcaguuuuga uccaaucagg uuuccgagg aucaguucca uguugcguu	1380
gaucaagucu uugaaagcau ugaaaacagu caagcacuag uggaccaguc aaacaaauu	1440
cugaacagug cagaaaaagg aaacacuggu uucauuuuug uauuuuuuu gauugcuguu	1500
cuuggguuaa ccaugauuuc agugagcauc aucaucauaa ucaaaaaaac aaggaagccc	1560
acaggggcac cuccggagcu gaaugguguu accaacggcg guuucuuacc gcauaguua	1620

&lt;210&gt; SEQ ID NO 60

&lt;211&gt; LENGTH: 1725

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Human respiratory syncytial virus

&lt;400&gt; SEQUENCE: 60

auggaguugc caauccuaa aacaaugca auuaccacaa uccuugcugc agucacacuc	60
uguuucgcuu ccagucuaaaa caucacugaa gaauuuuauc aaucacaug cagugcaguu	120
agcaaaagcu aucuuagugc ucuaagaacu gguugguaua cuaguguuuu aacuuuagaa	180
uuuaguuuu ucaaggaaaa uaauguuuuu ggaacagaug cuaagguaaa auuguuuuuu	240
caagaauuag auuuuuuuuu aaauugcugua acagaauuugc aguugcucuu gcaaaagcaca	300
ccagcagcca acaauugagc cagaagagaa cuaccaaggu uuugaauuu uacacucuuu	360
aaauccaaaa auaccaauuu aacuuuuuagc aagaaaagga aaagaaguuu ucuugcuuuu	420
uuguuaggug uuggauugc aaucgcccagu ggcuuugcug uaucuuaggu ccugcaccua	480
gaaggggaag ugaacuuuuu caaaagugcu cuacuaucca caaacaaaggc uguugucagc	540
uuuuuuuuuu gaguuuaguu cuuuuaccagc aauguuuuuu accuuuuuuu cuuuuuuuuu	600
aaacaguuuu uaccuuuuuu gaacaagcaa agcugcagca uaucaaacuu ugaauugug	660
auaguuuuuu aacuuuuuuu caacagacua cuagaguuuu ccaggguuuu uaguuuuuuu	720
gcagguuuuu cuaccuuguu aagcucuuuu auguuuuuuu auaguuuuuu auuuuuuuuu	780
aucauuuuuu ugcuuuuuuu aaauuuuuuu aaaauuuuuu uguuuuuuuu uguuuuuuuu	840

-continued

---

guuagacagc aaaguuacuc uaucaugucc auaauaaagg aggaagucuu agcauaugua	900
guacaauuac cacuauaugg uguauuagau acaccucguu ggaaacugca cacauccccu	960
cuauguacaa ccaacacaaa ggaagggucc aacaucugcu uaacaagaac cgacagagga	1020
ugguauugug acaaugcagg aucaguauc uucuucccac aagcugaaac auguaaaguu	1080
caaucgauc ggguauuuug ugacacaaug aacaguuuua cauuaccaag ugaaguaaa	1140
cucugcaaca uugacauuu caaccacaaa uaugauugca aaauuugac uucaaaaaca	1200
gauguaagca gcuccguuuu cacaucucua ggagccauug ugucaugcua uggcaaaacu	1260
aaauugacag cauccaauaa aaucuguggg aucauaaaga cauuuucuaa cgggugugau	1320
uauguaucaa auaagggggu ggauacugug ucuguaggua auacauuua uuauguaaa	1380
aagcaagaag gcaaaagucu cuauguaaaa ggugaaccaa uaauaaauuu cuaugacca	1440
uuaguguucc ccucugauga auuugaugca ucauauauc aagucaauga gaaguuuac	1500
cagagccuag cauuuuuucg uaaauccgau gaauuuuac auaauguaaa ugcugguaaa	1560
uccaccacaa auaucaugau aacuacuaa auuuauugua uuauaguaa auuguuauc	1620
uuauugcag uuggacugcu ccuauacugc aaggccagaa gcacaccagu cacacuaagu	1680
aaggaucaac ugagugguau aaauaaauuu gcauuuagua acuga	1725

&lt;210&gt; SEQ ID NO 61

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Human parainfluenza virus

&lt;400&gt; SEQUENCE: 61

augccaauuu cauacuguu auuuuuuaca accaugauca uggcaucaca cugccaaaua	60
gacauacaaa aacucagca uguaggugua uggucaaca gucccaaagg gaugaagaua	120
ucacaaaacu ucgaacaag auaucuauc cugagucua uaccaaaaa agaagauucu	180
aacucuugug gugaccaaca gaucaagcaa uacaagaggu uauuggauag acugaucau	240
ccuuuuauug auggacuaag auuacagaag gaugugauag ugacuaauca agaauccaau	300
gaaaacacug auccagaac agaacgauuc uuuggagggg uauuugaac uauugcucua	360
ggaguagcaa ccucagcaca auuucagca gcaguugcuc ugguuugaagc caagcaggca	420
agaucagaca uugaaaaacu caaggaagca aucagggaca caauuaaagc agugcaguca	480
guucagagcu cuguaggaaa uuugauagua gcauuuuuu caguccagga uuaugucaac	540
aaagaaaucg ugccaucgau ugcgagacua gguugugaag cagcaggacu ucaguuggg	600
auugcauuua cacagcaua cucagaauua acauuuuuu uuggugauaa cauaggaucg	660
uuacaagaaa aaggaauaaa auuacaaggu auagcaucau uauaccguac aaauucaca	720
gaaauuuca caacaucaac aguugacaaa uaugauuuu augaucuuu auuuacagaa	780
ucauuuaagg ugagaguuu agauguugau uugaauuuu acucauuuac ccuccaaguc	840
agacuccuu uauugaccag acugcugaac acucauuuu acaaguuaga uuccauuca	900
uacaauuucc aaauagaga augguuuuac ccucuuccca gccauucau gacgaaaggg	960
gcauuucuaug guggagcaga ugcuaaagaa ugcuaugaag cauucagcag uuauuuugc	1020
ccuucugauc caggauuuu acuaaaccau gaaauugaga gcugucuauc aggaaacaua	1080
ucccaauguc caagaaccac agucacauca gacauuuuuc cuagguaugc auuuucauu	1140

-continued

---

ggaggagugg uugcgaauug uauaacaacu acauguacau gcaaugguau cguuauuaga	1200
aucaaccaac caccugauca aggagucaaa auuauaacac auaaagaauug uauuacaaua	1260
ggaucaaacg gaaugcuauu caacacaaaac aaagaaggaa cucuugcauu cuacacacca	1320
gacgacauaa cauuaaacia uucuguugca cuugaucgga uugacauauc aaucgagcuc	1380
aacaaggcca aaucagaucu ugaggaauc aagaauugga uaagaagguc aaaucaaaag	1440
cuagaucua uuggaaguug gcaucaaucu agcacuacaa ucauaguuuu uuugauuauug	1500
augauuuauu uguuuuauu uauuuaaca auuuuacaa uugcauuua guuuuacaga	1560
auucaaaaga gaaucgagu ggaucaaaau gaaagccgu auguauuac aaacaag	1617

&lt;210&gt; SEQ ID NO 62

&lt;211&gt; LENGTH: 1716

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Human parainfluenza virus 3

&lt;400&gt; SEQUENCE: 62

auggaauacu ggaagcacac caaccacgga aaggauugcug guaaugagcu ggagacaucc	60
acagccacuc auggcaacaa gtcaccaac aagauaacau auuuuuugug gacgauaacc	120
cuggguuuu uaucaauagu cuucaucau gugcuaacua auuccauca aagugaaaag	180
gcccgcgaa cauugcuaca agacauaaau aaugaguuuu uggaaguuaac agaaaagauc	240
caaguggcau cggauaauc uauaugauca auacagucag gagugaauac aaggcuucuu	300
acaauucaga gucaugucca gaauuauua ccauuaucau ugacacaaca aaauucggau	360
cuuaggaaau ucauuaguga aauuacaauu agaaugaua aucaagaagu gccaccaca	420
agaauaacac augauguggg uauaaaaccu uuaauuccag augauuucug gagaugcacg	480
ucuggucuuu caucuuugau gaaaacucca aaaaauagau uauugccggg accaggauua	540
uuagcuauug caacgacugu ugauggcugu gucagaaccc cguccuuagu gauaaugau	600
cugauuuuug cuuacaccuc aaaucauuu acucgagguu gccaggauu agggaaauc	660
uaucaaguau uacagauagg gauaaauacu guaaacucag acuugguacc ugacuuuuu	720
ccuaggaucu cucauaccuu caacauaaau gacaauagaa agucauguuc ucuagcacuc	780
cuuuuacag auguauauca acuguguuca acccaaaaag uugaugaaag aucagauuu	840
gcaucaucag gcauagaaga uauuguacuu gauuuugua auuauaugg cucauucug	900
acaacaagau uuaagaaua uauuuuaguu uuugaucaac cauugcggc auuuuaccca	960
ucuguuggac caggguuuu cuacaaggc aaaaauuuu uucucggguu uggaggucuu	1020
gaacaucaca uaaauagaga ugaauucugc aacacaacug gguguccug gaaaacacag	1080
agagacugua aucaagcauc ucauagucca ugguuuucag auagaaggau ggucacucuu	1140
auuuuuuug uugacaaggg cuugaacuca guuccaaaa ugaagguaug gacgauuacu	1200
augagacaaa auuacugggg gucagaagga agauuacuu uacuaggua caagauuac	1260
auuuacacaa gaucuacaag uuggcacagc aaguuaacuu uaggauuuu ugacuuuacu	1320
gacuacagug auuuuaggau aaaauggaca uggcauuuug ugcuaucag accaggaaac	1380
aaugaauugc cauggggaca uucauguccg gaugaugua uaacgggagu auuuaccgau	1440
gcauauccac ucauuccac aggaagcauu guaucaucug ucauuuugga cucacaaaa	1500
ucgagaguca acccagucuu aacuuacuca acagcaaccg aaaggguuuu cgagcuggcu	1560

-continued

---

auccgaaaca aaacacucuc agcuggguac acaacaacaa gcugcauuac acacuauaac	1620
aaaggguaau guuuucauau aguagaaaua aaucuaaaaa gcuuaaacac auuucaaccc	1680
auguuguuca aaacagagau uccaaaaagc ugcagu	1716

<210> SEQ ID NO 63  
 <211> LENGTH: 1716  
 <212> TYPE: RNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 63

auggaauacu ggaagcacac caaccacggc aaggacgccc gcaacgagcu ggaaccagc	60
acagccacac acggcaacaa gcugaccaac aagaucaccu acauccugug gaccaucacc	120
cuggugcugc ugagcaucgu guucaucauc gugcugacca auagcaucac gagcgagaag	180
gccagagaga gccugcugca ggacaucaac aacgaguuca uggaagugac cgagaagauc	240
cagguggcca gcgacaacac caacgaccug auccagagcg gcgugaacac ccggcugcug	300
accauccaga gccacgugca gaacuacauc cccaucagcc ugaccagca gaucagcgac	360
cugcggaagu ucaucagcga gaucaccauc cggaaacgaca accaggaagu gccccccag	420
agaauacccc acgacguggg caucaagccc cugaaccccg acgauuucug gcgguuaca	480
agcggccugc ccagccugau gaagaccccc aagaucgggc ugaugccugg ccugggacug	540
cuggccaugc cuaccacagu ggauggcugu gugcggacc ccagccucgu gaucaacgau	600
cugaucucg ccuacaccag caaccugauc acccggggcu gccaggauau cggcaagagc	660
uaccaggugc ugcagaucgg caucaucacc gugaacuccg accugggucc cgaccugaac	720
ccucggauca gccacaccuu caacaucaac gacaacagaa agagcugcag ccuggcucug	780
cugaacaccg acguguacca gcugugcagc acccccagg uggacgagag aagcgacuac	840
gccagcagcg gcaucgagga uaucgugcug gacaucguga acuaacgagg cagcaucagc	900
accacccggg ucaagaacaa caacauacgc uucgaccagc ccuacgccc ccuguacccu	960
ucugugggcc cuggcaucua cuacaagggc aagaucaucu uccugggcu cggcggccug	1020
gaacacccca ucaacgagaa cgccaucugc aacaccaccg gcugcccugg caagaccag	1080
agagacugca aucaggccag ccacagcccc ugguucagcg accgcagaau ggucaacucu	1140
aucaucgugg uggacaaggg ccugaacagc gugcccagc ugaagugug gacaauacgc	1200
augcgccaga acuaucgggg cagcgagggc agacuucgc ugcugggaaa caagaucuac	1260
aucuacaccc gguccaccag cuggcacagc aaacugcagc ugggaaucac cgacaucacc	1320
gacuacagcg acauccggau caaguggacc uggcacaacg ugcugagcag acccggcaac	1380
aaugagugcc cuuggggcca cagcugcccc gauggaugua ucaccggcgu guacaccgac	1440
gccuaccccc ugaauccuac cggcuccauc guguccagcg ugaucugga cagccagaaa	1500
agcagaguga accccugau cacauacagc accgccaccg agagagugaa cgaacuggcc	1560
aucagaaaca agaccucgag cgcgggcuac accaccacaa gcugcaucac acacuacaac	1620
aagggcuacu gcuuccacau cguggaaauc aaccacaagu ccugaacac cuuccagccc	1680
augcuguuca agaccgagau cccaagagc ugcucc	1716

<210> SEQ ID NO 64

-continued

---

```

<211> LENGTH: 1617
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 64
augcccauca gcauccugcu gaucaucacc acaaugauca uggccagcca cugccagauc      60
gacaucacca agcugcagca cguggcgug cucgugaaca gcccgaagg caugaagauc      120
agccagaacu ucgagacacg cuaccugauc cugagccuga ucccgaagau cgaggacagc      180
aacagcugcg gcgaccagca gaucaagcag uacaagcggc ugcuggacag acugaucauc      240
ccccguuacg acggccugcg gcugcagaaa gacgugaucg ugaccaacca ggaaagcaac      300
gagaacaccg acccccggac cgagagauuc uucggcgggc ugaucggcac aaucgcccug      360
ggaguggcca caagcgccca gauuacagcc gcuguggccc ugguggaagc caagcaggcc      420
agaagcgaca ucgagaagcu gaaagaggcc auccgggaca ccaacaaggc cgugcagagc      480
gugcagucca gcgugggcaa ucugaucug gccaucaagu ccgugcagga cuacgugaac      540
aaagaaucg ugcccucua cgcggcgug ggcugugaag cugccggacu gcagcugggc      600
auugcccuga cacagcacua cagcgagcug accaacaucu ucggcgacaa caucggcagc      660
cugcaggaag agggcauuua gcugcagggc aucgcccagc uguaccgac caaaucaacc      720
gagaucuuca ccaccagcac cguggauaag uacgacaucu acgaccugcu guucaccgag      780
agcaucaaag ugcgugugau cgacguggac cugaacgacu acagcaucac ccugcaagug      840
cggcugcccc ugcugaccag acugcugaac acccagaucu acaaggugga cagcaucucc      900
uacaacaacc agaaccgca gugguacauc ccucugccca gccacauuu gaccaagggc      960
gccuuucug gcgagccga cgugaagag ugcaucgagg ccuucagcag cuacaucugc      1020
cccagcgacc cuggcuucgu gcugaaccac gagauggaaa gcugccugag cggcaacauc      1080
agccagugcc ccagaaccac cgugaccucc gacaucgugc ccagauacgc cuucgugaau      1140
ggcgcgugug uggccaacug caucaccacc acccuguaccu gcaacggcau cggcaaccgg      1200
aucaaccagc cucccgauca gggcgugaag auuauacccc acaagagug uaacaccauc      1260
ggcaucaacg gcaugcuguu caauaccaac aaagagggca ccugggccuu cuacaccccc      1320
gacgauauca cccugaacaa cuccguggcu cuggacccca ucgacaucuc caucgagcug      1380
aacaaggcca agagcgaccu ggaagagucc aaagagugga uccggcggag caaccagaag      1440
cuggacucua ucggcagcug gcaccagagc agcaccacca ucaucgugau ccugauuau      1500
augauuaucc uguuaucau caacauuacc aucaucacua ucgccaauua guacuaccgg      1560
auccagaaac ggaaccgggu ggaccagaau gacaagcccu acgugcugac aaacaag      1617

```

```

<210> SEQ ID NO 65
<211> LENGTH: 4062
<212> TYPE: RNA
<213> ORGANISM: Middle East respiratory syndrome coronavirus

```

```

<400> SEQUENCE: 65
augauacacu caguguuuu acugauguu uuguuaacac cuacagaaag uuacguugau      60
guagggccag auucuguuaa gucugcuugu auugagguug auauacaaca gaccuucuuu      120
gauaaaaacu ggccuaggcc aaugauguu ucuaaggcug acgguaauuu auaccucaa      180

```



-continued

---

ggccguacau auucuaacau aacuaucacu uaucaagguc uuuuuccua ucagggagac	240
cauggugaua uguauguua cucugcagga caugcuacag gcacaacucc acaaaaguug	300
uuuguagcua acuaaucuca ggacgucaaa caguuuugcua auggguuugu cguccguaua	360
ggagcagcug ccaauuccac uggcacuguu auuuuuagcc caucuccag cgcuacuua	420
cgaaaauuu acccugcuuu uaugcugggu ucuucaguug guaaaaucuc agaugguaaa	480
augggccgcu ucucaauca uacucuaguu cuuuugcccg auggaugugg cacuuuacuu	540
agagcuuuuu auuguauucu agagccucgc ucuggaaauc auuguccugc uggcaauucc	600
uauacuucuu uugccacuua ucacacuccu gcaacagauu guucugaugg caauuacaau	660
cguaaugcca gucugaacuc uuuuaaggag uuuuuuuuu uacguaacug caccuuuauug	720
uacacuuuaa acauuaccga agaugagauu uuagaguggu uuggcauuac acaaacugcu	780
caagguguuc acccuucuc aucucggau guuguuugu acggcggcaa uauguucaa	840
uuugccaccu ugccguuuu ugaucuaau aaguauuuu cuaucauucc ucacaguauu	900
cguucuaucc aaagugauag aaaagcuugg gcugccuucu acguauuaa acuucaaccg	960
uuacuuccu uguuggauuu uucuguugau gguuuuuuac gcagagcuau agacuguggu	1020
uuuaaugauu ugucacaacu ccacugcuca uaugaaucuu ucgauguuga aucuggaguu	1080
uauucaguuu cgucuuucga agcaaaaccu ucuggcucag uuguggaaca ggcugaaggu	1140
guugaaugug auuuuucc ucucugucu ggcacaccuc cucagguuuu uauuucaag	1200
cguuugguuu uuaccaauug cauuuuuuuu cuuaccuuuu ugcuuucacu uuuuucugug	1260
aauguuuuu cuuguaguca aauaucucca gcagcaauug cuagcaacug uuauucuuca	1320
cugauuuugg auuuuuuuc auaccacuu aguaugaaau ccgaucucag uguuaguucu	1380
gcugguccaa uauccaguu uauuuuuuuu caguccuuuu cuauuccac auguuugauc	1440
uuagcgacug uuccucauaa ccuuacuacu auuacuagc cucuuuagua cagcuuuuu	1500
aacaagugcu cucgcuucu uucugaugau cguaucugaag uaccucaguu agugaacgcu	1560
aaucuuuacu caccucugug auccauuguc ccauccacug ugugggaaga cggugauuu	1620
uauaggaaac aacuucucc acuugaaggu gguggcuggc uuguugcuag uggcucaacu	1680
guugccauga cugagcauu acagauggc uuuguuuuu caguucaua ugguaacagc	1740
accaauagug uuugcccaa gcuuuuuuu gcuaaugaca caaaaauugc cucucauuu	1800
ggcaauugcg uggauuuuc ccuuauggu guuucgggc gugguuuuu ucagaauugc	1860
acagcugug guguucgaca gcagcguuu guuuuugaug cguaaccagaa uuuuuuggc	1920
uuuuuuucug augauggcaa cuacuacug ucugcugcuu guuuuugug uccuuuuuc	1980
gucaucuau auaaagaaac uaaaccac gcuaucuau uugguagug ugaugugaa	2040
cacuuuucu cuaccauguc ucauuucucc cguucucgc gaucaaugcu uaaacggcga	2100
gauucuaau augccccu ucagacaccu guugguugug uccuaggacu uguuuuuucc	2160
ucuuuuguc uagaggacug caaguugcu cucgguaau cucucuguc ucuuucugc	2220
acaccuagua cucucacacc ucgcagugug cgcucuguc caggugaaau gcgcuuggca	2280
uccauugcu uuaucucc cauucaggu gaucaacuua auaguuuu uuuuuuuu	2340
aguauacca cuuuuuuuc cuuuggugug acucaggagu acuuucagc aaccauucag	2400
aaaguucug uuguuuuu acaguucgu ugcuuuuu uccagaagug ugagcauuu	2460

-continued

---

cugcgcgagu	auggccaguu	uuguuccaaa	auaaaccagg	cucuccaugg	ugccaauuuu	2520
cgccaggau	auucuguacg	uaauuuguuu	gcgagcguga	aaagcucuca	aucaucuccu	2580
aucauaccag	guuuuggagg	ugacuuaau	ugacacauuc	uagaaccugu	uucuauaucu	2640
acuggcaguc	guagugcacg	uagugcuauu	gaggauuugc	uauuugacaa	agucacuaua	2700
gcugauccug	guuauaugca	agguuacgau	gauuguaugc	agcaaggucc	agcaucagcu	2760
cgugaucuua	uuugugcuca	auauguggcu	gguuuaaaag	uauuaccucc	ucuuauuggau	2820
guuaauaugg	aagccgcgua	uacuucacuc	uugcuuggca	gcuaagcagg	uguuggcugg	2880
acugcuggcu	uauccuccuu	ugcugcuauu	ccauuugcac	agaguauyuu	uuauaggguu	2940
aacgguguug	gcauuacuca	acagguucuu	ucagagaacc	aaaagcuuuu	ugccaauaag	3000
uuuaaucagg	cucugggagc	uagcaaaaca	ggcuucacua	caacuaauga	agcuuuucgg	3060
aagguucagg	augcugugaa	caacaauugca	caggcucua	ccaaauuagc	uagcgagcu	3120
ucuaauacuu	uuggugcuau	uuccgccucu	auuggagaca	ucauacaacg	ucuuugaugu	3180
cucgaacagg	acgccc aaau	agacagacuu	auuaauggcc	guuugacaac	acuaaaugcu	3240
uuuguugcac	agcagcuugu	ucguuuccgaa	ucagcugcuc	uuuccgcuca	auuggcuaaa	3300
gauaaaguca	augagugugu	caaggcacia	uccaagcguu	cuggauuuug	cggucaaggc	3360
acacauauag	uguccuuugu	uguaaaugcc	ccuaauggcc	uuuacuuuuu	gcauguuggu	3420
uauuaccua	gcaaccacau	ugagguuguu	ucugcuuau	gucuuuugcga	ugcagcuaac	3480
ccuacuaauu	guauagcccc	uguaauuggc	uacuuuuuuu	aaacuaauaa	cacuaggauu	3540
guugaugagu	ggucauauac	uggcucgucc	uucuaugcac	cugagcccau	caccucucuu	3600
aaucuaagu	auguugcacc	acaggugaca	uacaaaaaca	uuucuaauaa	ccuccucccu	3660
ccucuuucug	gcaauuccac	cgggaugac	uuccaagaug	aguuggauga	guuuuucaaa	3720
aauguuagca	ccaguauacc	uaauuuuggu	ucucuaacac	agauuaauac	uacauuacuc	3780
gaucuuaccu	acgagauguu	gucucuuaa	caaguuguua	aagcccuuaa	ugagcuuac	3840
auagaccuaa	aagagcuugg	cauuuauacu	uauuacaaca	aauggccgug	guacuuuugg	3900
cuugguuuca	uugcugggcu	uguugccuuu	gcucuaugcg	ucuuuucau	acugugcugc	3960
acugguugug	gcacaaacug	uauuggaaaa	cuuaagugua	aucguuguug	ugauagauac	4020
gaggaaucg	accucgagcc	gcauaagguu	cauguucacu	aa		4062

&lt;210&gt; SEQ ID NO 66

&lt;211&gt; LENGTH: 4062

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 66

augauacacu	caguguuuu	acugauguuc	uuguuaacac	cuacagaaag	uuacguugau	60
guagggccag	auucuguuaa	gucugcuugu	auugagguug	auauacaaca	gacuuucuuu	120
gauaaaaacu	ggccuaggcc	aaugauguu	ucuaaggcug	acgguauuuu	auaccucaa	180
ggccguacau	auucuaacau	aacuaucacu	uaucaagguc	uuuuuccua	ucagggagac	240
cauggugaua	uguauuuua	cucugcagga	caugcuacag	gcacaacucc	acaaaaguug	300
uuuguagcua	acuauucua	ggacgucaaa	caguuuucua	auggguuugu	cguccguaua	360

-continued

---

ggagcagcug	ccaauccac	uggcacuguu	auuuuagcc	caucuaccag	cgcucuaua	420
cgaaaauuu	accugcuuu	uauugcggg	ucucaguuu	guaauucuc	agaugguaaa	480
augggccgcu	ucuucaauca	uacucuaugu	cuuuugccc	auggaugugg	cacuuuacu	540
agagcuuuuu	auuguauucu	ggagccucgc	ucuggaaauc	auuguccugc	uggcaaucc	600
uauacuucuu	uugccacuua	ucacacuccu	gcaacagauu	guucugaugg	caauuacaau	660
cguaaugcca	gucugaacuc	uuuuaggag	uauuuuuuu	uacguaacug	caccuuuau	720
uacacuuua	acauuaccga	agaugagauu	uuagaguggu	uuggcauuac	acaaacugcu	780
caagguguuc	accucucuc	aucucggau	guugauuugu	acggcggcaa	uauuuucaa	840
uuugccaccu	ugccguuuu	ugauacuauu	aaguauuuu	cuaucuuuc	ucacaguauu	900
cguucuauc	aaagugauag	aaaagcuugg	gcugccuuu	acguauuaa	acuucaaccg	960
uuacuucucc	uguuggauuu	uucuguugau	gguuauuac	gcagagcuau	agacuguggu	1020
uuuaaugauu	ugucacaacu	ccacugcuca	uauuauuc	ucgauguuga	aucuggaguu	1080
uauucaguuu	cgucuuucga	agcaaaaccu	ucuggcucag	uuguggaaca	ggcugaaggu	1140
guugaaugug	auuuucacc	ucucugucu	ggcacaccuc	cucagguuuu	uauuucaag	1200
cguuugguuu	uuaccaauug	cauuuauuu	cuuaccuuu	ugcuuucacu	uuuuucugug	1260
aauguuuuu	cuuguaguca	aaauucucca	gcagcaauug	cuagcaacug	uuuuucuuca	1320
cugauuuugg	auuacuuiuc	auaccacuu	aguauuuuu	ccgaucucag	uguuaguucu	1380
gcugguccaa	uauccaguu	uauuuuuuu	caguccuuu	cuaauccac	auguuugauu	1440
uuagcgacug	uuccucauaa	ccuuacuacu	auuacuuaagc	cucuuuagua	cagcuuuuu	1500
aacaagugcu	cucgucuuu	uucugaugau	cguacugaag	uaccucaguu	agugaacgcu	1560
aaucuuuacu	caccucugug	auccauuguc	ccaucacug	ugugggaaga	cggugauuu	1620
uauaggaac	aacuauucuc	acuugaaggu	gguggcuggc	uuguugcuag	uggcucaacu	1680
guugccauga	cugagcauu	acagaugggc	uuuguuuuu	caguucaaua	ugguacagac	1740
accaauagug	uuugcccaaa	gcuuuauuu	gcuaaugaca	caaaaauugc	cucucuuuu	1800
ggcaauugcg	uggauuuuc	ccucuauggu	guuucgggc	gugguuuuu	ucagaauugc	1860
acagcugug	gugucgaca	gcagcgcuu	guuuuauug	cguaccagaa	uuuauuggc	1920
uauuuuucug	augauggcaa	cuaacuacug	uugcgugcu	guguuagug	uccguuuuc	1980
gucaucuau	auaaagaaac	uaaaaccac	gcuaucuau	uugguagug	ugcaugugaa	2040
cacuuuucuu	cuaccauguc	ucauuacucc	cguucucagc	gaucaaugcu	uuaacggcga	2100
gauucuaacu	auggccccu	ucagacaccu	guugguugug	uccuaggacu	uguuuuuuc	2160
ucuuuguucg	uagaggacug	caaguugccu	cuuggucaau	cucucugugc	ucuuccugac	2220
acaccuagua	cucucacacc	ucgcagugug	cgcucuguc	caggugaaa	gcgcuuggca	2280
uccauugcu	uuuuuauuc	uauucaggu	gaucaacuua	auaguaguua	uuuuuuuuu	2340
aguauaccca	cuaauuuuu	cuuuggugug	acucaggagu	acauucagac	aaccuuucag	2400
aaaguuucug	uugauuuua	acaguacguu	ugcaaugguu	uccagaagug	ugagcauuu	2460
cugcgcgagu	auggccaguu	uuguuccaaa	auaaaccagg	cucuccaugg	ugccauuuu	2520
cgccaggau	auucugucg	uauuuuuuu	gcgagcguga	aaagcucua	aucaucuccu	2580
aucauaccag	guuuuggagg	ugacuuuuu	uugacacuc	uggaaccgu	uucuuuacu	2640

-continued

---

acuggcaguc guagugcacg uagugcuauu gaggauuugc uauuugacaa agucacuaua	2700
gcugauccug guuauaugca agguuacgau gauugcaugc agcaaggucc agcaucagcu	2760
cgugaucuua uuugugcuca auauguggcu gguuacaaag uauuaccucc ucuuauggau	2820
guuauaugg aagccgcgua uacuucacu uugcuuggca gcuaagcagg uguuggcugg	2880
acugcuggcu uauccuccuu ugcugcuauu ccuuuugcac agaguauuuu uuauagguaa	2940
aacggugugug gcauuacuca acagguuuuu ucagagaacc aaaagcuuuu ugccaauaag	3000
uuuaaucagg cucugggagc uaugcaaaaca ggcuucacua caacuaauga agcuuuucag	3060
aagguucagg augcugugaa caacaauugca caggcucuaa ccaauuagc uagcgagcu	3120
ucuaauacuu uuggugcuau uuccgccucu auuggagaca ucauacaacg ucuugauguu	3180
cucgaacagg acgcccuaau agacagacuu auuaauggcc guuugacaac acuaaaugcu	3240
uuuguugcac agcagcuugu ucuuuccgaa ucagcugcuc uuuccgcuca auuggcuaaa	3300
gauaaaguca augagugugu caaggcacia uccaagcguu cuggauuuug cggucaaggc	3360
acacauauag uguccuuugu uguaaaugcc ccuaauggcc uuuaacucau gcauguuggu	3420
uauuaccuaa gcaaccacau ugagguuguu ucugcuuauug gucuuugcga ugcagcuac	3480
ccuacuaauu guauagcccc uguuaauggc uacuuuuuuu aaacuaaua cacuaggauu	3540
guugaugagu ggucuuauac uggcucguc uucuaugcac cugagcccau uaccuccuu	3600
aaucuaaagu auguugcacc acaggugaca uacaaaaaca uuucuacuaa ccuccuccu	3660
ccucuuucug gcauuuccac cgggaugac uucaagaug aguuggauga guuuuucaaa	3720
aauguuagca ccaguauacc uauuuuuggu ucccaaacac agauuuauac uacauuacuc	3780
gaucuuaccu acgagauguu gucuuucaa caaguuguua aagcccuuaa ugagcuuac	3840
auagaccuaa aagagcuugg cauuuauacu uauuacaaca aauggccgug guacuuuug	3900
cuugguuuca uugcugggcu uguugccuaa gcucuauugc ucuuucuaa acugugcugc	3960
acugguugug gcacaaacug uauuggaaaa cuuaagugua aucguuguug ugauagauac	4020
gaggaaucg accucgagcc gcauaagguu cauguucacu aa	4062

&lt;210&gt; SEQ ID NO 67

&lt;211&gt; LENGTH: 1845

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 67

augauccacu ccguguuccu ccucauguuc cuguugaccc ccacugaguc agacugcaag	60
cucccgugg gacagucccu gugugcgug ccugacacuc cuagcacucu gaccccacgc	120
uccgugcgg cggugccugg cgaauugcgg cuggccucca ucgccucaa ucacccaauc	180
caaguggauc agcugaauag cucguuuuc aagcugucca uccccacgaa cuucucguuc	240
gggucaccc aggaguacau ccagaccaca auucagaagg ucaccgucga uugcaagcaa	300
uacgugugca acggcuucca gaagugcgag cagcugcuga gagaauacgg gcaguuuugc	360
agcaagauca accaggcgcu gcauggagcu aacuugcgc aggacgacuc cgugcgcaac	420
cucuugccu cugugaaguc auccagucc ucccaauca uccggggaau cggaggggac	480
uucaaccuga ccuccugga gcccguguc aucagcaccg guagcagauc ggcgcgcuca	540

-continued

---

gccauugaag aucuucuguu cgacaagguc accaucgccg auccggggcua caugcagggg	600
uacgacgacu guaugcagca gggaccagcc uccgcgaggg accucaucug cgcgcaauac	660
guggccgggu acaaagugcu gccuccucug auggauguga acauggaggc cgcuuauacu	720
ucguccucg ucggcucua cgccggcgug ggguggaccg ccggccuguc cuccuucgcc	780
gcuaucuccu uugcacaauc cauuuucua cggcucaacg gcgugggcau uacucaaaaa	840
guccugucgg agaaccagaa guugaucgca aacaaguua aucaggcccu gggggccaug	900
cagacuggau ucacucgac uaacgaagcg uuccagaagg uccaggacgc ugugaacaac	960
aacgcccagg cgcucuaaaa gcuggccucc gaacucagca acaccuucgg agccaucagc	1020
gcaucgaucg gugacauau ucagcggcug gacgugcug agcaggacgc ccagaucgac	1080
cgccucauca acggacggcu gaccaccuug aaugccuucg uggcacaaca gcugguocgg	1140
agcgaucag cggcacuuuc cgccaacuc gccaaaggaca aagucaacga augcgugaag	1200
gccagucca agaggucgg uuucugcggu caaggaaacc auauuguguc cuucgucgug	1260
aacgcgcca acggucugua cuuuauagc gucggcuacu acccgagcaa ucauaucgaa	1320
guggugucgg ccuacggccu gugcgaugcc gcuacccca cuaacugua ugcccugug	1380
aacggauau uuauuaagac caacaacacc cgcauugugg acgaaugguc auacaccggu	1440
ucguccuuc acgcgcccga gcccaucacu ucacugaaca ccaauuacgu ggcuccgcaa	1500
gugaccuacc agaacaucuc caccauuug ccgcccgcgc ugcucggaaa cagcaccgga	1560
auugauuucc aagaugaacu ggacgaauuc uucaagaacg uguccacuuc cauucccaac	1620
uucggaagcc ugacacagau caaccacc cuucucgacc ugaccuacga gaugcugagc	1680
cuucaacaag uggucaaggc ccugaacgag agcuacaucg accugaagga gcugggcaac	1740
uauaccuacu acaacaagug gccggacaag auugaggaga uucugucgaa aaucuaccac	1800
auugaaaacg agaucgccag aaucagaag cuuaucggcg aagcc	1845

&lt;210&gt; SEQ ID NO 68

&lt;211&gt; LENGTH: 4071

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 68

auggaaacc cugcccagcu gcuguuccug cugcugcugu ggcugccuga uaccaccggc	60
agcuauugg acgugggcc cgauagcgug aaguccccu guaucgaagu ggacaucag	120
cagaccuuuu ucgacaagac cuggcccaga cccaucgacg uguccaaggc cgacggcauc	180
aucuauccac aagccgggac cuacagcaac aucaccaua ccuaccaggc ccuguuccca	240
uaucaaggcg accacggcga uauguacgug uacucugccg gccacgccac cggcaccaca	300
ccccagaaac uguucguggc caacuacagc caggacguga agcaguucgc caacggcuuc	360
gucgugcgga uuggcgccgc ugccaauagc accggcacag ugaucaucag ccccagcacc	420
agcgcacca uccggaagau cuaccccgcc uucaugcug gcagcuccgu gggcauuuc	480
agcgacggca agaugggccc guucuucaac cacaccucgg ugcugcugcc cgauggcugu	540
ggcacacugc ugagagccuu cuacugcauc cuggaaccca gaagcggcaa ccacugcccu	600
gccggcaaua gcuaaccag cuucgccacc uaccacacac ccgccaccga uugcuccgac	660

-continued

---

ggcaacuaca	accggaacgc	cagccugaac	agcuucaaag	aguacuuaa	ccugcggaac	720
ugcaccuua	uguacaccua	caauaucacc	gaggacgaga	uccuggaug	guucggcauc	780
accagaccg	cccagggcgu	gcaccuguuc	agcagcagau	acguggaccu	guacggcggc	840
aacauguuoc	aguuugccac	ccugcccug	uacgacacca	ucaaguacua	cagcaucauc	900
ccccacagca	uccgguccau	ccagagcgac	agaaaagccu	gggcccgcuu	cuacgugua	960
aagcugcagc	cccugaccuu	ccugcuggac	uucagcgugg	acggcuacau	cagacgggcc	1020
aucgacugcg	gcuucaacga	ccugagccag	cugcacugcu	ccuacgagag	cuucgacgug	1080
gaaagcggcg	uguacagcgu	guccagcuuc	gaggccaagc	cuagcggcag	cgugguggaa	1140
caggcugagg	gcguggaaug	cgacuucagc	ccucugcuga	gcggcacccc	uccccaggug	1200
uacaacuua	agcggcuggu	guuacccaac	ugcauuua	accugaccaa	gcugcugagc	1260
cuguucucgg	ugaacgacuu	caccguagc	cagaucagcc	cugcccgcuu	ugccagcaac	1320
ugcuacagca	gccugauccu	ggacuacuuc	agcuaccccc	ugagcaugaa	guccgaucug	1380
agcugugccu	ccgcccggacc	caucagccag	uucaacuua	agcagagccu	cagcaaccuu	1440
accugccuga	uucuggccac	cgugccccac	aaucugacca	ccaucaccaa	gccccugaag	1500
uacagcuaca	ucaacaagug	cagcagacug	cuguccgacg	accggaccga	agugcccag	1560
cucgugaacg	ccaaccagua	cagccccugc	guguccaucg	ugcccagcac	cgugugggag	1620
gacggcgacu	acuacagaaa	gcagcugagc	ccccuggaag	gcgcggaug	gcugguggcu	1680
ucuggaagca	caguggccau	gaccgagcag	cugcagaugg	gcuuuggcau	caccgugcag	1740
uacggcaccg	acaccaacag	cgugugcccc	aagcuggaau	ucgccaauga	caccaagauc	1800
gccagccagc	ugggaaacug	cguggaauac	ucccuguaug	gcguguccgg	acggggcgug	1860
uuccagaauu	gcacagcagu	gggagugcgg	cagcagagau	ucguguaaga	ugccuaccag	1920
aaccucgugg	gcuacuacag	cgacgacggc	aauuacuacu	gccugcgggc	cugugugucc	1980
gugcccugug	ccgugaucua	cgacaaagag	acaaagacc	acgccacacu	guucggcucc	2040
guggccugcg	agcacaucag	cuccaccaug	agccaguacu	cccuguccac	ccgguccaug	2100
cugaagcggg	gagauagcac	cuacggcccc	cugcagacac	cugugggaug	ugugcugggc	2160
cucgugaaca	gcucccguu	uguggaagau	ugcaagcugc	cccugggcca	gagccugugu	2220
gcccugccag	auaccccuag	caccucgacc	ccuagaagcg	ugcgcucugu	gcccggcgaa	2280
augcggcugg	ccucuauccg	cuucaaucac	cccuaaccag	uggaccagcu	gaacuccagc	2340
uacuuaaagc	ugagcauccc	caccaacuuc	agcuucggcg	ugaccagga	guacauccag	2400
accacaaucc	agaaagugac	cguggacugc	aagcaguacg	ugugcaacgg	cuuucagaag	2460
ugcgaacagc	ugcugcgcga	guacggccag	uucugcagca	agaucaacca	ggcccugcac	2520
ggcgccaacc	ugagacagga	ugacagcgug	cggaaccugu	ucgccagcgu	gaaaagcagc	2580
caguccagcc	ccaucauccc	uggcuucggc	ggcgacuua	accugaccuu	gcuggaaccu	2640
guguccauca	gcaccggcuc	cagaagcgcc	agaucggcca	ucgaggaccu	gcuguucgac	2700
aaagugacca	uugccgaccc	cgcuacaug	cagggcuacg	acgauugcau	gcagcagggc	2760
ccagccagcg	ccagggauuc	gaucugugcc	caguauggg	ccggcuacaa	ggugcugccc	2820
ccccugaugg	acgugaacau	ggaagccgcc	uacaccucca	gccugcuggg	cucuauugcu	2880
ggcgugggau	ggacagccgg	ccugucagc	uuugccgcca	ucccuuucgc	ccagagcauc	2940

-continued

---

```

uucuaccggc ugaacggcgu gggcaucaca caacaggugc ugagcgagaa ccagaagcug 3000
aucgccaaca aguuuaacca ggcacugggc gccaugcaga ccggcuucac caccaccaac 3060
gaggccuuca gaaaggugca ggcgcggug aacaacaacg cccaggcucu gagcaagcug 3120
gccuccgagc ugagcaauac cuucggcgcc aucagcgccu ccaucggcga caucauccag 3180
cggcuggagc ugcuggaaca ggcgcccag aucgaccggc ugaucaacgg cagacugacc 3240
accugaaacg ccuucguggc acagcagcuc gugcggagcg aaucgcgcgc ucugucugcu 3300
cagcuggcca aggacaaagu gaacgagugc gugaaggccc aguccaagcg gagcgccuuu 3360
uguggccagg gcaccacau cguguccuuc gucgugaau gccccaacgg ccuguacuuu 3420
augcacgugg gcuuuuacc cagcaaccac aucgaggugg uguccgcua uggccugugc 3480
gacgcccga auccuaccaa cuguaucgcc cccgugaacg gcuacuucan caagaccaac 3540
aacaccgga ucguggacga gugguccuac acaggcagca gcuucuaacg ccccgagccc 3600
aucaccuccc ugaacaccaa auacguggcc cccaaguga cauaccagaa cauccacc 3660
aaccugcccc cuccacugcu gggaaaucc accggcaucg acuuccagga cgagcuggac 3720
gaguucuuca agaacgugc caccuccauc cccaacuucg gcagccugac ccagaucaac 3780
accacucugc uggaccugac cuacgagaug cugucccugc aacaggucgu gaaagcccug 3840
aacgagagcu acaucgaccu gaaagagcug ggaacuaca ccuacuacaa caaguggccu 3900
ugguacauuu ggcugggcuu uaucgcccgc cugguggccc uggcccugug cguguucuu 3960
aaccugugcu gcaccggcug cggcaccaau ugcaugggca agcugaaaug caaccggugc 4020
ugcgacagau acgaggaaua cgaccuggaa ccucacaaag ugcaugugca c 4071

```

&lt;210&gt; SEQ ID NO 69

&lt;211&gt; LENGTH: 1864

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 69

```

ucaagcuuuu ggaccucgu acagaagcua auacgacua cuauagggaa auaagagaga 60
aaagaagagu aagaagaaau auaagagcca ccaugggucu caaggugaac gucucugccg 120
uauucauggc aguacuguaa acucuccaaa caccgcccgg ucaaaaucau uggggcaauc 180
ucucuaagau agggguagua ggaauaggaa gugcaagcua caaaguuaug acucguucca 240
gccaucaauc auuagucaua aaauuaaagc ccaauuaaac ucuccucaa aacugcacga 300
ggguagagau ugcagaauac aggagacuac uaagaacagu uuuggaacca auuagggau 360
cacuuauagc aaugacccag aacauaaggc cgguucagag cguagcuuca aguaggagac 420
acaagagauu ugcgggagua guccuggcag gugcggcccu agguugucc acagcugcuc 480
agauaacagc cggcauugca cuacaccggu ccaugcugaa cucucaggcc aucgacaau 540
ugagagcgag ccuggaaacu acuaaucagg caauagaggc aaucagacaa gcagggcagg 600
agaugauuuu ggcguucag gguguccaag acuaacuaa uaaugagcug auaccgucua 660
ugaaccagcu aucuugugau cuaaucgguc agaagcucgg gcucaaaug cuuagauacu 720
auacagaaau ccugucuaau uuuggccca gccuacggga ccccauauu gcggagauau 780
cuauccaggc uuugaguuuu gcacuuggag gagauaucaa uaagguguaa gaaaagcucg 840

```

-continued

---

gauacagugg aggcgauuuu cuaggcaucu uagagagcag aggaauaaag gcucggauaa	900
cucacgucga cacagagucc uacuucauag uccucaguau agccuauccg acgcuguccg	960
agauuaaggg ggugauuguc caccggcuag agggggucuc guacaacaua ggucucuag	1020
agugguauac cacugugccc aaguauguug caaccaagg guaccuuauc ucgaauuuug	1080
augagucauc auguacuuc augccagagg ggacugugug cagccaaaau gccuuguacc	1140
cgaugagucc ucugcuccaa gaaugccucc ggggguccac caaguccugu gcucguacac	1200
ucguauccgg gucuuuuggg aaccgguuca uuuuaucaca agggaacua auagccaauu	1260
gugcaucaau ucuuuguaag uguuacacaa cagguacgau uauuaaucaa gaccugaca	1320
agauccuac auacauugcu gccgucgcu gcccgguagu cgaggugaac ggcgugacca	1380
uccaagucgg gagcaggagg uauccagacg cuguguacuu gcacagaauu gaccucgguc	1440
cucccauauc auuggagagg uuggacguag ggacaaucg ggggaauuca auugccaauu	1500
uggaggauuc caaggaaug uuggaaucg cggaccagau auugagaagu augaaagguu	1560
uauagagac uagcauagc uacauccga uugcagugug ucuuggaggg uugauaggga	1620
uccccacuuu aauauguugc ugcagggggc guuguaacaa aaagggagaa caaguuggua	1680
ugucaagacc aggcuaaag ccugaccua caggaacuc aaaauccuau gaaagucgc	1740
uuugaugaua auaggcugga gccucggug ccaagcuuc ugccccuug gccuccccc	1800
agccccucc cccuuccug caccguacc cccgugucu uugaauaaag ucugaguggg	1860
cggc	1864

&lt;210&gt; SEQ ID NO 70

&lt;211&gt; LENGTH: 1653

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 70

augggucuca aggugaacgu cucugccgua uucauggcag uacuguaac ucuccaaaca	60
cccgccgguc aaauucauug gggcaaucuc ucuuagauag gguuaguagg aauaggaagu	120
gcaagcuaca aaguuaugac ucuuuccagc caucauau uagucuaaa auuaugccc	180
aaauaacuc uccucaaua cugcagagg guagagauug cagaauacag gagacuaua	240
agaacaguuu uggaaccau uagggaugca cuuaaugcaa ugaccagaa cauaaggccg	300
guucagagcg uagcuuacg uaggagacac aagagauuug cgggaguagu ccuggcagg	360
gcccccuag guguuuccac agcugcucag auaacagccg gcauugcacu ucaccggucc	420
augcugaacu cucaggccau cgacaauug agagcgagcc uggaaacuac uauacaggca	480
auugaggcaa ucagacaagc agggcaggag augauuuug cuguucaggg uuccaagac	540
uacaucaaua augagcugau accgucuaug aaccagcuau cuugugaucu auucggucag	600
aagcucgggc ucauuuugc uagauacuau acagaaaucc ugucauuuu uggccccagc	660
cuaccggacc ccuauucgc ggagauaucu auccaggcuu ugaguuaugc acuuaggagga	720
gauucaaua agguguuaga aaagcucgga uacaguggag gcauuuacu aggcacuua	780
gagagcagag gaauaaaggc ucggaauacu cacgucgaca cagaguccua cuucauagc	840
cucaguauag ccuauccgac gcuguccgag auuaaggggg uguuuuucca ccggcuagag	900



-continued

---

```

ggggucucgu acaacauagg cucucaagag ugguauacca cugugcccaa guauguugca 960
acccaagggg accuuauucuc gaauuuugau gagucaucau guacuuucau gccagagggg 1020
acugugugca gccaaaauug cuuguaccgg augaguccuc ugcuccaaga augccucggg 1080
ggguccacca aguccugugc ucguacacuc guaucggguu cuuuugggaa ccgguucauu 1140
uuaucaacaag ggaaccuauu agccaauugu gcaucaauuc uuuguaagug uuacacaaca 1200
gguacgauua uuaaucaaga ccugacaag auccuaacau acauugcugc cgauccgucg 1260
ccgguagucg agggugaacgg cgugaccauc caagucggga gcaggaggua uccagacgcu 1320
guguacuugc acagaauuga ccucgguccu cccauaucau uggagagguu ggacguaggg 1380
acaaaucugg ggaauugcau ugccaauuug gaggauccca aggaauguuu ggaaucaucg 1440
gaccagauau ugagaaguau gaaaguuua ucgagcacia gcauagucua cauccugauu 1500
gcaguguguc uuggagggguu gauagggauc cccacuuuaa uauguugcug cagggggcgu 1560
uguaacaaaa agggagaaca aguugguaug ucaagaccag gccuaaagcc ugaccuuaca 1620
ggaacaucaa aauccuauu aagaucguu uga 1653

```

&lt;210&gt; SEQ ID NO 71

&lt;211&gt; LENGTH: 1925

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 71

```

ggggaaauaa gagagaaaag aagaguaaga agaaauuaa gagccaccau gggucuaag 60
gugaacgucu cugccguauu cauggcagua cuguuaacuc uccaaacacc cgccggucaa 120
auucauuggg gcaaucucuc uaagauaggg guaguaggaa uaggaagugc aagcuacaaa 180
guuauagacuc guuccagcca ucaucauuu gucauaaaau uaaugcccaa uauaacucuc 240
cucauaaacu gcacgagggg agagauugca gaaucacgga gacuacuaag aacaguuuuu 300
gaaccaauua gggaugcacu uaaugcaaug acccagaaca uaaggccggg ucagagcgua 360
gcuucaagua ggagacacaa gagauuugcg ggaguagucc uggcaggugc ggcccuaggu 420
guugccacag cugcucagau aacagccggc auugcacuuc accgguccau gcugaacucu 480
caggccaucg acaaucugag agcggagccug gaaacuacua aucaggcaau ugaggcaauc 540
agacaagcag ggcaggagau gauauuggcu guucagggug uccaagacua caucauuau 600
gagcugauac cgucuaugaa ccagcuauuc ugugaucuaa ucggucagaa gcucggguc 660
aaaaugcuaa gauacuauac agaaaucug ucauuuuuuu gcccagccu acgggacccc 720
auaucucggg agauaucuau ccaggcuuuu aguuauagc uuggaggaga uaucauuag 780
guguuagaaa agcucggaua caguggaggc gaauuacuag gcaucuuaga gagcagagga 840
auaaaggcuc ggauaacuca cgucgacaca gaguccuacu ucauaguccu caguauagcc 900
uaucggacgc uguccgagau uaagggggug auuguccacc ggcuaagagg gguccguac 960
aacauaggcu cucaagagug guauaccacu guggccaagu auguugcaac ccaaggguac 1020
cuuauucgca auuuugauga gucaucaugu acuuuauugc cagaggggac ugugugcagc 1080
caaaugccu uguaccgagau gaguccucug cuccaagaau gccuccggg guccaccaag 1140
uccugucuc guacacucgu auccgggucu uuugggaacc gguucauuuu aucacaaggg 1200

```

-continued

---

aaccuaauag ccaauugugc aucaauucuu uguaaguguu acacaacagg uacgaauiuu	1260
aaucaagacc cugacaagau ccuaacauac auugcugccg aucgcugccc gguagucgag	1320
gugaacggcg ugaccaucca agucgggagc aggagguauc cagacgcugu guacuugcac	1380
agaaauagacc ucgguccucc cauaucuuug gagagguugg acguagggac aaaucugggg	1440
aaugcaauug ccaauuugga ggauugccaag gaauguuugg aaucaucgga ccagauuuug	1500
agaaguaua aagguuuuac gagcacuagc auagucuaca uccugauugc agugugucuu	1560
ggaggguuuga uagggauccc cacuuuaaua uguugcugca gggggcgguug uaacaaaaag	1620
ggagaacaag uugguauugc aagaccaggc cuaaagccug accuuacagg aacaucaaaa	1680
uccuauuuua gauugcuuug augauuuuag gcuggagccu cgguggccaa gcuuucugcc	1740
ccuugggccc cccccagcc ccuccuccc uuccugcacc cguacccccg uggucuuuga	1800
auaaagucug aguggggggc aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa	1860
aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa	1920
ucuag	1925

&lt;210&gt; SEQ ID NO 72

&lt;211&gt; LENGTH: 1864

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 72

ucaagcuuuu ggaccucugu acagaagcua auacgacuca cuauagggaa auagagaga	60
aaagaagagu aagaagaaau auagagcca ccaugggucu caaggugaac gucucuguca	120
uaaucauggc aguacuguaa acuuuuaaaa caccaccggc ucaaauccau uggggcaauc	180
ucucuagau agggguggua gggguaggaa gugcaagcua caaaguuuug acucguucca	240
gccaucaauc auuagucuaa aaguuaaagc ccaauuaaac ucuccucaac aaugcaccga	300
ggguagggau ugcagaauac aggagacuac ugagaacagu ucuggaacca auuagagau	360
cacuuauugc aaugaccagc auuuaagac cgguuacagc uguagcuuca aguaggagac	420
acaagagauu ugcgggaguu guccuggcag gucgggccc aggcguugcc acagcugcuc	480
aaauaacagc cgguaauuca cuuaccagc ccaugcugaa cucucaagcc aucgacauc	540
ugagagcgag ccuagaaacu acuaaucagg caauugaggc aaucagacaa gcagggcagg	600
agaugauuuu ggcguucagc gguguccaag acuaacuaa uauagagcug auaccgucua	660
ugaaucaacu aucuugugau uuaauccggc agaagcuagg gcucuuuuug cucagauacu	720
auacagaaau ccugucuuu uuuggcccca gcuuacggga ccccauauuc gcggagauu	780
cuaucaggc uuugagcuau gcgcuuggag gagauuuaa uaaggguuug gaaaagcucg	840
gauacagugg aggugaucua cugggcaucu uagagagcag aggaauuaag gcccgauaa	900
cucacgucga cacagagucc uacuucauug uacucaguau agccuauccg acgcuauccg	960
aguuuaaggg ggugauugc caccggcuag agggggucuc guacaacuaa ggcucuaag	1020
agugguauac cacugugccc aaguauuuug caaccaagg guaccuuuuc ucgaauuuug	1080
augagucauc augcacuuuc augccagagg ggacugugug cagccagaau gccuuguaac	1140
cgaugagucc ucugucuaa gaaugccucc ggggguccac uaaguccugu gcucguacac	1200

-continued

---

ucguauccgg gucuuucggg aaccgguuca uuuuauacaca ggggaaccua auagccaauu	1260
gugcaucaau ccuugcaag uguuacacaa caggaacaau cauuauca gaccugaca	1320
agauccuac auacauugcu gccgaucacu gcccguggu cgaggugaau ggcgugacca	1380
uccaagucgg gagcaggagg uauccggacg cuguguacuu gcacaggauu gaccucgguc	1440
cucccauauc uuuggagagg uuggacguag ggacaaauu ggggaaugca auugcuaagu	1500
uggaggauvc caaggaaug uuggagucuu cggaccagau auaggagagu augaaagguu	1560
uauvcgagc uaguauagu uacauccuga uugcagugug ucuuggagga uugauagga	1620
uccccguuu aauauguvc ugcaggggc guuguacaa gaaggagaa caaguuggua	1680
uguaagacc aggcuaaag ccgucuuu caggaacauc aaaauccuu guagguvc	1740
ucugaugau auaggcugga gccucggug ccaagcuuc ugccccuug gccucuccc	1800
agccccucc cccuuccug caccguacc cccgugucu uugaauaaug ucugagugg	1860
cggc	1864

&lt;210&gt; SEQ ID NO 73

&lt;211&gt; LENGTH: 1653

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 73

augggucua aggugaacgu cucugucua uucauggcag uacuguaac ucuucaaaca	60
cccaccgguc aaauccauug gggcaaucuc ucuagauag gggugguagg gguaggaagu	120
gcaagcuaca aaguuaugac ucuuccagc caucauau uagucuaaa guuaaugccc	180
aaauaacuc uccucaacaa uugcacgagg guagggaug cagaauacag gagacuacug	240
agaacaguuc uggaaaccau uagagauca cuuaaugcaa ugaccagaa uauaagaccg	300
guucagagug uagcuucaa uaggagacac aagagauuug cgggaguugu ccuggcagg	360
gccccuag gcuugccac agcugcuca auaacagccg guauugcacu ucaccagucc	420
augcugaacu cucaagccau cgacaauvc agagcgagcc uagaaacuac uauacaggca	480
auagaggcaa ucagacaagc agggcaggag augauauugg cuguucaggg uguccaagc	540
uacaucaau auagvcugau accgucuaug aaucaacuau cuugugauuu aaucggccag	600
aagcuagggc ucaauugcu cagauacuau acagaaaucc ugucuuuuu uggccccagc	660
uuacgggacc ccuauvcg ggaugauauc auccaggcuu ugagcuavc gcuuggagga	720
gauaucaau agguuguuga aaagvcgga uacaguggag gugaucuacu gggcaucuua	780
gagvcgag gaauaaaggc ccggauaacu cacvcgaca cagavucca cuucauugua	840
cucaguauag ccuauvcgac gcuauvcgag auuaagggg ugauugucca ccggcuagag	900
ggggucvcg acaacuagvc cucucaagag ugguaucua cugugccca guauguugca	960
acccaagggu accuuavvc gaauuuugau gagucauau gcacuuuau gccagagggg	1020
acugugvc gccagaavc cuugavccg avgavucc ucucuaaga avccvcg	1080
gggucua avuccvcg ucguacavc guavccgggu cuuvcggga ccgguuauu	1140
uuavcagvc ggaaccuau avccauugvc gcauauuvc uuugcaavug uuavcaca	1200
ggaacaaua uuaucaaga ccugacaag auccuauau acauvcvc gvaucavvc	1260

-continued

---

ccgguggucg aggugaaugg cgugaccauc caagucggga gcaggaggua uccggacgcu	1320
guguacuugc acaggauuga ccucgguccu cccauaucuu uggagagguu ggacguaggg	1380
acaaaucugg ggaauugcau ugcuaaguug gaggaugcca aggaauguu ggagucaucg	1440
gaccagauau ugaggaguau gaaagguuuu ucgagcacua guauaguuuu cauccugauu	1500
gcaguguguc uuggaggauu gauagggauc cccgcuuuua uauguugcug cagggggcgu	1560
uguaacaaga agggagaaca aguugguaug ucaagaccag gccuaaagcc ugauuuaca	1620
ggaacaucaa aauccuauu aaggucacuc uga	1653

&lt;210&gt; SEQ ID NO 74

&lt;211&gt; LENGTH: 1925

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 74

gggaaaaua gagagaaaag aagaguaaga agaaaauua gagccaccau gggucucaag	60
gugaacgucu cugucauuu cauggcagua cuguuaacuc uucaaacacc caccggucaa	120
auccauuggg gcaaucucuc uaagauaggg gugguagggg uaggaagugc aagcuacaaa	180
guuauagacuc guuccagcca ucaucauuu gucauaaagu uaaugcccaa uauaacucuc	240
cucaacaauu gcacgagggg agggauugca gaaucacgga gacuacugag aacaguucug	300
gaaccaauua gagaugcacu uaaugcaaug acccagaaua uaagaccggu ucagagugua	360
gcuucaagua ggagacacaa gagauuugcg ggaguugucc uggcaggugc ggcccuaggc	420
guugccacag cugcucaauu aacagccggu auugcacuuc accaguccau gcugaacucu	480
caagccaucg acaaucugag agcgagccua gaaacuacua aucaggcaau ugaggcaauc	540
agacaagcag ggcaggagau gauauuggcu guucagggug uccaagacua caucauuau	600
gagcugauac cgucuaugaa ucaacuauu ugugauuuu ucggccagaa gcuagggcuc	660
aaauugcuca gauacuauac agaaauccug ucauuuuuu gcccagcuu acgggacccc	720
auaucugcgg agauaucuau ccaggcuuug agcuauugcg uuggaggaga uaucauuag	780
guguuggaaa agcucggaua caguggaggu gaucuacugg gcaucuuaga gagcagagga	840
auaaaggccc ggauaacuca cgucgacaca gaguccuacu ucauuguacu caguauagcc	900
uauccgacgc uauccgagau uaagggggug auuguccacc ggcuaagagg gguccguac	960
aacauaggcu cucaagagug guauaccacu gugcccaagu auguugcaac ccaaggguac	1020
cuaaucucga auuuugauga gucaucaugc acuuucaugc cagaggggac ugugugcagc	1080
cagaauccu uguaccgagau gaguccucug cuccaagaau gccuccgggg guccacuaag	1140
uccugugcuc guacacucgu auccggguc uucgggaacc gguucauuu aucacagggg	1200
aaccuaauag ccaauugugc aucaauccuu ugcaaguguu acacaacagg aacaaucauu	1260
aaucaagacc cugacaagau ccuaacauac auugcugccg aucacugccc gguggucgag	1320
gugaauggcg ugaccaucca agucggggagc aggagguauc cggacgcugu guacuugcac	1380
aggauugacc ucgguccucc cauauuuug gagagguugg acguagggac aaucugggg	1440
aaugcaauug cuaaguugga ggaugccaag gaauguugg agucaucgga ccagauuuug	1500
aggaguauga aagguuuuau gagcacuagu auaguuuaca uccugauugc agugugucuu	1560

-continued

---

ggaggauuga uagggauccc cgcuuuaaua uguugcugca gggggcguug uaacaagaag	1620
ggagaacaag uugguauguc aagaccaggc cuaaagccug aucuuacagg aacaucaaaa	1680
uccuauguaa ggucacucug augauaaauag gcuggagccu cgguggccaa gcuuuugcc	1740
ccuugggccu cccccagcc ccuccuccc uuccugcacc cguacccccg uggucuuuga	1800
auaaagucug aguggggcgc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	1860
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	1920
ucuag	1925

&lt;210&gt; SEQ ID NO 75

&lt;211&gt; LENGTH: 2065

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 75

ucaagcuuuu ggaccucugu acagaagcua auacgacuca cuauagggaa auaagagaga	60
aaagaagagu aagaagaaau auaagagcca ccaugucacc gcaacgagac cggauaaaug	120
ccuucuaaca agauaaccuu uaucccaagg gaaguaggau aguuuuuac agagaacauc	180
uuauugauuga cagaccuau guucugcugg cuguucuguu gcucauguuu cugagcuuga	240
ucggauugcu ggcaauugca ggcauuagac uucaucgggc agccaucac accgcggaga	300
uccauaaaag ccucaguacc aaucuggaug ugacuaacuc caucgagcau caggucaagg	360
acgugcugac accacucuuu aaaaucaucg gggauagaagu gggccugaga acaccucaga	420
gauucacuga ccuagugaaa uucaucucgg acaagauuaa auuccuuau ccggauaggg	480
aguacgacuu cagagaucuc acuuggugca ucaaccgcc agagaggauc aaacuagauu	540
augaucaaua cugugcagau guggcugcug aagagcucou gaauucauug gugaacucua	600
cucucugga gaccagaaca accacucagu uccuagcugu cucaaaggga aacugcucag	660
ggcccacuc aaucagaggu caauucuaa acaugucgcu guccuugug gacuuguacu	720
uaggucgagg uuacaauug ucaucuauag ucacuaugac auccagggga auguaugggg	780
gaaccuaccu aguugaaaag ccuaaucuga acagcaaagg gucagaguug ucacaacuga	840
gcauguaccg aguuuugaa guagguguga ucagaaacc cggguuuggg gcuccggugu	900
uccauaugac aaacuauuuu gagcaaccag ucaguaaugg ucucggcaac uguauaggug	960
cuuuggggga gcucuaacuc gcagccuuu gucacgggga cgauucuauc auaaucccu	1020
aucagggauc agggaaaaggu gucagcuucc agcucgucaa gcuggguguc uggaaaacc	1080
caaccgacau gcaauccugg guccccuuu caacggauga uccaguggua gacaggcuuu	1140
accucucauc ucacagaggu gucaucgucg acaaucaagc aaaugggcu gucccgaca	1200
cacgaacaga ugacaaguug cgaauaggaga caugcuucca gcaggcgugu aaagguaaaa	1260
uccaagcacu cugcgagaau cccgaguggg uaccuuugaa ggauaacagg auuccuucu	1320
acgggguccu gucuguugau cugagucuga cgguugagcu uaaaaucuaa auugcuucgg	1380
gauucgggcc auugaucaca cacggcucag ggauggaccu auacaaaucc aacugcaaca	1440
auguguauug gcugacuaau ccgccauga gaaucucagc cuuaggcgua aucaacacu	1500
uggaguggau accgagauc aagguuaguc ccaaccucu cacugucca auuaaggag	1560

-continued

---

caggcgaaga cugccaugcc ccaacauacc uaccugcgga gguggacggu gaugucaaac	1620
ucaguuccaa ccuggugauu cuaccugguc aagaucucca auauguuuug gcaaccuacg	1680
auaccuccag gguugagcau gcugugguuu auuacguuaa cagcccaagc cgcucauuuu	1740
cuuacuuuuu uccuuuuagg uugccuauaa aggggguccc aaucgaacua caaguggaau	1800
gcuucacaug ggaucaaaaa cucuggugcc gucacuucug ugugcuugcg gacucagaau	1860
ccgguggacu uaucacucac ucuggggaugg ugggcauggg agucagcugc acagcuacc	1920
gggaagaugg aaccaaucgc agauaauugau aauggcgugg agccucggug gccaaagcuuc	1980
uugcccuug ggccuccccc cagccccucc ucccuuccu gcacccguac ccccgugguc	2040
uuugaauaaa gucugagugg gcggc	2065

&lt;210&gt; SEQ ID NO 76

&lt;211&gt; LENGTH: 1854

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 76

augucaccgc aacgagaccg gauaaaugcc uucuacaaag auaaccuuu ucccaagggg	60
aguaggauag uuauuaacag agaacaucuu augauugaca gaccuauugu ucugcuggcu	120
guucuguucg ucauguuucu gagcuugauc ggauugcugg caauugcagg cauugacuu	180
caucgggag ccaucucac cgcgagagau cauaaaagcc ucaguaccaa ucuggaugug	240
acuaacucca ucgagcauca ggucaggac gucgugacac cacucuuuaa aaucaucggg	300
gaugaagugg gccugagaac accucagaga uucacugacc uagugaaau caucucggac	360
aagauuaauu uccuuauucc ggauagggag uacgacuua gagaucucac uuggugcauc	420
aaccgccag agaggaucaa acuagauuu gaucaauacu gugcagaugu ggcugcugaa	480
gagcucauga augcauuggu gaacucaacu cuacuggaga ccagaacaac cacucaguuc	540
cuagcugucu caaagggaaa cugcucaggg cccacuaca ucagaggua auucuaaac	600
augucgcugu ccuuguugga cuuguacuua ggucgagguu acaauguguc aucuauaguc	660
acuaugacau cccagggaa uauuggggga accuaccuag uugaaaagcc uaaucugaac	720
agcaaaaggg cagaguuguc acaacugagc auguaccgag uguuugaagu aggugugauc	780
agaaaccgg guuuggggc uccgguguuc cauauagcaa acuauuuuga gcaaccaguc	840
aguauugguc ucggcaacug uauugggcu uugggggagc ucaaacucgc agccuuugu	900
cacggggagc auucuaucuu auuuccuau cagggauagc ggaaaggugu cagcuuccag	960
cucgucagc ugggugucug gaaauccca accgacaugc aaucugggu cccuuauca	1020
acggauagc cagugguaga caggcuuuac cucucaucuc acagaggugu caucgugac	1080
aaucaagcaa auugggcugu cccgacaaca cgaacagaug acaaguugcg auuggagaca	1140
ugcuuccagc aggcguguaa agguaaaauc caagcacucu gcgagaaucc cgagugggua	1200
ccauugaagg auaacaggau uccuucuuac gggguccugu cuguugaucu gagucugacg	1260
guugagcuua aaaucaaaau ugcuucggga uucgggccau ugauacaca cggcucaggg	1320
auggaccuau acaaaucua cugcaacaau guguauggc ugacuauucc gccaaugaga	1380
aaucuaagcu uaggcguaau caacacauug gaguggauac cgagauucaa gguuagucc	1440

-continued

---

aaccucuua	cugucccaau	uaaggaagca	ggcgaagacu	gccaugcccc	aacauaccua	1500
ccugcggagg	uggacgguga	ugucaaacuc	aguuccaacc	uggugauucu	accuggucaa	1560
gaucuccaau	auguuuuggc	aaccuacgau	accuccaggg	uugagcaugc	ugugguuuau	1620
uacguuuaca	gcccagccg	cucauuuuc	uacuuuuac	cuuuuagguu	gccuauaaag	1680
ggggucccaa	ucgaacuaca	aguggaaguc	uucacauggg	aucaaaaacu	cuggugccgu	1740
cacuucugug	ugcuugcgga	cucagaaucc	gguggacuua	ucacucacuc	ugggauggug	1800
ggcaugggag	ucagcugcac	agcuaccgg	gaagauggaa	ccaaucgcag	auaa	1854

&lt;210&gt; SEQ ID NO 77

&lt;211&gt; LENGTH: 2126

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 77

ggggaaaaua	gagagaaaag	aagaguaaga	agaaaauuaa	gagccaccau	gucaccgcaa	60
cgagaccgga	uaaaugccuu	cuacaaagau	aaccuuuau	ccaagggag	uaggauaguu	120
auaaacagag	aacauuuau	gauugacaga	cccuauuuu	ugcuggcugu	ucuguucguc	180
auguuucuga	gcuugaucgg	auugcuggca	auugcaggca	uuagacuua	ucgggcagcc	240
aucuacaccg	cggagaucca	uaaaagccuc	aguaccaauc	uggaugugac	uaacuccauc	300
gagcaucagg	ucaaggacgu	gcuagacacca	cucuuuuaaa	ucaucgggga	ugaagugggc	360
cugagaacac	cucagagauu	cacugaccua	gugaaaauca	ucucggacaa	gauuuuuuuc	420
cuuuauccgg	auaggggagua	cgacuucaga	gaucucacuu	ggugcaucaa	cccgccagag	480
aggaucaaac	uagauuauga	ucauuacugu	gcagaugugg	cugcugaaga	gcucaugaau	540
gcauugguga	acucaacucu	acuggagacc	agaacaacca	cucaguuccu	agcugucuca	600
aagggaacu	gcucagggcc	cacuacaauc	agaggucaau	ucucaaaau	gucgcugucc	660
uuguuggacu	uguacuuaag	ucgagguuac	aaugugucau	cuauagucac	uaugacauc	720
cagggaau	augggggaac	cuaccuaguu	gaaaagccua	aucugaacag	caaaggguca	780
gaguugucac	aacugagcau	guaccgagug	uuugaaguag	gugugaucag	aaaccgggu	840
uuggggguc	cggguuucca	uauagcaaac	uuuuuugagc	aaccagucag	uaauggucuc	900
ggcaacugua	ugguggcuuu	gggggagcuc	aaacucgcag	cccuuuguca	cggggacgau	960
ucuaucauaa	uucccuauca	gggaucaggg	aaagguguca	gcuuccagcu	cgucaagcug	1020
ggugucugga	aaucuccaac	cgacaugcaa	uccugggucc	ccuuaucaac	ggaugaucca	1080
gugguagaca	ggcuuuaccu	cucaucucac	agagguguca	ucgcugacaa	ucaagcaaaa	1140
ugggcugucc	cgacaacacg	aacagaugac	aaguugcgaa	uggagacaug	cuuccagcag	1200
gcguguaaag	guaaaauucca	agcacucugc	gagaauccgg	aguggguacc	auugaaggau	1260
aacaggauuc	cuucauacgg	gguccugucu	guugaucuga	gucugacggg	ugagcuuaaa	1320
aucaaaaau	cuucgggguu	cgggccauug	aucacacacg	gcucagggau	ggaccuauac	1380
aaauccaacu	gcaacaau	guuuugcug	acuauuccgc	caaugagaaa	ucuaagccua	1440
ggcguaauca	acacauugga	guggauaccg	agauucaagg	uuagucccaa	ccucuucacu	1500
gucccauuu	aggaagcagg	cgaagacugc	caugcccaa	cauaccuacc	ugcggaggug	1560

-continued

---

gacggugaug ucaaacucag uuccaaccug gugauucuc cuggucaaga ucuccaaauu	1620
guuuuggcaa ccuacgauac cuccaggguu gagcaugcug ugguuuauua cguuuacagc	1680
ccaagccgcu cauuuucuaa cuuuuauccu uuuaagguugc cuauaaaggg ggucccaauc	1740
gaacuacaag uggaaugcuu cacaugggau caaaaacucu ggugccguca cuucugugug	1800
cuugcggacu cagaauccgg uggacuuuac acucacucug ggaugguggg caugggaguc	1860
agcugcacag cuaccggga agauggaacc aaucgcagau aaugauaaua ggcuggagcc	1920
ucgguggcca agcuucugc ccuuggggcc uccccccagc cccuccuccc cuuccugcac	1980
ccguaccccc guggucuug aauaaagucu gaguggggcg caaaaaaaaa aaaaaaaaaa	2040
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	2100
aaaaaaaaaa aaaaaaaaaa aucuag	2126

<210> SEQ ID NO 78  
 <211> LENGTH: 2065  
 <212> TYPE: RNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 78

ucaagcuuuu ggaccucgu acagaagcua auacgacuca cuauagggaa auaagagaga	60
aaagaagagu aagaagaaau auaagagcca ccaugucacc acaacgagac cggauaaaug	120
ccuucuaaca agacaacccc cauccuaagg gaaguaggau aguuaauaac agagaacauc	180
uuaugauuga uagaccuuau guuuugcugg cuguucuuu cgucauguuu cugagcuuga	240
ucggguugcu agccauugca ggcuuuagac uucaucgggc agccaucuc accgcagaga	300
uccauaaaag ccucagcacc aaucuggaug uaacuaacuc aaucgagcau cagguaaagg	360
acgugcugac accacucuuc aagaucucg gugaugaagu gggcuugagg acaccucaga	420
gauucacuga ccuagugaag uucaucucug acaagauuaa auuccuuau cgggacaggg	480
aaucgacuu cagagaucuc acuuggugua ucaacccgcc agagagaauc aaauuggauu	540
augaucauaa cugugcagau guggcugcug aagaacucau gaaugcauug gugaacuaa	600
cucuacugga gaccagggca accaaucagu uccuagcugu cucaaagga aacugcucag	660
ggcccacuc aaucagaggc caauucuaa acaugcgcg gucccuguug gacuuguauu	720
uaagucgagg uuacaauug ucaucuauag ucacuaugac auccagggga auguacgggg	780
gaacuuaccu aguggaaaag ccuaaucuga gcagcaaagg gucagaguug ucacaacuga	840
gcaugcaccg aguuuugaa guaggugua ucagaaaucc ggguuugggg gcuccggua	900
uccauaugac aaacuaucuu gagcaaccag ucaguaauga uuucagcaac ugcauggugg	960
cuuuggggga gcucaaguuc gcagcccucu gucacagga agauucuauc acaaucccu	1020
aucagggauc agggaaaaggu gucagcuucc agcuugucua gcuagguguc uggaaaucc	1080
caaccgacau gcaauccugg guccccuau caacggauga uccagugaua gacaggcuuu	1140
accucucauc ucacagaggc guuaucguc acaaucaagc aaaaugggcu gucccgacaa	1200
cacggacaga ugacaaguug cgaauaggaga caugcuucca gcaggcgugu aaggguaaaa	1260
uccaagcacu uugcgagaau cccgagugga caccuugaa ggauaacagg auuccuucuu	1320
acggggucuu gucuguugau cugagucuga caguugagcu uaaaaucua auuguuucag	1380



-continued

---

gauucgggcc auugaucaca cacgguucag ggauggaccu auacaaaacc aaccacaaca	1440
auauguauug gcugacuauc ccgccaauga agaaccuggc cuuaggugua aucaacacau	1500
uggaguggau accgagauuc aagguuaguc ccaaccucuu cacuguucca auuaaggaag	1560
caggcgagga cugccaugcc ccaacauacc uaccugcgga gguggauggu gaugucaaac	1620
ucaguuccaa ucuggugauu cuaccugguc aagaucucca auauguucug gcaaccuacg	1680
auacuuccag aguugaacau gcuguaguuu auuacguuuu cagcccaagc cgcucuuuu	1740
cuuacuuuuu uccuuuuagg uugccuguaa ggggggucce cauugaauu caaguggaau	1800
gcuucacaug ggacaaaaa cucuggugcc gucacuucug ugugcuugcg gacucagaau	1860
cugguggaca uaucacucac ucugggaugg ugggcauggg agucagcugc acagccacuc	1920
gggaagaugg aaccagccgc agauagugau aauggcugg agccucggug gccaaagcuuc	1980
uugcccuug ggccuccccc cagccccucc ucccuuccu gcacccguac ccccgugguc	2040
uuugaauaaa gucugagugg gcggc	2065

&lt;210&gt; SEQ ID NO 79

&lt;211&gt; LENGTH: 1854

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 79

augucaccac aacgagaccg gauaaaugcc uucuacaaag acaaccccc auccaaagga	60
aguaggauag uuauuaacag agaacaucuu augauugaua gaccuuangu uuugcuggcu	120
guucuaaucg ucauguuucu gagcuugauc gggugcuag ccuugcagg cauugacuu	180
caucgggag ccaucucac cgagagauc cauaaaagcc ucagcaccaa ucuggaugua	240
acuaacucua ucgagcauca gguuaaggac gugcugacac cacucuuca gaucaucggu	300
gaugaagugg gcuugaggac accucagaga uucacugacc uagugaaguu caucucugac	360
aagauuaauu uccuuauacc ggacagggaa uacgacuua gagaucucac uugggugauc	420
aaccgccag agagaaucaa auuggauuu gaucaauacu gugcagaugu ggcugcugaa	480
gaacucauga augcauuggu gaacucaacu cuacuggaga ccagggcaac caaucaguuc	540
cuagcugucu caaagggaaa cugcucaggg cccacuaca ucagaggcca auucuaaac	600
augucgcugu cccguugga cuuguuuua agucgagguu acaauguguc aucuauaguc	660
acuaugacau cccagggauu guacggggga acuuaccuag uggaaaagcc uaaucugagc	720
agcaaagggg cagaguuguc acaacugagc augcaccgag uguuugaagu agguguuauc	780
agaaauccgg guuugggggc uccgguauuc cauaugacaa acuaucuuuga gcaaccaguc	840
aguaaugauu ucagcaacug caugguggcu uugggggagc ucaaguucgc agcccucugu	900
cacagggag auucuaucac aaucuccuau cagggaucag ggaaaggugu cagcuuccag	960
cuugucaagc uaggugucug gaaaucacca accgacaugc aaucugggu ccccuauca	1020
acggaugauc cagugauaga caggcuuuac cucucaucuc acagaggcgu uaucgugac	1080
aaucaagcaa auugggcugu cccgacaaca cggacagaug acaaguugcg auaggagaca	1140
ugcuuccagc aggcguguaa ggguaaaauc caagcacuuu gcgagaaucc cgaguggaca	1200
ccauugaagg auaacaggau uccuucuuac ggggucuuu cuguugaucu gagucugaca	1260

-continued

---

guugagcuua	aaaucaaaau	uguuucagga	uucgggccau	ugaucacaca	cgguucaggg	1320
auggaccuau	acaaauccea	ccacaacaau	auguauuggc	ugacuaucce	gccaauagaag	1380
aaccuggccu	uagguguaau	caacacauug	gaguggauac	cgagauucaa	gguuaguccc	1440
aaccucuua	cuguuccaa	uaaggaagca	ggcgaggacu	gccaugcccc	aacauaccua	1500
ccugcggagg	uggaugguga	ugucaaacuc	aguuccaau	uggugauucu	accuggucaa	1560
gaucuccaa	auguucuggc	aaccuacgau	acuuccagag	ugaacaugc	uguaguuuau	1620
uacguuuaca	gccaagccg	cucuuuuuc	uacuuuuuc	uuuuagggu	gccuguaagg	1680
gggguccca	uugaauuaca	aguggaauuc	uucacauggg	acaaaaacu	cuggugccgu	1740
cacuucugug	ugcuucggga	cucagaauuc	gguggacaua	ucacucacuc	ugggauggug	1800
ggcaugggag	ucagcugcac	agccacucgg	gaagauggaa	ccagccgcag	auag	1854

&lt;210&gt; SEQ ID NO 80

&lt;211&gt; LENGTH: 2126

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 80

ggggaaaaua	gagagaaaag	aagaguaaga	agaaaauuaa	gagccaccu	gucaccacaa	60
cgagaccgga	uaaaugccuu	cuacaagac	aacccccauc	cuaagggag	uaggauaguu	120
auaaacagag	aacauuuuu	gauugauaga	ccuuauuuu	ugcuggcugu	ucuuuucguc	180
auguuucuga	gcuugaucgg	guugcuagcc	auugcaggca	uuagacuua	ucgggcagcc	240
aucuacaccg	cagagaucca	uaaaagccuc	agcaccacuc	uggauguaac	uaacucaauc	300
gagcaucagg	uaaaggacgu	gcugacacca	cucuuaaga	ucaucgguga	ugaagugggc	360
uugaggacac	cucagagauu	cacugaccua	gugaaguua	ucucugacaa	gauuaaauc	420
cuaaaucgg	acagggaaau	cgacuucaga	gaucucacuu	gguguaucaa	cccggccagag	480
agaaucaaa	uggauuauga	ucaauacugu	gcagaugugg	cugcugaaga	acucaugaau	540
gcauugguga	acucaacucu	acuggagacc	agggcaacca	aucaguuccu	agcugucua	600
aagggaacu	gcucagggcc	cacuacauc	agaggccaau	ucucaacau	gucgcugucc	660
cuguuggacu	uguuuuuag	ucgagguuac	aaugugucuu	cuauagucac	uaugacauc	720
cagggaaugu	acgggggaac	uuaccuagug	gaaaagccua	aucugagcag	caaagggua	780
gaguugucac	aacugagcau	gcaccgagug	uuugaaguag	guguuucag	aaaucgggu	840
uuggggguc	cgguaaucca	uaugacaaac	uauucugagc	aaccagucag	uaaugauuc	900
agcaacugca	ugguggcuuu	gggggagcuc	aaguucgcag	cccucugua	cagggagau	960
ucuaucacaa	uucccuauca	gggaucaggg	aaaggugua	gcuuccagcu	ugucaagcu	1020
ggugucugga	aaucaccaac	cgacaugcaa	uccugggucc	cccaucaac	ggaugauca	1080
gugauagaca	ggcuuuaccu	cucaucucac	agaggcgua	ucgugacaa	ucaagcaaaa	1140
ugggcugucc	cgacaacacg	gacagaugac	aaguucgaa	uggagacaug	cuuccagcag	1200
gcuuguaagg	guuuuuucca	agcacuucg	gagaaucccg	aguggacacc	auugaaggau	1260
aacaggauuc	cuucaucgg	ggcuuuguc	guugaucuga	gucugacagu	ugagcuuaaa	1320
aucaaaaau	uuucaggaau	cgggccauug	aucacacacg	guucagggau	ggaccuauac	1380

-continued

---

aaauccaacc	acaacaauau	guauuggcug	acuaucccgc	caaugaagaa	ccuggccuua	1440
gguguaauca	acacauugga	guggauaccg	agauucaagg	uuaguccca	ccucuucacu	1500
guuccaauua	aggaagcagg	cgaggacugc	caugcccaa	cauaccuacc	ugcggaggug	1560
gauggugaug	ucaaacucag	uuccaaucug	gugaauucac	cuggucaaga	ucuccaauau	1620
guucuggcaa	ccuacgauac	uuccagaguu	gaacaugcug	uaguuuauua	cguuuacagc	1680
ccaagccgcu	cauuuucuaa	cuuuuauccu	uuuagguugc	cuguaagggg	gguccccauu	1740
gaauuacaag	uggaaugcuu	cacaugggac	caaaaacucu	ggugccguca	cuucugugug	1800
cuugcggacu	cagaaucugg	uggacauauc	acucacucug	ggaugguggg	caugggaguc	1860
agcugcacag	ccacucggga	agauggaacc	agccgcagau	agugauaua	ggcuggagcc	1920
ucgguggcca	agcuucuuug	cccuugggcc	ucccccagc	cccuccucc	cuuccugcac	1980
ccguaccccc	guggucuuug	aaaaaagucu	gagugggagg	caaaaaaaaa	aaaaaaaaa	2040
aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	2100
aaaaaaaaa	aaaaaaaaa	aucuag				2126

&lt;210&gt; SEQ ID NO 81

&lt;211&gt; LENGTH: 1729

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 81

ucaagcuuuu	ggaccucugu	acagaagcua	auacgacuca	cuauagggaa	auaagagaga	60
aaagaagagu	aagaagaaau	auaagagcca	ccauggcaca	agucauuauu	acaaacagcc	120
ugucgcuguu	gaccagaaau	aaccugaaca	aaucccaguc	cgcacugggc	acugcuaucg	180
agcguuuugc	uuccggucug	cguaucaaca	gcgcgaaaga	cgauccggca	ggacaggcga	240
uugcuaaccg	uuuaccgcg	aacaucaaag	gucugacuca	ggcuucccgu	aacgcuaacg	300
acgguaucuc	cauugcgag	accacugaag	gcgcgcugaa	cgaaaauaac	aacaaccugc	360
agcugugcgc	ugaacuggcg	guucagucug	cgaauuguac	uaacucccag	ucugaccucg	420
acuccaucca	ggcugaaauc	accagcgc	ugaacgaaau	cgaccgugua	uccggccaga	480
cucaguucua	cggcgugaaa	guccuggcgc	aggacaacac	ccugaccauc	cagguuggug	540
ccaacgacgg	ugaaacuauc	gauauugauu	uaaaagaaau	cagcucuaaa	acacugggac	600
uugauaagcu	uaauguccaa	gaugccuaca	ccccgaaaga	aacugcugua	accguugaua	660
aaacuaccua	uaaaaauggu	acagauccua	uuacagccca	gagcaauacu	gauauccaaa	720
cugcaauugg	cgguggugca	acggggguua	cuggggcuga	uaucaauuuu	aaagaugguc	780
aaacuauuuu	agauguuaaa	ggcggugcuu	cugcuggugu	uuuuuuagcc	acuuuugaug	840
aaacuacaaa	gaaaguuaau	auugauacga	cugauaaaa	uccguuggca	acugcggaag	900
cuacagcuau	ucggggaaacg	gccacuauaa	cccacaacca	aaaugcugaa	guaacaaaag	960
aggguguuga	uacgaccaca	guugcggcuc	aacuugcugc	agcagggguu	acuggcgccg	1020
auaaggacaa	uacuagccuu	guaaaacuau	cguuugagga	uaaaacgggu	aagguuuuug	1080
augguggcua	ugcagugaaa	augggcgacg	auuucuaugc	cgcuacauau	gaugagaaaa	1140
caggugcaau	uacugcuaaa	accacuacuu	auacagaugg	uacugcgguu	gcuaaacug	1200

-continued

---

gagcugugaa auuugggugc gcaaauggua aaucugaagu uguuacugcu accgauggua	1260
agacuuacuu agcaagcgac cuugacaaac auaacuucag aacagggcgu gagcuuaaag	1320
agguuaauac agauaagacu gaaaaccac ugcagaaaau ugaugcugcc uuggcacagg	1380
uugauacacu ucguucugac cugggugcgg uucagaaccg uuucaacucc gcuaucacca	1440
accugggcaa uaccguaaa aaccugucuu cugcccguag ccguaucgaa gauuccgacu	1500
acgcaaccga agucuccaac augucucgcg cgcagauucu gcagcaggcc gguaccuccg	1560
uucuggcgca ggcaaccag guuccgaaa acguccucuc uuucugcgu ugauauaagg	1620
cuggagccuc gguggccaug cuucugccc cuugggccuc ccccagccc cuccucccu	1680
uccugcacc guaccccgu ggucuugaa uaaagucuga gugggcggc	1729

&lt;210&gt; SEQ ID NO 82

&lt;211&gt; LENGTH: 1518

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 82

auggcacaag ucauuauac aaacagccug ucgcuguuga cccagaauaa ccugaacaaa	60
ucccagucg cacugggcac ugcuaucgag cguuugucuu ccgucucgug uaucaacagc	120
gcgaaagacg augcggcagg acagggcgaau gcuaaccguu uuaccgcaa caucaagggu	180
cugacucagg cuucccguaa cgcuaacgac gguaucucca uugcgcagac cacugaaggc	240
gcgcugaacg aaaucaacaa caaccugcag cgugugcgug aacuggcggg ucagucugcg	300
aaugguacua acucccaguc ugaccucgac uccauccagg cugaaaacac ccagcgccug	360
aacgaaaucg acccuguauc cggccagacu caguucaacg gcgugaaagu ccuggcgcag	420
gacaacaccc ugaccaucca gguuggugcc aacgacggug aaacuauca uauugauua	480
aaagaaauca gcucuaaaac acugggacuu gaaagcuua auguccaaga ugccuacacc	540
ccgaaagaaa cugcuguaac cguugauaaa acuaaccuaa aaaaugguac agauccuauu	600
acagcccaga gcaauacuga uauccaaacu gcaauuggcg guggugcaac ggggguuacu	660
ggggcugaua ucauuuuuaa agauggucaa uacuauuuag auguuuaagg cggugcuucu	720
gcugguguuu auaaagccac uuaugaugaa acuaaaaaga aaguuauuu ugauacgacu	780
gauaaaacuc cguuggcaac ugcggaagcu acagcuauuc ggggaacggc cacuaaacc	840
cacaacccaa uugcugaagu aacaaaagag gguguugaua cgaccacagu ugcggcucaa	900
cuugcugcag cagggguuac uggcgcggau aaggacaaua cuagccuugu aaaacuucg	960
uuugaggaua aaaacgguaa gguuuuugau ggugcuaug cagugaaaau gggcgacgau	1020
uucuaugccg cuacauauga ugagaaaaca ggugcauuu cugcuaaaac cacuacuauu	1080
acagauggua cuggcguugc ucaaacugga gcugugaaau uugguggcgc aaaugguaaa	1140
ucugaaguug uuacugcuac cgaugguaag acuuacuuaag caagcgaccu ugacaaacau	1200
aacuucagaa caggcgguga gcuuuaagag guuaauacag auuagacuga aaaccacug	1260
cagaaaauug augcugccuu ggcacagguu gauacacuuc guucugaccu gggugcgguu	1320
cagaaccguu ucaacuccgc uaucaccaac cugggcaaua ccguaaaaa ccugcuucu	1380
gcccguagcc guaucgaaga uuccgacuac gcaaccgaag ucuccaaccu gucucgcgcg	1440

-continued

---

```

cagauucugc agcaggccgg uaccucguu cuggcgcagg cgaaccaggu uccgcaaac 1500
guccucucu uacugcgu 1518

<210> SEQ ID NO 83
<211> LENGTH: 1790
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 83
ggggaaauaa gagagaaaag aagaguaaga agaaauauaa gagccaccau ggcacaaguc 60
auuaauacaa acagccuguc gcuguugacc cagaauaac ugaacaauc ccaguccgca 120
cugggcacug cuaucgagcg uuugucuucc ggucugcgua ucaacagcgc gaaagacgau 180
gcggcaggac aggcgauugc uaaccguuuu accgcgaaca ucaaaggucu gacucaggcu 240
ucccguaacg cuaacgacgg uaucuccauu gcgcagacca cugaaggcgc gcugaacgaa 300
aucaacaaca accugcagcg ugugcgugaa cuggcgguuc agucugcgaa ugguaacuaac 360
ucccagucug acccgcacuc cauccaggcu gaaauacccc agcgcugaa cgaauccgac 420
cguguauccg gccagacuca guucaacggc gugaagucc uggcgcagga caacaccug 480
accauccagg uuggugccaa cgacggugaa acuaucgaa uugauuuuaa agaaucagc 540
ucuaaaacac ugggacuuga uaagcuuaau guccaagaug ccuacacccc gaaagaaacu 600
gcuguuaccg uugauaaaac uaccuauaaa aaugguacag auccuauuac agcccagagc 660
aaucugaua uccaaacugc aauggcgggu ggugcaacgg ggguuucugg ggcugauauc 720
aaauuuuaag auggucauaa cuuuuagau guuaaaggcg gugcuucugc ugguguuuuu 780
aaagccacu uauguaaac uacaaagaaa guuaauuug auacgacuga uaaaacuccg 840
uuggcaacug cgaagcuac agcuauucgg ggaacggcca cuuaaccca caaccaaauu 900
gcugaaguaa caaagaggg uguugaucg accacaguug cggcucaacu ugcugcagca 960
gggguuucug gcgcccguua ggacaauacu agccuuguaa aacuaucguu ugaggauaaa 1020
aacgguaaag uuauugaug uggcuaugca gugaaaugg gcgacgauuu cuaugccgcu 1080
acauaugaug agaaaacagg ugcauuuacu gcuaaaacca cuacuauuac agaugguacu 1140
ggcguuugc aaacuggagc ugugaaauuu gguggcggca augguaauc ugaaguuguu 1200
acugcuaccg augguaagac uuacuuagca agcgaccuug acaaacuaa cuucagaaca 1260
ggcgugagc uuaagaggu uaaucagau aagacugaaa acccagcga gaaaauugau 1320
gcugccuugg cacagguuga uacacuucgu ucugaccugg gugcgguuca gaaccguuuc 1380
aacuccgcu ucaccaaccu gggcaauacc guaaaaaac ugucuucugc ccguagccgu 1440
aucgaagauu ccgacuacgc aaccgaaguc uccaacaugu cucgcgcgca gauucugcag 1500
caggccgguu ccuccguucu ggcgcaggcg aaccagguuc cgcaaacgcu ccucucuua 1560
cugcguugau aauggcugg agccucggug gccaugcuuc uugcccuug ggcuccccc 1620
cagcccccucc ucccccuccu gcccccguac ccccgguguc uuugaauaaa gucugagugg 1680
gcggcaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1740
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaucua 1790

```

&lt;210&gt; SEQ ID NO 84

-continued

---

<211> LENGTH: 13  
 <212> TYPE: PRT  
 <213> ORGANISM: Salmonella typhimurium

<400> SEQUENCE: 84

Leu Gln Arg Val Arg Glu Leu Ala Val Gln Ser Ala Asn  
 1 5 10

<210> SEQ ID NO 85  
 <211> LENGTH: 539  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 85

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln  
 1 5 10 15  
 His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr  
 20 25 30  
 Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe  
 35 40 45  
 Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro  
 50 55 60  
 Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu  
 65 70 75 80  
 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu  
 85 90 95  
 Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val  
 100 105 110  
 Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Cys Lys Thr Ile  
 115 120 125  
 Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr  
 130 135 140  
 Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Phe  
 145 150 155 160  
 Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala  
 165 170 175  
 Leu Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser  
 180 185 190  
 Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser  
 195 200 205  
 Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp  
 210 215 220  
 Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln  
 225 230 235 240  
 Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe  
 245 250 255  
 Gly Ile Leu Cys Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln  
 260 265 270  
 Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala  
 275 280 285  
 Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg  
 290 295 300

-continued

---

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr  
 305 310 315 320  
 Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp  
 325 330 335  
 Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile  
 340 345 350  
 Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His  
 355 360 365  
 Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys  
 370 375 380  
 Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile  
 385 390 395 400  
 Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp  
 405 410 415  
 Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly  
 420 425 430  
 Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro  
 435 440 445  
 Ile Lys Phe Pro Glu Asp Gln Phe Asn Val Ala Leu Asp Gln Val Phe  
 450 455 460  
 Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile  
 465 470 475 480  
 Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile  
 485 490 495  
 Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile  
 500 505 510  
 Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser  
 515 520 525  
 Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn  
 530 535

&lt;210&gt; SEQ ID NO 86

&lt;211&gt; LENGTH: 539

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polypeptide

&lt;400&gt; SEQUENCE: 86

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln  
 1 5 10 15  
 His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr  
 20 25 30  
 Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe  
 35 40 45  
 Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro  
 50 55 60  
 Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu  
 65 70 75 80  
 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu  
 85 90 95  
 Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val  
 100 105 110

-continued

---

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Cys Lys Thr Ile  
115 120 125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr  
130 135 140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr  
145 150 155 160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala  
165 170 175

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser  
180 185 190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser  
195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp  
210 215 220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln  
225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe  
245 250 255

Gly Ile Leu Cys Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln  
260 265 270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala  
275 280 285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg  
290 295 300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr  
305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp  
325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile  
340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His  
355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys  
370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile  
385 390 395 400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp  
405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly  
420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro  
435 440 445

Ile Lys Phe Pro Glu His Gln Trp His Val Ala Leu Asp Gln Val Phe  
450 455 460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile  
465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile  
485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile  
500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser









-continued

---

```

<210> SEQ ID NO 89
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 89

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1          5          10          15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
          20          25          30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
          35          40          45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
50          55          60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu
65          70          75          80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
          85          90          95

Asn Pro Gly Ser Gly Ser Phe Val Leu Leu Gly Ala Ile Ala Leu Gly Val
100         105         110

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
115         120         125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
130         135         140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
145         150         155         160

Ala Val Arg Glu Leu Lys Asp Phe Val Leu Lys Asn Leu Thr Arg Ala
165         170         175

Ile Asn Lys Asn Lys Cys Asp Ile Pro Asp Leu Lys Met Ala Val Ser
180         185         190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
195         200         205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
210         215         220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
225         230         235         240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
245         250         255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
260         265         270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
275         280         285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
290         295         300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
305         310         315         320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
325         330         335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
340         345         350

```

-continued

---

```

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
   355                               360                               365
Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
   370                               375                               380
Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
   385                               390                               395                               400
Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
                               405                               410                               415
Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
                               420                               425                               430
Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
                               435                               440                               445
Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
   450                               455                               460
Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
   465                               470                               475                               480
Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
                               485                               490                               495
Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
                               500                               505                               510
Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
   515                               520                               525
Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
   530                               535

```

```

<210> SEQ ID NO 90
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

```

```

<400> SEQUENCE: 90

```

```

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1      5      10      15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20     25     30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35     40     45
Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50     55     60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu
 65     70     75     80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85     90     95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100    105    110
Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115    120    125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130    135    140
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145    150    155    160

```

-continued

---

Ala Val Arg Glu Leu Lys Asp Phe Val Leu Lys Asn Leu Thr Arg Ala  
165 170 175

Ile Asn Lys Asn Lys Cys Asp Ile Pro Asp Leu Lys Met Ala Val Ser  
180 185 190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser  
195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp  
210 215 220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln  
225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe  
245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln  
260 265 270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala  
275 280 285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg  
290 295 300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr  
305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp  
325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile  
340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His  
355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys  
370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile  
385 390 395 400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp  
405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly  
420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro  
435 440 445

Ile Lys Phe Pro Glu Asn Gln Phe Gln Val Ala Leu Asp Gln Val Phe  
450 455 460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile  
465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile  
485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile  
500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser  
515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn  
530 535

&lt;210&gt; SEQ ID NO 91

&lt;211&gt; LENGTH: 539

-continued

---

```

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 91

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1           5           10          15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20          25          30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35          40          45
Thr Leu Pro Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50          55          60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu
 65          70          75          80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85          90          95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100         105         110
Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115         120         125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130         135         140
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145         150         155         160
Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
 165         170         175
Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180         185         190
Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195         200         205
Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210         215         220
Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225         230         235         240
Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245         250         255
Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260         265         270
Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275         280         285
Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290         295         300
Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305         310         315         320
Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325         330         335
Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340         345         350
Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355         360         365

```

-continued

---

```

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370                               375                               380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
385                               390                               395                               400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
                               405                               410                               415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
                               420                               425                               430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
                               435                               440                               445

Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
450                               455                               460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
465                               470                               475                               480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
                               485                               490                               495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
                               500                               505                               510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
515                               520                               525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
530                               535
    
```

```

<210> SEQ ID NO 92
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide
    
```

```

<400> SEQUENCE: 92

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1                               5                               10                               15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
                               20                               25                               30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
35                               40                               45

Thr Leu Pro Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
50                               55                               60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu
65                               70                               75                               80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
85                               90                               95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
100                              105                              110

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
115                              120                              125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
130                              135                              140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
145                              150                              155                              160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
165                              170                              175
    
```



-continued

---

```

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
      180                               185           190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
      195                               200           205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
      210                               215           220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
      225                               230           235

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
      245                               250           255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
      260                               265           270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
      275                               280           285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
      290                               295           300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
      305                               310           315

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
      325                               330           335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
      340                               345           350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
      355                               360           365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
      370                               375           380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
      385                               390           395

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
      405                               410           415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
      420                               425           430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
      435                               440           445

Ile Lys Phe Pro Glu Asn Gln Phe Gln Val Ala Leu Asp Gln Val Phe
      450                               455           460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
      465                               470           475

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
      485                               490           495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
      500                               505           510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
      515                               520           525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
      530                               535
    
```

```

<210> SEQ ID NO 93
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide
    
```

-continued

&lt;400&gt; SEQUENCE: 93

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln  
 1 5 10 15  
 His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr  
 20 25 30  
 Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe  
 35 40 45  
 Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro  
 50 55 60  
 Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu  
 65 70 75 80  
 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu  
 85 90 95  
 Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val  
 100 105 110  
 Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile  
 115 120 125  
 Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr  
 130 135 140  
 Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr  
 145 150 155 160  
 Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala  
 165 170 175  
 Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser  
 180 185 190  
 Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser  
 195 200 205  
 Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp  
 210 215 220  
 Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln  
 225 230 235 240  
 Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe  
 245 250 255  
 Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln  
 260 265 270  
 Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala  
 275 280 285  
 Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg  
 290 295 300  
 Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr  
 305 310 315 320  
 Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp  
 325 330 335  
 Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile  
 340 345 350  
 Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His  
 355 360 365  
 Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys  
 370 375 380  
 Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile

-continued

---

```

385                390                395                400
Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
                405                410                415
Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
                420                425                430
Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
                435                440                445
Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
                450                455                460
Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
                465                470                475                480
Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
                485                490                495
Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
                500                505                510
Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
                515                520                525
Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
                530                535

```

&lt;210&gt; SEQ ID NO 94

&lt;211&gt; LENGTH: 539

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polypeptide

&lt;400&gt; SEQUENCE: 94

```

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1                5                10                15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
                20                25                30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
                35                40                45
Thr Leu Glu Val Gly Asp Leu Glu Asn Leu Thr Cys Ser Asp Gly Pro
                50                55                60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
                65                70                75                80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
                85                90                95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
                100                105                110
Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
                115                120                125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
                130                135                140
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
                145                150                155                160
Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
                165                170                175
Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
                180                185                190
Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser

```

-continued

195					200					205					
Asp	Asn	Ala	Gly	Ile	Thr	Pro	Ala	Ile	Ser	Leu	Asp	Leu	Met	Thr	Asp
210						215					220				
Ala	Glu	Leu	Ala	Arg	Ala	Val	Pro	Asn	Met	Pro	Thr	Ser	Ala	Gly	Gln
225					230					235					240
Ile	Lys	Leu	Met	Leu	Glu	Asn	Arg	Ala	Met	Val	Arg	Arg	Lys	Gly	Phe
				245					250					255	
Gly	Ile	Leu	Ile	Gly	Val	Tyr	Gly	Ser	Ser	Val	Ile	Tyr	Met	Val	Gln
			260					265					270		
Leu	Pro	Ile	Phe	Gly	Val	Ile	Asp	Thr	Pro	Cys	Trp	Ile	Val	Lys	Ala
		275					280					285			
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Lys	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg
290						295					300				
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Gln	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr
305					310					315					320
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp
				325					330					335	
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Lys	Glu	Cys	Asn	Ile
			340					345					350		
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
		355					360					365			
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
370						375					380				
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Ile	Gly	Ser	Asn	Arg	Val	Gly	Ile	Ile
385					390					395					400
Lys	Gln	Leu	Asn	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
				405					410					415	
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420					425					430		
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro
		435					440						445		
Ile	Lys	Phe	Pro	Glu	Asp	Gln	Phe	Gln	Val	Ala	Leu	Asp	Gln	Val	Phe
450					455						460				
Glu	Asn	Ile	Glu	Asn	Ser	Gln	Ala	Leu	Val	Asp	Gln	Ser	Asn	Arg	Ile
465					470					475					480
Leu	Ser	Ser	Ala	Glu	Lys	Gly	Asn	Thr	Gly	Phe	Ile	Ile	Val	Ile	Ile
				485					490					495	
Leu	Ile	Ala	Val	Leu	Gly	Ser	Ser	Met	Ile	Leu	Val	Ser	Ile	Phe	Ile
			500					505					510		
Ile	Ile	Lys	Lys	Thr	Lys	Lys	Pro	Thr	Gly	Ala	Pro	Pro	Glu	Leu	Ser
		515					520						525		
Gly	Val	Thr	Asn	Asn	Gly	Phe	Ile	Pro	His	Asn					
530					535										

&lt;210&gt; SEQ ID NO 95

&lt;211&gt; LENGTH: 539

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polypeptide

&lt;400&gt; SEQUENCE: 95

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln

-continued

1	5	10	15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr	20	25	30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe	35	40	45
Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro	50	55	60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu	65	70	80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu	85	90	95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val	100	105	110
Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile	115	120	125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr	130	135	140
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr	145	150	160
Ala Val Arg Glu Leu Lys Asp Phe Val Leu Lys Asn Leu Thr Arg Ala	165	170	175
Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser	180	185	190
Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser	195	200	205
Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp	210	215	220
Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln	225	230	240
Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe	245	250	255
Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln	260	265	270
Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala	275	280	285
Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg	290	295	300
Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr	305	310	320
Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp	325	330	335
Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile	340	345	350
Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His	355	360	365
Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys	370	375	380
Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile	385	390	400
Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp	405	410	415

-continued

---

```

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
      420                      425                      430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
      435                      440                      445

Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
      450                      455                      460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
      465                      470                      475                      480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
      485                      490                      495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
      500                      505                      510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
      515                      520                      525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
      530                      535

```

```

<210> SEQ ID NO 96
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

```

```

<400> SEQUENCE: 96

```

```

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1      5      10      15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20     25     30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35     40     45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50     55     60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65     70     75     80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85     90     95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
100    105    110

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
115    120    125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
130    135    140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
145    150    155    160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Trp Arg Ala
165    170    175

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
180    185    190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
195    200    205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
210    215    220

```

-continued

---

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln  
 225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe  
 245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln  
 260 265 270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala  
 275 280 285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg  
 290 295 300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr  
 305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp  
 325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile  
 340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His  
 355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys  
 370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile  
 385 390 395 400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp  
 405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly  
 420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro  
 435 440 445

Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe  
 450 455 460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile  
 465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile  
 485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile  
 500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser  
 515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn  
 530 535

&lt;210&gt; SEQ ID NO 97

&lt;211&gt; LENGTH: 539

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polypeptide

&lt;400&gt; SEQUENCE: 97

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln  
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr  
 20 25 30

-continued

---

Glu	Gly	Tyr	Leu	Ser	Val	Leu	Arg	Thr	Gly	Trp	Tyr	Thr	Asn	Val	Phe
	35						40					45			
Thr	Leu	Glu	Val	Gly	Asp	Leu	Glu	Asn	Leu	Thr	Cys	Ser	Asp	Gly	Pro
	50					55					60				
Ser	Leu	Ile	Lys	Thr	Glu	Leu	Asp	Leu	Leu	Lys	Ser	Ala	Leu	Arg	Glu
65					70					75					80
Leu	Lys	Thr	Val	Ser	Ala	Asp	Gln	Leu	Ala	Arg	Glu	Glu	Gln	Ile	Glu
				85					90						95
Asn	Pro	Gly	Ser	Gly	Ser	Phe	Val	Leu	Gly	Ala	Ile	Ala	Leu	Gly	Val
		100						105						110	
Ala	Ala	Ala	Ala	Ala	Val	Thr	Ala	Gly	Val	Ala	Ile	Ala	Lys	Thr	Ile
		115					120						125		
Arg	Leu	Glu	Ser	Glu	Val	Thr	Ala	Ile	Asn	Asn	Ala	Leu	Lys	Lys	Thr
	130					135					140				
Asn	Glu	Ala	Val	Ser	Thr	Leu	Gly	Asn	Gly	Val	Arg	Val	Leu	Ala	Thr
145					150					155					160
Ala	Val	Arg	Glu	Leu	Lys	Asp	Phe	Val	Leu	Lys	Asn	Leu	Trp	Arg	Ala
				165					170					175	
Ile	Asn	Lys	Asn	Lys	Cys	Asp	Ile	Asp	Asp	Leu	Lys	Met	Ala	Val	Ser
		180						185					190		
Phe	Ser	Gln	Phe	Asn	Arg	Arg	Phe	Leu	Asn	Val	Val	Arg	Gln	Phe	Ser
		195					200					205			
Asp	Asn	Ala	Gly	Ile	Thr	Pro	Ala	Ile	Ser	Leu	Asp	Leu	Met	Thr	Asp
	210					215					220				
Ala	Glu	Leu	Ala	Arg	Ala	Val	Pro	Asn	Met	Pro	Thr	Ser	Ala	Gly	Gln
225					230					235					240
Ile	Lys	Leu	Met	Leu	Glu	Asn	Arg	Ala	Met	Val	Arg	Arg	Lys	Gly	Phe
			245						250					255	
Gly	Ile	Leu	Ile	Gly	Val	Tyr	Gly	Ser	Ser	Val	Ile	Tyr	Met	Val	Gln
		260						265					270		
Leu	Pro	Ile	Phe	Gly	Val	Ile	Asp	Thr	Pro	Cys	Trp	Ile	Val	Lys	Ala
		275					280					285			
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Lys	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg
	290					295					300				
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Gln	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr
305					310					315					320
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp
			325						330					335	
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Lys	Glu	Cys	Asn	Ile
			340					345					350		
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
		355					360					365			
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
	370					375					380				
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Ile	Gly	Ser	Asn	Arg	Val	Gly	Ile	Ile
385					390					395					400
Lys	Gln	Leu	Asn	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
			405						410					415	
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420					425					430		



-continued

---

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro  
 435 440 445

Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe  
 450 455 460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile  
 465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile  
 485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile  
 500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser  
 515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn  
 530 535

<210> SEQ ID NO 98  
 <211> LENGTH: 539  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 98

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln  
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr  
 20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe  
 35 40 45

Thr Leu Pro Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro  
 50 55 60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu  
 65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu  
 85 90 95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val  
 100 105 110

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile  
 115 120 125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr  
 130 135 140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr  
 145 150 155 160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala  
 165 170 175

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser  
 180 185 190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser  
 195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp  
 210 215 220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln  
 225 230 235 240



-continued

---

Thr	Leu	Glu	Val	Gly	Asp	Val	Glu	Asn	Leu	Thr	Cys	Ser	Asp	Gly	Pro
50						55					60				
Ser	Leu	Ile	Lys	Thr	Glu	Leu	Asp	Leu	Thr	Lys	Ser	Ala	Leu	Arg	Glu
65					70					75					80
Leu	Lys	Thr	Val	Ser	Ala	Asp	Gln	Leu	Ala	Arg	Glu	Glu	Gln	Ile	Glu
				85					90					95	
Asn	Pro	Gly	Ser	Gly	Ser	Phe	Val	Leu	Gly	Ala	Ile	Ala	Leu	Gly	Val
		100						105					110		
Ala	Ala	Ala	Ala	Ala	Val	Thr	Ala	Gly	Val	Ala	Ile	Ala	Lys	Thr	Ile
		115					120					125			
Arg	Leu	Glu	Ser	Glu	Val	Thr	Ala	Ile	Asn	Asn	Ala	Leu	Lys	Lys	Thr
130						135					140				
Asn	Glu	Ala	Val	Ser	Thr	Leu	Gly	Asn	Gly	Val	Arg	Val	Leu	Ala	Thr
145					150					155					160
Ala	Val	Arg	Glu	Leu	Lys	Asp	Phe	Val	Ser	Lys	Asn	Leu	Thr	Arg	Ala
				165					170					175	
Ile	Asn	Lys	Asn	Lys	Cys	Asp	Ile	Pro	Asp	Leu	Lys	Met	Ala	Val	Ser
			180					185					190		
Phe	Ser	Gln	Phe	Asn	Arg	Arg	Phe	Leu	Asn	Val	Val	Arg	Gln	Phe	Ser
		195					200					205			
Asp	Asn	Ala	Gly	Ile	Thr	Pro	Ala	Ile	Ser	Leu	Asp	Leu	Met	Thr	Asp
210						215					220				
Ala	Glu	Leu	Ala	Arg	Ala	Val	Pro	Asn	Met	Pro	Thr	Ser	Ala	Gly	Gln
225					230					235					240
Ile	Lys	Leu	Met	Leu	Glu	Asn	Arg	Ala	Met	Val	Arg	Arg	Lys	Gly	Phe
				245					250					255	
Gly	Ile	Leu	Ile	Gly	Val	Tyr	Gly	Ser	Ser	Val	Ile	Tyr	Met	Val	Gln
			260					265					270		
Leu	Pro	Ile	Phe	Gly	Val	Ile	Asp	Thr	Pro	Cys	Trp	Ile	Val	Lys	Ala
			275				280						285		
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Lys	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg
						295					300				
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Gln	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr
305					310					315					320
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp
				325					330					335	
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Lys	Glu	Cys	Asn	Ile
			340					345					350		
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
			355				360						365		
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
						375					380				
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Ile	Gly	Ser	Asn	Arg	Val	Gly	Ile	Ile
385					390					395					400
Lys	Gln	Leu	Asn	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
				405					410					415	
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420					425					430		
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro
			435				440						445		
Ile	Lys	Phe	Pro	Glu	Asp	Gln	Phe	Gln	Val	Ala	Leu	Asp	Gln	Val	Phe





-continued

65		70			75				80						
Leu	Lys	Thr	Val	Ser	Ala	Asp	Gln	Leu	Ala	Arg	Glu	Glu	Gln	Ile	Glu
				85					90						95
Asn	Pro	Gly	Ser	Gly	Ser	Phe	Val	Leu	Gly	Ala	Ile	Ala	Leu	Gly	Val
			100					105						110	
Ala	Ala	Ala	Ala	Ala	Val	Thr	Ala	Gly	Val	Ala	Ile	Ala	Lys	Thr	Ile
		115					120						125		
Arg	Leu	Pro	Ser	Glu	Val	Thr	Ala	Ile	Asn	Asn	Ala	Leu	Lys	Lys	Thr
	130					135					140				
Asn	Glu	Ala	Val	Ser	Thr	Leu	Gly	Asn	Gly	Val	Arg	Val	Leu	Ala	Thr
	145				150						155				160
Ala	Val	Arg	Glu	Leu	Lys	Asp	Phe	Val	Ser	Lys	Asn	Leu	Thr	Arg	Ala
			165						170						175
Ile	Asn	Lys	Asn	Lys	Cys	Asp	Ile	Asp	Asp	Leu	Lys	Met	Ala	Val	Ser
			180					185						190	
Phe	Ser	Gln	Phe	Asn	Arg	Arg	Phe	Leu	Asn	Val	Val	Arg	Gln	Phe	Ser
		195					200						205		
Asp	Asn	Ala	Gly	Ile	Thr	Pro	Ala	Ile	Ser	Leu	Asp	Leu	Met	Thr	Asp
	210					215						220			
Ala	Glu	Leu	Ala	Arg	Ala	Val	Pro	Asn	Met	Pro	Thr	Ser	Ala	Gly	Gln
	225				230						235				240
Ile	Lys	Leu	Met	Leu	Glu	Asn	Arg	Ala	Met	Val	Arg	Arg	Lys	Gly	Phe
			245						250						255
Gly	Ile	Leu	Ile	Gly	Val	Tyr	Gly	Ser	Ser	Val	Ile	Tyr	Met	Val	Gln
		260						265						270	
Leu	Pro	Ile	Phe	Gly	Val	Ile	Asp	Thr	Pro	Cys	Trp	Ile	Val	Lys	Ala
		275					280						285		
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Lys	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg
	290					295					300				
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Gln	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr
	305				310					315					320
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp
			325						330						335
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Lys	Glu	Cys	Asn	Ile
			340					345						350	
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
		355					360						365		
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
	370					375					380				
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Ile	Gly	Ser	Asn	Arg	Val	Gly	Ile	Ile
	385				390					395					400
Lys	Gln	Leu	Asn	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
			405						410						415
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420					425						430	
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro
		435					440						445		
Ile	Lys	Phe	Pro	Glu	Asp	Gln	Phe	Gln	Val	Ala	Leu	Asp	Gln	Val	Phe
	450					455						460			
Glu	Asn	Ile	Glu	Asn	Ser	Gln	Ala	Leu	Val	Asp	Gln	Ser	Asn	Arg	Ile
	465				470					475					480

-continued

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile  
 485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile  
 500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser  
 515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn  
 530 535

<210> SEQ ID NO 102

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 102

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln  
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr  
 20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe  
 35 40 45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro  
 50 55 60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu  
 65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu  
 85 90 95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val  
 100 105 110

Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile  
 115 120 125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr  
 130 135 140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr  
 145 150 155 160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala  
 165 170 175

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser  
 180 185 190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser  
 195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp  
 210 215 220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln  
 225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe  
 245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln  
 260 265 270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala  
 275 280 285

-continued

---

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg  
 290 295 300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr  
 305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp  
 325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile  
 340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His  
 355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys  
 370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile  
 385 390 395 400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp  
 405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly  
 420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Pro Pro  
 435 440 445

Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe  
 450 455 460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile  
 465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile  
 485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile  
 500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser  
 515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn  
 530 535

&lt;210&gt; SEQ ID NO 103

&lt;211&gt; LENGTH: 539

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polypeptide

&lt;400&gt; SEQUENCE: 103

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln  
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr  
 20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe  
 35 40 45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro  
 50 55 60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu  
 65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu  
 85 90 95



-continued

---

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val  
                   100                                  105                                  110

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile  
                   115                                  120                                  125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr  
                   130                                  135                                  140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr  
                   145                                  150                                  155                                  160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala  
                                   165                                  170                                  175

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser  
                                   180                                  185                                  190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser  
                                   195                                  200                                  205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp  
                   210                                  215                                  220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln  
                   225                                  230                                  235                                  240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe  
                                   245                                  250                                  255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln  
                                   260                                  265                                  270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala  
                                   275                                  280                                  285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg  
                   290                                  295                                  300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr  
                   305                                  310                                  315                                  320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp  
                                   325                                  330                                  335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile  
                                   340                                  345                                  350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His  
                   355                                  360                                  365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys  
                   370                                  375                                  380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile  
                   385                                  390                                  395                                  400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp  
                                   405                                  410                                  415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly  
                                   420                                  425                                  430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro  
                   435                                  440                                  445

Ile Lys Phe Pro Glu Asn Gln Phe Gln Val Ala Leu Asp Gln Val Phe  
                   450                                  455                                  460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile  
                   465                                  470                                  475                                  480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile  
                                   485                                  490                                  495



-continued

---

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr  
 305 310 315 320  
 Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp  
 325 330 335  
 Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile  
 340 345 350  
 Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His  
 355 360 365  
 Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys  
 370 375 380  
 Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile  
 385 390 395 400  
 Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp  
 405 410 415  
 Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly  
 420 425 430  
 Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro  
 435 440 445  
 Ile Lys Phe Pro Gln Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe  
 450 455 460  
 Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile  
 465 470 475 480  
 Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile  
 485 490 495  
 Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile  
 500 505 510  
 Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser  
 515 520 525  
 Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn  
 530 535

&lt;210&gt; SEQ ID NO 105

&lt;211&gt; LENGTH: 539

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polypeptide

&lt;400&gt; SEQUENCE: 105

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln  
 1 5 10 15  
 His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr  
 20 25 30  
 Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe  
 35 40 45  
 Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro  
 50 55 60  
 Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu  
 65 70 75 80  
 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu  
 85 90 95  
 Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val  
 100 105 110

-continued

---

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile  
115 120 125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr  
130 135 140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr  
145 150 155 160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala  
165 170 175

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser  
180 185 190

Phe Ser Gln Trp Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser  
195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp  
210 215 220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln  
225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe  
245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln  
260 265 270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala  
275 280 285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg  
290 295 300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr  
305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp  
325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile  
340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His  
355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys  
370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile  
385 390 395 400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp  
405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly  
420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro  
435 440 445

Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe  
450 455 460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile  
465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile  
485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile  
500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser

-continued

515	520	525	
Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn			
530	535		
<p>&lt;210&gt; SEQ ID NO 106                      &lt;211&gt; LENGTH: 1617                      &lt;212&gt; TYPE: DNA                      &lt;213&gt; ORGANISM: Artificial Sequence                      &lt;220&gt; FEATURE:                      &lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide</p>			
<p>&lt;400&gt; SEQUENCE: 106</p>			
atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa			60
gagagctacc tggaaagatc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga			120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc			180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa			240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc			300
ggcagctttg tgctgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca			360
ggcgtggcca tctgcaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc			420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccttt			480
gccgtgcgcy agctgaagga ctctgtgtcc aagaacctga cacgggacct gaacaagaac			540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt			600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac			660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag			720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgtgt			780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac			840
acaccctgct ggattgtgaa ggcgctcct agctgtagcg agaagaaggg caattacgcc			900
tgctctgctga gagaggacca aggctgggat tgtcagaacg ccggcagcac cgtgtaactc			960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgcgctgga			1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc			1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc			1140
ctggtggcct gttataaggg cgtgtcctgt agcatcgca gcaacagagt gggcatcatc			1200
aagcagctga acaagggctg cagctacatc accaaccagg acgcccagac cgtgaccatc			1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga			1320
cctgtgtcca gcagcttcca cctatcaag ttccctgagg atcagttcaa cgtggccctg			1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc			1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcag tgatcactct gatcgccgtg			1500
ctgggcagct ccattgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc			1560
accggcgcct ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac			1617

<210> SEQ ID NO 107  
 <211> LENGTH: 1617  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polynucleotide

-continued

&lt;400&gt; SEQUENCE: 107

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa    60
gagagctacc tggaaagatc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga    120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc    180
tctgatggcc ctgacctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa    240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc    300
ggcagctttg tgtggggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca    360
ggcgtggcca tctgcaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc    420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca    480
gccgtgcgag agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac    540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt    600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac    660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag    720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgtgt    780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac    840
acacctgctt ggattgtgaa ggcgctcctt agctgtagcg agaagaaggg caattacgcc    900
tgctctgctg gagaggacca aggctgggat tgtcagaacg ccggcagcac cgtgtactac    960
cctaacgaga aggactcgca gacaagaggc gaccacgtgt tctgtgatac cgcgctgga    1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc    1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc    1140
ctggtggcct gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc    1200
aagcagctga acaagggctg cagctacatc accaaccagg acgcccagac cgtgaccatc    1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga    1320
cctgtgtcca gcagcttoga ccctatcaag ttccctgagc accagtgga tgtggccctg    1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc    1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcactct gatcgccgtg    1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc    1560
accggcgcct ctcagaact gagcggagtg accaacaatg gcttcatccc tcacaac    1617

```

&lt;210&gt; SEQ ID NO 108

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 108

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa    60
gagagctacc tggaaagatc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga    120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc    180
tctgatggcc ctgacctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa    240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc    300

```

-continued

---

ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca	360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc	420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca	480
gccgtgcgcg agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac	540
aagtgcgaca tccctgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt	600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac	660
ctgatgacag atgctgagct ggctagagcc gtgcetaaca tgectacatc tgcggccag	720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt	780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac	840
acaccctgct ggattgtgaa ggcgctcct agctgtagcg agaagaagg caattacgcc	900
tgctctgctga gagaggacca aggctggat tgctcagaacg ccggcagcac cgtgtactac	960
cctaacgaga aggactcgga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga	1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc	1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc	1140
ctggtggcct gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc	1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc	1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga	1320
cctgtgtcca gcagcttoga cctatcaag ttcctgagg atcagttcca ggtggccctg	1380
gaccaggtgt tcgagaacat cgagaattcc caggtctcgg tggaccagtc caacagaatc	1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcag tgatcatcct gatcgccgtg	1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc	1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac	1617

&lt;210&gt; SEQ ID NO 109

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 109

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa	60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgct tgtgctgaga	120
accggctggt acaccaacgt gttcacactg gaagtgggcg acgtcgagaa tctgacatgc	180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa	240
ctcaagaccg tgtctgcca tcagctggcc agagaggaac agatcgagaa tcttggcagc	300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca	360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc	420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca	480
gccgtgcgcg agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac	540
aagtgcgaca tccctgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt	600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac	660

-continued

---

```

ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgcggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acacctgct ggattgtgaa ggcgctcct agctgtagcg agaagaagg caattacgcc 900
tgcttctga gagaggacca aggctggat tgctcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactcgga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgcccagac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttoga cctatcaag ttccctgaga accagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcactct gatcgccgtg 1500
ctgggcagct ccattgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgtc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

&lt;210&gt; SEQ ID NO 110

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 110

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa 240
ctcaagaccg tgtctgcca tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
ggcagctttg tgctgggagc cattgtcttt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctcgcaatg gcgttagagt gctggccaca 480
gccgtgcgag agctgaagga ctctgtgctt aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcctgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgcggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acacctgct ggattgtgaa ggcgctcct agctgtagcg agaagaagg caattacgcc 900
tgcttctga gagaggacca aggctggat tgctcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactcgga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020

```



-continued

---

```

atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggcctt gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccate 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttoga ccctatcaag ttccctgagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggetctgg tggaccagtc caacagaate 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcatcct gatcgccgtg 1500
ctgggcagct ccattgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgcctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

```

<210> SEQ ID NO 111
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 111

```

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa 240
ctcaagaccg tgtctgcca tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggg cgtcagcaca ctccgcaatg gcgttagagt gctggccaca 480
gccgtgcgag agctgaagga ctctgtgctt aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tccttgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag 720
atcaagctga tgcctgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgccctgctga gagaggacca aggctgggat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagaggg gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggcctt gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccate 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttoga ccctatcaag ttccctgaga accagttcca ggtggccctg 1380

```

-continued

---

```

gaccagggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacacggc ttcacatcg tgatcactct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcacccc tcacaac 1617

```

```

<210> SEQ ID NO 112
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 112

```

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg cctgtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa 240
ctcaagacgg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccggcaatg gcgttagagt gctggccaca 480
gccgtgcgag agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcgacgaact gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgccctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtaag gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgccctgctga gagaggacca aggctgggat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaagggtg ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcacc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacacgg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcga cctatcaag ttccctgagg atcagttcca ggtggcctg 1380
gaccagggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacacggc ttcacatcg tgatcactct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcacccc tcacaac 1617

```

```

<210> SEQ ID NO 113
<211> LENGTH: 1617

```

-continued

---

```

<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 113
atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa    60
gagagctacc tggaaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga    120
accggctggt acaccaacgt gttcacactg cctgtgggcg acgtcgagaa tctgacatgc    180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa    240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc    300
ggcagctttg tgctgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca    360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc    420
ctgaagaaga caaacgaggc cgtcagcaca ctcggaatg gcgttagagt gctggccaca    480
gccgtgcgcg agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac    540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt    600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac    660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgcggccag    720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt    780
ggcgtgtaog gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac    840
acaccctgct ggatttgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc    900
tgctctgctg gagaggaoca aggctgggat tgtcagaacg ccggcagcac cgtgtactac    960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga   1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc   1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc   1140
ctggtggctt gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc   1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc   1260
gacaacaccc tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga   1320
cctgtgtcca gcagcttoga ccctatcaag ttccctgaga accagttcca ggtggcctg    1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc   1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcog tgatcactct gatcgccgtg   1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc   1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac    1617

```

```

<210> SEQ ID NO 114
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 114
atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa    60
gagagctacc tggaaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga    120
accggctggt acaccaacgt gttcacactg gaagtgggcg acgtcgagaa tctgacatgc    180

```

-continued

---

tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa	240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc	300
ggcagctttg tgctgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca	360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc	420
ctgaagaaga caaacgaggc cgtcagcaca ctcggaatg gcgttagagt gctggccaca	480
gccgtgcgag agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac	540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt	600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac	660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgcggccag	720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt	780
ggcgtgtaag gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac	840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc	900
tgcctgctga gagaggacca aggctggat tgtcagaacg ccggcagcac cgtgtactac	960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga	1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc	1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc	1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc	1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc	1260
gacaacacag tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga	1320
cctgtgtcca gcagcttcga ccctatcaag ttccctgagg atcagttcca ggtggcctg	1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc	1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcag tgatcactct gatcgccgtg	1500
ctgggcagct ccattgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc	1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac	1617

&lt;210&gt; SEQ ID NO 115

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 115

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa	60
gagagctacc tgggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga	120
accggctggt acaccaacgt gttcacactg gaagtgggag acctcgagaa tctgacatgc	180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa	240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc	300
ggcagctttg tgctgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca	360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc	420
ctgaagaaga caaacgaggc cgtcagcaca ctcggaatg gcgttagagt gctggccaca	480
gccgtgcgag agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac	540

-continued

---

```

aagtgcgaca tgcagcact gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag 720
atcaagctga tgcctgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtaag gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgccctgctga gagaggacca aggctggatg tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagagcc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgcccatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttoga ccctatcaag ttccctgagg atcagttcca ggtggcctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcag tgatcactct gatcgccgtg 1500
ctgggcagct ccattgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

&lt;210&gt; SEQ ID NO 116

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 116

```

atgagctgga aggtggatcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaaagatc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgcca tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgagcc cgtcagcaca ctccgcaatg gcgcttagagt gctggccaca 480
gccgtgcgag agctgaagga cttcgtgctt aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tgcagcact gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag 720
atcaagctga tgcctgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtaag gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900

```

-continued

---

tgcctgctga gagaggacca aggctggat tgtcagaacg cggcagcac cgtgtactac	960
cctaacgaga aggactgoga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga	1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc	1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc	1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc	1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc	1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga	1320
cctgtgtcca gcagcttoga ccctatcaag ttcctgagg atcagttcca ggtggcctg	1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc	1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcog tgatcactct gatcgccgtg	1500
ctgggcagct ccattgactc ggtgtccatc ttcacatta tcaagaagac caagaagccc	1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac	1617

&lt;210&gt; SEQ ID NO 117

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 117

atgagctgga aggtggctcat catcttcagc ctgctgatca cacctcagca cggcctgaaa	60
gagagctacc tggaaagatc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga	120
accggctggt acaccaacgt gttcacactg gaagtggcg acgtcgagaa tctgacatgc	180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa	240
ctcaagaccg tgtctgocga tcagctggcc agagaggaac agatcgagaa tcttggcagc	300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca	360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc	420
ctgaagaaga caaacgaggc cgtcagcaca ctcgcaatg gcgtagagt gctggccaca	480
gccgtgcgag agctgaagga cttcgtgtcc aagaacctgt ggcgggccat taacaagaac	540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt	600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac	660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgcggccag	720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt	780
ggcgtgtaog gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac	840
acaccctgct ggatttgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc	900
tgcctgctga gagaggacca aggctggat tgtcagaacg cggcagcac cgtgtactac	960
cctaacgaga aggactgoga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga	1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc	1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc	1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc	1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc	1260

-continued

---

gacaacaccg tgtatcagct gagcaagggtg gaaggcgaac agcacgtgat caagggcaga	1320
cctgtgtcca gcagcttoga ccctatcaag ttcctgagg atcagttcca ggtggcctg	1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc	1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcg tgatcactct gatcgccgtg	1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc	1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac	1617

&lt;210&gt; SEQ ID NO 118

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 118

atgagctgga aggtggctcat catcttcagc ctgctgatca cacctcagca cggcctgaaa	60
gagagctacc tggagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga	120
accggctggt acaccaacgt gttcacactg gaagtggcg acctcgagaa tctgacatgc	180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa	240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcttggcagc	300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca	360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc	420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgtagagt gctggccaca	480
gccgtgcgag agctgaagga cttcgtgctt aagaacctgt ggcgggccat taacaagaac	540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt	600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac	660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgcggccag	720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt	780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac	840
acaccctgct ggattgtgaa ggcgctcct agctgtagcg agaagaaggg caattacgcc	900
tgcctgctga gagaggacca aggctggat gtgcagaacg ccggcagcac cgtgtactac	960
cctaacgaga aggactcgga gacaagaggc gaccacgtgt tctgtgatac cgcgctgga	1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc	1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc	1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcacc	1200
aagcagctga acaagggtg cagctacatc accaaccagg acgcccatac cgtgaccatc	1260
gacaacaccg tgtatcagct gagcaagggtg gaaggcgaac agcacgtgat caagggcaga	1320
cctgtgtcca gcagcttoga ccctatcaag ttcctgagg atcagttcca ggtggcctg	1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc	1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcg tgatcactct gatcgccgtg	1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc	1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac	1617

---

-continued

---

<210> SEQ ID NO 119  
<211> LENGTH: 1617  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 119

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa	60
gagagctacc tggagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga	120
accggctggt acaccaacgt gttcacactg cctgtgggag acgtcgagaa tctgacatgc	180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa	240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcttggcagc	300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca	360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc	420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgtagagtg gctggccaca	480
gccgtgctgc agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac	540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt	600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac	660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag	720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt	780
ggcgtgtaag gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac	840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaagg caattaacgcc	900
tgccctgctg gagaggacca aggctggat tgtcagaacg ccggcagcac cgtgtactac	960
cctaacgaga aggactcgga gacaagaggc gaccacgtgt tctgtgatac cggcgtgga	1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc	1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc	1140
ctggtggctt gttataaggg cgtgtcctgt agcatcgga gcaacagagt gggcatcacc	1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc	1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga	1320
cctgtgtcca gcagcttoga cctatcaag ttccctgagg atcagttcca ggtggcctcg	1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc	1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcag tgatcaccct gatcgccgtg	1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc	1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac	1617

<210> SEQ ID NO 120  
<211> LENGTH: 1617  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 120

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa	60
---	----



-continued

---

```

gagagctacc tggaaagatc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctgacctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca 480
gccgtgcgag agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tccctgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgcctgctga gagaggacca aggctgggat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcgga gcaacagagt gggcatcacc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgcccagac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttoga cccatcaag tccctgagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccgac ttcacatcag tgatcaccct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

&lt;210&gt; SEQ ID NO 121

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 121

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaaagatc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctgacctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420

```

-continued

---

```

ctgaagaaga caaacgaggc cgtcagcaca ctcggcaatg gcgtagagt gctggccaca 480
gccgtgcygc agctgaagga cttcgtgtcc aagaacctga cacgggcat taacaagaac 540
aagtgccta tgcagcact gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaagg caattacgcc 900
tgcctgctga gagaggacca aggctggat tgtcagaac cggcagcac cgtgtactac 960
cctaacgaga aggactcgga gacaagaggc gaccacgtgt tctgtgatac cggcctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcgga gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgcccatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcagctgat caagggcaga 1320
cctgtgtcca gcagcttoga cctatcaag ttccctgagg atcagttcca ggtggcctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcag tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgcct cccagaact gagcggagt accaacaatg gcttcatccc tcacaac 1617

```

&lt;210&gt; SEQ ID NO 122

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 122

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggcy acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
ggcagctttg tgetgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg cctagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctcggcaatg gcgtagagt gctggccaca 480
gccgtgcygc agctgaagga cttcgtgtcc aagaacctga cacgggcat taacaagaac 540
aagtgcgaca tgcagcact gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780

```

-continued

---

```

ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac   840
acaccctgct ggatttgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc   900
tgcctgctga gagaggacca aggctgggtat tgtcagaacg ccggcagcac cgtgtactac   960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga  1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc  1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc  1140
ctggtggcct gttataaggg cgtgtcctgt agcatcgga gcaacagagt gggcatcacc  1200
aagcagctga acaagggctg cagctacatc accaaccagg acgcccagac cgtgaccatc  1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga  1320
cctgtgtcca gcagcttoga cctatcaag ttccctgagg atcagttcca ggtggcctg  1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc  1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcaccct gatcgccgtg  1500
ctgggcagct ccattgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc  1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac   1617

```

&lt;210&gt; SEQ ID NO 123

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 123

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa   60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga  120
accggctggt acaccaacgt gttcacactg gaagtgggcy acgtcgagaa tctgacatgc  180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa  240
ctcaagaccg tgtctgcca tcagctggcc agagaggaac agatcgagaa tcctggcagc  300
ggcagctttg tgetgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca  360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc  420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca  480
gccgtgcygc agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac  540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt  600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac  660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag  720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt  780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac   840
acaccctgct ggatttgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc   900
tgcctgctga gagaggacca aggctgggtat tgtcagaacg ccggcagcac cgtgtactac   960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga  1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc  1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc  1140

```

-continued

---

```

ctggtggcctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcacc 1200
aagcagctga acaagggctg cagctacacc accaaccagg acgccgatac cgtgaccacc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttccc acctatcaag ttccctgagg atcagttcca ggtggcctcg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcatcatcg tgatcatcct gatcgccgtg 1500
ctgggcagct ccattgatcct ggtgtccacc ttcatcatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

&lt;210&gt; SEQ ID NO 124

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 124

```

atgagctgga aggtggctcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtggggc acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgcca tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
ggcagctttg tgctgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca 480
gccgtgctgc agctgaagga ctctgtgtcc aagaacctga caccggccat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggcgctcct agctgtagcg agaagaaggg caattacgcc 900
tgctctgctg gagaggacca agcctggat tgtcagaacg ccggcagcac cgtgtaactc 960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgcgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcacctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggcctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcacc 1200
aagcagctga acaagggctg cagctacacc accaaccagg acgccgatac cgtgaccacc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcca cctatcaag ttccctgaga accagttcca ggtggcctcg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcatcatcg tgatcatcct gatcgccgtg 1500

```

-continued

---

 ctgggcagct ccatgatcct ggtgtccatc ttcattcatta tcaagaagac caagaagccc 1560

accggcgctc ctccagaact gagcggagt accaacaatg gcttcatccc tcacaac 1617

&lt;210&gt; SEQ ID NO 125

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 125

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60

gagagctacc tggaaagatc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120

accggctggt acaccaacgt gttcacactg gaagtggggc acgtcgagaa tctgacatgc 180

tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240

ctcaagaccg tgtctgcccga tcagctggcc agagaggaac agatcgagaa tcctggcagc 300

ggcagctttg tgctgggagc cattgtctt ggagtggctg ctgctgcagc tgttacagca 360

ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420

ctgaagaaga caaacgagc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca 480

gccgtgcgag agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac 540

aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600

ctgaacgtcg tgccgagctt tagcgcacaac gccggaatca caccagccat cagcctggac 660

ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag 720

atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780

ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840

acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900

tgccctgctga gagaggacca aggctggat tgtcagaacg ccggcagcac cgtgtaactac 960

cctaacgaga aggactgcga gacaagagc gaccacgtg tctgtgatac cgcgctgga 1020

atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080

tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140

ctggtggctt gttataaggg cgtgtcctgt agcatcgca gcaacagagt gggcatcatc 1200

aagcagctga acaagggctg cagctacatc accaaccagg acgcccagac cgtgaccate 1260

gacaacaccg tgtatcagct gagcaaggtg gaagcgaac agcacgtgat caagggcaga 1320

cctgtgtcca gcagcttcca cctatcaag tccctcagg atcagttcca ggtggccctg 1380

gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440

ctgtctagcg ccgagaaggg aaacaccggc ttcattcatg tgatcatcct gatcgccgtg 1500

ctgggcagct ccatgatcct ggtgtccatc ttcattcatta tcaagaagac caagaagccc 1560

accggcgctc ctccagaact gagcggagt accaacaatg gcttcatccc tcacaac 1617

&lt;210&gt; SEQ ID NO 126

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

-continued

&lt;400&gt; SEQUENCE: 126

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa    60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga    120
accggctggt acaccaacgt gttcacactg gaagtgggcg acgtcgagaa tctgacatgc    180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa    240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc    300
ggcagctttg tgctgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca    360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc    420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca    480
gccgtgcgcg agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac    540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagtggaa ccggcggttt    600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac    660
ctgatgcagc atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag    720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt    780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac    840
acacctgctt ggattgtgaa ggcgctcctt agctgtagcg agaagaaggg caattacgcc    900
tgctctgctg gagaggacca aggctgggat tgtcagaacg ccggcagcac cgtgtactac    960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgcgctgga    1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc    1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc    1140
ctggtggcctt gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc    1200
aagcagctga acaagggctg cagctacatc accaaccagg acgcccatac cgtgaccatc    1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga    1320
cctgtgtcca gcagcttoga ccctatcaag ttccctgagg atcagttcca ggtggccctg    1380
gaccaggtgt tcgagaacat cgagaattcc caggctctggt tggaccagtc caacagaatc    1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcatcct gatcgccgtg    1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc    1560
accggcgcctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac    1617

```

&lt;210&gt; SEQ ID NO 127

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 127

```

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa    60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga    120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc    180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa    240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc    300

```

-continued

---

ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcguggcca ucugcaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccuuu	480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggcccu gaacaagaac	540
aagugcgaca ucgacgaccu gaagauggcc guguccuuu gccaguuca cggcgguuu	600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugugu	780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuauucucgg cgugaucgac	840
acaccucgcu ggaauugaa ggccgucucc agcuguagcg agaagaagg caauuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgucgga	1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuuuu ucuauugggg cucugucucc ucugggagcc	1140
cugguggcuu guuauaagg cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaaggcgug cagcuacauc accaaccagg acgcccgauc cgugaccauc	1260
gacaacaccg uguaucagcu gagcaaggug gaagcgaac agcagcugau caagggcaga	1320
ccugugucca gcagcuucga ccuaucaag ucccugagg aucaguuca cguggccucg	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc	1440
cugucuagcg ccgagaagg aaacaccggc uucaucaucg ugaucacucc gaucgcccug	1500
cugggcagcu ccaugacucc gguguccauc uucaucauu ucaagaagac caagaagccc	1560
accggcguc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac	1617

&lt;210&gt; SEQ ID NO 128

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 128

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc	180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcguggcca ucugcaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ucgacgaccu gaagauggcc guguccuuu gccaguuca cggcgguuu	600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660

-continued

---

```

cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugugu 780
ggcguguacg gcagcagcgu gaucuaauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuuaaaggg cgugucucu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaaggcgug cagcuacauc accaaccagg acgcccgauc cgugaccuac 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga cccuaucaag ucccugagc accaguggca uguggcccg 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucacuuc gauccgug 1500
cugggcagcu ccaugacuuc gguguccauc uucaucauu ucaagaagac caagaagccc 1560
accggcguc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac 1617

```

&lt;210&gt; SEQ ID NO 129

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 129

```

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccgau caagaccgag cuggaucugc ucaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcuuagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucccugaccu gaagauggcc guguccuuu gccaguuaa ccggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguacg gcagcagcgu gaucuaauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020

```



-continued

---

aucaaugugg	ccgagcagag	caaagagugc	aacaaucaaca	ucagcaccac	caacuauccc	1080
ugcaaggugu	ccaccggcag	gcaccuauu	ucuauuggug	cucugucucc	ucugggagcc	1140
cugguggcuu	guuauaaggg	cguguccugu	agcaucggca	gcaacagagu	gggcaucauc	1200
aagcagcuga	acaagggcug	cagcuacauc	accaaccagg	acgccgauac	cgugaccauc	1260
gacaacaccg	uguauacgcu	gagcaaggug	gaaggcgaac	agcacgugau	caagggcaga	1320
ccugugucca	gcagcuucga	cccuaucaag	uucccugagg	aucaguucca	gguggcccu	1380
gaccaggugu	ucgagaacau	cgagaauucc	caggcucugg	uggaccaguc	caacagaau	1440
cugucuagcg	ccgagaaggg	aaacaccggc	uucacauucg	ugaucuuccu	gaucgcccug	1500
cugggcagcu	ccaugauccu	gguguccauc	uucacauuu	ucaagaagac	caagaagccc	1560
accggcgcuc	cuccagaacu	gagcggagug	accaacaau	gcuucaucc	ucacaac	1617

&lt;210&gt; SEQ ID NO 130

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 130

augagcugga	agguggucau	caucuucagc	cugcugauca	caccucagca	cgccugaaa	60
gagagcuacc	uggaagaguc	cugcagcacc	aucacagagg	gcuaccuguc	ugugcugaga	120
accggcuggu	acaccaacgu	guucacacug	gaagugggcg	acgucgagaa	ucugacaugc	180
ucugauggcc	cuagccgau	caagaccgag	cuggaucugc	ucaagagcgc	ccugagagaa	240
cucaagaccg	ugucugccga	ucagcuggcc	agagaggaac	agaucgagaa	uccuggcagc	300
ggcagcuuug	ugcugggagc	cauugcucu	ggaguggcug	cugcugcagc	uguuacagca	360
ggcguggcca	ucgcuagac	caucagacug	gaaagcgaag	ugaccgccau	caacaacgcc	420
cugaagaaga	caaacgaggg	cgucagcaca	cucggcaaug	gcuuagagu	gcuggccaca	480
gccgugcgcg	agcugaagga	cuucgugucc	aagaaccuga	cacgggccau	uaacaagaac	540
aagugcgaca	ucccugaccu	gaagauggcc	guguccuuu	gccaguucca	ccggcgguu	600
cugaacgucg	ugcggcaguu	uagcgacaac	gccggaauca	caccagccau	cagccuggac	660
cugaugacag	augcugagcu	ggcuagagcc	gugccuaaca	ugccuacauc	ugccggccag	720
aucaagcuga	ugcucgagaa	uagagccaug	guccgacgga	aaggcuucgg	cauucugauu	780
ggcguguaacg	gcagcagcgu	gaucuauaug	gugcagcugc	cuauucucgg	cgugaucgac	840
acaccucgcu	ggauuugaa	ggccgcucuu	agcuguagcg	agaagaaggg	cauuuacgcc	900
ugccugcuga	gagaggacca	aggcugguau	ugucagaacg	ccggcagcac	cguguacuac	960
ccuaacgaga	aggacugcga	gacaagaggg	gaccacgugu	ucugugauac	cgccgcugga	1020
aucaaugugg	ccgagcagag	caaagagugc	aacaaucaaca	ucagcaccac	caacuauccc	1080
ugcaaggugu	ccaccggcag	gcaccuauu	ucuauuggug	cucugucucc	ucugggagcc	1140
cugguggcuu	guuauaaggg	cguguccugu	agcaucggca	gcaacagagu	gggcaucauc	1200
aagcagcuga	acaagggcug	cagcuacauc	accaaccagg	acgccgauac	cgugaccauc	1260
gacaacaccg	uguauacgcu	gagcaaggug	gaaggcgaac	agcacgugau	caagggcaga	1320
ccugugucca	gcagcuucga	cccuaucaag	uucccugaga	accaguucca	gguggcccu	1380

-continued

---

```

gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaau 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac 1617

```

```

<210> SEQ ID NO 131
<211> LENGTH: 1617
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 131

```

```

augagcugga agggugucou caucucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc auctacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucucg ucaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcugggcca ucgcuagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggg cugcagcaca cucggcaaug gcuuuagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugcuu aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucccgaccu gaagauggcc guguccuuu gccaguuaa ccggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuaagacc guggcuuaa ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcuguaacg gcagcagcgu gaucauuug gucgagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggaauugaa ggcgcucucu agcuguagcg agaagaaggg cauuuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuuuu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuuuaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggcccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaau 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac 1617

```

```

<210> SEQ ID NO 132
<211> LENGTH: 1617

```

-continued

---

<212> TYPE: RNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 132

augagcugga aggguggucau caucuucagc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc	180
ucugauggcc cuagccugau caagaccgag cuggaucugc ucaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcguggcca ucgcuagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugcuu aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ucccgaccu gaagauggcc guguccuuu gccaguuaa ccggcgguu	600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugau	780
ggcguguaag gcagcagcgu gaucuauaug gucgagcugc cuaucuucgg cgugaucgac	840
acaccucgcu ggauuguaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga	1020
aucaaugugg ccgagcagag caaagaguc aacaucaaca ucagcaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuuuu ucuauuggug cucugucucc ucugggagcc	1140
cugguggcuu guuuaaaggc cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaaggcgug cagcuacauc accaaccagg acgccgauac cgugaccauc	1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga	1320
ccugugucca gcagcuucga ccuaucaag uucccugaga accaguucca gguggccug	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc	1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc	1560
accggcguc cuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac	1617

<210> SEQ ID NO 133  
 <211> LENGTH: 1617  
 <212> TYPE: RNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 133

augagcugga aggguggucau caucuucagc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu guucacacug ccugugggcg acgucgagaa ucugacaugc	180

-continued

---

ucugauggcc cuagccugau caagaccgag cuggaucugc ucaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ugcagcaccu gaagauggcc guguccuuu gccaguuaa cggcgguuu	600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu	780
ggcguguaag gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac	840
acaccucgcu ggaauugaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacucgga gacaagaggc gaccacgugu ucugugauac cgccgucgga	1020
aucaaugugg ccgagcagag caaagagugc aacaucuaa ucagcaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc	1140
cugguggcuu guuuaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaaggcgug cagcuacauc accaaccagg acgccgauac cgugaccauc	1260
gacaacaccg uguauacgcu gagcaaggug gaaggcgaac agcacgugau caagggcaga	1320
ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggccucg	1380
gaccaggugu ucgagaacau cgagaaucc caggcucugg uggaccaguc caacagaauc	1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc	1560
accggcguc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac	1617

&lt;210&gt; SEQ ID NO 134

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 134

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu guucacacug ccugugggcg acgucgagaa ucugacaugc	180
ucugauggcc cuagccugau caagaccgag cuggaucugc ucaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac	540

-continued

---

```

aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguucua cggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuaagacc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguaag gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg cggcgagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucuaaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuuaaggcg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaaggcgug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag uucccugaga accaguucca gguggccucg 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560
accggcguc cuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac 1617

```

&lt;210&gt; SEQ ID NO 135

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 135

```

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaaagaguc cugcagcacc auctacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucugc ucaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cuggcgaau gcguaagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguucua cggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuaagacc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguaag gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc 900

```

-continued

---

ugccugcuga gagaggacca aggcugguau ugucagaacg cggcagcac cguguacuac	960
ccuaacgaga aggacugoga gacaagaggc gaccacgugu ucugugauac cgccgcugga	1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuaucce	1080
ugcaaggugu ccaccggcag gcaaccuauu ucuauggugg cucugucucc ucugggagcc	1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc	1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga	1320
ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggccug	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaau	1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc	1560
accggcgcuc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac	1617

&lt;210&gt; SEQ ID NO 136

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 136

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu guucacacug gaagugggcg accucgagaa ucugacaugc	180
ucugauggcc cuagccgau caagaccgag cuggaucuga ccaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggg cgucagcaca cucggcaaug gcguaagagu gcuggccaca	480
gccugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ugcagcaccu gaagauggcc guguccuuu gccaguucca ccggcgguuu	600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu	780
ggcguguaag gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac	840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg cauuuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg cggcagcac cguguacuac	960
ccuaacgaga aggacugoga gacaagaggc gaccacgugu ucugugauac cgccgcugga	1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuaucce	1080
ugcaaggugu ccaccggcag gcaaccuauu ucuauggugg cucugucucc ucugggagcc	1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc	1260

-continued

---

gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga	1320
ccugugucca gcagcuucga ccuaucaag ucccugagg aucaguucca gguggccug	1380
gaccaggugu ucgagaacau cgagaaucc caggcucugg uggaccaguc caacagaau	1440
cugucuagcg ccgagaagg aaacaccggc uucaucaucg ugaucauccu gaucgccgug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc	1560
accggcgcuc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac	1617

&lt;210&gt; SEQ ID NO 137

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 137

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc	180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcugggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca	480
gccgucgcg agcugaagga cuucgugcuu aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ucgacgaccu gaagauggcc guguccuuu gccaguucca ccggcgguuu	600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu	780
ggcguguaag gcagcagcgu gaucuaauaug gugcagcugc cuaucuucgg cgugaucgac	840
acaccucgcu ggauugugaa ggccgucucu agcuguagcg agaagaaggg cauuuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgucgga	1020
aucaaugugg ccgagcagag caaagagugc aacaucaca ucagcaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuauu ucuauuggug cucugucucc ucugggagcc	1140
cuggguggcu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgcccgauc cgugaccauc	1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga	1320
ccugugucca gcagcuucga ccuaucaag ucccugagg aucaguucca gguggccug	1380
gaccaggugu ucgagaacau cgagaaucc caggcucugg uggaccaguc caacagaau	1440
cugucuagcg ccgagaagg aaacaccggc uucaucaucg ugaucauccu gaucgccgug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc	1560
accggcgcuc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac	1617

-continued

---

<210> SEQ ID NO 138  
 <211> LENGTH: 1617  
 <212> TYPE: RNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 138

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc	180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcguggcca ucguaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugucc aagaaccugu ggcgggccau uaacaagaac	540
aagugcgaca ucgacgaccu gaagauggcc guguccuuu gccaguuaa ccggcgguuu	600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu	780
ggcguguaag gcagcagcgu gaucuaauaug gugcagcugc cuaucuucgg cgugaucgac	840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg cauuuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga	1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuauu ucuauuggug cucugucucc ucugggagcc	1140
cugguggcuu guuauaaggc cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccuac	1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga	1320
ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggccucg	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc	1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc	1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac	1617

<210> SEQ ID NO 139  
 <211> LENGTH: 1617  
 <212> TYPE: RNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 139

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa	60
---	----



-continued

---

gagagcuacc	uggaagaguc	cugcagcacc	aucacagagg	gcuaccuguc	ugugcugaga	120
accggcuggu	acaccaacgu	guucacacug	gaagugggcg	accucgagaa	ucugacaugc	180
ucugauggcc	cuagccgau	caagaccgag	cuggaucugc	ucaagagcgc	ccugagagaa	240
cucaagaccg	ugucugccga	ucagcuggcc	agagaggaac	agaucgagaa	uccuggcagc	300
ggcagcuuug	ugcugggagc	cauugcucu	ggaguggcug	cugcugcagc	uguuacagca	360
ggcguggcca	ucgcuagac	caucagacug	gaaagcgaag	ugaccgccau	caacaacgcc	420
cugaagaaga	caaacgaggc	cgucagcaca	cucggcaaug	gcuuagagu	gcuggccaca	480
gccgugcgcg	agcugaagga	cuucgugcu	aagaaccugu	ggcgggccau	uaacaagaac	540
aagugcgaca	ucgacgaccu	gaagauggcc	guguccuuu	gccaguucua	ccggcgguu	600
cugaacgucg	ugcggcaguu	uagcgacaac	gccggauca	caccagccau	cagccuggac	660
cugaugacag	augcugagcu	ggcuagagcc	gugccuaaca	ugccuacauc	ugccggccag	720
aucaagcuga	ugcucgagaa	uagagccaug	guccgacgga	aaggcuucgg	cauucugauu	780
ggcguguacg	gcagcagcgu	gaucuauaug	gugcagcugc	cuaucuucgg	cgugaucgac	840
acaccucgcu	ggauugugaa	ggccgucucu	agcuguagcg	agaagaaggg	cauuuacgcc	900
ugccugcuga	gagaggacca	aggcugguau	ugucagaacg	ccggcagcac	cguguacuac	960
ccuaacgaga	aggacugcga	gacaagaggc	gaccacgugu	ucugugauac	cgccgcugga	1020
aucaaugugg	ccgagcagag	caaagagugc	aacaucaaca	ucagcaccac	caacuauccc	1080
ugcaaggugu	ccaccggcag	gcaccuauu	ucuauggugg	cucugucucc	ucugggagcc	1140
cugggugcuu	guuauaaggg	cguguccugu	agcaucggca	gcaacagagu	gggcaucauc	1200
aagcagcuga	acaagggcug	cagcuacauc	accaaccagg	acgccgauac	cgugaccauc	1260
gacaacaccg	uguauacgcu	gagcaaggug	gaaggcgaac	agcacgugau	caagggcaga	1320
ccugugucca	gcagcuucga	cccuaucaag	uucccugagg	aucaguucca	gguggcccug	1380
gaccaggugu	ucgagaacau	cgagaauucc	caggcucugg	uggaccaguc	caacagaauc	1440
cugucuagcg	ccgagaaggg	aaacaccggc	uucaucaucg	ugaucauccu	gaucgcccug	1500
cugggcagcu	ccaugauccu	gguguccauc	uucaucauuu	ucaagaagac	caagaagccc	1560
accggcguc	cuccagaacu	gagcggagug	accaacaau	gcuucauccc	ucacaac	1617

&lt;210&gt; SEQ ID NO 140

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 140

augagcugga	aggugguau	caucuucagc	cugcugauca	caccucagca	cggccugaaa	60
gagagcuacc	uggaagaguc	cugcagcacc	aucacagagg	gcuaccuguc	ugugcugaga	120
accggcuggu	acaccaacgu	guucacacug	ccugugggcg	acgucgagaa	ucugacaugc	180
ucugauggcc	cuagccgau	caagaccgag	cuggaucuga	ccaagagcgc	ccugagagaa	240
cucaagaccg	ugucugccga	ucagcuggcc	agagaggaac	agaucgagaa	uccuggcagc	300
ggcagcuuug	ugcugggagc	cauugcucu	ggaguggcug	cugcugcagc	uguuacagca	360
ggcguggcca	ucgcuagac	caucagacug	gaaagcgaag	ugaccgccau	caacaacgcc	420

-continued

---

cugaagaaga caaacgaggg cgucagcaca cucggcaaug gcguuagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguuaa cggcgguuu	600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuaagacc gugccuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu	780
ggcguguaag gcagcagcgu gaucuaauaug gugcagcugc cuaucuucgg cgugaucgac	840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg cauuuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga gacaagaggg gaccacgugu ucugugauac cgccgucgga	1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuuuu ucuauggugg cucugucucc ucugggagcc	1140
cugguggcuu guuuaaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgcccgauc cgugaccauc	1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcagcugau caagggcaga	1320
ccugugucca gcagcuucga ccuaucaag ucccugagg aucaguucca gguggcccug	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc	1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc	1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac	1617

&lt;210&gt; SEQ ID NO 141

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 141

augagcugga aggugguau caucuucagc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu guucacacug gaaguggggcg acgucgagaa ucugacaugc	180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggg cgucagcaca cucggcaaug gcguuagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ucccugaccu gaagauggcc guguccuuua gccaguuaa cggcgguuu	600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuaagacc gugccuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu	780

-continued

---

ggcguguaacg gcagcagcgu gaucuaauaug gugcagcugc cuaucuucgg cgugaucgac	840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga gacaagaggg gaccacgugu ucugugauac cgccgcugga	1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc	1140
cugguggcuu guuuaaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgcccgauc cgugaccauc	1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga	1320
ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggcccug	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc	1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc	1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac	1617

&lt;210&gt; SEQ ID NO 142

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 142

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu guucacacug gaaguggggcg acgucgagaa ucugacaugc	180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugucugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcguggcca ucguaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggg cgucagcaca cucggcaaug gcguuagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga caccggccau uaacaagaac	540
aagugcccua ucgacgaccu gaagauggcc guguccuuua gccaguuaa ccggcgguuu	600
cugaacgucg ugccggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuaagacc guggcuuaca ugccuacauc ugccggccag	720
aucaagcuga ugucugagaa uagagccaug guccgacgga aaggcuucgg cauucugauu	780
ggcguguaacg gcagcagcgu gaucuaauaug gugcagcugc cuaucuucgg cgugaucgac	840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga gacaagaggg gaccacgugu ucugugauac cgccgcugga	1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc	1140

-continued

---

cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc	1260
gacaacaccg uguauacgcu gagcaaggug gaaggcgaac agcacgugau caagggcaga	1320
ccugugucca gcagcuucga cccuaucaag ucccugagg aucaguucca gguggcccug	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaau	1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc	1560
accggcgcuc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac	1617

&lt;210&gt; SEQ ID NO 143

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 143

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu gucacacug gaaguggggc acgucgagaa ucugacaugc	180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcugggcca ucgcuaagac caucagacug ccuagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc cgcagcaca cucggcaaug gcguuagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ucgacgaccu gaagauggcc guguccuuu gccaguuaa ccggcgguuu	600
cugaacgucg ugccggcagu uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuaagacc guggcuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu	780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac	840
acaccucgcu ggaauuguaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga	1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc	1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc	1260
gacaacaccg uguauacgcu gagcaaggug gaaggcgaac agcacgugau caagggcaga	1320
ccugugucca gcagcuucga cccuaucaag ucccugagg aucaguucca gguggcccug	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaau	1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug	1500

-continued

---

 cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560

accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucaucc ucacaac 1617

&lt;210&gt; SEQ ID NO 144

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 144

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa 60

gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120

accggcuggu acaccaacgu gucacacug gaaguggggc acgucgagaa ucugacaugc 180

ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240

cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300

ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360

ggcugggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420

cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca 480

gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540

aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguucua ccggcgguuu 600

cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660

cugaugacag augcugagcu ggcuaagacc guggcuaaca ugccuacauc ugccggccag 720

aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780

ggcuguaacg gcagcagcgu gaucuaauug gugcagcgc cuaucuucgg cgugaucgac 840

acaccucgcu ggaauuguaa ggcgcucucc agcuguagcg agaagaaggg caauuacgcc 900

ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960

ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020

aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc 1080

ugcaaggugu ccaccggcag gcaccuuuu ucuauggugg cucugucucc ucugggagcc 1140

cugguggcuu guuuaaaggg cguguccugu agcaucgca gcaacagagu gggcaucauc 1200

aagcagcuga acaagggcug cagcuacauc accaaccagg acgcccgauc cgugaccauc 1260

gacaacaccg uguaucagcu gagcaaggug gaagcgaac agcacgugau caagggcaga 1320

ccugugucca gcagcuuccc accuaucaag ucccugagg aucaguucca gguggccug 1380

gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440

cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug 1500

cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560

accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucaucc ucacaac 1617

&lt;210&gt; SEQ ID NO 145

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

-continued

&lt;400&gt; SEQUENCE: 145

```

augagcugga aggguggucau caucuucagc cugcugauca caccucagca cggccugaaa    60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga    120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc    180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa    240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc    300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca    360
ggcguggcca ucgcuagac caucagacug gaaagcgaag ugaccgccau caacaacgcc    420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca    480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac    540
aagugcgaca ucgacgaccu gaagauggcc guguccuuu gccaguucua cggcgguuu    600
cugaacgucg ugccggcagu uagcgacaac gccggaauca caccagccau cagccuggac    660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag    720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu    780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac    840
acaccucgcu ggaauuguaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc    900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac    960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgucgga    1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc    1080
ugcaaggugu ccaccggcag gcaccuuuu ucuauuggug cucugucucc ucugggagcc    1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc    1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgcccgauac cgugaccuac    1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcagcugau caagggcaga    1320
ccugugucca gcagcuucga cccuaucaag ucccugaga accaguucca gguggcccg    1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc    1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug    1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc    1560
accggcguc  cuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac    1617

```

&lt;210&gt; SEQ ID NO 146

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 146

```

augagcugga aggguggucau caucuucagc cugcugauca caccucagca cggccugaaa    60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga    120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc    180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa    240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc    300

```

-continued

---

ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguuca cggcgguuu	600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu	780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac	840
acaccucgcu ggaauugaa ggccgucucc agcuguagcg agaagaagg caauuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgucgga	1020
aucaaugugg ccgagcagag caaagagugc aacaucaca ucagcaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuuuu ucuauggugg cucugucucc ucugggagcc	1140
cugguggcuu guuuaaagg cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaaggcgug cagcuacauc accaaccagg acgcccgauc cgugaccauc	1260
gacaacaccg uguaucagcu gagcaaggug gaagcgaac agcagcugau caagggcaga	1320
ccugugucca gcagcuucga cccuaucaag ucccucagg aucaguucca gguggccug	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc	1440
cugucuagcg ccgagaagg aaacaccggc uucaucaucg ugaucacccu gaucgcccug	1500
cugggcagcu ccaugacccu gguguccauc uucaucauu ucaagaagac caagaagccc	1560
accggcguc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac	1617

&lt;210&gt; SEQ ID NO 147

&lt;211&gt; LENGTH: 1617

&lt;212&gt; TYPE: RNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic Polynucleotide

&lt;400&gt; SEQUENCE: 147

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa	60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc	180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa	240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca	360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca	480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac	540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguggaa cggcgguuu	600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac	660

-continued

---

cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu	780
ggcguguacg gcagcagcgu gaucuaauaug gugcagcugc cuaucuucgg cgugaucgac	840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc	900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgucgga	1020
aucaaugugg ccgagcagag caaagagugc aacaucaca ucagcaccac caacuauccc	1080
ugcaaggugu ccaccggcag gcaccuauu ucuauugggg cucugucucc ucugggagcc	1140
cuggggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc	1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccuac	1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga	1320
ccugugucca gcagcuucga cccuaucaag ucccugagg aucaguucca gguggcccu	1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaau	1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug	1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc	1560
accggcguc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac	1617

---

**1.-12.** (canceled)

**33.** A human parainfluenza virus type 3 (hPIV3) vaccine, comprising:

an isolated ribonucleic acid (RNA) polynucleotide comprising an open reading frame encoding an antigenic hPIV3 Fusion (F) protein formulated in a lipid nanoparticle that comprises a molar ratio of 20-60% ionizable cationic lipid, 5-25% non-cationic lipid, 25-55% sterol, and 0.5-15% PEG-modified lipid, wherein the isolated mRNA polynucleotide is not self-replicating RNA.

**34.-95.** (canceled)

**96.** A method of inducing an antigen-specific immune response in a subject, the method comprising administering to the subject the vaccine of claim **33** in an amount effective to produce an antigen-specific immune response in the subject.

**97.-135.** (canceled)

**136.** The hPIV3 vaccine of claim **33**, wherein the isolated mRNA polynucleotide further encodes a 5' terminal cap, 7mG(5')ppp(5')NlmpNp.

**137.** The hPIV3 vaccine of claim **33**, wherein at least 80% of the uracil in the open reading frame comprises a chemical modification selected from N1-methyl-pseudouridine and N1-ethyl-pseudouridine.

**138.** The hPIV3 vaccine of claim **33**, wherein the chemical modification is in the 5-position of the uracil.

**139.** The hPIV3 vaccine of claim **33**, wherein the open reading frame encoding an antigenic hPIV3 F protein comprises a RNA sequence that has at least 90% identity to the RNA sequence set forth in SEQ ID NO: 64.

**140.** The hPIV3 vaccine of claim **139**, wherein the open reading frame encoding an antigenic hPIV3 F protein comprises a RNA sequence set forth as SEQ ID NO: 64.

**141.** The hPIV3 vaccine of claim **33**, wherein the antigenic hPIV3 F protein comprises an amino acid sequence that has at least 90% identity to the amino acid sequence set forth as SEQ ID NO: 13.

**142.** The hPIV3 vaccine of claim **141**, wherein the antigenic hPIV3 F protein comprises an amino acid sequence set forth as SEQ ID NO: 13.

**143.** The hPIV3 vaccine of claim **33**, formulated in an effective amount, wherein the effective amount is a total dose of 25 µg-200 µg.

**144.** The hPIV3 vaccine of claim **33**, wherein the isolated RNA polynucleotide further comprises 5' terminal cap, a 5' UTR, a 3' UTR, and a polyA tail.

**145.** The hPIV3 vaccine of claim **144**, wherein the open reading frame encoding an antigenic hPIV3 F protein comprises a RNA sequence that has at least 90% identity to the RNA sequence set forth in SEQ ID NO: 64.

**146.** The hPIV3 vaccine of claim **145**, wherein the open reading frame encoding an antigenic hPIV3 F protein comprises a RNA sequence set forth as SEQ ID NO: 64.

**147.** The hPIV3 vaccine of claim **33**, wherein the efficacy of the vaccine in vaccinated subjects is at least 60%, relative to unvaccinated subjects, following a single dose of the vaccine.

**148.** The hPIV3 vaccine of claim **33**, wherein a single dose of the vaccine administered to a subject is sufficient to produce detectable levels of hPIV3 F protein as measured in serum of a subject vaccinated with at least one dose of the vaccine at 1-72 hours post administration.



**149.** The hPIV3 vaccine of claim **33**, wherein a single dose of the vaccine administered to a subject is sufficient to produce a 1,000-10,000 neutralization titer produced by neutralizing antibody against the antigenic hPIV3 F protein as measured in serum of a subject vaccinated with at least one dose of the vaccine at 1-72 hours post administration.

**150.** The hPIV3 vaccine of claim **149**, wherein the 1,000-10,000 neutralization titer is produced in the absence of antibody-dependent enhancement (ADE) of a hPIV3-associated disease.


**151.** The hPIV3 vaccine of claim **150**, wherein the hPIV3-associated disease is alevolitis interstitial pneumonia.

**152.** The hPIV3 vaccine of claim **33**, wherein an anti-hPIV3 F protein antibody titer produced in a subject vaccinated with at least one dose of the vaccine is increased by at least 1 log relative to a control, wherein the control is an anti-hPIV3 F protein antibody titer produced in a subject who has not been administered a vaccine against hPIV3.

**153.** The hPIV3 vaccine of claim **33**, wherein an anti-hPIV3 F protein antibody titer produced in a subject vaccinated with at least one dose of the vaccine is increased at least 2 times relative to a control, wherein the control is an anti-hPIV3 F protein antibody titer produced in a subject who has not been administered a vaccine against hPIV3.

**154.** The hPIV3 vaccine of claim **33**, wherein the ionizable cationic lipid comprises the following compound:

(Compound 25)



**155.** The hPIV3 vaccine of claim **33**, wherein the noncationic lipid is DSPC (1,2-Distearoyl-sn-glycero-3-phosphocholine).

**156.** The hPIV3 vaccine of claim **33**, wherein the PEG-modified lipid is DMG-PEG (1,2-dimyristoyl-racglycero-3-methoxypolyethylene glycol-2000).

**157.** The method of claim **33**, wherein the lipid nanoparticle comprises 40-50% ionizable cationic lipid, 5-15% DSPC, 25-40% cholesterol, and 1-3.5% DMG-PEG.

**158.** The method of claim **157**, wherein the lipid nanoparticle comprises 50% ionizable cationic lipid, 10% DSPC, 38.5% cholesterol, and 1.5% DMG-PEG.

\* \* \* \* \*